



BUREAU
VERITAS

Test Report No.: PSU-QSU2306120115RF12

Rg	Frequency [MHz]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,459.500	97.80			7.40	H	43.8	2
2	2,483.500	45.20	54.00	8.80	7.36	H	43.8	2
2	2,484.500	45.85	54.00	8.15	7.36	H	43.8	2






BUREAU
VERITAS Test Report No.: PSU-QSU2306120115RF12

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,457.500	101.16			7.41	V	27.1	2
2	2,483.500	55.50	74.00	18.50	7.36	V	155	2
2	2,484.500	58.33	74.00	15.67	7.36	V	155	2





Rg	Frequency [MHz]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,459.000	87.31			7.41	V	77	1
2	2,483.500	35.17	54.00	18.83	7.36	V	1	2
2	2,484.500	35.77	54.00	18.23	7.36	V	77	1



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value-Emission level.
2. 2462MHz: Fundamental frequency.



BUREAU
VERITAS


Test Report No.: PSU-QSU2306120115RF12

802.11ax (40MHz) (SU484):

CHANNEL	TX Channel 3	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 25GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	2,389.500	70.96	74.00	3.04	7.08	H	359.1	1
3	2,390.000	68.93	74.00	5.07	7.08	H	5	1
3	2,424.500	108.35			7.29	H	358.2	1






BUREAU
VERITAS

Test Report No.: PSU-QSU2306120115RF12

Rg	Frequency [MHz]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	2,388.500	46.64	54.00	7.36	7.08	H	166.6	1
3	2,390.000	47.18	54.00	6.82	7.08	H	1	1
3	2,424.500	93.06			7.29	H	359.1	1



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	2,389.000	62.54	74.00	11.46	7.08	V	208.9	2
3	2,390.000	62.49	74.00	11.51	7.08	V	208.9	2
3	2,408.500	99.95			7.14	V	208.9	2





Rg	Frequency [MHz]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	2,388.500	41.71	54.00	12.29	7.08	V	207.6	2
3	2,390.000	41.62	54.00	12.38	7.08	V	207.6	2
3	2,420.500	86.42			7.26	V	88.9	1



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value-Emission level.
2. 2422MHz: Fundamental frequency.



BUREAU
VERITAS


Test Report No.: PSU-QSU2306120115RF12

802.11ax (40MHz) (SU484):

CHANNEL	TX Channel 6	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 25GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	4,874.000	51.53	74.00	22.47	41.01	54.00	12.99	15.25	H	263.8	2
2	7,311.000	62.20	74.00	11.80	48.50	54.00	5.50	21.10	H	359.1	1






BUREAU
VERITAS

Test Report No.: PSU-QSU2306120115RF12

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Avg Level [dB μ V/m]	Avg Limit [dB μ V/m]	Avg Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	4,874.000	51.36	74.00	22.64	40.45	54.00	13.55	15.25	V	359	2
2	7,311.000	57.50	74.00	16.50	46.88	54.00	7.12	21.10	V	359.1	1



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value-Emission level.
2. 2437MHz: Fundamental frequency.



BUREAU
VERITAS


Test Report No.: PSU-QSU2306120115RF12

802.11ax (40MHz) (SU484):

CHANNEL	TX Channel 9	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 25GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	2,458.500	110.12			7.41	H	51	2
4	2,483.500	70.15	74.00	3.85	7.36	H	51	2
4	2,486.500	70.17	74.00	3.83	7.36	H	51	2





Test Report No.: PSU-QSU2306120115RF12

Rg	Frequency [MHz]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	2,455.500	94.59			7.42	H	54.6	2
4	2,483.500	48.12	54.00	5.88	7.36	H	54.6	2
4	2,486.000	47.60	54.00	6.40	7.36	H	2.3	2






Test Report No.: PSU-QSU2306120115RF12


ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	2,446.500	101.00			7.43	V	152.3	1
4	2,483.500	57.28	74.00	16.72	7.36	V	128.8	2
4	2,485.500	58.21	74.00	15.79	7.36	V	128.8	2





Rg	Frequency [MHz]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	2,449.000	84.65			7.44	V	160.6	1
4	2,483.500	37.83	54.00	16.17	7.36	V	130	2
4	2,485.500	38.39	54.00	15.61	7.36	V	130	2



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value-Emission level.
2. 2452MHz: Fundamental frequency.



BUREAU
VERITAS Test Report No.: PSU-QSU2306120115RF12


2.4G WIFI-RU

802.11ax (20MHz) (RU26):

CHANNEL	TX Channel 1	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 25GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	2,388.000	56.50	74.00	17.50	7.08	H	266.2	2
1	2,390.000	54.94	74.00	19.06	7.08	H	73.8	2





Test Report No.: PSU-QSU2306120115RF12

Rg	Frequency [MHz]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	2,388.500	36.51	54.00	17.49	7.08	H	139.2	1
1	2,390.000	36.46	54.00	17.54	7.08	H	139.2	1
1	2,404.000	102.36			7.10	H	293.7	2






BUREAU
VERITAS

Test Report No.: PSU-QSU2306120115RF12

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	2,387.500	49.60	74.00	24.40	7.08	V	145.1	1
1	2,390.000	47.72	74.00	26.28	7.08	V	0.9	2





Test Report No.: PSU-QSU2306120115RF12

Rg	Frequency [MHz]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	2,389.000	34.58	54.00	19.42	7.08	V	222	2
1	2,390.000	34.62	54.00	19.38	7.08	V	222	2
1	2,403.500	93.61			7.10	V	222	2



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value-Emission level.
2. 2412MHz: Fundamental frequency.



BUREAU
VERITAS


Test Report No.: PSU-QSU2306120115RF12

802.11ax (20MHz) (RU52):

CHANNEL	TX Channel 1	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 25GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	2,389.500	69.94	74.00	4.06	7.08	H	222.1	2
1	2,390.000	66.04	74.00	7.96	7.08	H	222.1	2
1	2,404.500	117.60			7.11	H	93	1






BUREAU
VERITAS

Test Report No.: PSU-QSU2306120115RF12

Rg	Frequency [MHz]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	2,389.000	46.68	54.00	7.32	7.08	H	290.2	2
1	2,390.000	47.75	54.00	6.25	7.08	H	290.2	2
1	2,404.500	104.92			7.11	H	290.2	2






BUREAU
VERITAS

Test Report No.: PSU-QSU2306120115RF12


ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	2,389.500	57.27	74.00	16.73	7.08	V	187.2	2
1	2,390.000	59.00	74.00	15.00	7.08	V	104.7	1
1	2,405.000	112.02			7.11	V	187.2	2





Rg	Frequency [MHz]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	2,389.000	41.50	54.00	12.50	7.08	V	212.5	2
1	2,390.000	42.43	54.00	11.57	7.08	V	212.5	2
1	2,403.500	97.23			7.10	V	212.5	2



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value-Emission level.
2. 2412MHz: Fundamental frequency.



BUREAU
VERITAS


Test Report No.: PSU-QSU2306120115RF12

802.11ax (20MHz) (RU106):

CHANNEL	TX Channel 1	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 25GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	2,389.500	67.90	74.00	6.10	7.08	H	78.8	2
1	2,390.000	70.88	74.00	3.12	7.08	H	78.8	2
1	2,408.500	114.92			7.14	H	1	1






BUREAU
VERITAS

Test Report No.: PSU-QSU2306120115RF12

Rg	Frequency [MHz]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	2,388.500	41.78	54.00	12.22	7.08	H	139.2	1
1	2,390.000	43.28	54.00	10.72	7.08	H	66.3	1
1	2,408.500	100.01			7.14	H	292.6	2





BUREAU
VERITAS

Test Report No.: PSU-QSU2306120115RF12

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	2,389.500	61.76	74.00	12.24	7.08	V	359	2
1	2,390.000	62.40	74.00	11.60	7.08	V	326.9	1
1	2,408.500	107.62			7.14	V	355	2






BUREAU
VERITAS

Test Report No.: PSU-QSU2306120115RF12

Rg	Frequency [MHz]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	2,389.500	38.50	54.00	15.50	7.08	V	219.6	2
1	2,390.000	39.37	54.00	14.63	7.08	V	219.6	2
1	2,403.500	92.02			7.10	V	219.6	2



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value–Emission level.
2. 2.412MHz: Fundamental frequency.



BUREAU
VERITAS


Test Report No.: PSU-QSU2306120115RF12

802.11ax (20MHz) (RU242):

CHANNEL	TX Channel 1	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 25GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	2,389.500	67.86	74.00	6.14	7.08	H	219.5	2
1	2,390.000	68.79	74.00	5.21	7.08	H	219.5	2
1	2,416.000	110.73			7.21	H	5	1





Test Report No.: PSU-QSU2306120115RF12


Rg	Frequency [MHz]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	2,389.500	45.33	54.00	8.67	7.08	H	58	1
1	2,390.000	46.04	54.00	7.96	7.08	H	58	1
1	2,413.000	95.85			7.19	H	121.3	1





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	2,389.500	45.33	54.00	8.67	7.08	H	58	1
1	2,390.000	46.04	54.00	7.96	7.08	H	58	1
1	2,413.000	95.85			7.19	H	121.3	1






BUREAU
VERITAS

Test Report No.: PSU-QSU2306120115RF12

Rg	Frequency [MHz]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	2,389.500	38.44	54.00	15.56	7.08	V	176.6	2
1	2,390.000	38.57	54.00	15.43	7.08	V	176.6	2
1	2,416.000	86.27			7.21	V	239.9	2



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value-Emission level.
2. 2437MHz: Fundamental frequency.



BUREAU
VERITAS


Test Report No.: PSU-QSU2306120115RF12

802.11ax (20MHz) (RU242):

CHANNEL	TX Channel 6	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 25GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	4,874.000	53.80	74.00	20.20	42.12	54.00	11.88	15.25	H	265	2
2	7,311.000	62.66	74.00	11.34	49.59	54.00	4.41	21.10	H	341.4	1





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	4,874.000	50.77	74.00	23.23	40.74	54.00	13.26	15.25	V	1	2
2	7,311.000	57.49	74.00	16.51	46.77	54.00	7.23	21.10	V	96.2	1



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value-Emission level.
2. 2437MHz: Fundamental frequency.



BUREAU
VERITAS


Test Report No.: PSU-QSU2306120115RF12

802.11ax (20MHz) (RU26):

CHANNEL	TX Channel 11	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 25GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,483.500	65.42	74.00	8.58	7.36	H	63	2
2	2,484.000	66.00	74.00	8.00	7.36	H	63	2






BUREAU
VERITAS

Test Report No.: PSU-QSU2306120115RF12

Rg	Frequency [MHz]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,470.000	104.73			7.36	H	5.7	1
2	2,483.500	39.15	54.00	14.85	7.36	H	5.7	1
2	2,487.000	43.78	54.00	10.22	7.36	H	220.8	2






BUREAU
VERITAS

Test Report No.: PSU-QSU2306120115RF12


ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,483.500	56.86	74.00	17.14	7.36	V	161	2





Rg	Frequency [MHz]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,470.000	94.73			7.36	V	149.1	2
2	2,483.500	33.86	54.00	20.14	7.36	V	67.4	1
2	2,487.000	37.31	54.00	16.69	7.36	V	67.4	1



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value-Emission level.
2. 2412MHz: Fundamental frequency.



BUREAU
VERITAS


Test Report No.: PSU-QSU2306120115RF12

802.11ax (20MHz) (RU52):

CHANNEL	TX Channel 11	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 25GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,470.500	119.55			7.36	H	356.5	1
2	2,483.500	69.38	74.00	4.62	7.36	H	1	1
2	2,484.500	69.98	74.00	4.02	7.36	H	184.6	1





Test Report No.: PSU-QSU2306120115RF12


Rg	Frequency [MHz]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,468.000	104.53			7.37	H	77.4	2
2	2,483.500	47.36	54.00	6.64	7.36	H	220.9	2
2	2,485.000	47.27	54.00	6.73	7.36	H	220.9	2





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,469.500	110.50			7.36	V	175.4	2
2	2,483.500	62.77	74.00	11.23	7.36	V	125.2	2
2	2,484.000	63.04	74.00	10.96	7.36	V	125.2	2






BUREAU
VERITAS

Test Report No.: PSU-QSU2306120115RF12

Rg	Frequency [MHz]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,470.000	95.66			7.36	V	69	2
2	2,483.500	40.83	54.00	13.17	7.36	V	67.4	1
2	2,485.000	40.14	54.00	13.86	7.36	V	67.4	1



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value-Emission level.
2. 2412MHz: Fundamental frequency.



BUREAU
VERITAS


Test Report No.: PSU-QSU2306120115RF12

802.11ax (20MHz) (RU106):

CHANNEL	TX Channel 11	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 25GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,466.000	111.22			7.38	H	42.5	1
2	2,483.500	67.75	74.00	6.25	7.36	H	184.6	1
2	2,484.000	66.75	74.00	7.25	7.36	H	224.4	2






BUREAU
VERITAS

Test Report No.: PSU-QSU2306120115RF12

Rg	Frequency [MHz]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,465.500	98.87			7.38	H	5	1
2	2,483.500	43.76	54.00	10.24	7.36	H	5	1
2	2,486.000	42.62	54.00	11.38	7.36	H	5	1






BUREAU
VERITAS

Test Report No.: PSU-QSU2306120115RF12


ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,470.000	103.68			7.36	V	98.8	2
2	2,483.500	57.13	74.00	16.87	7.36	V	146.6	2
2	2,484.000	59.87	74.00	14.13	7.36	V	136.8	1





Rg	Frequency [MHz]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,467.000	90.72			7.37	V	69	2
2	2,483.500	35.82	54.00	18.18	7.36	V	72.2	1
2	2,484.500	35.43	54.00	18.57	7.36	V	72.2	1



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value-Emission level.
2. 2412MHz: Fundamental frequency.



BUREAU
VERITAS


Test Report No.: PSU-QSU2306120115RF12

802.11ax (20MHz) (RU242):

CHANNEL	TX Channel 11	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 25GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,469.500	111.87			7.36	H	222	2
2	2,483.500	65.72	74.00	8.28	7.36	H	137.9	1
2	2,485.000	69.57	74.00	4.43	7.36	H	222	2





Test Report No.: PSU-QSU2306120115RF12

Rg	Frequency [MHz]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,460.500	95.64			7.40	H	5	1
2	2,483.500	47.19	54.00	6.81	7.36	H	5	1
2	2,484.000	46.40	54.00	7.60	7.36	H	5	1






BUREAU
VERITAS

Test Report No.: PSU-QSU2306120115RF12


ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,459.500	101.57			7.40	V	152.4	1
2	2,483.500	60.96	74.00	13.04	7.36	V	42.4	1
2	2,486.000	60.59	74.00	13.41	7.36	V	174.1	2





Rg	Frequency [MHz]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,467.000	86.07			7.37	V	72.6	2
2	2,483.500	37.84	54.00	16.16	7.36	V	66.3	1
2	2,485.500	37.69	54.00	16.31	7.36	V	146.7	2

**REMARKS:**

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value-Emission level.
2. 2412MHz: Fundamental frequency.



BUREAU
VERITAS


Test Report No.: PSU-QSU2306120115RF12

802.11ax (40MHz) (RU242):

CHANNEL	TX Channel 3	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 25GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	2,389.000	68.94	74.00	5.06	7.08	H	141.6	1
3	2,390.000	66.82	74.00	7.18	7.08	H	4.3	1
3	2,421.000	111.85			7.26	H	4.3	1





Test Report No.: PSU-QSU2306120115RF12

Rg	Frequency [MHz]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	2,388.500	42.65	54.00	11.35	7.08	H	141.6	1
3	2,390.000	43.82	54.00	10.18	7.08	H	141.6	1
3	2,419.500	93.37			7.25	H	1	1






BUREAU
VERITAS

Test Report No.: PSU-QSU2306120115RF12


ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	2,389.500	59.32	74.00	14.68	7.08	V	141.5	1
3	2,390.000	58.82	74.00	15.18	7.08	V	168.2	2
3	2,404.500	103.29			7.11	V	168.2	2





Rg	Frequency [MHz]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	2,388.500	38.55	54.00	15.45	7.08	V	218.5	2
3	2,390.000	38.98	54.00	15.02	7.08	V	218.5	2
3	2,406.000	87.28			7.12	V	218.5	2

**REMARKS:**

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value-Emission level.
2. 2422MHz: Fundamental frequency.




802.11ax (40MHz) (RU484):

CHANNEL	TX Channel 3	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 25GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	2,389.500	66.98	74.00	7.02	7.08	H	140.4	1
3	2,390.000	66.26	74.00	7.74	7.08	H	5	1
3	2,414.500	108.39			7.20	H	140.4	1






BUREAU
VERITAS

Test Report No.: PSU-QSU2306120115RF12

Rg	Frequency [MHz]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	2,388.000	44.72	54.00	9.28	7.08	H	141.5	1
3	2,390.000	45.11	54.00	8.89	7.08	H	4.9	1
3	2,431.000	88.53			7.33	H	290.2	2






BUREAU
VERITAS

Test Report No.: PSU-QSU2306120115RF12


ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	2,389.500	59.71	74.00	14.29	7.08	V	173	2
3	2,390.000	60.65	74.00	13.35	7.08	V	173	2
3	2,414.500	99.57			7.20	V	220.8	2





Rg	Frequency [MHz]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	2,388.500	40.64	54.00	13.36	7.08	V	218.5	2
3	2,390.000	40.64	54.00	13.36	7.08	V	218.5	2
3	2,438.500	82.37			7.38	V	69.8	1



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value-Emission level.
2. 2422MHz: Fundamental frequency.



BUREAU
VERITAS


Test Report No.: PSU-QSU2306120115RF12

802.11ax (40MHz) (RU484):

CHANNEL	TX Channel 6	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 25GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	4,874.000	51.32	74.00	22.68	41.37	54.00	12.63	15.25	H	1	2
2	7,311.000	59.87	74.00	14.13	48.35	54.00	5.65	21.10	H	340.3	1





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	4,874.000	51.27	74.00	22.73	40.30	54.00	13.70	15.25	V	260.2	2
2	7,311.000	57.84	74.00	16.16	46.63	54.00	7.37	21.10	V	359.1	1



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value—Emission level.
2. 2437MHz: Fundamental frequency.



BUREAU
VERITAS


Test Report No.: PSU-QSU2306120115RF12

802.11ax (40MHz) (RU242):

CHANNEL	TX Channel 9	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 25GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	2,454.500	111.34			7.43	H	5	1
4	2,483.500	70.81	74.00	3.19	7.36	H	93.7	1
4	2,485.000	70.78	74.00	3.22	7.36	H	5	1





Test Report No.: PSU-QSU2306120115RF12

Rg	Frequency [MHz]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	2,460.500	95.99			7.40	H	4.3	1
4	2,483.500	45.58	54.00	8.42	7.36	H	73.8	2
4	2,485.500	45.49	54.00	8.51	7.36	H	73.8	2






BUREAU
VERITAS

Test Report No.: PSU-QSU2306120115RF12


ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	2,464.500	101.83			7.38	V	60.3	1
4	2,483.500	61.10	74.00	12.90	7.36	V	168.2	2
4	2,484.500	61.28	74.00	12.72	7.36	V	60.3	1





Rg	Frequency [MHz]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	2,459.000	86.66			7.41	V	142.7	1
4	2,483.500	37.81	54.00	16.19	7.36	V	145.5	2
4	2,486.000	37.36	54.00	16.64	7.36	V	145.5	2



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value-Emission level.
2. 2422MHz: Fundamental frequency.



Test Report No.: PSU-QSU2306120115RF12

802.11ax (40MHz) (RU484):

CHANNEL	TX Channel 9	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 25GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	2,460.500	108.22			7.40	H	359.1	1
4	2,483.500	68.95	74.00	5.05	7.36	H	5	1
4	2,484.500	68.49	74.00	5.51	7.36	H	71.4	2

