

Appendix: Bluetooth Classic

Contents

Contents 2

Dwell Time 3

Duty Cycle 13

Maximum Peak Conducted Output Power 19

-20dB Bandwidth 25

Occupied Channel Bandwidth 31

Carrier Frequencies Separation 37

Band Edge 43


Band Edge(Hopping) 50

Conducted RF Spurious Emission 57


Number of Hopping Channel 67

Dwell Time


Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH1	2441	Ant1	0.387	190.791	493	31600	400	Pass
NVNT	1-DH3	2441	Ant1	1.643	356.531	217	31600	400	Pass
NVNT	1-DH5	2441	Ant1	2.891	387.394	134	31600	400	Pass
NVNT	2-DH1	2441	Ant1	0.393	125.367	319	31600	400	Pass
NVNT	2-DH3	2441	Ant1	1.645	278.005	169	31600	400	Pass
NVNT	2-DH5	2441	Ant1	2.892	321.012	111	31600	400	Pass
NVNT	3-DH1	2441	Ant1	0.393	126.546	322	31600	400	Pass
NVNT	3-DH3	2441	Ant1	1.644	325.512	198	31600	400	Pass
NVNT	3-DH5	2441	Ant1	2.895	330.03	114	31600	400	Pass




Date: 9.AUG.2023 14:57:18




Date: 9.AUG.2023 14:57:51




Date: 9.AUG.2023 15:02:41



Date: 9.AUG.2023 15:03:14



Date: 9.AUG.2023 14:35:20



Date: 9.AUG.2023 14:35:53

