












Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.




GPRS1900-810-0-3000~18000MHz-PASS




EGPRS1900-810-2-0.009~0.15MHz-PASS




EGPRS1900-810-2-0.15~30MHz-PASS



EGPRS1900-810-2-30~1000MHz-PASS



EGPRS1900-810-2-1000~3000MHz-PASS



EGPRS1900-810-2-3000~18000MHz-PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Appendix F: Frequency Stability

Test Result

Temperature							
Band	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
GPRS850	128	NV	-30	12.07	0.014645	±2.5	PASS
GPRS850	128	NV	-20	11.17	0.013553	±2.5	PASS
GPRS850	128	NV	-10	9.88	0.011987	±2.5	PASS
GPRS850	128	NV	0	9.98	0.012109	±2.5	PASS
GPRS850	128	NV	10	9.94	0.012060	±2.5	PASS
GPRS850	128	NV	20	8.20	0.009949	±2.5	PASS
GPRS850	128	NV	30	10.43	0.012655	±2.5	PASS
GPRS850	128	NV	40	11.04	0.013395	±2.5	PASS
GPRS850	128	NV	50	8.33	0.010107	±2.5	PASS
EGPRS850	128	NV	-30	23.99	0.029107	±2.5	PASS
EGPRS850	128	NV	-20	21.95	0.026632	±2.5	PASS
EGPRS850	128	NV	-10	21.99	0.026680	±2.5	PASS
EGPRS850	128	NV	0	23.41	0.028403	±2.5	PASS
EGPRS850	128	NV	10	21.89	0.026559	±2.5	PASS
EGPRS850	128	NV	20	22.31	0.027069	±2.5	PASS
EGPRS850	128	NV	30	22.70	0.027542	±2.5	PASS
EGPRS850	128	NV	40	22.41	0.027190	±2.5	PASS
EGPRS850	128	NV	50	22.76	0.027615	±2.5	PASS
GPRS850	190	NV	-30	6.97	0.008331	±2.5	PASS
GPRS850	190	NV	-20	9.14	0.010925	±2.5	PASS
GPRS850	190	NV	-10	11.24	0.013435	±2.5	PASS
GPRS850	190	NV	0	10.78	0.012885	±2.5	PASS
GPRS850	190	NV	10	9.65	0.011535	±2.5	PASS
GPRS850	190	NV	20	8.59	0.010268	±2.5	PASS
GPRS850	190	NV	30	8.94	0.010686	±2.5	PASS
GPRS850	190	NV	40	10.17	0.012156	±2.5	PASS
GPRS850	190	NV	50	9.72	0.011618	±2.5	PASS
EGPRS850	190	NV	-30	20.82	0.024886	±2.5	PASS
EGPRS850	190	NV	-20	20.63	0.024659	±2.5	PASS
EGPRS850	190	NV	-10	20.63	0.024659	±2.5	PASS
EGPRS850	190	NV	0	20.28	0.024241	±2.5	PASS
EGPRS850	190	NV	10	21.11	0.025233	±2.5	PASS
EGPRS850	190	NV	20	20.05	0.023966	±2.5	PASS
EGPRS850	190	NV	30	20.08	0.024002	±2.5	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

EGPRS850	190	NV	40	20.66	0.024695	±2.5	PASS
EGPRS850	190	NV	50	20.24	0.024193	±2.5	PASS
GPRS850	251	NV	-30	9.14	0.010768	±2.5	PASS
GPRS850	251	NV	-20	10.07	0.011864	±2.5	PASS
GPRS850	251	NV	-10	8.65	0.010191	±2.5	PASS
GPRS850	251	NV	0	7.75	0.009131	±2.5	PASS
GPRS850	251	NV	10	8.78	0.010344	±2.5	PASS
GPRS850	251	NV	20	9.75	0.011487	±2.5	PASS
GPRS850	251	NV	30	9.33	0.010992	±2.5	PASS
GPRS850	251	NV	40	9.30	0.010957	±2.5	PASS
GPRS850	251	NV	50	9.69	0.011416	±2.5	PASS
EGPRS850	251	NV	-30	23.08	0.027191	±2.5	PASS
EGPRS850	251	NV	-20	22.86	0.026932	±2.5	PASS
EGPRS850	251	NV	-10	22.12	0.026060	±2.5	PASS
EGPRS850	251	NV	0	22.60	0.026626	±2.5	PASS
EGPRS850	251	NV	10	22.37	0.026355	±2.5	PASS
EGPRS850	251	NV	20	21.60	0.025448	±2.5	PASS
EGPRS850	251	NV	30	21.73	0.025601	±2.5	PASS
EGPRS850	251	NV	40	21.83	0.025719	±2.5	PASS
EGPRS850	251	NV	50	23.21	0.027344	±2.5	PASS
GPRS1900	512	NV	-30	-1100.00	-0.594530	±2.5	PASS
GPRS1900	512	NV	-20	-700.00	-0.378337	±2.5	PASS
GPRS1900	512	NV	-10	530.00	0.286456	±2.5	PASS
GPRS1900	512	NV	0	240.00	0.129716	±2.5	PASS
GPRS1900	512	NV	10	-840.00	-0.454005	±2.5	PASS
GPRS1900	512	NV	20	-690.00	-0.372933	±2.5	PASS
GPRS1900	512	NV	30	500.00	0.270241	±2.5	PASS
GPRS1900	512	NV	40	-630.00	-0.340504	±2.5	PASS
GPRS1900	512	NV	50	-380.00	-0.205383	±2.5	PASS
EGPRS1900	512	NV	-30	-60.00	-0.032429	±2.5	PASS
EGPRS1900	512	NV	-20	970.00	0.524268	±2.5	PASS
EGPRS1900	512	NV	-10	200.00	0.108096	±2.5	PASS
EGPRS1900	512	NV	0	160.00	0.086477	±2.5	PASS
EGPRS1900	512	NV	10	-290.00	-0.156740	±2.5	PASS
EGPRS1900	512	NV	20	700.00	0.378337	±2.5	PASS
EGPRS1900	512	NV	30	-1610.00	-0.870176	±2.5	PASS
EGPRS1900	512	NV	40	-1560.00	-0.843152	±2.5	PASS
EGPRS1900	512	NV	50	-500.00	-0.270241	±2.5	PASS
GPRS1900	661	NV	-30	70.00	0.037234	±2.5	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

GPRS1900	661	NV	-20	400.00	0.212766	±2.5	PASS
GPRS1900	661	NV	-10	-220.00	-0.117021	±2.5	PASS
GPRS1900	661	NV	0	0.00	0.000000	±2.5	PASS
GPRS1900	661	NV	10	-190.00	-0.101064	±2.5	PASS
GPRS1900	661	NV	20	-960.00	-0.510638	±2.5	PASS
GPRS1900	661	NV	30	-570.00	-0.303191	±2.5	PASS
GPRS1900	661	NV	40	280.00	0.148936	±2.5	PASS
GPRS1900	661	NV	50	-580.00	-0.308511	±2.5	PASS
EGPRS1900	661	NV	-30	290.00	0.154255	±2.5	PASS
EGPRS1900	661	NV	-20	980.00	0.521277	±2.5	PASS
EGPRS1900	661	NV	-10	940.00	0.500000	±2.5	PASS
EGPRS1900	661	NV	0	-1050.00	-0.558511	±2.5	PASS
EGPRS1900	661	NV	10	-1480.00	-0.787234	±2.5	PASS
EGPRS1900	661	NV	20	380.00	0.202128	±2.5	PASS
EGPRS1900	661	NV	30	-620.00	-0.329787	±2.5	PASS
EGPRS1900	661	NV	40	660.00	0.351064	±2.5	PASS
EGPRS1900	661	NV	50	-1730.00	-0.920213	±2.5	PASS
GPRS1900	810	NV	-30	1010.00	0.528851	±2.5	PASS
GPRS1900	810	NV	-20	100.00	0.052362	±2.5	PASS
GPRS1900	810	NV	-10	-310.00	-0.162321	±2.5	PASS
GPRS1900	810	NV	0	40.00	0.020945	±2.5	PASS
GPRS1900	810	NV	10	-930.00	-0.486962	±2.5	PASS
GPRS1900	810	NV	20	260.00	0.136140	±2.5	PASS
GPRS1900	810	NV	30	310.00	0.162321	±2.5	PASS
GPRS1900	810	NV	40	370.00	0.193738	±2.5	PASS
GPRS1900	810	NV	50	-390.00	-0.204210	±2.5	PASS
EGPRS1900	810	NV	-30	650.00	0.340350	±2.5	PASS
EGPRS1900	810	NV	-20	-580.00	-0.303697	±2.5	PASS
EGPRS1900	810	NV	-10	-250.00	-0.130904	±2.5	PASS
EGPRS1900	810	NV	0	970.00	0.507907	±2.5	PASS
EGPRS1900	810	NV	10	-110.00	-0.057598	±2.5	PASS
EGPRS1900	810	NV	20	100.00	0.052362	±2.5	PASS
EGPRS1900	810	NV	30	1080.00	0.565504	±2.5	PASS
EGPRS1900	810	NV	40	940.00	0.492198	±2.5	PASS
EGPRS1900	810	NV	50	-200.00	-0.104723	±2.5	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/