


802.11n HT20 mode/5700MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5698.67	80.91	98.89	17.98	-	-	200	316	Horizontal	No limit
2	5725	40.54	58.70	18.16	68.30	9.60	200	202	Horizontal	/
3	5830.375	41.92	61.22	19.30	68.30	7.08	200	233	Horizontal	/
1	5701.19	76.48	94.37	17.89	-	-	200	140	Vertical	No limit
2	5725	39.56	57.57	18.01	68.30	10.73	100	288	Vertical	/
3	5746.9	42.41	60.52	18.11	68.30	7.78	100	100	Vertical	/

802.11n HT20 mode/5700MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBuV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5699.125	71.83	91.81	19.98	54.00	-37.81	200	294	Horizontal	No limit
1	5700.875	71.40	91.19	19.79	54.00	-37.19	200	282	Vertical	No limit

802.11ac VHT20 mode/5180MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5042.8	42.34	59.00	16.66	74.00	15.00	100	58	Horizontal	/
2	5150	39.53	55.81	16.28	68.30	12.49	100	360	Horizontal	/
3	5181.575	78.43	94.85	16.42	-	-	100	322	Horizontal	No limit
1	5069.225	41.82	58.55	16.73	74.00	15.45	100	304	Vertical	/
2	5150	39.08	55.16	16.08	68.30	13.14	100	251	Vertical	/
3	5181.4	77.07	93.22	16.15	-	-	200	192	Vertical	No limit

802.11ac VHT20 mode/5180MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5072.165	28.49	45.10	16.61	54.00	8.90	200	282	Horizontal	/
2	5150	27.70	43.98	16.28	54.00	10.02	200	43	Horizontal	/
3	5180.49	67.20	83.62	16.42	-	-	100	324	Horizontal	No limit
1	5066.74	28.66	45.40	16.74	54.00	8.60	100	218	Vertical	/
2	5150	27.92	44.00	16.08	54.00	10.00	200	289	Vertical	/
3	5174.295	66.77	82.91	16.14	-	-	200	198	Vertical	No limit

802.11ac VHT20 mode/5240MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBuV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5086.355	42.09	58.63	16.54	74.00	15.37	100	229	Horizontal	/
2	5150	39.99	56.27	16.28	68.30	12.03	200	239	Horizontal	/
3	5241.79	77.44	93.86	16.42	-	-	200	61	Horizontal	No limit
1	5046.7	41.87	58.64	16.77	74.00	15.36	200	96	Vertical	/
2	5150	39.17	55.25	16.08	68.30	13.05	200	15	Vertical	/
3	5241.16	77.05	93.09	16.04	-	-	200	190	Vertical	No limit

802.11ac VHT20 mode/5240MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5076.065	28.64	45.23	16.59	54.00	8.77	100	359	Horizontal	/
2	5150	27.60	43.88	16.28	54.00	10.12	100	147	Horizontal	/
3	5241.16	67.19	83.61	16.42	-	-	200	58	Horizontal	No limit
1	5056.08	28.58	45.38	16.80	54.00	8.62	100	12	Vertical	/
2	5150	27.65	43.73	16.08	54.00	10.27	200	199	Vertical	/
3	5241.615	67.09	83.12	16.03	-	-	200	189	Vertical	No limit

802.11ac VHT20 mode/5260MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5259.3	77.90	94.30	16.40	-	-	200	61	Horizontal	No limit
2	5350	39.15	55.69	16.54	68.30	12.61	200	345	Horizontal	/
3	5395.73	42.03	59.03	17.00	74.00	14.97	200	345	Horizontal	/
1	5263.255	76.57	92.65	16.08	-	-	200	199	Vertical	No limit
2	5350	39.77	56.31	16.54	68.30	11.99	100	8	Vertical	/
3	5381.695	41.51	58.24	16.73	74.00	15.76	100	344	Vertical	/

802.11ac VHT20 mode/5260MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5265.705	67.49	83.89	16.40	-	-	200	50	Horizontal	No limit
2	5350	28.14	44.68	16.54	54.00	9.32	100	25	Horizontal	/
3	5364.405	28.52	45.21	16.69	54.00	8.79	200	142	Horizontal	/
1	5254.505	66.31	82.34	16.03	-	-	200	192	Vertical	No limit
2	5350	27.88	44.42	16.54	54.00	9.58	100	19	Vertical	/
3	5399.755	28.28	45.12	16.84	54.00	8.88	100	212	Vertical	/

802.11ac VHT20 mode/5320MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5321.925	78.28	94.73	16.45	-	-	200	66	Horizontal	No limit
2	5350	40.11	56.65	16.54	68.30	11.65	100	124	Horizontal	/
3	5384.085	41.79	58.67	16.88	74.00	15.33	200	161	Horizontal	/
1	5313.77	77.25	93.61	16.36	-	-	200	194	Vertical	No limit
2	5350	39.26	55.80	16.54	68.30	12.50	100	52	Vertical	/
3	5390.63	42.13	58.92	16.79	74.00	15.08	200	260	Vertical	/

802.11ac VHT20 mode/5320MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5314.225	68.40	84.83	16.43	-	-	200	61	Horizontal	No limit
2	5350	27.86	44.40	16.54	54.00	9.60	200	203	Horizontal	/
3	5406.59	28.27	45.29	17.02	54.00	8.71	100	143	Horizontal	/
1	5313.7	67.19	83.54	16.35	-	-	200	190	Vertical	No limit
2	5350	27.76	44.30	16.54	54.00	9.70	100	201	Vertical	/
3	5374.005	28.46	45.14	16.68	54.00	8.86	100	91	Vertical	/

802.11ac VHT20 mode/5500MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5376.17	42.92	59.72	16.80	74.00	14.28	200	323	Horizontal	/
2	5460	39.17	56.14	16.97	68.30	12.16	100	259	Horizontal	/
3	5497.865	79.16	96.47	17.31	-	-	200	53	Horizontal	No limit
1	5371.935	41.92	58.60	16.68	74.00	15.40	200	320	Vertical	/
2	5460	39.63	56.18	16.55	68.30	12.12	100	345	Vertical	/
3	5498.74	78.84	95.66	16.82	-	-	200	189	Vertical	No limit

802.11ac VHT20 mode/5500MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5399.095	28.32	45.35	17.03	54.00	8.65	200	225	Horizontal	/
2	5460	27.58	44.55	16.97	54.00	9.45	200	111	Horizontal	/
3	5496.045	68.86	86.15	17.29	-	-	200	54	Horizontal	No limit
1	5379.145	28.35	45.06	16.71	54.00	8.94	200	192	Vertical	/
2	5460	27.51	44.06	16.55	54.00	9.94	200	151	Vertical	/
3	5500.91	69.17	86.00	16.83	-	-	200	181	Vertical	No limit

802.11ac VHT20 mode/5700MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5702.415	86.61	106.61	20.00	-	-	200	139	Horizontal	No limit
2	5725	44.66	64.72	20.06	68.30	3.58	200	97	Horizontal	/
3	5729.295	45.13	65.20	20.07	68.30	3.10	200	97	Horizontal	/
1	5702.59	89.76	109.57	19.81	-	-	200	138	Vertical	No limit
2	5725	48.01	67.92	19.91	68.30	0.38	100	299	Vertical	/
3	5728.245	47.65	67.58	19.93	68.30	0.72	100	288	Vertical	/

802.11ac VHT20 mode/5700MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average


Polarity: Vertical



No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5702.065	75.59	95.59	20.00	54.00	-41.59	200	108	Horizontal	No limit
1	5702.205	83.26	103.06	19.80	54.00	-49.06	200	156	Vertical	No limit


802.11ax HE20 mode/5180MHz
Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBuV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5083.365	42.33	58.89	16.56	74.00	15.11	200	158	Horizontal	/
2	5150	39.35	55.63	16.28	68.30	12.67	100	198	Horizontal	/
3	5182.415	79.37	95.80	16.43	-	-	100	77	Horizontal	No limit
1	5050.71	42.13	58.96	16.83	74.00	15.04	100	88	Vertical	/
2	5150	40.69	56.77	16.08	68.30	11.53	200	289	Vertical	/
3	5181.505	79.80	95.95	16.15	-	-	100	170	Vertical	No limit

802.11ax HE20 mode/5180MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average


Polarity: Vertical



No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5068.105	28.61	45.25	16.64	54.00	8.75	100	128	Horizontal	/
2	5150	27.71	43.99	16.28	54.00	10.01	200	187	Horizontal	/
3	5180.945	67.66	84.08	16.42	-	-	100	77	Horizontal	No limit
1	5068.21	28.87	45.61	16.74	54.00	8.39	100	16	Vertical	/
2	5150	27.66	43.74	16.08	54.00	10.26	200	190	Vertical	/
3	5183.255	67.29	83.45	16.16	-	-	200	201	Vertical	No limit


802.11ax HE20 mode/5240MHz
Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBuV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5107.67	42.07	58.51	16.44	74.00	15.49	100	133	Horizontal	/
2	5150	38.97	55.25	16.28	68.30	13.05	200	106	Horizontal	/
3	5234.615	78.26	94.69	16.43	-	-	200	63	Horizontal	No limit
1	5031.405	42.14	58.67	16.53	74.00	15.33	200	67	Vertical	/
2	5150	39.11	55.19	16.08	68.30	13.11	200	15	Vertical	/
3	5235.07	77.42	93.48	16.06	-	-	100	169	Vertical	No limit

802.11ax HE20 mode/5240MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5059.265	28.54	45.22	16.68	54.00	8.78	100	235	Horizontal	/
2	5150	27.60	43.88	16.28	54.00	10.12	100	303	Horizontal	/
3	5242.7	65.70	82.11	16.41	-	-	200	71	Horizontal	No limit
1	5073.37	28.59	45.30	16.71	54.00	8.70	100	49	Vertical	/
2	5150	27.79	43.87	16.08	54.00	10.13	100	180	Vertical	/
3	5242.665	65.79	81.82	16.03	-	-	200	191	Vertical	No limit

802.11ax HE20 mode/5260MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5261.89	77.53	93.93	16.40	-	-	200	36	Horizontal	No limit
2	5350	39.25	55.79	16.54	68.30	12.51	100	250	Horizontal	/
3	5396.43	41.79	58.79	17.00	74.00	15.21	100	271	Horizontal	/
1	5253.98	77.46	93.48	16.02	-	-	200	194	Vertical	No limit
2	5350	38.82	55.36	16.54	68.30	12.94	200	130	Vertical	/
3	5385.965	42.62	59.38	16.76	74.00	14.62	100	283	Vertical	/

802.11ax HE20 mode/5260MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average


Polarity: Vertical



No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBuV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5255.765	65.64	82.04	16.40	-	-	200	50	Horizontal	No limit
2	5350	27.77	44.31	16.54	54.00	9.69	100	140	Horizontal	/
3	5384.355	28.35	45.23	16.88	54.00	8.77	100	15	Horizontal	/
1	5260.735	65.00	81.06	16.06	-	-	200	191	Vertical	No limit
2	5350	27.84	44.38	16.54	54.00	9.62	200	240	Vertical	/
3	5390.655	28.31	45.10	16.79	54.00	8.90	200	201	Vertical	/


802.11ax HE20 mode/5320MHz
Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5323.395	79.96	96.42	16.46	-	-	200	62	Horizontal	No limit
2	5350	38.91	55.45	16.54	68.30	12.85	100	123	Horizontal	/
3	5487.3	41.80	59.02	17.22	68.30	9.28	200	136	Horizontal	/
1	5312.195	77.74	94.09	16.35	-	-	200	188	Vertical	No limit
2	5350	39.31	55.85	16.54	68.30	12.45	100	324	Vertical	/
3	5409.145	41.63	58.40	16.77	74.00	15.60	100	87	Vertical	/

802.11ax HE20 mode/5320MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5314.785	67.20	83.63	16.43	-	-	200	66	Horizontal	No limit
2	5350	27.93	44.47	16.54	54.00	9.53	100	313	Horizontal	/
3	5364.695	28.65	45.34	16.69	54.00	8.66	200	179	Horizontal	/
1	5321.61	65.53	81.93	16.40	-	-	200	191	Vertical	No limit
2	5350	27.94	44.48	16.54	54.00	9.52	100	344	Vertical	/
3	5380.445	28.30	45.02	16.72	54.00	8.98	100	161	Vertical	/

802.11ax HE20 mode/5500MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5415.58	42.15	59.14	16.99	74.00	14.86	100	16	Horizontal	/
2	5460	39.27	56.24	16.97	68.30	12.06	100	16	Horizontal	/
3	5494.61	78.45	95.73	17.28	-	-	200	51	Horizontal	No limit
1	5393.95	41.72	58.52	16.80	74.00	15.48	200	274	Vertical	/
2	5460	39.53	56.08	16.55	68.30	12.22	200	356	Vertical	/
3	5500.28	79.07	95.90	16.83	-	-	200	188	Vertical	No limit

802.11ax HE20 mode/5500MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5398.36	28.23	45.26	17.03	54.00	8.74	100	96	Horizontal	/
2	5460	27.68	44.65	16.97	54.00	9.35	100	208	Horizontal	/
3	5496.955	67.02	84.32	17.30	-	-	200	51	Horizontal	No limit
1	5392.025	28.32	45.12	16.80	54.00	8.88	200	181	Vertical	/
2	5460	27.76	44.31	16.55	54.00	9.68	200	87	Vertical	/
3	5500.805	67.39	84.21	16.82	-	-	200	192	Vertical	No limit

802.11ax HE20 mode/5700MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5695.345	84.54	105.49	20.95	-	-	200	102	Horizontal	No limit
2	5725	41.05	62.21	21.16	68.30	6.09	100	66	Horizontal	/
3	5729.645	42.26	63.45	21.19	68.30	4.85	200	70	Horizontal	/
1	5698.74	91.76	112.64	20.88	-	-	200	157	Vertical	No limit
2	5725	46.97	67.98	21.01	68.30	0.32	200	147	Vertical	/
3	5729.925	46.84	67.87	21.03	68.30	0.43	200	15	Vertical	/

802.11ax HE20 mode/5700MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBuV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5694.33	61.43	82.37	20.94	54.00	-28.37	200	112	Horizontal	No limit
1	5701.015	67.65	88.54	20.89	54.00	-34.54	200	188	Vertical	No limit

802.11n HT40 mode/5190MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBuV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5040.805	42.41	59.05	16.64	74.00	14.95	200	172	Horizontal	/
2	5150	39.61	55.89	16.28	68.30	12.41	100	270	Horizontal	/
3	5192.005	74.93	91.40	16.47	-	-	100	80	Horizontal	No limit
1	5017.075	42.65	58.96	16.31	74.00	15.04	200	240	Vertical	/
2	5150	39.38	55.46	16.08	68.30	12.84	100	224	Vertical	/
3	5195.12	74.44	90.63	16.19	-	-	200	198	Vertical	No limit

802.11n HT40 mode/5190MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5069.925	28.55	45.18	16.63	54.00	8.82	100	180	Horizontal	/
2	5150	27.57	43.85	16.28	54.00	10.15	100	109	Horizontal	/
3	5190.745	64.49	80.95	16.46	-	-	100	80	Horizontal	No limit
1	5075.245	28.60	45.30	16.70	54.00	8.70	200	243	Vertical	/
2	5150	27.80	43.88	16.08	54.00	10.12	200	15	Vertical	/
3	5194.595	64.80	80.99	16.19	-	-	200	196	Vertical	No limit

802.11n HT40 mode/5230MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5081.805	42.41	58.97	16.56	74.00	15.03	200	262	Horizontal	/
2	5150	39.30	55.58	16.28	68.30	12.72	100	219	Horizontal	/
3	5232.83	74.22	90.65	16.43	-	-	200	61	Horizontal	No limit
1	5046.315	42.43	59.20	16.77	74.00	14.80	200	16	Vertical	/
2	5150	40.15	56.23	16.08	68.30	12.07	200	16	Vertical	/
3	5242.91	74.21	90.24	16.03	-	-	200	198	Vertical	No limit

802.11n HT40 mode/5230MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5073.055	28.59	45.20	16.61	54.00	8.80	100	292	Horizontal	/
2	5150	27.98	44.26	16.28	54.00	9.74	100	180	Horizontal	/
3	5233.775	64.75	81.18	16.43	-	-	200	70	Horizontal	No limit
1	5070.675	28.55	45.27	16.72	54.00	8.73	100	54	Vertical	/
2	5150	27.64	43.72	16.08	54.00	10.28	100	271	Vertical	/
3	5231.71	64.30	80.37	16.07	-	-	200	195	Vertical	No limit

802.11n HT40 mode/5270MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5276.73	75.56	91.95	16.39	-	-	200	49	Horizontal	No limit
2	5350	40.23	56.77	16.54	68.30	11.53	200	292	Horizontal	/
3	5384.88	41.98	58.87	16.89	74.00	15.13	100	333	Horizontal	/
1	5282.4	73.75	89.93	16.18	-	-	200	196	Vertical	No limit
2	5350	39.60	56.14	16.54	68.30	12.16	200	48	Vertical	/
3	5379.77	41.86	58.58	16.72	74.00	15.42	200	68	Vertical	/

802.11n HT40 mode/5270MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5266.37	65.42	81.82	16.40	-	-	200	52	Horizontal	No limit
2	5350	27.92	44.46	16.54	54.00	9.54	200	249	Horizontal	/
3	5405.18	28.14	45.16	17.02	54.00	8.84	100	113	Horizontal	/
1	5268.68	64.04	80.15	16.11	-	-	200	191	Vertical	No limit
2	5350	28.12	44.66	16.54	54.00	9.34	100	344	Vertical	/
3	5402.94	28.35	45.16	16.81	54.00	8.84	200	48	Vertical	/

802.11n HT40 mode/5310MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5314.12	76.38	92.81	16.43	-	-	200	56	Horizontal	No limit
2	5350	39.32	55.86	16.54	68.30	12.44	200	206	Horizontal	/
3	5406.03	42.00	59.02	17.02	74.00	14.98	100	238	Horizontal	/
1	5312.58	74.33	90.68	16.35	-	-	200	86	Vertical	No limit
2	5350	39.51	56.05	16.54	68.30	12.25	200	157	Vertical	/
3	5401.725	41.78	58.61	16.83	74.00	15.39	200	56	Vertical	/

802.11n HT40 mode/5310MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5312.51	66.65	83.08	16.43	-	-	200	58	Horizontal	No limit
2	5350	27.96	44.50	16.54	54.00	9.50	100	97	Horizontal	/
3	5400.535	28.23	45.27	17.04	54.00	8.73	200	142	Horizontal	/
1	5312.58	65.13	81.48	16.35	-	-	200	194	Vertical	No limit
2	5350	27.93	44.47	16.54	54.00	9.53	100	90	Vertical	/
3	5374.18	28.42	45.10	16.68	54.00	8.90	100	160	Vertical	/

802.11n HT40 mode/5510MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBuV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5457.09	41.99	58.93	16.94	74.00	15.07	200	39	Horizontal	/
2	5460	39.82	56.79	16.97	68.30	11.51	100	279	Horizontal	/
3	5506.755	76.19	93.46	17.27	-	-	200	50	Horizontal	No limit
1	5395.56	41.88	58.69	16.81	74.00	15.31	100	141	Vertical	/
2	5460	39.62	56.17	16.55	68.30	12.13	100	54	Vertical	/
3	5500.21	75.75	92.58	16.83	-	-	200	191	Vertical	No limit

802.11n HT40 mode/5510MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5357.83	28.41	45.03	16.62	54.00	8.97	200	182	Horizontal	/
2	5460	28.65	45.62	16.97	54.00	8.38	100	271	Horizontal	/
3	5504.76	65.66	82.95	17.29	-	-	200	46	Horizontal	No limit
1	5380.23	28.34	45.06	16.72	54.00	8.94	200	353	Vertical	/
2	5460	29.16	45.71	16.55	54.00	8.29	200	194	Vertical	/
3	5508.715	66.43	83.22	16.79	-	-	200	181	Vertical	No limit

802.11n HT40 mode/5670MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBuV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5674.17	75.67	93.42	17.75	-	-	200	273	Horizontal	No limit
2	5725	39.30	57.46	18.16	68.30	10.84	200	86	Horizontal	/
3	5862.75	42.12	61.70	19.58	68.30	6.60	100	345	Horizontal	/
1	5671.475	71.87	89.55	17.68	-	-	200	134	Vertical	No limit
2	5725	39.56	57.57	18.01	68.30	10.73	100	278	Vertical	/
3	5854.805	41.46	60.89	19.43	68.30	7.41	100	360	Vertical	/

802.11n HT40 mode/5670MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBuV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5670.915	71.09	90.86	19.77	54.00	-36.86	200	22	Horizontal	No limit
1	5671.65	77.75	97.44	19.69	54.00	-43.44	100	243	Vertical	No limit

802.11ac VHT40 mode/5190MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBuV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5081.37	42.05	58.62	16.57	74.00	15.38	200	88	Horizontal	/
2	5150	40.19	56.47	16.28	68.30	11.83	200	217	Horizontal	/
3	5192.635	73.99	90.45	16.46	-	-	200	67	Horizontal	No limit
1	5081.895	41.71	58.37	16.66	74.00	15.63	100	22	Vertical	/
2	5150	39.37	55.45	16.08	68.30	12.85	200	188	Vertical	/
3	5188.505	73.10	89.28	16.18	-	-	200	188	Vertical	No limit

802.11ac VHT40 mode/5190MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5065.025	28.74	45.39	16.65	54.00	8.61	100	327	Horizontal	/
2	5150	27.80	44.08	16.28	54.00	9.92	200	229	Horizontal	/
3	5181.82	64.47	80.89	16.42	-	-	100	70	Horizontal	No limit
1	5069.645	28.59	45.32	16.73	54.00	8.68	200	36	Vertical	/
2	5150	27.99	44.07	16.08	54.00	9.93	100	188	Vertical	/
3	5194.665	64.09	80.28	16.19	-	-	200	200	Vertical	No limit

802.11ac VHT40 mode/5230MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBuV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5072.075	42.20	58.82	16.62	74.00	15.18	200	146	Horizontal	/
2	5150	40.16	56.44	16.28	68.30	11.86	200	334	Horizontal	/
3	5239.795	74.38	90.80	16.42	-	-	200	59	Horizontal	No limit
1	5078.97	42.19	58.87	16.68	74.00	15.13	200	286	Vertical	/
2	5150	39.40	55.48	16.08	68.30	12.82	100	84	Vertical	/
3	5215.26	73.49	89.63	16.14	-	-	200	200	Vertical	No limit

802.11ac VHT40 mode/5230MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average


Polarity: Vertical



No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5076.555	28.69	45.28	16.59	54.00	8.72	200	78	Horizontal	/
2	5150	27.65	43.93	16.28	54.00	10.07	200	58	Horizontal	/
3	5232.27	63.54	79.98	16.44	-	-	100	83	Horizontal	No limit
1	5068.82	28.66	45.39	16.73	54.00	8.61	200	360	Vertical	/
2	5150	27.66	43.74	16.08	54.00	10.26	200	27	Vertical	/
3	5231.29	63.85	79.92	16.07	-	-	200	194	Vertical	No limit


802.11ac VHT40 mode/5270MHz
Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5267.595	73.75	90.15	16.40	-	-	200	51	Horizontal	No limit
2	5350	38.79	55.33	16.54	68.30	12.97	200	165	Horizontal	/
3	5405.81	42.25	59.27	17.02	74.00	14.73	100	188	Horizontal	/
1	5266.44	73.66	89.76	16.10	-	-	200	60	Vertical	No limit
2	5350	41.12	57.66	16.54	68.30	10.64	100	227	Vertical	/
3	5410.92	41.72	58.48	16.76	74.00	15.52	200	358	Vertical	/

802.11ac VHT40 mode/5270MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5276.38	63.85	80.24	16.39	-	-	200	53	Horizontal	No limit
2	5350	27.92	44.46	16.54	54.00	9.54	100	243	Horizontal	/
3	5398.355	28.29	45.32	17.03	54.00	8.68	200	156	Horizontal	/
1	5268.575	63.20	79.31	16.11	-	-	200	183	Vertical	No limit
2	5350	28.17	44.71	16.54	54.00	9.29	100	224	Vertical	/
3	5384.285	28.37	45.11	16.74	54.00	8.89	100	263	Vertical	/

802.11ac VHT40 mode/5310MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5314.75	76.02	92.45	16.43	-	-	200	58	Horizontal	No limit
2	5350	39.01	55.55	16.54	68.30	12.75	100	345	Horizontal	/
3	5432.245	42.78	59.71	16.93	74.00	14.29	200	124	Horizontal	/
1	5313.56	73.88	90.23	16.35	-	-	200	199	Vertical	No limit
2	5350	40.03	56.57	16.54	68.30	11.73	100	54	Vertical	/
3	5491.29	42.43	59.20	16.77	68.30	9.10	100	0	Vertical	/

802.11ac VHT40 mode/5310MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical



No.	Frequency MHz	Reading dBμV/m	Level dBμV/m	Factor dB	Limit dBμV/m	Margin dB	Height cm	Angle °	Pole	Comment
1	5313.49	65.50	81.93	16.43	-	-	200	57	Horizontal	No limit
2	5350	28.02	44.56	16.54	54.00	9.44	200	293	Horizontal	/
3	5405.925	28.30	45.32	17.02	54.00	8.68	100	189	Horizontal	/
1	5311.425	63.43	79.78	16.35	-	-	200	190	Vertical	No limit
2	5350	27.93	44.47	16.54	54.00	9.53	100	132	Vertical	/
3	5404	28.33	45.14	16.81	54.00	8.86	100	233	Vertical	/