


-26dB Bandwidth NVNT ac40 5270MHz Ant1

Spectrum

Ref Level 20.00 dBm Offset 4.06 dB RBW 500 kHz
Att 35 dB SWT 10.1 ms VBW 2 MHz Mode Auto Sweep
SGL Count 100/100

1Pk Max



CF 5.27 GHz

10001 pts

Span 60.0 MHz

Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	5.2737376 GHz	1.34 dBm		
M2		1	5.249444 GHz	-23.54 dBm		
M3		1	5.291036 GHz	-24.59 dBm		


Ready

-26dB Bandwidth NVNT ac40 5270MHz Ant2

Spectrum

Ref Level 20.00 dBm Offset 4.10 dB RBW 500 kHz
Att 35 dB SWT 10.1 ms VBW 2 MHz Mode Auto Sweep
SGL Count 100/100

1Pk Max



CF 5.27 GHz


10001 pts

Span 60.0 MHz

Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	5.2736956 GHz	0.20 dBm		
M2		1	5.248874 GHz	-25.68 dBm		
M3		1	5.290802 GHz	-25.57 dBm		

Ready




-26dB Bandwidth NVNT ac80 5290MHz Ant1

Spectrum

Ref Level 20.00 dBm Offset 4.08 dB RBW 1 MHz
Att 35 dB SWT 10.1 ms VBW 3 MHz Mode Auto Sweep
SGL Count 100/100

1Pk Max



Marker


Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	5.271282 GHz	2.23 dBm		
M2		1	5.247196 GHz	-22.86 dBm		
M3		1	5.331628 GHz	-23.35 dBm		

-26dB Bandwidth NVNT ac80 5290MHz Ant2

Spectrum

Ref Level 20.00 dBm Offset 4.12 dB RBW 1 MHz
Att 35 dB SWT 10.1 ms VBW 3 MHz Mode Auto Sweep
SGL Count 100/100

1Pk Max



Marker


Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	5.284181 GHz	0.11 dBm		
M2		1	5.248276 GHz	-25.88 dBm		
M3		1	5.331568 GHz	-25.74 dBm		

-26dB Bandwidth NVNT n20 5260MHz Ant1

Spectrum

Ref Level 20.00 dBm Offset 4.06 dB RBW 300 kHz
Att 35 dB SWT 25.4 μ s VBW 1 MHz Mode Auto FFT
SGL Count 100/100

1Pk Max



CF 5.26 GHz 10001 pts Span 30.0 MHz

Marker


Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	5.2640376 GHz	1.09 dBm		
M2		1	5.248837 GHz	-24.88 dBm		
M3		1	5.270857 GHz	-24.88 dBm		

-26dB Bandwidth NVNT n20 5260MHz Ant2

Spectrum

Ref Level 20.00 dBm Offset 4.09 dB RBW 300 kHz
Att 35 dB SWT 25.4 μ s VBW 1 MHz Mode Auto FFT
SGL Count 100/100

1Pk Max



CF 5.26 GHz 10001 pts Span 30.0 MHz

Marker


Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	5.2561574 GHz	-0.19 dBm		
M2		1	5.249254 GHz	-26.17 dBm		
M3		1	5.270737 GHz	-26.15 dBm		

-26dB Bandwidth NVNT n20 5280MHz Ant1

Spectrum

Ref Level 20.00 dBm Offset 4.08 dB RBW 300 kHz
Att 35 dB SWT 25.4 μ s VBW 1 MHz Mode Auto FFT
SGL Count 100/100

1Pk Max



Marker


Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1	1	1	5.2812119 GHz	2.13 dBm		
M2	1	1	5.269335 GHz	-23.86 dBm		
M3	1	1	5.291058 GHz	-23.87 dBm		

-26dB Bandwidth NVNT n20 5280MHz Ant2

Spectrum

Ref Level 20.00 dBm Offset 4.12 dB RBW 300 kHz
Att 35 dB SWT 25.4 μ s VBW 1 MHz Mode Auto FFT
SGL Count 100/100

1Pk Max



Marker


Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1	1	1	5.2787041 GHz	0.11 dBm		
M2	1	1	5.269593 GHz	-25.86 dBm		
M3	1	1	5.290584 GHz	-25.88 dBm		

-26dB Bandwidth NVNT n20 5320MHz Ant1

Spectrum

Ref Level 20.00 dBm Offset 4.10 dB RBW 300 kHz
Att 35 dB SWT 25.4 μ s VBW 1 MHz Mode Auto FFT
SGL Count 100/100

1Pk Max



CF 5.32 GHz 10001 pts Span 30.0 MHz

Marker


Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	5.3212059 GHz	1.75 dBm		
M2		1	5.309482 GHz	-24.25 dBm		
M3		1	5.331178 GHz	-24.26 dBm		

-26dB Bandwidth NVNT n20 5320MHz Ant2

Spectrum

Ref Level 20.00 dBm Offset 4.14 dB RBW 300 kHz
Att 35 dB SWT 25.4 μ s VBW 1 MHz Mode Auto FFT
SGL Count 100/100

1Pk Max




CF 5.32 GHz 10001 pts Span 30.0 MHz


Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	5.3192111 GHz	-0.12 dBm		
M2		1	5.309086 GHz	-26.12 dBm		
M3		1	5.33089 GHz	-26.11 dBm		

-26dB Bandwidth NVNT n40 5270MHz Ant1



-26dB Bandwidth NVNT n40 5270MHz Ant2




-26dB Bandwidth NVNT n40 5310MHz Ant1

Spectrum

Ref Level 20.00 dBm Offset 4.09 dB RBW 500 kHz
Att 35 dB SWT 10.1 ms VBW 2 MHz Mode Auto Sweep
SGL Count 100/100

1Pk Max



CF 5.31 GHz 10001 pts Span 60.0 MHz

Marker


Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	5.3059264 GHz	1.45 dBm		
M2		1	5.289162 GHz	-24.24 dBm		
M3		1	5.330856 GHz	-23.99 dBm		

-26dB Bandwidth NVNT n40 5310MHz Ant2

Spectrum

Ref Level 20.00 dBm Offset 4.13 dB RBW 500 kHz
Att 35 dB SWT 10.1 ms VBW 2 MHz Mode Auto Sweep
SGL Count 100/100

1Pk Max



CF 5.31 GHz 10001 pts Span 60.0 MHz

Marker


Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	5.3056144 GHz	0.29 dBm		
M2		1	5.28933 GHz	-25.17 dBm		
M3		1	5.330784 GHz	-25.47 dBm		

Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	ac20	5260	Ant1	17.656
NVNT	ac20	5260	Ant2	17.629
NVNT	ac20	5280	Ant1	17.647
NVNT	ac20	5280	Ant2	17.656
NVNT	ac20	5320	Ant1	17.656
NVNT	ac20	5320	Ant2	17.605
NVNT	ac40	5270	Ant1	36.128
NVNT	ac40	5270	Ant2	36.164
NVNT	ac40	5310	Ant1	36.236
NVNT	ac40	5310	Ant2	36.17
NVNT	ac80	5290	Ant1	75.676
NVNT	ac80	5290	Ant2	75.688
NVNT	n20	5260	Ant1	17.659
NVNT	n20	5260	Ant2	17.674
NVNT	n20	5280	Ant1	17.647
NVNT	n20	5280	Ant2	17.647
NVNT	n20	5320	Ant1	17.602
NVNT	n20	5320	Ant2	17.638
NVNT	n40	5270	Ant1	36.278
NVNT	n40	5270	Ant2	36.212
NVNT	n40	5310	Ant1	36.236
NVNT	n40	5310	Ant2	36.176


Test Graphs


OBW NVNT ac20 5260MHz Ant1





OBW NVNT ac20 5260MHz Ant2






























Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	ac20	5260	Ant1	-3.25	0.06	-3.19	8.81	Pass
NVNT	ac20	5260	Ant2	-4.44	0.06	-4.38	8.81	Pass
NVNT	ac20	5260	Sum	/	/	-0.73	8.81	Pass
NVNT	ac20	5280	Ant1	-2.64	0.06	-2.58	8.81	Pass
NVNT	ac20	5280	Ant2	-4.35	0.06	-4.29	8.81	Pass
NVNT	ac20	5280	Sum	/	/	-0.34	8.81	Pass
NVNT	ac20	5320	Ant1	-3.09	0.06	-3.03	8.81	Pass
NVNT	ac20	5320	Ant2	-4.34	0.06	-4.28	8.81	Pass
NVNT	ac20	5320	Sum	/	/	-0.6	8.81	Pass
NVNT	ac40	5270	Ant1	-5.84	0.12	-5.72	8.81	Pass
NVNT	ac40	5270	Ant2	-7.7	0.12	-7.58	8.81	Pass
NVNT	ac40	5270	Sum	/	/	-3.54	8.81	Pass
NVNT	ac40	5310	Ant1	-4.64	0.12	-4.52	8.81	Pass
NVNT	ac40	5310	Ant2	-6.68	0.12	-6.56	8.81	Pass
NVNT	ac40	5310	Sum	/	/	-2.41	8.81	Pass
NVNT	ac80	5290	Ant1	-10.03	0.27	-9.76	8.81	Pass
NVNT	ac80	5290	Ant2	-11.75	0.27	-11.48	8.81	Pass
NVNT	ac80	5290	Sum	/	/	-7.53	8.81	Pass
NVNT	n20	5260	Ant1	-2.85	0.06	-2.79	8.81	Pass
NVNT	n20	5260	Ant2	-4.17	0.06	-4.11	8.81	Pass
NVNT	n20	5260	Sum	/	/	-0.39	8.81	Pass
NVNT	n20	5280	Ant1	-1.67	0.06	-1.61	8.81	Pass
NVNT	n20	5280	Ant2	-3.15	0.06	-3.09	8.81	Pass
NVNT	n20	5280	Sum	/	/	0.72	8.81	Pass
NVNT	n20	5320	Ant1	-2.99	0.06	-2.93	8.81	Pass
NVNT	n20	5320	Ant2	-4.21	0.06	-4.15	8.81	Pass
NVNT	n20	5320	Sum	/	/	-0.49	8.81	Pass
NVNT	n40	5270	Ant1	-5.4	0.12	-5.28	8.81	Pass
NVNT	n40	5270	Ant2	-7.49	0.12	-7.37	8.81	Pass
NVNT	n40	5270	Sum	/	/	-3.19	8.81	Pass
NVNT	n40	5310	Ant1	-4.12	0.12	-4	8.81	Pass
NVNT	n40	5310	Ant2	-6.01	0.12	-5.89	8.81	Pass
NVNT	n40	5310	Sum	/	/	-1.83	8.81	Pass


Test Graphs


PSD NVNT ac20 5260MHz Ant1





PSD NVNT ac20 5260MHz Ant2





























Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	ac20	5260	Ant1	-37.74	-27	Pass
NVNT	ac20	5260	Ant2	-37.07	-27	Pass
NVNT	ac20	5320	Ant1	-34.27	-27	Pass
NVNT	ac20	5320	Ant2	-35.5	-27	Pass
NVNT	ac40	5270	Ant1	-37.9	-27	Pass
NVNT	ac40	5270	Ant2	-38.05	-27	Pass
NVNT	ac40	5310	Ant1	-34.16	-27	Pass
NVNT	ac40	5310	Ant2	-35.77	-27	Pass
NVNT	ac80	5290	Ant1	-34.64	-27	Pass
NVNT	ac80	5290	Ant2	-31.08	-27	Pass
NVNT	ac80	5290	Ant1	-37.6	-27	Pass
NVNT	ac80	5290	Ant2	-38.17	-27	Pass
NVNT	n20	5260	Ant1	-37.56	-27	Pass
NVNT	n20	5260	Ant2	-38.03	-27	Pass
NVNT	n20	5320	Ant1	-35.03	-27	Pass
NVNT	n20	5320	Ant2	-34.78	-27	Pass
NVNT	n40	5270	Ant1	-37.66	-27	Pass
NVNT	n40	5270	Ant2	-37.38	-27	Pass
NVNT	n40	5310	Ant1	-33.78	-27	Pass
NVNT	n40	5310	Ant2	-34.5	-27	Pass

Note: 1.The test results have been added with Antenna Gain.

2.Due to the fact that both ANT 1 and ANT 2 have a margin of 3 dB each, so the MIMO mode can be passed.


Test Graphs

Band Edge NVNT ac20 5260MHz Low Ant1

Spectrum

Ref Level 20.00 dBm Offset 9.24 dB RBW 1 MHz
Att 30 dB SWT 1 ms VBW 3 MHz Mode Auto Sweep
SGL Count 100/100

1Pk Max



Marker


Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1	1		5.26412 GHz	11.91 dBm		
M2	1		5.15 GHz	-40.47 dBm		
M3	1		5.1168 GHz	-37.75 dBm		

Band Edge NVNT ac20 5260MHz Low Ant2

Spectrum

Ref Level 20.00 dBm Offset 9.27 dB RBW 1 MHz
Att 30 dB SWT 1 ms VBW 3 MHz Mode Auto Sweep
SGL Count 100/100

1Pk Max



Marker


Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1	1		5.26192 GHz	10.98 dBm		
M2	1		5.15 GHz	-40.91 dBm		
M3	1		5.0864 GHz	-37.07 dBm		

Band Edge NVNT ac20 5320MHz High Ant1

Spectrum

Ref Level 20.00 dBm Offset 9.28 dB RBW 1 MHz
Att 30 dB SWT 1 ms VBW 3 MHz Mode Auto Sweep
SGL Count 100/100

1Pk Max



Marker


Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1	1		5.31528 GHz	11.80 dBm		
M2	1		5.35 GHz	-38.54 dBm		
M3	1		5.4222 GHz	-34.28 dBm		

Band Edge NVNT ac20 5320MHz High Ant2

Spectrum


Ref Level 20.00 dBm Offset 9.32 dB RBW 1 MHz
Att 30 dB SWT 1 ms VBW 3 MHz Mode Auto Sweep
SGL Count 100/100

1Pk Max




Marker


Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1	1		5.31928 GHz	10.45 dBm		
M2	1		5.35 GHz	-37.62 dBm		
M3	1		5.4152 GHz	-35.51 dBm		



Band Edge NVNT ac40 5310MHz High Ant1



Band Edge NVNT ac40 5310MHz High Ant2




Band Edge NVNT ac80 5290MHz High Ant1

Spectrum

Ref Level 20.00 dBm Offset 9.26 dB RBW 1 MHz
Att 30 dB SWT 1 ms VBW 3 MHz Mode Auto Sweep
SGL Count 100/100

1Pk Max



Marker


Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	5.27004 GHz	1.82 dBm		
M2		1	5.35 GHz	-36.64 dBm		
M3		1	5.3552 GHz	-34.65 dBm		

Band Edge NVNT ac80 5290MHz High Ant2

Spectrum

Ref Level 20.00 dBm Offset 9.30 dB RBW 1 MHz
Att 30 dB SWT 1 ms VBW 3 MHz Mode Auto Sweep
SGL Count 100/100

1Pk Max



Marker


Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	5.28423 GHz	2.50 dBm		
M2		1	5.35 GHz	-34.65 dBm		
M3		1	5.361 GHz	-31.08 dBm		

Band Edge NVNT ac80 5290MHz Low Ant1

Spectrum

Ref Level 20.00 dBm Offset 9.26 dB RBW 1 MHz
Att 30 dB SWT 1 ms VBW 3 MHz Mode Auto Sweep
SGL Count 100/100

1Pk Max



Marker


Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	5.2711 GHz	1.97 dBm		
M2		1	5.15 GHz	-38.28 dBm		
M3		1	5.13552 GHz	-37.60 dBm		

Band Edge NVNT ac80 5290MHz Low Ant2

Spectrum

Ref Level 20.00 dBm Offset 9.30 dB RBW 1 MHz
Att 30 dB SWT 1 ms VBW 3 MHz Mode Auto Sweep
SGL Count 100/100

1Pk Max



Marker


Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	5.27134 GHz	2.29 dBm		
M2		1	5.15 GHz	-38.98 dBm		
M3		1	5.1372 GHz	-38.18 dBm		

Band Edge NVNT n20 5260MHz Low Ant1

Spectrum

Ref Level 20.00 dBm Offset 9.24 dB RBW 1 MHz
Att 30 dB SWT 1 ms VBW 3 MHz Mode Auto Sweep
SGL Count 100/100

1Pk Max



Marker


Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1	1		5.26092 GHz	11.60 dBm		
M2	1		5.15 GHz	-40.26 dBm		
M3	1		5.1496 GHz	-37.57 dBm		

Band Edge NVNT n20 5260MHz Low Ant2

Spectrum

Ref Level 20.00 dBm Offset 9.27 dB RBW 1 MHz
Att 30 dB SWT 1 ms VBW 3 MHz Mode Auto Sweep
SGL Count 100/100

1Pk Max



Marker


Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1	1		5.26132 GHz	11.33 dBm		
M2	1		5.15 GHz	-39.68 dBm		
M3	1		5.0908 GHz	-38.03 dBm		

Band Edge NVNT n20 5320MHz High Ant1

Spectrum

Ref Level 20.00 dBm Offset 9.28 dB RBW 1 MHz
Att 30 dB SWT 1 ms VBW 3 MHz Mode Auto Sweep
SGL Count 100/100

1Pk Max



Marker


Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1	1		5.31648 GHz	12.13 dBm		
M2	1		5.35 GHz	-39.30 dBm		
M3	1		5.415 GHz	-35.03 dBm		

Band Edge NVNT n20 5320MHz High Ant2

Spectrum

Ref Level 20.00 dBm Offset 9.32 dB RBW 1 MHz
Att 30 dB SWT 1 ms VBW 3 MHz Mode Auto Sweep
SGL Count 100/100

1Pk Max



Marker


Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1	1		5.32328 GHz	10.36 dBm		
M2	1		5.35 GHz	-39.41 dBm		
M3	1		5.416 GHz	-34.78 dBm		

Band Edge NVNT n40 5270MHz Low Ant1

Spectrum

Ref Level 20.00 dBm Offset 9.24 dB RBW 1 MHz
Att 30 dB SWT 1 ms VBW 3 MHz Mode Auto Sweep
SGL Count 100/100

1Pk Max



Marker


Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	5.27294 GHz	10.81 dBm		
M2		1	5.15 GHz	-40.18 dBm		
M3		1	5.1136 GHz	-37.67 dBm		

Band Edge NVNT n40 5270MHz Low Ant2

Spectrum

Ref Level 20.00 dBm Offset 9.28 dB RBW 1 MHz
Att 30 dB SWT 1 ms VBW 3 MHz Mode Auto Sweep
SGL Count 100/100

1Pk Max



Marker


Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	5.27314 GHz	8.70 dBm		
M2		1	5.15 GHz	-40.31 dBm		
M3		1	5.1488 GHz	-37.39 dBm		

Band Edge NVNT n40 5310MHz High Ant1

Spectrum

Ref Level 20.00 dBm Offset 9.27 dB RBW 1 MHz
Att 30 dB SWT 1 ms VBW 3 MHz Mode Auto Sweep
SGL Count 100/100

1Pk Max



Marker


Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1	1	1	5.30646 GHz	10.53 dBm		
M2	1	1	5.35 GHz	-36.52 dBm		
M3	1	1	5.356 GHz	-33.79 dBm		

Band Edge NVNT n40 5310MHz High Ant2

Spectrum

Ref Level 20.00 dBm Offset 9.31 dB RBW 1 MHz
Att 30 dB SWT 1 ms VBW 3 MHz Mode Auto Sweep
SGL Count 100/100

1Pk Max



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1	1	1	5.31286 GHz	8.67 dBm		
M2	1	1	5.35 GHz	-34.70 dBm		
M3	1	1	5.399 GHz	-34.51 dBm		

5.6GWIFI

Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5500	Ant1	98.69	0.06	0.49
NVNT	a	5600	Ant1	98.69	0.06	0.48
NVNT	a	5700	Ant1	98.7	0.06	0.48
NVNT	a	5500	Ant2	98.79	0.05	0.48
NVNT	a	5600	Ant2	98.78	0.05	0.48
NVNT	a	5700	Ant2	98.75	0.05	0.48
NVNT	n20	5500	Ant1	98.63	0.06	0.52
NVNT	n20	5600	Ant1	98.64	0.06	0.52
NVNT	n20	5700	Ant1	98.61	0.06	0.52
NVNT	n20	5500	Ant2	98.67	0.06	0.52
NVNT	n20	5600	Ant2	98.69	0.06	0.52
NVNT	n20	5700	Ant2	98.68	0.06	0.52
NVNT	n40	5510	Ant1	97.24	0.12	1.05
NVNT	n40	5590	Ant1	97.31	0.12	1.05
NVNT	n40	5670	Ant1	97.35	0.12	1.05
NVNT	n40	5510	Ant2	97.43	0.11	1.05
NVNT	n40	5590	Ant2	97.35	0.12	1.05
NVNT	n40	5670	Ant2	97.47	0.11	1.05
NVNT	ac20	5500	Ant1	98.63	0.06	0.52
NVNT	ac20	5600	Ant1	98.62	0.06	0.52
NVNT	ac20	5700	Ant1	98.63	0.06	0.52
NVNT	ac20	5500	Ant2	98.68	0.06	0.52
NVNT	ac20	5600	Ant2	98.68	0.06	0.52
NVNT	ac20	5700	Ant2	98.67	0.06	0.52
NVNT	ac40	5510	Ant1	97.23	0.12	1.05
NVNT	ac40	5590	Ant1	97.3	0.12	1.05
NVNT	ac40	5670	Ant1	97.33	0.12	1.05
NVNT	ac40	5510	Ant2	97.37	0.12	1.05
NVNT	ac40	5590	Ant2	97.37	0.12	1.05
NVNT	ac40	5670	Ant2	97.41	0.11	1.04
NVNT	ac80	5530	Ant1	94	0.27	2.17
NVNT	ac80	5610	Ant1	94.85	0.23	2.17
NVNT	ac80	5530	Ant2	95.1	0.22	2.17
NVNT	ac80	5610	Ant2	94.52	0.24	2.13


Test Graphs

Duty Cycle NVNT a 5500MHz Ant1

Spectrum

Ref Level 30.00 dBm Offset 4.13 dB RBW 10 MHz
Att 40 dB SWT 100 ms VBW 10 MHz
SGL

1Pk Clrw



Marker


Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1	1	1	1.05 ms	11.08 dBm		
M2	1	1	1.09 ms	12.29 dBm		
M3	1	1	3.15 ms	11.71 dBm		

Duty Cycle NVNT a 5600MHz Ant1

Spectrum

Ref Level 30.00 dBm Offset 4.23 dB RBW 10 MHz
Att 40 dB SWT 100 ms VBW 10 MHz
SGL

1Pk Clrw



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1	1	1	190.0 μs	13.31 dBm		
M2	1	1	220.0 μs	13.61 dBm		
M3	1	1	2.29 ms	13.62 dBm		