

LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1650.04	-25.73	7.40	9.72	-28.05	-13.00	-15.05	H
2475.94	-29.31	8.30	10.86	-31.87	-13.00	-18.87	H
3301.67	-28.24	7.20	11.57	-32.61	-13.00	-19.61	H
1650.04	-26.96	7.40	9.72	-29.28	-13.00	-16.28	V
2475.94	-27.12	8.30	10.86	-29.68	-13.00	-16.68	V
3301.67	-26.46	7.20	11.57	-30.83	-13.00	-17.83	V
LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.27	-29.41	7.40	9.72	-31.73	-13.00	-18.73	H
2508.88	-28.04	8.30	10.86	-30.60	-13.00	-17.60	H
3345.67	-23.95	7.20	11.57	-28.32	-13.00	-15.32	H
1672.27	-30.84	7.40	9.72	-33.16	-13.00	-20.16	V
2508.88	-30.21	8.30	10.86	-32.77	-13.00	-19.77	V
3345.67	-25.24	7.20	11.57	-29.61	-13.00	-16.61	V
LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1694.65	-29.41	7.40	9.72	-31.73	-13.00	-18.73	H
2542.08	-30.08	8.30	10.86	-32.64	-13.00	-19.64	H
3389.21	-24.93	7.20	11.57	-29.30	-13.00	-16.30	H
1694.65	-26.40	7.40	9.72	-28.72	-13.00	-15.72	V
2542.08	-28.32	8.30	10.86	-30.88	-13.00	-17.88	V
3389.21	-29.10	7.20	11.57	-33.47	-13.00	-20.47	V

LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1652.59	-26.73	7.40	9.72	-29.05	-13.00	-16.05	H
2478.92	-28.37	8.30	10.86	-30.93	-13.00	-17.93	H
3305.46	-26.04	7.20	11.57	-30.41	-13.00	-17.41	H
1652.59	-30.01	7.40	9.72	-32.33	-13.00	-19.33	V
2478.92	-27.23	8.30	10.86	-29.79	-13.00	-16.79	V
3305.46	-25.16	7.20	11.57	-29.53	-13.00	-16.53	V
LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.38	-28.99	7.40	9.72	-31.31	-13.00	-18.31	H
2508.60	-30.01	8.30	10.86	-32.57	-13.00	-19.57	H
3345.47	-26.21	7.20	11.57	-30.58	-13.00	-17.58	H
1672.38	-30.61	7.40	9.72	-32.93	-13.00	-19.93	V
2508.60	-27.87	8.30	10.86	-30.43	-13.00	-17.43	V
3345.47	-26.02	7.20	11.57	-30.39	-13.00	-17.39	V
LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1692.34	-29.43	7.40	9.72	-31.75	-13.00	-18.75	H
2538.58	-25.92	8.30	10.86	-28.48	-13.00	-15.48	H
3385.81	-26.79	7.20	11.57	-31.16	-13.00	-18.16	H
1692.34	-28.19	7.40	9.72	-30.51	-13.00	-17.51	V
2538.58	-26.88	8.30	10.86	-29.44	-13.00	-16.44	V
3385.81	-27.21	7.20	11.57	-31.58	-13.00	-18.58	V

LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1657.71	-28.80	7.40	9.72	-31.12	-13.00	-18.12	H
2486.20	-25.53	8.30	10.86	-28.09	-13.00	-15.09	H
3315.51	-24.17	7.20	11.57	-28.54	-13.00	-15.54	H
1657.71	-29.70	7.40	9.72	-32.02	-13.00	-19.02	V
2486.20	-29.89	8.30	10.86	-32.45	-13.00	-19.45	V
3315.51	-25.83	7.20	11.57	-30.20	-13.00	-17.20	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.24	-26.75	7.40	9.72	-29.07	-13.00	-16.07	H
2508.97	-25.73	8.30	10.86	-28.29	-13.00	-15.29	H
3345.40	-28.36	7.20	11.57	-32.73	-13.00	-19.73	H
1672.24	-27.87	7.40	9.72	-30.19	-13.00	-17.19	V
2508.97	-26.10	8.30	10.86	-28.66	-13.00	-15.66	V
3345.40	-27.34	7.20	11.57	-31.71	-13.00	-18.71	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1687.60	-28.68	7.40	9.72	-31.00	-13.00	-18.00	H
2531.67	-28.16	8.30	10.86	-30.72	-13.00	-17.72	H
3375.73	-23.96	7.20	11.57	-28.33	-13.00	-15.33	H
1687.60	-28.58	7.40	9.72	-30.90	-13.00	-17.90	V
2531.67	-27.85	8.30	10.86	-30.41	-13.00	-17.41	V
3375.73	-25.38	7.20	11.57	-29.75	-13.00	-16.75	V

LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5005.04	-27.30	8.00	15.86	-35.16	-25.00	-10.16	H
7507.76	-27.21	8.30	19.28	-38.19	-25.00	-13.19	H
10010.58	-23.87	8.10	23.19	-38.96	-25.00	-13.96	H
5005.04	-30.21	8.00	15.86	-38.07	-25.00	-13.07	V
7507.76	-28.92	8.30	19.28	-39.90	-25.00	-14.90	V
10010.58	-28.76	8.10	23.19	-43.85	-25.00	-18.85	V
LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5069.95	-27.49	8.00	15.86	-35.35	-25.00	-10.35	H
7604.97	-27.18	8.30	19.28	-38.16	-25.00	-13.16	H
10139.68	-25.74	8.10	23.19	-40.83	-25.00	-15.83	H
5069.95	-31.67	8.00	15.86	-39.53	-25.00	-14.53	V
7604.97	-26.87	8.30	19.28	-37.85	-25.00	-12.85	V
10139.68	-28.15	8.10	23.19	-43.24	-25.00	-18.24	V
LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5133.61	-28.09	8.00	15.86	-35.95	-25.00	-10.95	H
7701.29	-27.99	8.30	19.28	-38.97	-25.00	-13.97	H
10268.36	-27.43	8.10	23.19	-42.52	-25.00	-17.52	H
5133.61	-29.69	8.00	15.86	-37.55	-25.00	-12.55	V
7701.29	-28.78	8.30	19.28	-39.76	-25.00	-14.76	V
10268.36	-25.44	8.10	23.19	-40.53	-25.00	-15.53	V

LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5010.28	-27.85	8.00	15.86	-35.71	-25.00	-10.71	H
7515.73	-28.11	8.30	19.28	-39.09	-25.00	-14.09	H
10020.71	-24.13	8.10	23.19	-39.22	-25.00	-14.22	H
5010.28	-28.63	8.00	15.86	-36.49	-25.00	-11.49	V
7515.73	-26.40	8.30	19.28	-37.38	-25.00	-12.38	V
10020.71	-24.88	8.10	23.19	-39.97	-25.00	-14.97	V
LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5069.80	-29.81	8.00	15.86	-37.67	-25.00	-12.67	H
7604.78	-26.43	8.30	19.28	-37.41	-25.00	-12.41	H
10139.60	-24.44	8.10	23.19	-39.53	-25.00	-14.53	H
5069.80	-31.22	8.00	15.86	-39.08	-25.00	-14.08	V
7604.78	-30.00	8.30	19.28	-40.98	-25.00	-15.98	V
10139.60	-27.85	8.10	23.19	-42.94	-25.00	-17.94	V
LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5128.97	-30.78	8.00	15.86	-38.64	-25.00	-13.64	H
7693.67	-28.04	8.30	19.28	-39.02	-25.00	-14.02	H
10258.72	-24.70	8.10	23.19	-39.79	-25.00	-14.79	H
5128.97	-27.30	8.00	15.86	-35.16	-25.00	-10.16	V
7693.67	-27.09	8.30	19.28	-38.07	-25.00	-13.07	V
10258.72	-25.48	8.10	23.19	-40.57	-25.00	-15.57	V

LTE Band 7 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5015.75	-28.55	8.00	15.86	-36.41	-25.00	-11.41	H
7523.88	-29.19	8.30	19.28	-40.17	-25.00	-15.17	H
10031.58	-23.84	8.10	23.19	-38.93	-25.00	-13.93	H
5015.75	-28.52	8.00	15.86	-36.38	-25.00	-11.38	V
7523.88	-27.40	8.30	19.28	-38.38	-25.00	-13.38	V
10031.58	-25.99	8.10	23.19	-41.08	-25.00	-16.08	V
LTE Band 7 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5070.01	-29.68	8.00	15.86	-37.54	-25.00	-12.54	H
7605.00	-26.78	8.30	19.28	-37.76	-25.00	-12.76	H
10140.04	-26.97	8.10	23.19	-42.06	-25.00	-17.06	H
5070.01	-28.45	8.00	15.86	-36.31	-25.00	-11.31	V
7605.00	-25.47	8.30	19.28	-36.45	-25.00	-11.45	V
10140.04	-24.61	8.10	23.19	-39.70	-25.00	-14.70	V
LTE Band 7 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5123.51	-27.87	8.00	15.86	-35.73	-25.00	-10.73	H
7523.77	-26.58	8.30	19.28	-37.56	-25.00	-12.56	H
10032.30	-25.03	8.10	23.19	-40.12	-25.00	-15.12	H
5123.51	-30.16	8.00	15.86	-38.02	-25.00	-13.02	V
7523.77	-26.47	8.30	19.28	-37.45	-25.00	-12.45	V
10032.30	-27.18	8.10	23.19	-42.27	-25.00	-17.27	V

LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5021.14	-26.52	8.00	15.86	-34.38	-25.00	-9.38	H
7531.09	-29.59	8.30	19.28	-40.57	-25.00	-15.57	H
10258.83	-27.00	8.10	23.19	-42.09	-25.00	-17.09	H
5021.14	-30.16	8.00	15.86	-38.02	-25.00	-13.02	V
7531.09	-28.77	8.30	19.28	-39.75	-25.00	-14.75	V
10258.83	-27.04	8.10	23.19	-42.13	-25.00	-17.13	V
LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5069.89	-26.96	8.00	15.86	-34.82	-25.00	-9.82	H
7604.87	-26.97	8.30	19.28	-37.95	-25.00	-12.95	H
10140.00	-26.77	8.10	23.19	-41.86	-25.00	-16.86	H
5069.89	-31.73	8.00	15.86	-39.59	-25.00	-14.59	V
7604.87	-29.86	8.30	19.28	-40.84	-25.00	-15.84	V
10140.00	-27.17	8.10	23.19	-42.26	-25.00	-17.26	V
LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5119.04	-30.75	8.00	15.86	-38.61	-25.00	-13.61	H
7678.37	-27.10	8.30	19.28	-38.08	-25.00	-13.08	H
10237.64	-23.95	8.10	23.19	-39.04	-25.00	-14.04	H
5119.04	-28.73	8.00	15.86	-36.59	-25.00	-11.59	V
7678.37	-28.53	8.30	19.28	-39.51	-25.00	-14.51	V
10237.64	-26.09	8.10	23.19	-41.18	-25.00	-16.18	V

LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1399.20	-29.90	6.70	9.34	-32.54	-13.00	-19.54	H
2098.95	-26.24	7.80	10.42	-28.86	-13.00	-15.86	H
2798.38	-27.56	8.00	11.12	-30.68	-13.00	-17.68	H
1399.20	-29.68	6.70	9.34	-32.32	-13.00	-19.32	V
2098.95	-27.68	7.80	10.42	-30.30	-13.00	-17.30	V
2798.38	-28.69	8.00	11.12	-31.81	-13.00	-18.81	V
LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.86	-26.88	6.70	9.34	-29.52	-13.00	-16.52	H
2122.36	-29.12	7.80	10.42	-31.74	-13.00	-18.74	H
2829.62	-24.87	8.00	11.12	-27.99	-13.00	-14.99	H
1414.86	-28.00	6.70	9.34	-30.64	-13.00	-17.64	V
2122.36	-26.24	7.80	10.42	-28.86	-13.00	-15.86	V
2829.62	-24.30	8.00	11.12	-27.42	-13.00	-14.42	V
LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1430.41	-29.54	6.70	9.34	-32.18	-13.00	-19.18	H
2145.45	-27.38	7.80	10.42	-30.00	-13.00	-17.00	H
2860.77	-26.03	8.00	11.12	-29.15	-13.00	-16.15	H
1430.41	-26.09	6.70	9.34	-28.73	-13.00	-15.73	V
2145.45	-29.16	7.80	10.42	-31.78	-13.00	-18.78	V
2860.77	-26.78	8.00	11.12	-29.90	-13.00	-16.90	V

LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1400.68	-28.40	6.70	9.34	-31.04	-13.00	-18.04	H
2101.50	-30.46	7.80	10.42	-33.08	-13.00	-20.08	H
2801.96	-27.89	8.00	11.12	-31.01	-13.00	-18.01	H
1400.68	-30.08	6.70	9.34	-32.72	-13.00	-19.72	V
2101.50	-29.42	7.80	10.42	-32.04	-13.00	-19.04	V
2801.96	-24.37	8.00	11.12	-27.49	-13.00	-14.49	V
LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.54	-24.98	6.70	9.34	-27.62	-13.00	-14.62	H
2122.36	-28.51	7.80	10.42	-31.13	-13.00	-18.13	H
2829.81	-25.54	8.00	11.12	-28.66	-13.00	-15.66	H
1414.54	-27.35	6.70	9.34	-29.99	-13.00	-16.99	V
2122.36	-28.69	7.80	10.42	-31.31	-13.00	-18.31	V
2829.81	-24.66	8.00	11.12	-27.78	-13.00	-14.78	V
LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1428.70	-28.02	6.70	9.34	-30.66	-13.00	-17.66	H
2143.07	-26.97	7.80	10.42	-29.59	-13.00	-16.59	H
2857.91	-27.73	8.00	11.12	-30.85	-13.00	-17.85	H
1428.70	-30.76	6.70	9.34	-33.40	-13.00	-20.40	V
2143.07	-27.99	7.80	10.42	-30.61	-13.00	-17.61	V
2857.91	-25.35	8.00	11.12	-28.47	-13.00	-15.47	V

LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1402.85	-25.22	6.70	9.34	-27.86	-13.00	-14.86	H
2104.35	-29.47	7.80	10.42	-32.09	-13.00	-19.09	H
2805.70	-23.66	8.00	11.12	-26.78	-13.00	-13.78	H
1402.85	-30.11	6.70	9.34	-32.75	-13.00	-19.75	V
2104.35	-27.62	7.80	10.42	-30.24	-13.00	-17.24	V
2805.70	-28.47	8.00	11.12	-31.59	-13.00	-18.59	V
LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.55	-25.94	6.70	9.34	-28.58	-13.00	-15.58	H
2122.40	-28.77	7.80	10.42	-31.39	-13.00	-18.39	H
2829.51	-27.23	8.00	11.12	-30.35	-13.00	-17.35	H
1414.55	-28.74	6.70	9.34	-31.38	-13.00	-18.38	V
2122.40	-26.54	7.80	10.42	-29.16	-13.00	-16.16	V
2829.51	-28.61	8.00	11.12	-31.73	-13.00	-18.73	V
LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1426.85	-25.73	6.70	9.34	-28.37	-13.00	-15.37	H
2140.06	-27.72	7.80	10.42	-30.34	-13.00	-17.34	H
2853.89	-24.39	8.00	11.12	-27.51	-13.00	-14.51	H
1426.85	-29.97	6.70	9.34	-32.61	-13.00	-19.61	V
2140.06	-27.27	7.80	10.42	-29.89	-13.00	-16.89	V
2853.89	-28.08	8.00	11.12	-31.20	-13.00	-18.20	V

LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1407.72	-28.82	6.70	9.34	-31.46	-13.00	-18.46	H
2111.68	-30.39	7.80	10.42	-33.01	-13.00	-20.01	H
2815.86	-25.30	8.00	11.12	-28.42	-13.00	-15.42	H
1407.72	-27.77	6.70	9.34	-30.41	-13.00	-17.41	V
2111.68	-27.92	7.80	10.42	-30.54	-13.00	-17.54	V
2815.86	-24.59	8.00	11.12	-27.71	-13.00	-14.71	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.81	-28.05	6.70	9.34	-30.69	-13.00	-17.69	H
2122.41	-26.44	7.80	10.42	-29.06	-13.00	-16.06	H
2829.97	-27.32	8.00	11.12	-30.44	-13.00	-17.44	H
1414.81	-27.28	6.70	9.34	-29.92	-13.00	-16.92	V
2122.41	-29.19	7.80	10.42	-31.81	-13.00	-18.81	V
2829.97	-25.27	8.00	11.12	-28.39	-13.00	-15.39	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1421.61	-26.05	6.70	9.34	-28.69	-13.00	-15.69	H
2132.74	-28.13	7.80	10.42	-30.75	-13.00	-17.75	H
2843.99	-26.49	8.00	11.12	-29.61	-13.00	-16.61	H
1421.61	-30.25	6.70	9.34	-32.89	-13.00	-19.89	V
2132.74	-25.91	7.80	10.42	-28.53	-13.00	-15.53	V
2843.99	-24.83	8.00	11.12	-27.95	-13.00	-14.95	V

LTE Band 13 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1559.40	-48.72	7.40	9.72	-51.04	-40.00	-11.04	H
2338.36	-38.99	8.30	10.86	-41.55	-13.00	-28.55	H
3118.15	-36.92	7.70	11.57	-40.79	-13.00	-27.79	H
1559.40	-47.05	7.40	9.72	-49.37	-40.00	-9.37	V
2338.36	-35.63	8.30	10.86	-38.19	-13.00	-25.19	V
3118.15	-39.41	7.70	11.57	-43.28	-13.00	-30.28	V
LTE Band 13 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1563.98	-44.70	7.40	9.72	-47.02	-40.00	-7.02	H
2345.64	-36.21	8.30	10.86	-38.77	-13.00	-25.77	H
3128.21	-35.47	7.70	11.57	-39.34	-13.00	-26.34	H
1563.98	-45.98	7.40	9.72	-48.30	-40.00	-8.30	V
2345.64	-38.37	8.30	10.86	-40.93	-13.00	-27.93	V
3128.21	-37.77	7.70	11.57	-41.64	-13.00	-28.64	V
LTE Band 13 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1569.00	-48.39	7.40	9.72	-50.71	-40.00	-10.71	H
2353.26	-36.93	8.30	10.86	-39.49	-13.00	-26.49	H
3138.32	-37.32	7.70	11.57	-41.19	-13.00	-28.19	H
1569.00	-45.91	7.40	9.72	-48.23	-40.00	-8.23	V
2353.26	-38.78	8.30	10.86	-41.34	-13.00	-28.34	V
3138.32	-36.39	7.70	11.57	-40.26	-13.00	-27.26	V

LTE Band 13 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1564.19	-48.72	7.40	9.72	-51.04	-40.00	-11.04	H
2345.98	-37.89	8.30	10.86	-40.45	-13.00	-27.45	H
3128.03	-38.78	7.70	11.57	-42.65	-13.00	-29.65	H
1564.19	-44.38	7.40	9.72	-46.70	-40.00	-6.70	V
2345.98	-38.21	8.30	10.86	-40.77	-13.00	-27.77	V
3128.03	-37.72	7.70	11.57	-41.59	-13.00	-28.59	V

LTE Band 17 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1413.41	-26.53	6.90	9.34	-28.97	-13.00	-15.97	H
2120.60	-26.86	8.00	10.42	-29.28	-13.00	-16.28	H
2826.86	-26.59	8.00	11.12	-29.71	-13.00	-16.71	H
1413.41	-27.76	6.90	9.34	-30.20	-13.00	-17.20	V
2120.60	-28.58	8.00	10.42	-31.00	-13.00	-18.00	V
2826.86	-28.50	8.00	11.12	-31.62	-13.00	-18.62	V
LTE Band 17 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1419.83	-26.84	6.90	9.34	-29.28	-13.00	-16.28	H
2129.97	-26.79	8.00	10.42	-29.21	-13.00	-16.21	H
2839.96	-26.40	8.00	11.12	-29.52	-13.00	-16.52	H
1419.83	-27.68	6.90	9.34	-30.12	-13.00	-17.12	V
2129.97	-27.88	8.00	10.42	-30.30	-13.00	-17.30	V
2839.96	-25.16	8.00	11.12	-28.28	-13.00	-15.28	V
LTE Band 17 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1426.17	-28.62	6.90	9.34	-31.06	-13.00	-18.06	H
2139.14	-26.84	8.00	10.42	-29.26	-13.00	-16.26	H
2852.56	-27.08	8.00	11.12	-30.20	-13.00	-17.20	H
1426.17	-30.77	6.90	9.34	-33.21	-13.00	-20.21	V
2139.14	-27.65	8.00	10.42	-30.07	-13.00	-17.07	V
2852.56	-24.48	8.00	11.12	-27.60	-13.00	-14.60	V

LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1418.12	-26.39	6.90	9.34	-28.83	-13.00	-15.83	H
2127.53	-30.19	8.00	10.42	-32.61	-13.00	-19.61	H
2836.54	-25.04	8.00	11.12	-28.16	-13.00	-15.16	H
1418.12	-29.03	6.90	9.34	-31.47	-13.00	-18.47	V
2127.53	-28.48	8.00	10.42	-30.90	-13.00	-17.90	V
2836.54	-26.60	8.00	11.12	-29.72	-13.00	-16.72	V
LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1420.03	-29.00	6.90	9.34	-31.44	-13.00	-18.44	H
2130.05	-28.84	8.00	10.42	-31.26	-13.00	-18.26	H
2840.17	-27.76	8.00	11.12	-30.88	-13.00	-17.88	H
1420.03	-29.28	6.90	9.34	-31.72	-13.00	-18.72	V
2130.05	-29.39	8.00	10.42	-31.81	-13.00	-18.81	V
2840.17	-28.95	8.00	11.12	-32.07	-13.00	-19.07	V
LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1420.98	-27.38	6.90	9.34	-29.82	-13.00	-16.82	H
2132.13	-28.03	8.00	10.42	-30.45	-13.00	-17.45	H
2842.57	-26.58	8.00	11.12	-29.70	-13.00	-16.70	H
1420.98	-29.88	6.90	9.34	-32.32	-13.00	-19.32	V
2132.13	-25.25	8.00	10.42	-27.67	-13.00	-14.67	V
2842.57	-27.30	8.00	11.12	-30.42	-13.00	-17.42	V

※※※※※END OF THE REPORT※※※※※