







Band5 QPSK BW=5MHz Channel=20525 RB Size=25 Position=#0




Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0




Band7 16QAM BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 16QAM BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 16QAM BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 16QAM BW=15MHz Channel=20825 RB Size=75 Position=#0




Band7 16QAM BW=15MHz Channel=21100 RB Size=75 Position=#0




Band7 16QAM BW=15MHz Channel=21375 RB Size=75 Position=#0




Band7 16QAM BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 16QAM BW=20MHz Channel=21100 RB Size=100 Position=#0




Band7 16QAM BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 16QAM BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 16QAM BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 16QAM BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0




Band7 QPSK BW=15MHz Channel=21100 RB Size=75 Position=#0




Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QPSK BW=20MHz Channel=21100 RB Size=100 Position=#0




Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0




Band12 16QAM BW=1.4MHz Channel=23017 RB Size=6 Position=#0




Band12 16QAM BW=1.4MHz Channel=23095 RB Size=6 Position=#0




Band12 16QAM BW=1.4MHz Channel=23173 RB Size=6 Position=#0




Band12 16QAM BW=10MHz Channel=23060 RB Size=50 Position=#0




Band12 16QAM BW=10MHz Channel=23095 RB Size=50 Position=#0




Band12 16QAM BW=10MHz Channel=23130 RB Size=50 Position=#0




Band12 16QAM BW=3MHz Channel=23025 RB Size=15 Position=#0




Band12 16QAM BW=3MHz Channel=23095 RB Size=15 Position=#0




Band12 16QAM BW=3MHz Channel=23165 RB Size=15 Position=#0




Band12 16QAM BW=5MHz Channel=23035 RB Size=25 Position=#0




Band12 16QAM BW=5MHz Channel=23095 RB Size=25 Position=#0




Band12 16QAM BW=5MHz Channel=23155 RB Size=25 Position=#0




Band12 QPSK BW=1.4MHz Channel=23017 RB Size=6 Position=#0




Band12 QPSK BW=1.4MHz Channel=23095 RB Size=6 Position=#0




Band12 QPSK BW=1.4MHz Channel=23173 RB Size=6 Position=#0




Band12 QPSK BW=10MHz Channel=23060 RB Size=50 Position=#0




Band12 QPSK BW=10MHz Channel=23095 RB Size=50 Position=#0




Band12 QPSK BW=10MHz Channel=23130 RB Size=50 Position=#0




Band12 QPSK BW=3MHz Channel=23025 RB Size=15 Position=#0




Band12 QPSK BW=3MHz Channel=23095 RB Size=15 Position=#0




Band12 QPSK BW=3MHz Channel=23165 RB Size=15 Position=#0




Band12 QPSK BW=5MHz Channel=23035 RB Size=25 Position=#0




Band12 QPSK BW=5MHz Channel=23095 RB Size=25 Position=#0




Band12 QPSK BW=5MHz Channel=23155 RB Size=25 Position=#0




Band13 16QAM BW=10MHz Channel=23230 RB Size=50 Position=#0




Band13 16QAM BW=5MHz Channel=23205 RB Size=25 Position=#0




Band13 16QAM BW=5MHz Channel=23230 RB Size=25 Position=#0




Band13 16QAM BW=5MHz Channel=23255 RB Size=25 Position=#0




Band13 QPSK BW=10MHz Channel=23230 RB Size=50 Position=#0




Band13 QPSK BW=5MHz Channel=23205 RB Size=25 Position=#0




Band13 QPSK BW=5MHz Channel=23230 RB Size=25 Position=#0




Band13 QPSK BW=5MHz Channel=23255 RB Size=25 Position=#0




Band17 16QAM BW=10MHz Channel=23780 RB Size=50 Position=#0




Band17 16QAM BW=10MHz Channel=23790 RB Size=50 Position=#0




Band17 16QAM BW=10MHz Channel=23800 RB Size=50 Position=#0




Band17 16QAM BW=5MHz Channel=23755 RB Size=25 Position=#0




Band17 16QAM BW=5MHz Channel=23790 RB Size=25 Position=#0




Band17 16QAM BW=5MHz Channel=23825 RB Size=25 Position=#0




Band17 QPSK BW=10MHz Channel=23780 RB Size=50 Position=#0




Band17 QPSK BW=10MHz Channel=23790 RB Size=50 Position=#0




Band17 QPSK BW=10MHz Channel=23800 RB Size=50 Position=#0




Band17 QPSK BW=5MHz Channel=23755 RB Size=25 Position=#0



Band17 QPSK BW=5MHz Channel=23790 RB Size=25 Position=#0




Band17 QPSK BW=5MHz Channel=23825 RB Size=25 Position=#0




RADIATED SPURIOUS EMISSION

Project: LGT23E075	Test Engineer: Xiangdong Ma
EUT: Smart Communicator	Temperature: 28.3°C
M/N: PX5	Humidity: 60%RH
Test Voltage: Battery	Test Data: 2023-06-19
Test Mode: LTE Band 2 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	44.1863MHz	-78.07	-13.00	-65.07	PK	Hor
2*	65.7688MHz	-78.74	-13.00	-65.74	PK	Hor
3*	170.8925MHz	-75.47	-13.00	-62.47	PK	Hor
4*	418.9700MHz	-73.81	-13.00	-60.81	PK	Hor
5*	643.2825MHz	-65.52	-13.00	-52.52	PK	Hor
6*	987.7538MHz	-59.85	-13.00	-46.85	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	47.5813MHz	-78.32	-13.00	-65.32	PK	Ver
2*	68.5575MHz	-79.03	-13.00	-66.03	PK	Ver
3*	165.1938MHz	-77.27	-13.00	-64.27	PK	Ver
4*	488.8100MHz	-72.59	-13.00	-59.59	PK	Ver
5*	616.9713MHz	-66.00	-13.00	-53.00	PK	Ver
6*	998.0600MHz	-60.43	-13.00	-47.43	PK	Ver

Project: LGT23E075	Test Engineer: Xiangdong Ma
EUT: Smart Communicator	Temperature: 28.3°C
M/N: PX5	Humidity: 60%RH
Test Voltage: Battery	Test Data: 2023-06-19
Test Mode: LTE Band 2 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	31.6975MHz	-79.54	-13.00	-66.54	PK	Hor
2*	52.4313MHz	-78.16	-13.00	-65.16	PK	Hor
3*	58.4938MHz	-77.45	-13.00	-64.45	PK	Hor
4*	164.9513MHz	-76.88	-13.00	-63.88	PK	Hor
5*	437.5213MHz	-73.88	-13.00	-60.88	PK	Hor
6*	987.3900MHz	-60.53	-13.00	-47.53	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	52.9163MHz	-77.83	-13.00	-64.83	PK	Ver
2*	151.1288MHz	-77.22	-13.00	-64.22	PK	Ver
3*	423.3350MHz	-72.85	-13.00	-59.85	PK	Ver
4*	627.2775MHz	-67.07	-13.00	-54.07	PK	Ver
5*	760.2888MHz	-64.11	-13.00	-51.11	PK	Ver
6*	982.5400MHz	-59.97	-13.00	-46.97	PK	Ver

Project: LGT23E075	Test Engineer: Xiangdong Ma
EUT: Smart Communicator	Temperature: 28.3°C
M/N: PX5	Humidity: 60%RH
Test Voltage: Battery	Test Data: 2023-06-19
Test Mode: LTE Band 2 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	43.9438MHz	-77.87	-13.00	-64.87	PK	Hor
2*	58.1300MHz	-77.66	-13.00	-64.66	PK	Hor
3*	159.1313MHz	-76.11	-13.00	-63.11	PK	Hor
4*	356.8900MHz	-75.87	-13.00	-62.87	PK	Hor
5*	719.4275MHz	-64.77	-13.00	-51.77	PK	Hor
6*	989.3300MHz	-60.02	-13.00	-47.02	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	38.6088MHz	-78.11	-13.00	-65.11	PK	Ver
2*	62.2525MHz	-78.95	-13.00	-65.95	PK	Ver
3*	155.2513MHz	-76.47	-13.00	-63.47	PK	Ver
4*	621.9425MHz	-64.84	-13.00	-51.84	PK	Ver
5*	809.8800MHz	-63.65	-13.00	-50.65	PK	Ver
6*	991.8763MHz	-61.15	-13.00	-48.15	PK	Ver

Project: LGT23E075	Test Engineer: Xiangdong Ma
EUT: Smart Communicator	Temperature: 28.3°C
M/N: PX5	Humidity: 60%RH
Test Voltage: Battery	Test Data: 2023-06-19
Test Mode: LTE Band 4 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	44.3075MHz	-78.19	-13.00	-65.19	PK	Hor
2*	52.1888MHz	-78.20	-13.00	-65.20	PK	Hor
3*	150.1588MHz	-76.94	-13.00	-63.94	PK	Hor
4*	317.9688MHz	-76.22	-13.00	-63.22	PK	Hor
5*	610.7875MHz	-66.72	-13.00	-53.72	PK	Hor
6*	992.7250MHz	-60.78	-13.00	-47.78	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	39.2150MHz	-78.00	-13.00	-65.00	PK	Ver
2*	62.1313MHz	-77.55	-13.00	-64.55	PK	Ver
3*	160.9500MHz	-77.02	-13.00	-64.02	PK	Ver
4*	498.5100MHz	-71.54	-13.00	-58.54	PK	Ver
5*	837.8888MHz	-63.17	-13.00	-50.17	PK	Ver
6*	982.2975MHz	-59.47	-13.00	-46.47	PK	Ver

Project: LGT23E075	Test Engineer: Xiangdong Ma
EUT: Smart Communicator	Temperature: 28.3°C
M/N: PX5	Humidity: 60%RH
Test Voltage: Battery	Test Data: 2023-06-19
Test Mode: LTE Band 4 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	39.9425MHz	-78.72	-13.00	-65.72	PK	Hor
2*	136.8213MHz	-77.87	-13.00	-64.87	PK	Hor
3*	291.1725MHz	-76.55	-13.00	-63.55	PK	Hor
4*	477.2913MHz	-72.65	-13.00	-59.65	PK	Hor
5*	737.4938MHz	-64.25	-13.00	-51.25	PK	Hor
6*	994.7863MHz	-61.19	-13.00	-48.19	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	46.7325MHz	-78.15	-13.00	-65.15	PK	Ver
2*	58.3725MHz	-77.43	-13.00	-64.43	PK	Ver
3*	157.6763MHz	-76.27	-13.00	-63.27	PK	Ver
4*	365.8625MHz	-75.35	-13.00	-62.35	PK	Ver
5*	494.5088MHz	-72.18	-13.00	-59.18	PK	Ver
6*	993.8163MHz	-60.96	-13.00	-47.96	PK	Ver

Project: LGT23E075	Test Engineer: Xiangdong Ma
EUT: Smart Communicator	Temperature: 28.3°C
M/N: PX5	Humidity: 60%RH
Test Voltage: Battery	Test Data: 2023-06-19
Test Mode: LTE Band 4 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	43.4588MHz	-77.60	-13.00	-64.60	PK	Hor
2*	170.4075MHz	-76.28	-13.00	-63.28	PK	Hor
3*	338.8238MHz	-74.53	-13.00	-61.53	PK	Hor
4*	507.1188MHz	-71.86	-13.00	-58.86	PK	Hor
5*	721.7313MHz	-64.48	-13.00	-51.48	PK	Hor
6*	987.0263MHz	-59.71	-13.00	-46.71	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	38.0025MHz	-77.63	-13.00	-64.63	PK	Ver
2*	54.1288MHz	-77.79	-13.00	-64.79	PK	Ver
3*	152.8263MHz	-75.90	-13.00	-62.90	PK	Ver
4*	449.7675MHz	-72.07	-13.00	-59.07	PK	Ver
5*	593.0850MHz	-68.09	-13.00	-55.09	PK	Ver
6*	970.4150MHz	-60.13	-13.00	-47.13	PK	Ver

Project: LGT23E075	Test Engineer: Xiangdong Ma
EUT: Smart Communicator	Temperature: 28.3°C
M/N: PX5	Humidity: 60%RH
Test Voltage: Battery	Test Data: 2023-06-19
Test Mode: LTE Band 5 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	39.2150MHz	-77.86	-13.00	-64.86	PK	Hor
2*	46.7325MHz	-78.04	-13.00	-65.04	PK	Hor
3*	152.7050MHz	-76.82	-13.00	-63.82	PK	Hor
4*	579.6263MHz	-68.92	-13.00	-55.92	PK	Hor
5*	715.9113MHz	-65.29	-13.00	-52.29	PK	Hor
6*	984.9650MHz	-60.55	-13.00	-47.55	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	56.6750MHz	-77.95	-13.00	-64.95	PK	Ver
2*	136.4575MHz	-79.19	-13.00	-66.19	PK	Ver
3*	158.6463MHz	-77.46	-13.00	-64.46	PK	Ver
4*	471.3500MHz	-73.29	-13.00	-60.29	PK	Ver
5*	687.5388MHz	-64.17	-13.00	-51.17	PK	Ver
6*	992.2400MHz	-60.53	-13.00	-47.53	PK	Ver

Project: LGT23E075	Test Engineer: Xiangdong Ma
EUT: Smart Communicator	Temperature: 28.3°C
M/N: PX5	Humidity: 60%RH
Test Voltage: Battery	Test Data: 2023-06-19
Test Mode: LTE Band 5 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	39.9425MHz	-78.20	-13.00	-65.20	PK	Hor
2*	55.7050MHz	-78.53	-13.00	-65.53	PK	Hor
3*	151.3713MHz	-77.29	-13.00	-64.29	PK	Hor
4*	306.5713MHz	-77.05	-13.00	-64.05	PK	Hor
5*	440.7950MHz	-72.27	-13.00	-59.27	PK	Hor
6*	984.1163MHz	-60.62	-13.00	-47.62	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	40.5488MHz	-79.01	-13.00	-66.01	PK	Ver
2*	65.1625MHz	-78.16	-13.00	-65.16	PK	Ver
3*	170.0438MHz	-76.99	-13.00	-63.99	PK	Ver
4*	299.6600MHz	-76.18	-13.00	-63.18	PK	Ver
5*	625.0950MHz	-65.41	-13.00	-52.41	PK	Ver
6*	947.0138MHz	-61.17	-13.00	-48.17	PK	Ver

Project: LGT23E075	Test Engineer: Xiangdong Ma
EUT: Smart Communicator	Temperature: 28.3°C
M/N: PX5	Humidity: 60%RH
Test Voltage: Battery	Test Data: 2023-06-19
Test Mode: LTE Band 5 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	40.4275MHz	-77.79	-13.00	-64.79	PK	Hor
2*	57.7663MHz	-77.79	-13.00	-64.79	PK	Hor
3*	142.0350MHz	-76.06	-13.00	-63.06	PK	Hor
4*	490.9925MHz	-73.25	-13.00	-60.25	PK	Hor
5*	565.5613MHz	-70.44	-13.00	-57.44	PK	Hor
6*	988.9663MHz	-60.64	-13.00	-47.64	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	47.0963MHz	-77.72	-13.00	-64.72	PK	Ver
2*	56.9175MHz	-78.29	-13.00	-65.29	PK	Ver
3*	135.2450MHz	-78.13	-13.00	-65.13	PK	Ver
4*	168.4675MHz	-75.69	-13.00	-62.69	PK	Ver
5*	522.2750MHz	-71.78	-13.00	-58.78	PK	Ver
6*	992.1188MHz	-60.56	-13.00	-47.56	PK	Ver

Project: LGT23E075	Test Engineer: Xiangdong Ma
EUT: Smart Communicator	Temperature: 28.3°C
M/N: PX5	Humidity: 60%RH
Test Voltage: Battery	Test Data: 2023-06-19
Test Mode: LTE Band 7 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	48.1875MHz	-78.21	-13.00	-65.21	PK	Hor
2*	64.9200MHz	-78.09	-13.00	-65.09	PK	Hor
3*	152.3413MHz	-77.17	-13.00	-64.17	PK	Hor
4*	402.2375MHz	-74.50	-13.00	-61.50	PK	Hor
5*	684.8713MHz	-65.49	-13.00	-52.49	PK	Hor
6*	944.5888MHz	-61.03	-13.00	-48.03	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	46.3688MHz	-77.76	-13.00	-64.76	PK	Ver
2*	57.5238MHz	-78.75	-13.00	-65.75	PK	Ver
3*	147.1275MHz	-76.89	-13.00	-63.89	PK	Ver
4*	407.8150MHz	-74.96	-13.00	-61.96	PK	Ver
5*	501.9050MHz	-71.45	-13.00	-58.45	PK	Ver
6*	963.8675MHz	-60.85	-13.00	-47.85	PK	Ver

Project: LGT23E075	Test Engineer: Xiangdong Ma
EUT: Smart Communicator	Temperature: 28.3°C
M/N: PX5	Humidity: 60%RH
Test Voltage: Battery	Test Data: 2023-06-19
Test Mode: LTE Band 7 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	48.1875MHz	-77.45	-13.00	-64.45	PK	Hor
2*	168.9525MHz	-77.31	-13.00	-64.31	PK	Hor
3*	393.6288MHz	-75.26	-13.00	-62.26	PK	Hor
4*	521.7900MHz	-70.60	-13.00	-57.60	PK	Hor
5*	670.6850MHz	-66.89	-13.00	-53.89	PK	Hor
6*	998.6663MHz	-60.72	-13.00	-47.72	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	33.1525MHz	-77.70	-13.00	-64.70	PK	Ver
2*	58.3725MHz	-79.10	-13.00	-66.10	PK	Ver
3*	162.0413MHz	-77.70	-13.00	-64.70	PK	Ver
4*	364.6500MHz	-75.11	-13.00	-62.11	PK	Ver
5*	643.2825MHz	-67.31	-13.00	-54.31	PK	Ver
6*	996.4838MHz	-61.25	-13.00	-48.25	PK	Ver

Project: LGT23E075	Test Engineer: Xiangdong Ma
EUT: Smart Communicator	Temperature: 28.3°C
M/N: PX5	Humidity: 60%RH
Test Voltage: Battery	Test Data: 2023-06-19
Test Mode: LTE Band 7 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	46.7325MHz	-77.66	-13.00	-64.66	PK	Hor
2*	155.8575MHz	-77.11	-13.00	-64.11	PK	Hor
3*	400.0550MHz	-74.49	-13.00	-61.49	PK	Hor
4*	621.7000MHz	-66.51	-13.00	-53.51	PK	Hor
5*	810.2438MHz	-64.36	-13.00	-51.36	PK	Hor
6*	925.5525MHz	-60.36	-13.00	-47.36	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	44.1863MHz	-77.58	-13.00	-64.58	PK	Ver
2*	50.8550MHz	-78.26	-13.00	-65.26	PK	Ver
3*	162.7688MHz	-75.33	-13.00	-62.33	PK	Ver
4*	276.7438MHz	-76.28	-13.00	-63.28	PK	Ver
5*	850.3775MHz	-63.17	-13.00	-50.17	PK	Ver
6*	973.3250MHz	-60.59	-13.00	-47.59	PK	Ver

Project: LGT23E075	Test Engineer: Xiangdong Ma
EUT: Smart Communicator	Temperature: 28.3°C
M/N: PX5	Humidity: 60%RH
Test Voltage: Battery	Test Data: 2023-06-19
Test Mode: LTE Band 12 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	39.2150MHz	-78.50	-13.00	-65.50	PK	Hor
2*	58.0088MHz	-78.16	-13.00	-65.16	PK	Hor
3*	150.0375MHz	-77.00	-13.00	-64.00	PK	Hor
4*	505.3000MHz	-71.90	-13.00	-58.90	PK	Hor
5*	644.4950MHz	-66.45	-13.00	-53.45	PK	Hor
6*	961.3213MHz	-60.08	-13.00	-47.08	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	38.6088MHz	-77.24	-13.00	-64.24	PK	Ver
2*	132.9413MHz	-77.70	-13.00	-64.70	PK	Ver
3*	170.5288MHz	-76.52	-13.00	-63.52	PK	Ver
4*	492.3263MHz	-72.99	-13.00	-59.99	PK	Ver
5*	730.0975MHz	-64.60	-13.00	-51.60	PK	Ver
6*	987.2688MHz	-59.98	-13.00	-46.98	PK	Ver

Project: LGT23E075	Test Engineer: Xiangdong Ma
EUT: Smart Communicator	Temperature: 28.3°C
M/N: PX5	Humidity: 60%RH
Test Voltage: Battery	Test Data: 2023-06-19
Test Mode: LTE Band 12 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	43.0950MHz	-77.58	-13.00	-64.58	PK	Hor
2*	66.7388MHz	-78.49	-13.00	-65.49	PK	Hor
3*	306.8138MHz	-76.69	-13.00	-63.69	PK	Hor
4*	449.1613MHz	-73.60	-13.00	-60.60	PK	Hor
5*	789.6313MHz	-64.42	-13.00	-51.42	PK	Hor
6*	969.4450MHz	-61.03	-13.00	-48.03	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	51.2188MHz	-77.75	-13.00	-64.75	PK	Ver
2*	127.6063MHz	-78.34	-13.00	-65.34	PK	Ver
3*	175.5000MHz	-75.93	-13.00	-62.93	PK	Ver
4*	535.8550MHz	-69.96	-13.00	-56.96	PK	Ver
5*	687.6600MHz	-64.35	-13.00	-51.35	PK	Ver
6*	994.3013MHz	-59.38	-13.00	-46.38	PK	Ver

Project: LGT23E075	Test Engineer: Xiangdong Ma
EUT: Smart Communicator	Temperature: 28.3°C
M/N: PX5	Humidity: 60%RH
Test Voltage: Battery	Test Data: 2023-06-19
Test Mode: LTE Band 12 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	46.1263MHz	-77.87	-13.00	-64.87	PK	Hor
2*	65.0413MHz	-78.87	-13.00	-65.87	PK	Hor
3*	182.2900MHz	-76.70	-13.00	-63.70	PK	Hor
4*	471.3500MHz	-72.66	-13.00	-59.66	PK	Hor
5*	690.4488MHz	-65.48	-13.00	-52.48	PK	Hor
6*	983.6313MHz	-60.93	-13.00	-47.93	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	35.8200MHz	-77.95	-13.00	-64.95	PK	Ver
2*	56.9175MHz	-78.38	-13.00	-65.38	PK	Ver
3*	160.8288MHz	-76.80	-13.00	-63.80	PK	Ver
4*	402.8438MHz	-73.76	-13.00	-60.76	PK	Ver
5*	566.8950MHz	-68.25	-13.00	-55.25	PK	Ver
6*	945.5588MHz	-60.90	-13.00	-47.90	PK	Ver

Project: LGT23E075	Test Engineer: Xiangdong Ma
EUT: Smart Communicator	Temperature: 28.3°C
M/N: PX5	Humidity: 60%RH
Test Voltage: Battery	Test Data: 2023-06-19
Test Mode: LTE Band 13 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	44.0650MHz	-78.05	-13.00	-65.05	PK	Hor
2*	64.9200MHz	-78.36	-13.00	-65.36	PK	Hor
3*	143.0050MHz	-78.34	-13.00	-65.34	PK	Hor
4*	365.2563MHz	-76.00	-13.00	-63.00	PK	Hor
5*	511.4838MHz	-71.40	-13.00	-58.40	PK	Hor
6*	944.5888MHz	-60.88	-13.00	-47.88	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	32.9100MHz	-78.79	-13.00	-65.79	PK	Ver
2*	51.5825MHz	-78.35	-13.00	-65.35	PK	Ver
3*	130.7588MHz	-78.14	-13.00	-65.14	PK	Ver
4*	170.7713MHz	-77.57	-13.00	-64.57	PK	Ver
5*	687.5388MHz	-64.79	-13.00	-51.79	PK	Ver
6*	998.1813MHz	-60.43	-13.00	-47.43	PK	Ver

Project: LGT23E075	Test Engineer: Xiangdong Ma
EUT: Smart Communicator	Temperature: 28.3°C
M/N: PX5	Humidity: 60%RH
Test Voltage: Battery	Test Data: 2023-06-19
Test Mode: LTE Band 13 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	41.0338MHz	-77.94	-13.00	-64.94	PK	Hor
2*	55.3413MHz	-78.11	-13.00	-65.11	PK	Hor
3*	166.4063MHz	-75.68	-13.00	-62.68	PK	Hor
4*	497.0550MHz	-71.26	-13.00	-58.26	PK	Hor
5*	746.4663MHz	-63.94	-13.00	-50.94	PK	Hor
6*	995.2713MHz	-60.53	-13.00	-47.53	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	51.8250MHz	-77.67	-13.00	-64.67	PK	Ver
2*	66.3750MHz	-79.10	-13.00	-66.10	PK	Ver
3*	153.3113MHz	-76.66	-13.00	-63.66	PK	Ver
4*	524.9425MHz	-71.28	-13.00	-58.28	PK	Ver
5*	689.8425MHz	-65.02	-13.00	-52.02	PK	Ver
6*	952.2275MHz	-59.80	-13.00	-46.80	PK	Ver

Project: LGT23E075	Test Engineer: Xiangdong Ma
EUT: Smart Communicator	Temperature: 28.3°C
M/N: PX5	Humidity: 60%RH
Test Voltage: Battery	Test Data: 2023-06-19
Test Mode: LTE Band 13 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	65.0413MHz	-79.06	-13.00	-66.06	PK	Hor
2*	148.8250MHz	-76.70	-13.00	-63.70	PK	Hor
3*	462.3775MHz	-72.99	-13.00	-59.99	PK	Hor
4*	641.3425MHz	-66.09	-13.00	-53.09	PK	Hor
5*	841.7688MHz	-63.21	-13.00	-50.21	PK	Hor
6*	990.6638MHz	-60.97	-13.00	-47.97	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	30.9700MHz	-78.55	-13.00	-65.55	PK	Ver
2*	51.7038MHz	-77.61	-13.00	-64.61	PK	Ver
3*	158.8888MHz	-77.10	-13.00	-64.10	PK	Ver
4*	640.9788MHz	-66.08	-13.00	-53.08	PK	Ver
5*	687.5388MHz	-63.38	-13.00	-50.38	PK	Ver
6*	998.6663MHz	-61.38	-13.00	-48.38	PK	Ver

Project: LGT23E075	Test Engineer: Xiangdong Ma
EUT: Smart Communicator	Temperature: 28.3°C
M/N: PX5	Humidity: 60%RH
Test Voltage: Battery	Test Data: 2023-06-19
Test Mode: LTE Band 17 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	43.8225MHz	-78.27	-13.00	-65.27	PK	Hor
2*	157.6763MHz	-76.31	-13.00	-63.31	PK	Hor
3*	346.7050MHz	-76.53	-13.00	-63.53	PK	Hor
4*	498.9950MHz	-71.78	-13.00	-58.78	PK	Hor
5*	660.5000MHz	-64.76	-13.00	-51.76	PK	Hor
6*	961.6850MHz	-61.13	-13.00	-48.13	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	47.5813MHz	-77.65	-13.00	-64.65	PK	Ver
2*	153.1900MHz	-77.65	-13.00	-64.65	PK	Ver
3*	379.4425MHz	-75.26	-13.00	-62.26	PK	Ver
4*	689.3575MHz	-64.90	-13.00	-51.90	PK	Ver
5*	993.2100MHz	-60.52	-13.00	-47.52	PK	Ver

Project: LGT23E075	Test Engineer: Xiangdong Ma
EUT: Smart Communicator	Temperature: 28.3°C
M/N: PX5	Humidity: 60%RH
Test Voltage: Battery	Test Data: 2023-06-19
Test Mode: LTE Band 17 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	40.6700MHz	-78.49	-13.00	-65.49	PK	Hor
2*	53.0375MHz	-77.74	-13.00	-64.74	PK	Hor
3*	152.7050MHz	-76.47	-13.00	-63.47	PK	Hor
4*	336.1563MHz	-75.98	-13.00	-62.98	PK	Hor
5*	769.5038MHz	-64.63	-13.00	-51.63	PK	Hor
6*	934.1613MHz	-60.72	-13.00	-47.72	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	39.2150MHz	-77.68	-13.00	-64.68	PK	Ver
2*	65.6475MHz	-78.24	-13.00	-65.24	PK	Ver
3*	170.7713MHz	-76.83	-13.00	-63.83	PK	Ver
4*	472.5625MHz	-71.93	-13.00	-58.93	PK	Ver
5*	687.5388MHz	-64.05	-13.00	-51.05	PK	Ver
6*	997.6963MHz	-60.49	-13.00	-47.49	PK	Ver

Project: LGT23E075	Test Engineer: Xiangdong Ma
EUT: Smart Communicator	Temperature: 28.3°C
M/N: PX5	Humidity: 60%RH
Test Voltage: Battery	Test Data: 2023-06-19
Test Mode: LTE Band 17 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	53.2800MHz	-78.09	-13.00	-65.09	PK	Hor
2*	150.0375MHz	-77.34	-13.00	-64.34	PK	Hor
3*	260.3750MHz	-77.65	-13.00	-64.65	PK	Hor
4*	400.4188MHz	-74.98	-13.00	-61.98	PK	Hor
5*	791.9350MHz	-64.60	-13.00	-51.60	PK	Hor
6*	983.9950MHz	-60.08	-13.00	-47.08	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	57.5238MHz	-77.95	-13.00	-64.95	PK	Ver
2*	101.4163MHz	-80.80	-13.00	-67.80	PK	Ver
3*	153.0688MHz	-76.98	-13.00	-63.98	PK	Ver
4*	392.6588MHz	-74.25	-13.00	-61.25	PK	Ver
5*	722.5800MHz	-65.47	-13.00	-52.47	PK	Ver
6*	999.5150MHz	-60.17	-13.00	-47.17	PK	Ver

Project: LGT23E075	Test Engineer: Dylan.shi
EUT: Smart Communicator	Temperature: 25.8°C
M/N: PX5	Humidity: 59%RH
Test Voltage: Battery	Test Data: 2023-06-10
Test Mode: LTE Band 2 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.6077GHz	-54.96	-13.00	-41.96	PK	Hor
2*	2.7637GHz	-50.46	-13.00	-37.46	PK	Hor
3*	4.8229GHz	-47.86	-13.00	-34.86	PK	Hor
4*	8.1230GHz	-44.08	-13.00	-31.08	PK	Hor
5*	9.0282GHz	-42.92	-13.00	-29.92	PK	Hor
6*	17.9511GHz	-37.88	-13.00	-24.88	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.9371GHz	-53.72	-13.00	-40.72	PK	Ver
2*	2.8976GHz	-50.60	-13.00	-37.60	PK	Ver
3*	4.7230GHz	-48.01	-13.00	-35.01	PK	Ver
4*	7.5981GHz	-44.67	-13.00	-31.67	PK	Ver
5*	8.9390GHz	-42.68	-13.00	-29.68	PK	Ver
6*	17.9256GHz	-37.42	-13.00	-24.42	PK	Ver

Project: LGT23E075	Test Engineer: Dylan.shi
EUT: Smart Communicator	Temperature: 25.8°C
M/N: PX5	Humidity: 59%RH
Test Voltage: Battery	Test Data: 2023-06-10
Test Mode: LTE Band 2 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.7234GHz	-50.35	-13.00	-37.35	PK	Hor
2*	4.3022GHz	-49.33	-13.00	-36.33	PK	Hor
3*	5.0162GHz	-48.34	-13.00	-35.34	PK	Hor
4*	8.4927GHz	-43.17	-13.00	-30.17	PK	Hor
5*	13.8180GHz	-43.02	-13.00	-30.02	PK	Hor
6*	17.8364GHz	-37.77	-13.00	-24.77	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4696GHz	-56.11	-13.00	-43.11	PK	Ver
2*	1.6800GHz	-55.48	-13.00	-42.48	PK	Ver
3*	2.9061GHz	-49.75	-13.00	-36.75	PK	Ver
4*	6.6822GHz	-45.45	-13.00	-32.45	PK	Ver
5*	8.9241GHz	-42.43	-13.00	-29.43	PK	Ver
6*	17.8427GHz	-38.39	-13.00	-25.39	PK	Ver

Project: LGT23E075	Test Engineer: Dylan.shi
EUT: Smart Communicator	Temperature: 25.8°C
M/N: PX5	Humidity: 59%RH
Test Voltage: Battery	Test Data: 2023-06-10
Test Mode: LTE Band 2 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.0922GHz	-52.95	-13.00	-39.95	PK	Hor
2*	3.2142GHz	-49.80	-13.00	-36.80	PK	Hor
3*	4.6507GHz	-49.12	-13.00	-36.12	PK	Hor
4*	9.0325GHz	-43.04	-13.00	-30.04	PK	Hor
5*	13.8690GHz	-41.52	-13.00	-28.52	PK	Hor
6*	17.7237GHz	-37.98	-13.00	-24.98	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.7607GHz	-54.40	-13.00	-41.40	PK	Ver
2*	2.9762GHz	-49.59	-13.00	-36.59	PK	Ver
3*	5.7005GHz	-47.32	-13.00	-34.32	PK	Ver
4*	8.0231GHz	-44.46	-13.00	-31.46	PK	Ver
5*	8.9347GHz	-41.65	-13.00	-28.65	PK	Ver
6*	17.9320GHz	-37.07	-13.00	-24.07	PK	Ver

Project: LGT23E075	Test Engineer: Dylan.shi
EUT: Smart Communicator	Temperature: 25.8°C
M/N: PX5	Humidity: 59%RH
Test Voltage: Battery	Test Data: 2023-06-10
Test Mode: LTE Band 4 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.7780GHz	-54.57	-13.00	-41.57	PK	Hor
2*	2.5800GHz	-50.73	-13.00	-37.73	PK	Hor
3*	3.1560GHz	-49.68	-13.00	-36.68	PK	Hor
4*	6.7280GHz	-46.75	-13.00	-33.75	PK	Hor
5*	8.9300GHz	-42.24	-13.00	-29.24	PK	Hor
6*	14.4020GHz	-40.63	-13.00	-27.63	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.7420GHz	-54.57	-13.00	-41.57	PK	Ver
2*	2.2600GHz	-51.89	-13.00	-38.89	PK	Ver
3*	4.7880GHz	-47.94	-13.00	-34.94	PK	Ver
4*	7.5960GHz	-43.78	-13.00	-30.78	PK	Ver
5*	8.9340GHz	-42.50	-13.00	-29.50	PK	Ver
6*	14.2860GHz	-40.52	-13.00	-27.52	PK	Ver

Project: LGT23E075	Test Engineer: Dylan.shi
EUT: Smart Communicator	Temperature: 25.8°C
M/N: PX5	Humidity: 59%RH
Test Voltage: Battery	Test Data: 2023-06-18
Test Mode: LTE Band 4 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.2677GHz	-55.92	-13.00	-42.92	PK	Hor
2*	1.9244GHz	-54.26	-13.00	-41.26	PK	Hor
3*	2.7404GHz	-50.26	-13.00	-37.26	PK	Hor
4*	4.7187GHz	-48.28	-13.00	-35.28	PK	Hor
5*	9.4766GHz	-42.16	-13.00	-29.16	PK	Hor
6*	16.3701GHz	-36.97	-13.00	-23.97	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.4880GHz	-51.25	-13.00	-38.25	PK	Ver
2*	2.8280GHz	-50.05	-13.00	-37.05	PK	Ver
3*	4.6000GHz	-48.58	-13.00	-35.58	PK	Ver
4*	7.1260GHz	-45.28	-13.00	-32.28	PK	Ver
5*	8.9340GHz	-42.10	-13.00	-29.10	PK	Ver
6*	16.9320GHz	-40.85	-13.00	-27.85	PK	Ver

Project: LGT23E075	Test Engineer: Dylan.shi
EUT: Smart Communicator	Temperature: 25.8°C
M/N: PX5	Humidity: 59%RH
Test Voltage: Battery	Test Data: 2023-06-10
Test Mode: LTE Band 4 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4680GHz	-55.09	-13.00	-42.09	PK	Hor
2*	3.2180GHz	-50.24	-13.00	-37.24	PK	Hor
3*	6.1320GHz	-46.94	-13.00	-33.94	PK	Hor
4*	8.4940GHz	-43.52	-13.00	-30.52	PK	Hor
5*	8.9260GHz	-42.50	-13.00	-29.50	PK	Hor
6*	16.4740GHz	-40.45	-13.00	-27.45	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.0060GHz	-49.73	-13.00	-36.73	PK	Ver
2*	3.5640GHz	-49.64	-13.00	-36.64	PK	Ver
3*	4.8140GHz	-48.35	-13.00	-35.35	PK	Ver
4*	7.2660GHz	-44.80	-13.00	-31.80	PK	Ver
5*	8.9500GHz	-42.81	-13.00	-29.81	PK	Ver
6*	16.4720GHz	-41.05	-13.00	-28.05	PK	Ver

Project: LGT23E075	Test Engineer: Dylan.shi
EUT: Smart Communicator	Temperature: 25.8°C
M/N: PX5	Humidity: 59%RH
Test Voltage: Battery	Test Data: 2023-06-18
Test Mode: LTE Band 5 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.7070GHz	-53.49	-13.00	-40.49	PK	Hor
2*	2.1680GHz	-51.55	-13.00	-38.55	PK	Hor
3*	3.0530GHz	-50.02	-13.00	-37.02	PK	Hor
4*	4.6450GHz	-47.39	-13.00	-34.39	PK	Hor
5*	7.5900GHz	-43.66	-13.00	-30.66	PK	Hor
6*	8.9140GHz	-40.73	-13.00	-27.73	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4250GHz	-55.70	-13.00	-42.70	PK	Ver
2*	2.2550GHz	-52.13	-13.00	-39.13	PK	Ver
3*	2.8750GHz	-49.48	-13.00	-36.48	PK	Ver
4*	4.3260GHz	-48.47	-13.00	-35.47	PK	Ver
5*	5.8010GHz	-46.61	-13.00	-33.61	PK	Ver
6*	8.7000GHz	-42.32	-13.00	-29.32	PK	Ver

Project: LGT23E075	Test Engineer: Dylan.shi
EUT: Smart Communicator	Temperature: 25.8°C
M/N: PX5	Humidity: 59%RH
Test Voltage: Battery	Test Data: 2023-06-18
Test Mode: LTE Band 5 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3010GHz	-56.22	-13.00	-43.22	PK	Hor
2*	1.9320GHz	-54.68	-13.00	-41.68	PK	Hor
3*	2.5300GHz	-50.48	-13.00	-37.48	PK	Hor
4*	3.0230GHz	-49.62	-13.00	-36.62	PK	Hor
5*	4.3190GHz	-47.67	-13.00	-34.67	PK	Hor
6*	8.3550GHz	-43.13	-13.00	-30.13	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4020GHz	-56.34	-13.00	-43.34	PK	Ver
2*	2.5030GHz	-49.74	-13.00	-36.74	PK	Ver
3*	3.2260GHz	-49.84	-13.00	-36.84	PK	Ver
4*	4.6720GHz	-48.11	-13.00	-35.11	PK	Ver
5*	7.1590GHz	-45.20	-13.00	-32.20	PK	Ver
6*	8.9420GHz	-42.40	-13.00	-29.40	PK	Ver

Project: LGT23E075	Test Engineer: Dylan.shi
EUT: Smart Communicator	Temperature: 25.8°C
M/N: PX5	Humidity: 59%RH
Test Voltage: Battery	Test Data: 2023-06-18
Test Mode: LTE Band 5 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.1060GHz	-57.03	-13.00	-44.03	PK	Hor
2*	1.5070GHz	-54.91	-13.00	-41.91	PK	Hor
3*	2.2600GHz	-52.02	-13.00	-39.02	PK	Hor
4*	3.0850GHz	-49.98	-13.00	-36.98	PK	Hor
5*	4.8280GHz	-46.81	-13.00	-33.81	PK	Hor
6*	8.5960GHz	-43.19	-13.00	-30.19	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3720GHz	-54.44	-13.00	-41.44	PK	Ver
2*	2.2430GHz	-51.50	-13.00	-38.50	PK	Ver
3*	3.0730GHz	-49.56	-13.00	-36.56	PK	Ver
4*	4.7790GHz	-47.15	-13.00	-34.15	PK	Ver
5*	7.5630GHz	-44.05	-13.00	-31.05	PK	Ver
6*	8.9240GHz	-42.11	-13.00	-29.11	PK	Ver

Project: LGT23E075	Test Engineer: Dylan.shi
EUT: Smart Communicator	Temperature: 25.8°C
M/N: PX5	Humidity: 59%RH
Test Voltage: Battery	Test Data: 2023-06-17
Test Mode: LTE Band 7 Lower	
Note:	



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.2932GHz	-56.06	-13.00	-43.06	PK	Hor
2*	2.1879GHz	-51.89	-13.00	-38.89	PK	Hor
3*	3.0145GHz	-48.93	-13.00	-35.93	PK	Hor
4*	4.6699GHz	-48.37	-13.00	-35.37	PK	Hor
5*	13.7500GHz	-41.97	-13.00	-28.97	PK	Hor
6*	17.8385GHz	-38.01	-13.00	-25.01	PK	Hor



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.6269GHz	-53.46	-13.00	-40.46	PK	Ver
2*	2.8997GHz	-48.48	-13.00	-35.48	PK	Ver
3*	4.8420GHz	-46.82	-13.00	-33.82	PK	Ver
4*	7.5875GHz	-42.66	-13.00	-29.66	PK	Ver
5*	9.4660GHz	-42.15	-13.00	-29.15	PK	Ver
6*	17.9426GHz	-36.13	-13.00	-23.13	PK	Ver