



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: BLUETOOTH SPEAKER

Test Model: MPD1272XB-THUNDER 12

Environmental Conditions

| | |
|--------------------|------------|
| Temperature: | 23.8°C |
| Relative Humidity: | 52.5% |
| ATM Pressure: | 100.0 kPa |
| Test Engineer: | Jerry Chu |
| Supervised by: | Paddi Chen |





A.1 -20dB Bandwidth

| Condition | Mode | Frequency (MHz) | Antenna | -20 dB Bandwidth (MHz) | Limit -20 dB Bandwidth (MHz) | Verdict |
|-----------|-------|-----------------|---------|------------------------|------------------------------|---------|
| NVNT | 1-DH5 | 2402 | Ant | 0.964 | N/A | Pass |
| NVNT | 1-DH5 | 2441 | Ant | 1.032 | N/A | Pass |
| NVNT | 1-DH5 | 2480 | Ant | 0.942 | N/A | Pass |
| NVNT | 2-DH5 | 2402 | Ant | 1.285 | N/A | Pass |
| NVNT | 2-DH5 | 2441 | Ant | 1.285 | N/A | Pass |
| NVNT | 2-DH5 | 2480 | Ant | 1.283 | N/A | Pass |
| NVNT | 3-DH5 | 2402 | Ant | 1.282 | N/A | Pass |
| NVNT | 3-DH5 | 2441 | Ant | 1.294 | N/A | Pass |
| NVNT | 3-DH5 | 2480 | Ant | 1.31 | N/A | Pass |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant



-20dB Bandwidth NVNT 1-DH5 2441MHz Ant





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant




-20dB Bandwidth NVNT 2-DH5 2480MHz Ant







-20dB Bandwidth NVNT 3-DH5 2402MHz Ant



-20dB Bandwidth NVNT 3-DH5 2441MHz Ant







A.2 Maximum Peak Conducted Output Power


| Condition | Mode | Frequency (MHz) | Antenna | Conducted Power (dBm) | Limit (dBm) | Verdict |
|-----------|-------|-----------------|---------|-----------------------|-------------|---------|
| NVNT | 1-DH5 | 2402 | Ant | -0.83 | 21 | Pass |
| NVNT | 1-DH5 | 2441 | Ant | 1.63 | 21 | Pass |
| NVNT | 1-DH5 | 2480 | Ant | 0.71 | 21 | Pass |
| NVNT | 2-DH5 | 2402 | Ant | 0.93 | 21 | Pass |
| NVNT | 2-DH5 | 2441 | Ant | 3.57 | 21 | Pass |
| NVNT | 2-DH5 | 2480 | Ant | 2.24 | 21 | Pass |
| NVNT | 3-DH5 | 2402 | Ant | 1.37 | 21 | Pass |
| NVNT | 3-DH5 | 2441 | Ant | 3.82 | 21 | Pass |
| NVNT | 3-DH5 | 2480 | Ant | 2.54 | 21 | Pass |






Test Graphs

Power NVNT 1-DH5 2402MHz Ant




Power NVNT 1-DH5 2441MHz Ant






Power NVNT 1-DH5 2480MHz Ant




Power NVNT 2-DH5 2402MHz Ant






Power NVNT 2-DH5 2441MHz Ant




Power NVNT 2-DH5 2480MHz Ant







Power NVNT 3-DH5 2402MHz Ant



Power NVNT 3-DH5 2441MHz Ant







A.3 Carrier Frequencies Separation

| Condition | Mode | Antenna | Hopping Freq1 (MHz) | Hopping Freq2 (MHz) | HFS (MHz) | Limit (MHz) | Verdict |
|-----------|-------|---------|---------------------|---------------------|-----------|-------------|---------|
| NVNT | 1-DH5 | Ant | 2401.826 | 2402.974 | 1.148 | 0.688 | Pass |
| NVNT | 2-DH5 | Ant | 2402.03 | 2403.034 | 1.004 | 0.857 | Pass |
| NVNT | 3-DH5 | Ant | 2402.036 | 2402.938 | 0.902 | 0.873 | Pass |







Test Graphs

CFS NVNT 1-DH5 2402MHz Ant



CFS NVNT 2-DH5 2402MHz Ant







A.4 Dwell Time


| Condition | Mode | Frequency (MHz) | Antenna | Pulse Time (ms) | Total Dwell Time (ms) | Burst Count | Period Time (ms) | Limit (ms) | Verdict |
|-----------|-------|-----------------|---------|-----------------|-----------------------|-------------|------------------|------------|---------|
| NVNT | 1-DH5 | 2402 | Ant | 2.91 | 320.1 | 110 | 31600 | 400 | Pass |
| NVNT | 2-DH5 | 2402 | Ant | 2.899 | 330.486 | 114 | 31600 | 400 | Pass |
| NVNT | 3-DH5 | 2402 | Ant | 2.897 | 263.627 | 91 | 31600 | 400 | Pass |








Test Graphs



Dwell NVNT 1-DH5 2402MHz Ant One Burst



Dwell NVNT 1-DH5 2402MHz Ant Accumulated









A.5 Number of Hopping Channel


| Condition | Mode | Antenna | Hopping Number | Limit | Verdict |
|-----------|-------|---------|----------------|-------|---------|
| NVNT | 1-DH5 | Ant | 79 | 15 | Pass |
| NVNT | 2-DH5 | Ant | 79 | 15 | Pass |
| NVNT | 3-DH5 | Ant | 79 | 15 | Pass |







Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant



Hopping No. NVNT 2-DH5 2402MHz Ant







A.6 Band Edge


| Condition | Mode | Frequency (MHz) | Antenna | Hopping Mode | Max Value (dBc) | Limit (dBc) | Verdict |
|-----------|-------|-----------------|---------|--------------|-----------------|-------------|---------|
| NVNT | 1-DH5 | 2402 | Ant | No-Hopping | -56 | -20 | Pass |
| NVNT | 1-DH5 | 2480 | Ant | No-Hopping | -56.58 | -20 | Pass |
| NVNT | 2-DH5 | 2402 | Ant | No-Hopping | -51.17 | -20 | Pass |
| NVNT | 2-DH5 | 2480 | Ant | No-Hopping | -54.85 | -20 | Pass |
| NVNT | 3-DH5 | 2402 | Ant | No-Hopping | -51.67 | -20 | Pass |
| NVNT | 3-DH5 | 2480 | Ant | No-Hopping | -54.37 | -20 | Pass |






Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant No-Hopping Ref




Band Edge NVNT 1-DH5 2402MHz Ant No-Hopping Emission






Band Edge NVNT 1-DH5 2480MHz Ant No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz Ant No-Hopping Emission






Band Edge NVNT 2-DH5 2402MHz Ant No-Hopping Ref




Band Edge NVNT 2-DH5 2402MHz Ant No-Hopping Emission






Band Edge NVNT 2-DH5 2480MHz Ant No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant No-Hopping Ref




Band Edge NVNT 3-DH5 2402MHz Ant No-Hopping Emission






Band Edge NVNT 3-DH5 2480MHz Ant No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant No-Hopping Emission





(Hopping)


| Condition | Mode | Frequency (MHz) | Antenna | Hopping Mode | Max Value (dBc) | Limit (dBc) | Verdict |
|-----------|-------|-----------------|---------|--------------|-----------------|-------------|---------|
| NVNT | 1-DH5 | 2402 | Ant | Hopping | -54.59 | -20 | Pass |
| NVNT | 1-DH5 | 2480 | Ant | Hopping | -56.48 | -20 | Pass |
| NVNT | 2-DH5 | 2402 | Ant | Hopping | -54.64 | -20 | Pass |
| NVNT | 2-DH5 | 2480 | Ant | Hopping | -56.47 | -20 | Pass |
| NVNT | 3-DH5 | 2402 | Ant | Hopping | -52.55 | -20 | Pass |
| NVNT | 3-DH5 | 2480 | Ant | Hopping | -55.39 | -20 | Pass |






Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant Hopping Emission






Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant Hopping Ref



Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant Hopping Ref



Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant Hopping Ref




Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant Hopping Emission





A.7 Conducted RF Spurious Emission

| Condition | Mode | Frequency (MHz) | Antenna | Max Value (dBc) | Limit (dBc) | Verdict |
|-----------|-------|-----------------|---------|-----------------|-------------|---------|
| NVNT | 1-DH5 | 2402 | Ant | -54.69 | -20 | Pass |
| NVNT | 1-DH5 | 2441 | Ant | -56.55 | -20 | Pass |
| NVNT | 1-DH5 | 2480 | Ant | -55.52 | -20 | Pass |
| NVNT | 2-DH5 | 2402 | Ant | -54.15 | -20 | Pass |
| NVNT | 2-DH5 | 2441 | Ant | -56.11 | -20 | Pass |
| NVNT | 2-DH5 | 2480 | Ant | -55.1 | -20 | Pass |
| NVNT | 3-DH5 | 2402 | Ant | -53.9 | -20 | Pass |
| NVNT | 3-DH5 | 2441 | Ant | -56.96 | -20 | Pass |
| NVNT | 3-DH5 | 2480 | Ant | -55.82 | -20 | Pass |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant Ref




Tx. Spurious NVNT 1-DH5 2402MHz Ant Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant Ref



Tx. Spurious NVNT 1-DH5 2441MHz Ant Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ant Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant Emission





A.8 Duty Cycle


| Condition | Mode | Frequency (MHz) | Antenna | Duty Cycle (%) | Correction Factor (dB) | 1/T (kHz) |
|-----------|-------|-----------------|---------|----------------|------------------------|-----------|
| NVNT | 1-DH5 | 2402 | Ant | 77.6 | 1.1 | 0.34 |
| NVNT | 1-DH5 | 2441 | Ant | 77.6 | 1.1 | 0.34 |
| NVNT | 1-DH5 | 2480 | Ant | 77.6 | 1.1 | 0.34 |
| NVNT | 2-DH5 | 2402 | Ant | 77.33 | 1.12 | 0.34 |
| NVNT | 2-DH5 | 2441 | Ant | 77.28 | 1.12 | 0.35 |
| NVNT | 2-DH5 | 2480 | Ant | 77.28 | 1.12 | 0.35 |
| NVNT | 3-DH5 | 2402 | Ant | 77.33 | 1.12 | 0.34 |
| NVNT | 3-DH5 | 2441 | Ant | 77.28 | 1.12 | 0.35 |
| NVNT | 3-DH5 | 2480 | Ant | 77.28 | 1.12 | 0.35 |






Test Graphs

Duty Cycle NVNT 1-DH5 2402MHz Ant




Duty Cycle NVNT 1-DH5 2441MHz Ant






Duty Cycle NVNT 1-DH5 2480MHz Ant




Duty Cycle NVNT 2-DH5 2402MHz Ant






Duty Cycle NVNT 2-DH5 2441MHz Ant




Duty Cycle NVNT 2-DH5 2480MHz Ant







Duty Cycle NVNT 3-DH5 2402MHz Ant



Duty Cycle NVNT 3-DH5 2441MHz Ant







A.9 Restrict Band

| Condition | Mode | Frequency (MHz) | Antenna | Hopping Mode | Spur Freq (MHz) | Power (dBm) | Gain (dBi) | Duty Factor (dB) | E (dBuV/m) | Detector | Limit (dBuV/m) | Verdict |
|-----------|-------|-----------------|---------|--------------|-----------------|-------------|------------|------------------|------------|----------|----------------|---------|
| NVNT | 1-DH5 | 2402 | Ant | No-Hopping | 2310 | -51.64 | 2 | - | 45.62 | Peak | 74 | Pass |
| NVNT | 1-DH5 | 2402 | Ant | No-Hopping | 2310 | -58.89 | 2 | 1.1 | 39.47 | Average | 54 | Pass |
| NVNT | 1-DH5 | 2402 | Ant | No-Hopping | 2331.216 | -45.56 | 2 | - | 51.7 | Peak | 74 | Pass |
| NVNT | 1-DH5 | 2402 | Ant | No-Hopping | 2376.144 | -57.71 | 2 | 1.1 | 40.65 | Average | 54 | Pass |
| NVNT | 1-DH5 | 2402 | Ant | No-Hopping | 2390 | -50.93 | 2 | - | 46.33 | Peak | 74 | Pass |
| NVNT | 1-DH5 | 2402 | Ant | No-Hopping | 2390 | -58.67 | 2 | 1.1 | 39.69 | Average | 54 | Pass |
| NVNT | 1-DH5 | 2480 | Ant | No-Hopping | 2483.5 | -49.11 | 2 | - | 48.15 | Peak | 74 | Pass |
| NVNT | 1-DH5 | 2480 | Ant | No-Hopping | 2483.5 | -57.76 | 2 | 1.1 | 40.6 | Average | 54 | Pass |
| NVNT | 1-DH5 | 2480 | Ant | No-Hopping | 2488.624 | -44.41 | 2 | - | 52.85 | Peak | 74 | Pass |
| NVNT | 1-DH5 | 2480 | Ant | No-Hopping | 2485.168 | -57.35 | 2 | 1.1 | 41.01 | Average | 54 | Pass |
| NVNT | 1-DH5 | 2480 | Ant | No-Hopping | 2500 | -49.4 | 2 | - | 47.86 | Peak | 74 | Pass |
| NVNT | 1-DH5 | 2480 | Ant | No-Hopping | 2500 | -58.08 | 2 | 1.1 | 40.28 | Average | 54 | Pass |
| NVNT | 2-DH5 | 2402 | Ant | No-Hopping | 2310 | -50.77 | 2 | - | 46.49 | Peak | 74 | Pass |
| NVNT | 2-DH5 | 2402 | Ant | No-Hopping | 2310 | -58.6 | 2 | 1.12 | 39.78 | Average | 54 | Pass |
| NVNT | 2-DH5 | 2402 | Ant | No-Hopping | 2325.936 | -47.91 | 2 | - | 49.35 | Peak | 74 | Pass |
| NVNT | 2-DH5 | 2402 | Ant | No-Hopping | 2381.904 | -57.68 | 2 | 1.12 | 40.7 | Average | 54 | Pass |
| NVNT | 2-DH5 | 2402 | Ant | No-Hopping | 2390 | -51.07 | 2 | - | 46.19 | Peak | 74 | Pass |
| NVNT | 2-DH5 | 2402 | Ant | No-Hopping | 2390 | -58.5 | 2 | 1.12 | 39.88 | Average | 54 | Pass |
| NVNT | 2-DH5 | 2480 | Ant | No-Hopping | 2483.5 | -46.68 | 2 | - | 50.58 | Peak | 74 | Pass |
| NVNT | 2-DH5 | 2480 | Ant | No-Hopping | 2483.5 | -56.43 | 2 | 1.12 | 41.95 | Average | 54 | Pass |
| NVNT | 2-DH5 | 2480 | Ant | No-Hopping | 2486.728 | -43.25 | 2 | - | 54.01 | Peak | 74 | Pass |
| NVNT | 2-DH5 | 2480 | Ant | No-Hopping | 2483.512 | -56.43 | 2 | 1.12 | 41.95 | Average | 54 | Pass |
| NVNT | 2-DH5 | 2480 | Ant | No-Hopping | 2500 | -48.09 | 2 | - | 49.17 | Peak | 74 | Pass |
| NVNT | 2-DH5 | 2480 | Ant | No-Hopping | 2500 | -57.97 | 2 | 1.12 | 40.41 | Average | 54 | Pass |
| NVNT | 3-DH5 | 2402 | Ant | No-Hopping | 2310 | -51.59 | 2 | - | 45.67 | Peak | 74 | Pass |
| NVNT | 3-DH5 | 2402 | Ant | No-Hopping | 2310 | -59.22 | 2 | 1.12 | 39.16 | Average | 54 | Pass |
| NVNT | 3-DH5 | 2402 | Ant | No-Hopping | 2377.392 | -47.47 | 2 | - | 49.79 | Peak | 74 | Pass |
| NVNT | 3-DH5 | 2402 | Ant | No-Hopping | 2357.712 | -57.7 | 2 | 1.12 | 40.68 | Average | 54 | Pass |
| NVNT | 3-DH5 | 2402 | Ant | No-Hopping | 2390 | -50.09 | 2 | - | 47.17 | Peak | 74 | Pass |
| NVNT | 3-DH5 | 2402 | Ant | No-Hopping | 2390 | -58.47 | 2 | 1.12 | 39.91 | Average | 54 | Pass |
| NVNT | 3-DH5 | 2480 | Ant | No-Hopping | 2483.5 | -43.59 | 2 | - | 53.67 | Peak | 74 | Pass |
| NVNT | 3-DH5 | 2480 | Ant | No-Hopping | 2483.5 | -55.84 | 2 | 1.12 | 42.54 | Average | 54 | Pass |
| NVNT | 3-DH5 | 2480 | Ant | No-Hopping | 2483.512 | -43.59 | 2 | - | 53.67 | Peak | 74 | Pass |
| NVNT | 3-DH5 | 2480 | Ant | No-Hopping | 2483.512 | -55.84 | 2 | 1.12 | 42.54 | Average | 54 | Pass |
| NVNT | 3-DH5 | 2480 | Ant | No-Hopping | 2500 | -50.01 | 2 | - | 47.25 | Peak | 74 | Pass |
| NVNT | 3-DH5 | 2480 | Ant | No-Hopping | 2500 | -58.31 | 2 | 1.12 | 40.07 | Average | 54 | Pass |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant No-Hopping Peak




Restrict Band NVNT 1-DH5 2402MHz Ant No-Hopping Average






Restrict Band NVNT 1-DH5 2480MHz Ant No-Hopping Peak




Restrict Band NVNT 1-DH5 2480MHz Ant No-Hopping Average






Restrict Band NVNT 2-DH5 2402MHz Ant No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz Ant No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz Ant No-Hopping Peak




Restrict Band NVNT 3-DH5 2402MHz Ant No-Hopping Average





Restrict Band NVNT 3-DH5 2480MHz Ant No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant No-Hopping Average

