


1. Duty Cycle

Condition	Mode	Frequency (MHz)	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5260	97.11	0.13	0.72
NVNT	a	5300	97.08	0.13	0.72
NVNT	a	5320	97.08	0.13	0.72
NVNT	n20	5260	96.91	0.14	0.77
NVNT	n20	5300	96.88	0.14	0.77
NVNT	n20	5320	96.88	0.14	0.77
NVNT	n40	5270	93.98	0.27	1.54
NVNT	n40	5310	93.97	0.27	1.54
NVNT	ac20	5260	96.94	0.13	0.76
NVNT	ac20	5300	96.94	0.13	0.76
NVNT	ac20	5320	96.94	0.13	0.76
NVNT	ac40	5270	94.01	0.27	1.53
NVNT	ac40	5310	93.97	0.27	1.53
NVNT	ac80	5290	88.68	0.52	3.06


Test Graphs

Duty Cycle NVNT a 5260MHz

Duty Cycle NVNT a 5320MHz



Duty Cycle NVNT a 5260MHz



Duty Cycle NVNT a 5300MHz

Duty Cycle NVNT n20 5260MHz

Duty Cycle NVNT n20 5320MHz

Duty Cycle NVNT n20 5300MHz


Duty Cycle NVNT n40 5270MHz

Duty Cycle NVNT n40 5270MHz


Duty Cycle NVNT ac20 5260MHz

Duty Cycle NVNT ac20 5320MHz

Duty Cycle NVNT ac20 5300MHz



Duty Cycle NVNT ac20 5320MHz



Duty Cycle NVNT ac40 5270MHz

Duty Cycle NVNT ac40 5270MHz


Duty Cycle NVNT ac80 5290MHz

2. Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	13.37	0.13	13.5	<=24	Pass
NVNT	a	5300	12.97	0.13	13.1	<=24	Pass
NVNT	a	5320	12.83	0.13	12.96	<=24	Pass
NVNT	n20	5260	13.1	0.14	13.24	<=24	Pass
NVNT	n20	5300	12.75	0.14	12.89	<=24	Pass
NVNT	n20	5320	12.52	0.14	12.66	<=24	Pass
NVNT	n40	5270	12.71	0.27	12.98	<=24	Pass
NVNT	n40	5310	12.54	0.27	12.81	<=24	Pass
NVNT	ac20	5260	12.95	0.13	13.08	<=24	Pass
NVNT	ac20	5300	12.52	0.13	12.65	<=24	Pass
NVNT	ac20	5320	12.42	0.13	12.55	<=24	Pass
NVNT	ac40	5270	12.85	0.27	13.12	<=24	Pass
NVNT	ac40	5310	12.29	0.27	12.56	<=24	Pass
NVNT	ac80	5290	11.96	0.52	12.48	<=24	Pass

Test Graphs


Power NVNT a 5260MHz




Power NVNT a 5300MHz




Power NVNT a 5320MHz




Power NVNT a 5260MHz




Power NVNT a 5300MHz




Power NVNT a 5320MHz




Power NVNT n20 5260MHz




Power NVNT n20 5300MHz




Power NVNT n20 5320MHz




Power NVNT n20 5260MHz




Power NVNT n20 5300MHz




Power NVNT n20 5320MHz




Power NVNT n40 5270MHz




Power NVNT n40 5310MHz




Power NVNT n40 5270MHz




Power NVNT n40 5310MHz




Power NVNT ac20 5260MHz




Power NVNT ac20 5300MHz




Power NVNT ac20 5320MHz




Power NVNT ac20 5260MHz




Power NVNT ac20 5300MHz




Power NVNT ac20 5320MHz




Power NVNT ac40 5270MHz




Power NVNT ac40 5310MHz




Power NVNT ac40 5270MHz




Power NVNT ac40 5310MHz



Power NVNT ac80 5290MHz



Power NVNT ac80 5290MHz




3. -26dB Bandwidth


Condition	Mode	Frequency (MHz)	-26 dB Bandwidth (MHz)	Verdict
NVNT	a	5260	20.0179	Pass
NVNT	a	5300	20.1085	Pass
NVNT	a	5320	20.0258	Pass
NVNT	n20	5260	20.2518	Pass
NVNT	n20	5300	20.2591	Pass
NVNT	n20	5320	20.2389	Pass
NVNT	n40	5270	39.8913	Pass
NVNT	n40	5310	39.9058	Pass
NVNT	ac20	5260	20.0885	Pass
NVNT	ac20	5300	20.429	Pass
NVNT	ac20	5320	20.3154	Pass
NVNT	ac40	5270	39.5075	Pass
NVNT	ac40	5310	39.848	Pass
NVNT	ac80	5290	79.777	Pass



Test Graphs

-26dB Bandwidth NVNT a 5260MHz




-26dB Bandwidth NVNT a 5300MHz






-26dB Bandwidth NVNT a 5320MHz**-26dB Bandwidth NVNT a 5260MHz**



-26dB Bandwidth NVNT a 5300MHz







-26dB Bandwidth NVNT a 5320MHz







-26dB Bandwidth NVNT n20 5260MHz**-26dB Bandwidth NVNT n20 5300MHz**



-26dB Bandwidth NVNT n20 5320MHz**-26dB Bandwidth NVNT n20 5260MHz**



-26dB Bandwidth NVNT n20 5300MHz**-26dB Bandwidth NVNT n20 5320MHz**



-26dB Bandwidth NVNT n40 5270MHz**-26dB Bandwidth NVNT n40 5310MHz**



-26dB Bandwidth NVNT n40 5270MHz**-26dB Bandwidth NVNT n40 5310MHz**



-26dB Bandwidth NVNT ac20 5260MHz**-26dB Bandwidth NVNT ac20 5300MHz**

-26dB Bandwidth NVNT ac20 5320MHz**-26dB Bandwidth NVNT ac20 5260MHz**

-26dB Bandwidth NVNT ac20 5300MHz**-26dB Bandwidth NVNT ac20 5320MHz**


-26dB Bandwidth NVNT ac40 5270MHz**-26dB Bandwidth NVNT ac40 5310MHz**

-26dB Bandwidth NVNT ac40 5270MHz**-26dB Bandwidth NVNT ac40 5310MHz**




4. Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	99% OBW (MHz)
NVNT	a	5260	16.3868
NVNT	a	5300	16.3904
NVNT	a	5320	16.4216
NVNT	n20	5260	17.5219
NVNT	n20	5300	17.5234
NVNT	n20	5320	17.5246
NVNT	n40	5270	36.0078
NVNT	n40	5310	35.994
NVNT	ac20	5260	17.5219
NVNT	ac20	5300	17.5459
NVNT	ac20	5320	17.5402
NVNT	ac40	5270	35.9679
NVNT	ac40	5310	35.9331
NVNT	ac80	5290	75.3207




OBW NVNT a 5320MHz




OBW NVNT a 5260MHz




OBW NVNT a 5300MHz




OBW NVNT a 5320MHz




OBW NVNT n20 5260MHz




OBW NVNT n20 5300MHz




OBW NVNT n20 5320MHz




OBW NVNT n20 5260MHz




OBW NVNT n20 5300MHz




OBW NVNT n20 5320MHz




OBW NVNT n40 5270MHz




OBW NVNT n40 5310MHz




OBW NVNT n40 5270MHz




OBW NVNT n40 5310MHz




OBW NVNT ac20 5260MHz




OBW NVNT ac20 5300MHz




OBW NVNT ac20 5320MHz




OBW NVNT ac20 5260MHz







OBW NVNT ac20 5300MHz





OBW NVNT ac20 5320MHz










5. Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	3.587	0.13	3.717	<=11	Pass
NVNT	a	5300	3.775	0.13	3.905	<=11	Pass
NVNT	a	5320	3.064	0.13	3.194	<=11	Pass
NVNT	n20	5260	3.786	0.14	3.926	<=11	Pass
NVNT	n20	5300	2.803	0.14	2.943	<=11	Pass
NVNT	n20	5320	2.702	0.14	2.842	<=11	Pass
NVNT	n40	5270	0.161	0.27	0.431	<=11	Pass
NVNT	n40	5310	-0.091	0.27	0.179	<=11	Pass
NVNT	ac20	5260	3.307	0.13	3.437	<=11	Pass
NVNT	ac20	5300	2.594	0.13	2.724	<=11	Pass
NVNT	ac20	5320	2.695	0.13	2.825	<=11	Pass
NVNT	ac40	5270	-0.158	0.27	0.112	<=11	Pass
NVNT	ac40	5310	-0.251	0.27	0.019	<=11	Pass
NVNT	ac80	5290	-3.761	0.52	-3.241	<=11	Pass



Test Graphs



PSD NVNT a 5260MHz





PSD NVNT a 5300MHz













PSD NVNT n20 5320MHz




PSD NVNT n20 5260MHz







PSD NVNT n40 5270MHz




PSD NVNT n40 5310MHz







PSD NVNT n40 5270MHz





PSD NVNT n40 5310MHz












PSD NVNT ac40 5270MHz



PSD NVNT ac40 5310MHz



PSD NVNT ac40 5270MHz



PSD NVNT ac40 5310MHz

