




PORTABLE CAR SCREEN

User Manual

CP8



Before using the product, please read this manual. Read carefully and keep for future reference.

Illustrations of product, accessories, and user interface in the user manual are for reference purposes only. Actual product and functions may vary due to product enhancements.

EN Table of Contents

Precautions	01
Package Contents	02
Product Overview	03
Installation Guide	04
Home Screens	08
CarPlay Function	09
Android Auto Function	12
iOS Screen Mirroring	15
Android Screen Mirroring	17
FM Transmitter	20
AUX Audio Output	20
Volume Adjustment	21
Settings	22
Q&As	23

FR Table des matières

Précautions	25
Contenu du colis	26
Présentation du produit	27
Guide d'installation	28
Écrans d'accueil	32
Fonction CarPlay	33
Fonction Android Auto	36
Mise en miroir de l'écran iOS	39
Mise en miroir de l'écran Android	41
Transmetteur FM	44
AUX Audio Output	44
Réglage du volume	45
Paramètres	46
Questions et réponses	47

ES Tabla de contenido

Precauciones	49
Contenido del paquete	50
Descripción general del producto	51
Guía de instalación	52
Pantallas de inicio	56
Función CarPlay	57
Función Android Auto	60
Duplicación de pantalla de iOS	63
Duplicación de pantalla de Android	65
Transmisor FM	68
Salida de audio auxiliar	68
Ajuste de volumen	69
Ajustes	70
Preguntas y respuestas	71

Precautions

Thank you for purchasing our products! To prevent damage to the product due to improper operation, please read all safety information in this manual before use.

Explanation of symbols used in this manual:



Indicates that failure to follow these instructions may result in significant product and/or property damage.



Indicates important information and procedures that require close attention during operation.




WARNING

Avoid performing the following actions on the car screen, as they may cause product damage or even personal injury!

- Do not apply any voltage other than the specified range (DC 9–24 V) to the power port of the car screen.
- For in-car use only. Do not install outside of a car. Avoid immersing it in water or allowing contact with any other liquids.
- Do not throw the car screen or hit it with hard objects, especially the display.
- Do not wipe the car screen with a rough cloth, as it may damage the screen.
- Do not use the car screen with any charger not provided by us, as it may cause damage.
- Use the car screen within the temperature range of -4°F to 158°F (-20°C to 70°C); exceeding this range may lead to malfunction.
- Unauthorized disassembly or modification of the car screen is strictly forbidden.


Package Contents




①



②



③



④



⑤





⑥

- ① Portable Car Screen
- ② Car Charger
- ③ RCA Video Cable
- ④ 3.5 mm AUX Audio Cable
- ⑤ Double-sided Adhesive (2 Spares Included)
- ⑥ User Manual

Product Overview

- ① Display
- ② Speaker
- ③ Power ON/OFF
- ④ Time Display
- ⑤ MIC
- ⑥ Play/Pause



- ⑦ Power Input (DC 5 V, 3.1 A)
- ⑧ TF Card Slot (Support up to 32 GB)
- ⑨ Reset
- ⑩ AUX OUT
- ⑪ USB Port (Support up to 32 GB)
- ⑫ AV IN

Installation Guide

1. Attentions

- Do not install it in a location that would obstruct driving operations or vision.
- Avoid installing in a position that may interfere with airbag operation.
- Ensure installation on the dashboard; do not attach it to the windshield.
- Refrain from attaching to materials like leather, as it may alter, discolor, or damage the dashboard.
- Install it in a location shielded from wind; direct exposure to air-conditioned air may cause condensation.
- Park the car in a safe location and apply the parking brake before installation.
- The car screen is not suitable for motorcycles; do not use it on motorcycles.

Do not install it in the following locations:



⊗ Curved Surface	⊗ Inclined Surface	⊗ Unstable Surface	⊗ Vertical Plane
------------------	--------------------	--------------------	------------------

2. Installation Method


- 1) Wipe your dashboard clean.
- 2) Apply the four pieces of double-sided adhesive to the bottom of the car screen, pasting one piece on each side.
- 3) Mount the car screen on your dashboard.

i IMPORTANT

- Ensure the car screen is securely installed to prevent it from falling while driving.
- The double-sided adhesive is single-use only and cannot be reused.
- Avoid touching the adhesive surface with your hands during installation, as oil or fingerprints can weaken adhesion.
- Ensure the installation area is clean and dry before attaching the car screen.
- Before installation, ensure the charger is compatible with both the car screen and your car's cigarette lighter. Also, verify that all buttons and functions on the car screen are working properly.

3. Power Wiring and Connection

Once the car screen is securely mounted on the dashboard, choose either “Plan A” or “Plan B” to wire the charger based on your car's setup, allowing the car to power the car screen.



i IMPORTANT


- Use only the supplied charger. Avoid pulling or yanking the charger during wiring.
- After installation, recheck all buttons and functions. If everything worked normally before installation but not afterward, there may have been an issue during setup. Ensure that the charger is properly connected to both the car screen and your car's cigarette lighter to avoid potential short circuits.




WARNING

- It is strictly forbidden to damage or modify the charger. If the charger is damaged during installation, replace a new one.
- Do not connect the charger if the power input port on the car screen or the car's cigarette lighter is wet; allow them to dry before making the connection.


4. Display Angle Adjustment



180° Flip Up and Down




180° Left Rotatable



90° Right Rotatable

5. Reversing Camera Installation

The car screen can connect to a reversing camera (not included) using an RCA video cable. When the reversing camera sends a signal, the car screen will automatically display the camera image.



Home Screens




- **HOME:** Tap to access the home screen.
- **Brightness:** Tap to toggle day/night mode.
- **Volume:** Tap to adjust sound levels.
- **Settings:** Tap to open Settings.
- **CarPlay:** Tap to access CarPlay.
- **Android Auto:** Tap to access Android Auto.
- **Phone Link:** Tap to access Phone Link, where you can select CarPlay, Android Auto, or Mirror mode.
- **FM Transmitter:** Tap to access FM transmitter.
- **BT Music:** Tap to access Bluetooth music.
- **BT:** Tap to access Bluetooth settings.
- **Page Indicator:** Swipe left for the next page, right to go back.
- **USB Multimedia Playback:** Tap for USB multimedia playback (USB drive required, sold separately).
- **TF Card Multimedia Playback:** Tap for TF card multimedia playback (TF card required, sold separately).
- **Car Record:** Connect a driving recorder (sold separately) to use.

CarPlay Function

i IMPORTANT


- Ensure your iPhone is running iOS 12.4 or later.
- Before using the CarPlay function, ensure the auto-connect mode for iPhone on the car screen is set to CarPlay.

Turn on the car screen, then navigate to the **Home Screen** → **Phone Link** → **iPhone**, and tap to switch the auto-connect setting to **CarPlay**.




1. CarPlay Wireless Setup

- 1) Turn on Wi-Fi and Bluetooth on your iPhone.
- 2) Go to the **System Settings Menu** → **Bluetooth**, then search for and select the device named "CP8" to connect.



3) After pairing the car screen with your phone, pop-up windows will appear on your phone screen. Follow the on-screen instructions to operate and finally choose to **Use CarPlay**.



4) The connection is now complete.

i IMPORTANT





- Ensure that both Wi-Fi and Bluetooth are enabled on your iPhone when setting up and using the CarPlay function.
- Once the car screen is paired with your phone, the CarPlay function will automatically activate when both devices are powered on and within effective Wi-Fi and Bluetooth range.

Turn off CarPlay

If you need to turn off CarPlay function from your car, go to the **System Settings Menu**, navigate to **CarPlay**, and remove the car you previously connected. After completing them, the car screen will automatically exit the CarPlay interface.

i IMPORTANT

To restore the CarPlay function in your car, follow the instructions in **CarPlay Wireless Setup** to reconnect.



2. CarPlay Wired Setup


- 1) Connect the car screen to your iPhone using an original cable.
- 2) A pop-up window will request permission to use the CarPlay function. Grant permission to proceed.
- 3) The connection is now established.
- 4) To exit the CarPlay function, simply unplug the cable.

Android Auto Function

i IMPORTANT





- This function supports only the built-in Android Auto on your phone and does not support later-installed versions.
- Ensure your Android phone is running version 10 or above.
- Before using the Android Auto function, ensure the auto-connect mode for Android phone on the car screen is set to Auto.

Turn on the car screen, then navigate to the **Home Screen** → **Phone Link** → **Android**, and tap to switch the auto-connect setting to **Auto**.



1. Android Auto Wireless Setup

- 1) Enable Wi-Fi and Bluetooth on your Android phone.
- 2) Go to the **System Settings Menu** → **Connect Bluetooth Devices**, then search for and select the device named “CP8” to connect.
- 3) After pairing the car screen with your phone, pop-up window will appear on your phone screen. Then, grant permission to proceed.
- 4) The connection is now completed.





IMPORTANT

- Ensure that both Wi-Fi and Bluetooth are enabled on your Android phone when setting up and using the Android Auto function.
- Some Android phones cannot use the wireless function due to device limitations; only the wired Android Auto function is available.
- Once the car screen is paired with your phone, the Android Auto function will automatically activate when both devices are powered on and within effective Wi-Fi and Bluetooth range.
- If the Android Auto interface does not automatically appear on your car screen, tap **Android Auto** in the home screen to access it.

Turn off Android Auto

Go to the **System Settings Menu**; find CP8 in the connected Bluetooth list and enter its settings, then remove it from your phone. Afterward, disable Wi-Fi.





i IMPORTANT

To restore the Android Auto function in your car, follow the instructions in **Android Auto Wireless Setup** to reconnect.

2. Android Auto Wired Setup

Connect the car screen to your Android phone using an original cable. The remaining steps are similar to those in **CarPlay Wired Setup**.


iOS Screen Mirroring

1. Wireless Screen Mirroring


i IMPORTANT


Before using the wireless screen mirroring function, ensure the auto-connect mode for iPhone on the car screen is set to Mirror.

Turn on the car screen, then navigate to the **Home Screen** → **Phone Link** → **iPhone**, and tap to switch the auto-connect setting to **Mirror**.



- 1) Enable Wi-Fi on your iPhone.
- 2) Connect to the Wi-Fi named “Carplay-wifi-xxxx” using the password **12345678**.
- 3) Open the Control Center on your phone, tap **Screen Mirroring**, and select **Car**. The contents of your phone screen will then be projected onto the car screen.





2. Wired Screen Mirroring


Connect the car screen to your iPhone using an original cable. This will activate the screen mirroring function, projecting the contents of your phone screen onto the car screen.

Android Screen Mirroring

i IMPORTANT


Before using the wireless screen mirroring function, ensure the auto-connect mode for Android phone on the car screen is set to Mirror.

Turn on the car screen, then navigate to the **Home Screen** → **Phone Link** → **Android**, and tap to switch the auto-connect setting to **Mirror**.




1. Wireless Screen Mirroring

- 1) On the home screen, select **Phone Link** to access its interface, then navigate to **Android** and select **Auto Link**.
- 2) Scan the QR code on the screen to download the screen mirroring application.
- 3) Open your phone's hotspot, setting the name to **Car** and the password to **12345678**.
- 4) Open the downloaded application and follow the on-screen instructions to cast your phone screen.




2. Wired Screen Mirroring

- 1) On the home screen, select **Phone Link** to access its interface, then navigate to **Android** and select **Mirror**.
- 2) Scan the QR code on the screen to download the screen mirroring application.
- 3) Open the downloaded application, then connect the car screen to your Android phone using an original cable. Follow the on-screen instructions on your phone to continue.



FM Transmitter

- 1) On the home screen, tap **FM Transmitter** to open it. Toggle the button ON to activate FM signal transmission.
- 2) Turn on your original car radio, then match the FM frequency on the car screen with your original car radio by sliding left or right or selecting a preset frequency.
- 3) Once synchronized, audio will play through your car's audio system. When the FM transmission is turned off, audio will play through the car screen.




AUX Audio Output

Plug one end of the AUX audio cable into the AUX OUT port on the car screen and the other end into the AUX IN port on your original car radio. Set your original car radio to AUX mode to play audio through the car's audio system.

Volume Adjustment


When Playing Music via USB Drive or TF Card

Tap the  button in the top-right corner of the music playback screen to adjust the volume, or tap the   in the bottom-right corner to adjust volume.




When Watching Video via USB Drive or TF Card

Tap the  button in the top-right corner of the video playback screen to adjust the volume, or swipe down from the top of screen to adjust volume.



When Using CarPlay or Android Auto Interface

Tap the  button on the CarPlay or Android Auto interface to open the control shortcuts. Slide the volume adjustment bar left or right to adjust volume.




Settings

You can adjust various options in the Settings menu, including speaker, sound, display, language, and time.

Accessing Factory Settings

- 1) Navigate to **Factory Set** in the Settings menu.
- 2) Enter the password **113266** to open the Factory Settings interface.



Q&As

Q: Which mobile phone systems are compatible with this car screen?

A: Compatible with iOS 12.4 or later (iPhone) and Android 10 or later.

Q: How can I improve FM transmission if the signal is poor or has interference?

A: Ensure the car radio is fixed in place and the antenna is connected. Organize the wiring to prevent interference, and avoid FM frequencies that pick up local radio stations.

Q: What should I do if the CarPlay frequently disconnects when connected wirelessly?

A: Avoid connecting your phone to other wireless networks to prevent CarPlay disconnection.

Q: How can I ensure the adhesive holds up in high temperatures?

A: Clean and dry the installation area first, then apply the adhesive with firm pressure to avoid air bubbles.

Q: What can I do if there is noise or people cannot hear me over Bluetooth?

A: Check that the mic is clear of any obstructions.

Q: Does the car screen have a built-in battery?

A: No, it does not have a built-in battery for environmental reasons.

Q: Why is there no sound output from the car screen?

A: Check if the FM transmitter is on; this disables the built-in speaker. Ensure the speaker is enabled.

Q: Can the car screen connect to a reversing camera?

A: Yes, it has an AV IN interface and includes an RCA video cable for reversing cameras.

Q: Does the car screen use the car battery?

A: When the engine is running, the car screen uses power from the generator, so it does not drain the car battery.

Q: Is there a memory function? Will settings be saved after turning off the car screen?

A: No, due to environmental considerations, it does not have a built-in battery, so there is no memory function and the settings like time will reset when turned off.

Précautions

Merci d'avoir acheté nos produits ! Pour éviter d'endommager le produit en raison d'une utilisation incorrecte, veuillez lire toutes les informations de sécurité contenues dans ce manuel avant utilisation.

Explication des symboles utilisés dans ce manuel :



Indique que le non-respect de ces instructions peut entraîner des dommages importants au produit et/ou à la propriété.



Indique des informations et des procédures importantes qui nécessitent une attention particulière pendant le fonctionnement.




AVERTISSEMENT

Évitez d'effectuer les actions suivantes sur l'écran de la voiture, car elles peuvent endommager le produit ou même blesser quelqu'un !

- N'appliquez aucune tension autre que la plage spécifiée (9–24 V CC) au port d'alimentation de l'écran de voiture.
- Pour une utilisation en voiture uniquement. Ne pas installer à l'extérieur d'une voiture. Évitez de l'immerger dans l'eau ou de le mettre en contact avec d'autres liquides.
- Ne jetez pas l'écran de voiture et ne le frappez pas avec des objets durs, en particulier l'écran.
- N'essuyez pas l'écran de voiture avec un chiffon rugueux, car cela pourrait l'endommager.
- N'utilisez pas l'écran de voiture avec un chargeur non fourni par nous, car cela pourrait l'endommager.
- Utilisez l'écran de voiture dans une plage de température de -4°F à 158°F (-20°C à 70°C) ; le dépassement de cette plage peut entraîner un dysfonctionnement.
- Le démontage ou la modification non autorisés de l'écran de voiture sont strictement interdits.


Contenu du colis




①



②




③



④



⑤





⑥

- ① Écran de voiture portable
- ② Chargeur de voiture
- ③ Câble vidéo RCA
- ④ Câble audio AUX 3,5 mm
- ⑤ Adhésif double face (2 pièces de rechange incluses)
- ⑥ Manuel d'utilisation

Présentation du produit

- ① Affichage
- ② Haut-parleur
- ③ Marche/Arrêt
- ④ Affichage de l'heure
- ⑤ MICRO
- ⑥ Lecture/Pause



- ⑦ Entrée d'alimentation (DC 5 V, 3,1 A)
- ⑧ Emplacement pour carte TF (prend en charge jusqu'à 32 Go)
- ⑨ Réinitialisation
- ⑩ SORTIE AUX
- ⑪ Port USB (prend en charge jusqu'à 32 Go)
- ⑫ ENTRÉE AV

Guide d'installation

1. Attention

- Ne l'installez pas dans un endroit qui pourrait gêner la conduite ou la vision.
- Évitez de l'installer dans une position qui pourrait interférer avec le fonctionnement de l'airbag.
- Assurez-vous de l'installer sur le tableau de bord ; ne le fixez pas au pare-brise.
- Évitez de le fixer sur des matériaux tels que le cuir, car cela pourrait altérer, décolorer ou endommager le tableau de bord.
- Installez-le dans un endroit à l'abri du vent ; l'exposition directe à l'air conditionné peut provoquer de la condensation.
- Gare la voiture dans un endroit sûr et appliquez le frein de stationnement avant l'installation.
- L'écran de voiture n'est pas adapté aux motos ; ne l'utilisez pas sur les motos.

Ne l'installez pas dans les emplacements suivants :



Surface courbe



Surface inclinée



Surface instable



Plan vertical

2. Méthode d'installation


- 1) Essuyez votre tableau de bord.
- 2) Appliquez les quatre morceaux d'adhésif double face sur le bas de l'écran de la voiture, en collant un morceau de chaque côté.
- 3) Montez l'écran de la voiture sur votre tableau de bord.

i IMPORTANT

- Assurez-vous que l'écran de la voiture est solidement installé pour éviter qu'il ne tombe pendant la conduite.
- L'adhésif double face est à usage unique et ne peut pas être réutilisé.
- Évitez de toucher la surface adhésive avec vos mains pendant l'installation, car l'huile ou les empreintes digitales peuvent affaiblir l'adhérence.
- Assurez-vous que la zone d'installation est propre et sèche avant de fixer l'écran de la voiture.
- Avant l'installation, assurez-vous que le chargeur est compatible avec l'écran de la voiture et l'allume-cigare de votre voiture. Vérifiez également que tous les boutons et fonctions de l'écran de la voiture fonctionnent correctement.

3. Câblage et connexion d'alimentation

Une fois l'écran de la voiture solidement fixé sur le tableau de bord, choisissez « Plan A » ou « Plan B » pour câbler le chargeur en fonction de la configuration de votre voiture, permettant ainsi à la voiture d'alimenter l'écran de la voiture.



i IMPORTANT


- Utilisez uniquement le chargeur fourni. Évitez de tirer ou de tirer brusquement sur le chargeur pendant le câblage.
- Après l'installation, revérifiez tous les boutons et fonctions. Si tout fonctionnait normalement avant l'installation mais pas après, il se peut qu'un problème soit survenu lors de la configuration. Assurez-vous que le chargeur est correctement connecté à la fois à l'écran de la voiture et à l'allume-cigare de votre voiture pour éviter les courts-circuits potentiels.




AVERTISSEMENT

- Il est strictement interdit d'endommager ou de modifier le chargeur. Si le chargeur est endommagé pendant l'installation, remplacez-le par un nouveau.
- Ne connectez pas le chargeur si le port d'entrée d'alimentation de l'écran de la voiture ou de l'allume-cigare de la voiture est humide ; laissez-les sécher avant d'effectuer la connexion.


4. Réglage de l'angle d'affichage



Basculement à 180° vers le haut et vers le bas




Rotation à 180° vers la gauche



Rotation à 90° vers la droite

5. Installation de la caméra de recul

L'écran de la voiture peut se connecter à une caméra de recul (non incluse) à l'aide d'un câble vidéo RCA. Lorsque la caméra de recul envoie un signal, l'écran de la voiture affiche automatiquement l'image de la caméra.



Écrans d'accueil




- **ACCUEIL** : appuyez pour accéder à l'écran d'accueil.
- **Luminosité** : appuyez pour basculer entre le mode jour/nuit.
- **Volume** : appuyez pour régler les niveaux sonores.
- **Paramètres** : appuyez pour ouvrir les paramètres.
- **CarPlay** : appuyez pour accéder à CarPlay.
- **Android Auto** : appuyez pour accéder à Android Auto.
- **Phone Link** : appuyez pour accéder à Phone Link, où vous pouvez sélectionner CarPlay, Android Auto ou le mode miroir.
- **Transmetteur FM** : appuyez pour accéder à l'émetteur FM.
- **Musique BT** : appuyez pour accéder à la musique Bluetooth.
- **BT** : appuyez pour accéder aux paramètres Bluetooth.
- **Indicateur de page** : balayez vers la gauche pour la page suivante, vers la droite pour revenir en arrière.
- **Lecture multimédia USB** : appuyez pour la lecture multimédia USB (clé USB requise, vendue séparément).
- **Lecture multimédia sur carte TF** : appuyez pour la lecture multimédia sur carte TF (carte TF requise, vendue séparément).
- **Enregistrement de voiture** : connectez un enregistreur de conduite (vendu séparément) pour l'utiliser.

Fonction CarPlay

i IMPORTANT


- Assurez-vous que votre iPhone exécute iOS 12.4 ou une version ultérieure.
- Avant d'utiliser la fonction CarPlay, assurez-vous que le mode de connexion automatique pour iPhone sur l'écran de la voiture est défini sur CarPlay.

Allumez l'écran de la voiture, puis accédez à l'écran d'accueil → Lien téléphonique → iPhone, puis appuyez pour basculer le paramètre de connexion automatique sur CarPlay.




1. Configuration sans fil CarPlay

- 1) Activez le Wi-Fi et le Bluetooth sur votre iPhone.
- 2) Accédez au menu Paramètres système → Bluetooth, puis recherchez et sélectionnez l'appareil nommé « CP8 » pour vous connecter.



3) Après avoir couplé l'écran de la voiture avec votre téléphone, des fenêtres contextuelles apparaîtront sur l'écran de votre téléphone. Suivez les instructions à l'écran pour utiliser l'application et choisissez enfin d'utiliser CarPlay.



4) La connexion est maintenant terminée.

i IMPORTANT





- Assurez-vous que le Wi-Fi et le Bluetooth sont activés sur votre iPhone lors de la configuration et de l'utilisation de la fonction CarPlay.
- Une fois l'écran de la voiture couplé à votre téléphone, la fonction CarPlay s'active automatiquement lorsque les deux appareils sont allumés et à portée efficace du Wi-Fi et du Bluetooth.

Désactiver CarPlay

Si vous devez désactiver la fonction CarPlay de votre voiture, accédez au menu Paramètres système, accédez à CarPlay et supprimez la voiture que vous avez précédemment connectée. Une fois ces opérations terminées, l'écran de la voiture quittera automatiquement l'interface CarPlay.

i IMPORTANT

Pour restaurer la fonction CarPlay dans votre voiture, suivez les instructions de la configuration sans fil CarPlay pour vous reconnecter.



2. Configuration filaire de CarPlay


- 1) Connectez l'écran de la voiture à votre iPhone à l'aide d'un câble d'origine.
- 2) Une fenêtre contextuelle vous demandera l'autorisation d'utiliser la fonction CarPlay. Accordez l'autorisation pour continuer.
- 3) La connexion est maintenant établie.
- 4) Pour quitter la fonction CarPlay, débranchez simplement le câble.

Fonction Android Auto

i IMPORTANT

- Cette fonction prend uniquement en charge Android Auto intégré sur votre téléphone et ne prend pas en charge les versions installées ultérieurement.
- Assurez-vous que votre téléphone Android exécute la version 10 ou supérieure.
- Avant d'utiliser la fonction Android Auto, assurez-vous que le mode de connexion automatique pour le téléphone Android sur l'écran de la voiture est défini sur Auto.

Allumez l'écran de la voiture, puis accédez à l'écran d'accueil → Lien téléphonique → Android, puis appuyez pour basculer le paramètre de connexion automatique sur Auto.



1. Configuration sans fil d'Android Auto

- 1) Activez le Wi-Fi et le Bluetooth sur votre téléphone Android.
- 2) Accédez au menu Paramètres système → Connecter les appareils Bluetooth, puis recherchez et sélectionnez l'appareil nommé « CP8 » pour vous connecter.
- 3) Après avoir couplé l'écran de la voiture avec votre téléphone, une fenêtre contextuelle apparaîtra sur l'écran de votre téléphone. Ensuite, accordez la permission de continuer.
- 4) La connexion est maintenant terminée.