

|                                                        |                                          |
|--------------------------------------------------------|------------------------------------------|
| <b>Case No. :</b> <u>GTS20250407018-1-05</u>           |                                          |
| <b>Ambient Condition:</b> <u>22</u> °C, <u>48</u> %RH, |                                          |
| <b>Test Date:</b> <u>2025.4.25</u>                     | <b>Test Engineer:</b> <u>Evan ouyang</u> |

## Appendix A.1: DTS Bandwidth

### Test Result


| TestMode  | Antenna | Frequency[MHz] | DTS BW [MHz] | FL[MHz]  | FH[MHz]  | Limit[MHz] | Verdict |
|-----------|---------|----------------|--------------|----------|----------|------------|---------|
| 11B       | Ant1    | 2412           | 7.080        | 2408.440 | 2415.520 | 0.5        | PASS    |
|           |         | 2437           | 6.600        | 2433.920 | 2440.520 | 0.5        | PASS    |
|           |         | 2462           | 8.040        | 2457.960 | 2466.000 | 0.5        | PASS    |
| 11G       | Ant1    | 2412           | 14.480       | 2405.080 | 2419.560 | 0.5        | PASS    |
|           |         | 2437           | 14.840       | 2429.720 | 2444.560 | 0.5        | PASS    |
|           |         | 2462           | 14.800       | 2454.080 | 2468.880 | 0.5        | PASS    |
| 11N20SISO | Ant1    | 2412           | 15.960       | 2403.560 | 2419.520 | 0.5        | PASS    |
|           |         | 2437           | 15.000       | 2429.520 | 2444.520 | 0.5        | PASS    |
|           |         | 2462           | 15.440       | 2454.440 | 2469.880 | 0.5        | PASS    |
| 11N40SISO | Ant1    | 2422           | 35.760       | 2404.400 | 2440.160 | 0.5        | PASS    |
|           |         | 2437           | 21.280       | 2428.200 | 2449.480 | 0.5        | PASS    |
|           |         | 2452           | 35.040       | 2434.480 | 2469.520 | 0.5        | PASS    |

## Test Graphs


11B\_Ant1\_2412




11B\_Ant1\_2437




11B\_Ant1\_2462




11G\_Ant1\_2412




11G\_Ant1\_2437



## 11G\_Ant1\_2462




## 11N20SISO\_Ant1\_2412




## 11N20SISO\_Ant1\_2437







11N20SISO\_Ant1\_2462




11N40SISO\_Ant1\_2422



## 11N40SISO\_Ant1\_2437



## 11N40SISO\_Ant1\_2452




## Appendix A.2: Occupied Channel Bandwidth

### Test Result

| TestMode  | Antenna | Channel Frequency[MHz] | OCB [MHz] | FL[MHz]   | FH[MHz]   | Limit[MHz] | Verdict |
|-----------|---------|------------------------|-----------|-----------|-----------|------------|---------|
| 11B       | Ant1    | 2412                   | 13.207    | 2405.4009 | 2418.6079 | ---        | ---     |
|           |         | 2437                   | 12.743    | 2430.7084 | 2443.4514 | ---        | ---     |
|           |         | 2462                   | 13.225    | 2455.3631 | 2468.5881 | ---        | ---     |
| 11G       | Ant1    | 2412                   | 17.023    | 2403.4718 | 2420.4948 | ---        | ---     |
|           |         | 2437                   | 16.796    | 2428.6463 | 2445.4423 | ---        | ---     |
|           |         | 2462                   | 16.920    | 2453.4992 | 2470.4192 | ---        | ---     |
| 11N20SISO | Ant1    | 2412                   | 17.938    | 2403.0245 | 2420.9625 | ---        | ---     |
|           |         | 2437                   | 17.850    | 2428.1099 | 2445.9599 | ---        | ---     |
|           |         | 2462                   | 17.925    | 2452.9621 | 2470.8871 | ---        | ---     |
| 11N40SISO | Ant1    | 2422                   | 36.852    | 2403.7191 | 2440.5711 | ---        | ---     |
|           |         | 2437                   | 35.875    | 2419.1038 | 2454.9788 | ---        | ---     |
|           |         | 2452                   | 36.111    | 2434.1593 | 2470.2703 | ---        | ---     |

## Test Graphs

11B\_Ant1\_2412



11B\_Ant1\_2437




11B\_Ant1\_2462







11G\_Ant1\_2412




11G\_Ant1\_2437




## 11G\_Ant1\_2462




## 11N20SISO\_Ant1\_2412




## 11N20SISO\_Ant1\_2437



11N20SISO\_Ant1\_2462




11N40SISO\_Ant1\_2422



## 11N40SISO\_Ant1\_2437



## 11N40SISO\_Ant1\_2452



## Appendix A.3: Maximum conducted output power

| Test Mode | Antenna | Frequency[MHz] | Peak power [dBm] | Limit [dBm] | Verdict |
|-----------|---------|----------------|------------------|-------------|---------|
| 11B       | Ant1    | 2412           | 8.32             | ≤30.00      | PASS    |
|           |         | 2437           | 8.12             | ≤30.00      | PASS    |
|           |         | 2462           | 8.26             | ≤30.00      | PASS    |
| 11G       | Ant1    | 2412           | 8.74             | ≤30.00      | PASS    |
|           |         | 2437           | 8.84             | ≤30.00      | PASS    |
|           |         | 2462           | 8.52             | ≤30.00      | PASS    |
| 11N20SISO | Ant1    | 2412           | 8.84             | ≤30.00      | PASS    |
|           |         | 2437           | 8.62             | ≤30.00      | PASS    |
|           |         | 2462           | 8.05             | ≤30.00      | PASS    |
| 11N40SISO | Ant1    | 2422           | 8.48             | ≤30.00      | PASS    |
|           |         | 2437           | 8.81             | ≤30.00      | PASS    |
|           |         | 2452           | 8.25             | ≤30.00      | PASS    |



## Appendix A.4: Maximum power spectral density

### Test Result

| TestMode  | Antenna | Frequency[MHz] | Result[dBm/3-100kHz] | Limit[dBm/3kHz] | Verdict |
|-----------|---------|----------------|----------------------|-----------------|---------|
| 11B       | Ant1    | 2412           | -17.09               | ≤8.00           | PASS    |
|           |         | 2437           | -17.45               | ≤8.00           | PASS    |
|           |         | 2462           | -17.20               | ≤8.00           | PASS    |
| 11G       | Ant1    | 2412           | -23.48               | ≤8.00           | PASS    |
|           |         | 2437           | -23.51               | ≤8.00           | PASS    |
|           |         | 2462           | -21.67               | ≤8.00           | PASS    |
| 11N20SISO | Ant1    | 2412           | -24.48               | ≤8.00           | PASS    |
|           |         | 2437           | -23.66               | ≤8.00           | PASS    |
|           |         | 2462           | -22.44               | ≤8.00           | PASS    |
| 11N40SISO | Ant1    | 2422           | -28.40               | ≤8.00           | PASS    |
|           |         | 2437           | -25.53               | ≤8.00           | PASS    |
|           |         | 2452           | -24.92               | ≤8.00           | PASS    |

## Test Graphs


11B\_Ant1\_2412




11B\_Ant1\_2437



11B\_Ant1\_2462




11G\_Ant1\_2412




11G\_Ant1\_2437



## 11G\_Ant1\_2462



## 11N20SISO\_Ant1\_2412



## 11N20SISO\_Ant1\_2437



11N20SISO\_Ant1\_2462



11N40SISO\_Ant1\_2422





## 11N40SISO\_Ant1\_2437



## 11N40SISO\_Ant1\_2452




## Appendix A.5: Band edge measurements

### Test Result


| TestMode  | Antenna | ChName | Frequency[MHz] | RefLevel[dBm] | Result[dBm] | Limit[dBm]    | Verdict |
|-----------|---------|--------|----------------|---------------|-------------|---------------|---------|
| 11B       | Ant1    | Low    | 2412           | -3.82         | -49.94      | $\leq -23.82$ | PASS    |
|           |         | High   | 2462           | -3.02         | -48.76      | $\leq -23.02$ | PASS    |
| 11G       | Ant1    | Low    | 2412           | -8.54         | -48.52      | $\leq -28.54$ | PASS    |
|           |         | High   | 2462           | -7.68         | -48.24      | $\leq -27.68$ | PASS    |
| 11N20SISO | Ant1    | Low    | 2412           | -10.64        | -50.09      | $\leq -30.64$ | PASS    |
|           |         | High   | 2462           | -6.97         | -49.47      | $\leq -26.97$ | PASS    |
| 11N40SISO | Ant1    | Low    | 2422           | -13.84        | -48.27      | $\leq -33.84$ | PASS    |
|           |         | High   | 2452           | -10.86        | -48.82      | $\leq -30.86$ | PASS    |

Test Graphs







11G\_Ant1\_High\_2462




11N20SISO\_Ant1\_Low\_2412



## 11N20SISO\_Ant1\_High\_2462




## 11N40SISO\_Ant1\_Low\_2422



## 11N40SISO\_Ant1\_High\_2452







## Appendix A.6: Conducted Spurious Emission

### Test Result

| TestMode  | Antenna | Frequency[MHz] | FreqRange [Mhz] | RefLevel [dBm] | Result [dBm] | Limit [dBm]   | Verdict |
|-----------|---------|----------------|-----------------|----------------|--------------|---------------|---------|
| 11B       | Ant1    | 2412           | Reference       | -4.56          | -4.56        | ---           | PASS    |
|           |         |                | 30~1000         | -4.56          | -60.69       | $\leq -24.56$ | PASS    |
|           |         |                | 1000~26500      | -4.56          | -47.65       | $\leq -24.56$ | PASS    |
|           |         | 2437           | Reference       | -3.43          | -3.43        | ---           | PASS    |
|           |         |                | 30~1000         | -3.43          | -60.25       | $\leq -23.43$ | PASS    |
|           |         |                | 1000~26500      | -3.43          | -47.69       | $\leq -23.43$ | PASS    |
|           |         | 2462           | Reference       | -5.13          | -5.13        | ---           | PASS    |
|           |         |                | 30~1000         | -5.13          | -60.47       | $\leq -25.13$ | PASS    |
|           |         |                | 1000~26500      | -5.13          | -47.76       | $\leq -25.13$ | PASS    |
| 11G       | Ant1    | 2412           | Reference       | -9.86          | -9.86        | ---           | PASS    |
|           |         |                | 30~1000         | -9.86          | -60.33       | $\leq -29.86$ | PASS    |
|           |         |                | 1000~26500      | -9.86          | -47.21       | $\leq -29.86$ | PASS    |
|           |         | 2437           | Reference       | -11.61         | -11.61       | ---           | PASS    |
|           |         |                | 30~1000         | -11.61         | -60.4        | $\leq -31.61$ | PASS    |
|           |         |                | 1000~26500      | -11.61         | -47.31       | $\leq -31.61$ | PASS    |
|           |         | 2462           | Reference       | -8.55          | -8.55        | ---           | PASS    |
|           |         |                | 30~1000         | -8.55          | -59.66       | $\leq -28.55$ | PASS    |
|           |         |                | 1000~26500      | -8.55          | -47.46       | $\leq -28.55$ | PASS    |
| 11N20SISO | Ant1    | 2412           | Reference       | -13.60         | -13.60       | ---           | PASS    |
|           |         |                | 30~1000         | -13.60         | -60.57       | $\leq -33.6$  | PASS    |
|           |         |                | 1000~26500      | -13.60         | -47.91       | $\leq -33.6$  | PASS    |
|           |         | 2437           | Reference       | -10.49         | -10.49       | ---           | PASS    |
|           |         |                | 30~1000         | -10.49         | -60.06       | $\leq -30.49$ | PASS    |
|           |         |                | 1000~26500      | -10.49         | -47.69       | $\leq -30.49$ | PASS    |
|           |         | 2462           | Reference       | -12.07         | -12.07       | ---           | PASS    |
|           |         |                | 30~1000         | -12.07         | -60.66       | $\leq -32.07$ | PASS    |
|           |         |                | 1000~26500      | -12.07         | -47.11       | $\leq -32.07$ | PASS    |
| 11N40SISO | Ant1    | 2422           | Reference       | -13.73         | -13.73       | ---           | PASS    |
|           |         |                | 30~1000         | -13.73         | -60.81       | $\leq -33.73$ | PASS    |
|           |         |                | 1000~26500      | -13.73         | -47.43       | $\leq -33.73$ | PASS    |
|           |         | 2437           | Reference       | -11.20         | -11.20       | ---           | PASS    |
|           |         |                | 30~1000         | -11.20         | -60.5        | $\leq -31.2$  | PASS    |
|           |         |                | 1000~26500      | -11.20         | -47.71       | $\leq -31.2$  | PASS    |
|           |         | 2452           | Reference       | -11.39         | -11.39       | ---           | PASS    |
|           |         |                | 30~1000         | -11.39         | -60.26       | $\leq -31.39$ | PASS    |
|           |         |                | 1000~26500      | -11.39         | -46.73       | $\leq -31.39$ | PASS    |

## Test Graphs







11B\_Ant1\_2437\_0~Reference



11B\_Ant1\_2437\_30~1000



## 11B\_Ant1\_2437\_1000~26500




## 11B\_Ant1\_2462\_0~Reference




## 11B\_Ant1\_2462\_30~1000






11B\_Ant1\_2462\_1000~26500




11G\_Ant1\_2412\_0~Reference



## 11G\_Ant1\_2412\_30~1000




## 11G\_Ant1\_2412\_1000~26500




## 11G\_Ant1\_2437\_0~Reference



11G\_Ant1\_2437\_30~1000




11G\_Ant1\_2437\_1000~26500



## 11G\_Ant1\_2462\_0~Reference




## 11G\_Ant1\_2462\_30~1000



## 11G\_Ant1\_2462\_1000~26500






11N20SISO\_Ant1\_2412\_0~Reference




11N20SISO\_Ant1\_2412\_30~1000






## 11N20SISO\_Ant1\_2412\_1000~26500



## 11N20SISO\_Ant1\_2437\_0~Reference




## 11N20SISO\_Ant1\_2437\_30~1000




11N20SISO\_Ant1\_2437\_1000~26500




11N20SISO\_Ant1\_2462\_0~Reference



## 11N20SISO\_Ant1\_2462\_30~1000




## 11N20SISO\_Ant1\_2462\_1000~26500



## 11N40SISO\_Ant1\_2422\_0~Reference



11N40SISO\_Ant1\_2422\_30~1000



11N40SISO\_Ant1\_2422\_1000~26500






## 11N40SISO\_Ant1\_2437\_0~Reference



## 11N40SISO\_Ant1\_2437\_30~1000



## 11N40SISO\_Ant1\_2437\_1000~26500






11N40SISO\_Ant1\_2452\_0~Reference



11N40SISO\_Ant1\_2452\_30~1000





## Appendix A.7: Emissions in Restricted Bands

### Test Result


| TestMode      | Antenna | ChName | Frequenc<br>y[MHz] | Detector | Freq<br>[MHz] | Result<br>[dBm] | Limit<br>[dBm] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Verdict |
|---------------|---------|--------|--------------------|----------|---------------|-----------------|----------------|--------------------|-------------------|---------|
| 11B           | Ant1    | Low    | 2412               | AV       | 2310.000      | -49.78          | ≤-41.20        | 45.42              | ≤54               | PASS    |
|               |         |        |                    | AV       | 2386.190      | -49.44          | ≤-41.20        | 45.76              | ≤54               | PASS    |
|               |         |        |                    | AV       | 2390.000      | -49.44          | ≤-41.20        | 45.76              | ≤54               | PASS    |
|               |         |        |                    | Peak     | 2310.000      | -46.54          | ≤-21.20        | 48.66              | ≤74               | PASS    |
|               |         |        |                    | Peak     | 2354.080      | -40.79          | ≤-21.20        | 54.41              | ≤74               | PASS    |
|               |         |        |                    | Peak     | 2390.000      | -45.44          | ≤-21.20        | 49.76              | ≤74               | PASS    |
|               |         | High   | 2462               | AV       | 2483.500      | -49.05          | ≤-41.20        | 46.15              | ≤54               | PASS    |
|               |         |        |                    | AV       | 2499.950      | -48.84          | ≤-41.20        | 46.36              | ≤54               | PASS    |
|               |         |        |                    | AV       | 2500.000      | -48.84          | ≤-41.20        | 46.36              | ≤54               | PASS    |
|               |         |        |                    | Peak     | 2483.500      | -42.71          | ≤-21.20        | 52.49              | ≤74               | PASS    |
|               |         |        |                    | Peak     | 2484.330      | -41.81          | ≤-21.20        | 53.39              | ≤74               | PASS    |
|               |         |        |                    | Peak     | 2500.000      | -45.83          | ≤-21.20        | 49.37              | ≤74               | PASS    |
| 11G           | Ant1    | Low    | 2412               | AV       | 2310.000      | -49.79          | ≤-41.20        | 45.41              | ≤54               | PASS    |
|               |         |        |                    | AV       | 2389.960      | -49.42          | ≤-41.20        | 45.78              | ≤54               | PASS    |
|               |         |        |                    | AV       | 2390.000      | -49.42          | ≤-41.20        | 45.78              | ≤54               | PASS    |
|               |         |        |                    | Peak     | 2310.000      | -46.8           | ≤-21.20        | 48.40              | ≤74               | PASS    |
|               |         |        |                    | Peak     | 2334.320      | -39.83          | ≤-21.20        | 55.37              | ≤74               | PASS    |
|               |         |        |                    | Peak     | 2390.000      | -43.29          | ≤-21.20        | 51.91              | ≤74               | PASS    |
|               |         | High   | 2462               | AV       | 2483.500      | -49.02          | ≤-41.20        | 46.18              | ≤54               | PASS    |
|               |         |        |                    | AV       | 2499.730      | -48.82          | ≤-41.20        | 46.38              | ≤54               | PASS    |
|               |         |        |                    | AV       | 2500.000      | -48.86          | ≤-41.20        | 46.34              | ≤54               | PASS    |
|               |         |        |                    | Peak     | 2483.500      | -46.82          | ≤-21.20        | 48.38              | ≤74               | PASS    |
|               |         |        |                    | Peak     | 2499.290      | -38.8           | ≤-21.20        | 56.40              | ≤74               | PASS    |
|               |         |        |                    | Peak     | 2500.000      | -45.86          | ≤-21.20        | 49.34              | ≤74               | PASS    |
| 11N20SIS<br>O | Ant1    | Low    | 2412               | AV       | 2310.000      | -49.78          | ≤-41.20        | 45.42              | ≤54               | PASS    |
|               |         |        |                    | AV       | 2388.920      | -49.42          | ≤-41.20        | 45.78              | ≤54               | PASS    |
|               |         |        |                    | AV       | 2390.000      | -49.45          | ≤-41.20        | 45.75              | ≤54               | PASS    |
|               |         |        |                    | Peak     | 2310.000      | -44.65          | ≤-21.20        | 50.55              | ≤74               | PASS    |
|               |         |        |                    | Peak     | 2328.210      | -40.07          | ≤-21.20        | 55.13              | ≤74               | PASS    |
|               |         |        |                    | Peak     | 2390.000      | -49.8           | ≤-21.20        | 45.40              | ≤74               | PASS    |
|               |         | High   | 2462               | AV       | 2483.500      | -49.03          | ≤-41.20        | 46.17              | ≤54               | PASS    |
|               |         |        |                    | AV       | 2499.950      | -48.84          | ≤-41.20        | 46.36              | ≤54               | PASS    |
|               |         |        |                    | AV       | 2500.000      | -48.84          | ≤-41.20        | 46.36              | ≤54               | PASS    |
|               |         |        |                    | Peak     | 2483.500      | -44.24          | ≤-21.20        | 50.96              | ≤74               | PASS    |
|               |         |        |                    | Peak     | 2484.330      | -41.13          | ≤-21.20        | 54.07              | ≤74               | PASS    |

|               |      |      |      |      |          |        |               |       |           |      |
|---------------|------|------|------|------|----------|--------|---------------|-------|-----------|------|
|               |      |      |      | Peak | 2500.000 | -50.33 | $\leq -21.20$ | 44.87 | $\leq 74$ | PASS |
| 11N40SIS<br>O | Ant1 | Low  | 2422 | AV   | 2310.000 | -49.79 | $\leq -41.20$ | 45.41 | $\leq 54$ | PASS |
|               |      |      |      | AV   | 2389.310 | -49.4  | $\leq -41.20$ | 45.80 | $\leq 54$ | PASS |
|               |      |      |      | AV   | 2390.000 | -49.46 | $\leq -41.20$ | 45.74 | $\leq 54$ | PASS |
|               |      |      |      | Peak | 2310.000 | -47.04 | $\leq -21.20$ | 48.16 | $\leq 74$ | PASS |
|               |      |      |      | Peak | 2324.570 | -40.97 | $\leq -21.20$ | 54.23 | $\leq 74$ | PASS |
|               |      |      |      | Peak | 2390.000 | -46.09 | $\leq -21.20$ | 49.11 | $\leq 74$ | PASS |
|               |      | High | 2452 | AV   | 2483.500 | -48.95 | $\leq -41.20$ | 46.25 | $\leq 54$ | PASS |
|               |      |      |      | AV   | 2499.730 | -48.86 | $\leq -41.20$ | 46.34 | $\leq 54$ | PASS |
|               |      |      |      | AV   | 2500.000 | -48.88 | $\leq -41.20$ | 46.32 | $\leq 54$ | PASS |
|               |      |      |      | Peak | 2483.500 | -43.3  | $\leq -21.20$ | 51.90 | $\leq 74$ | PASS |
|               |      |      |      | Peak | 2484.220 | -39.67 | $\leq -21.20$ | 55.53 | $\leq 74$ | PASS |
|               |      |      |      | Peak | 2500.000 | -45.8  | $\leq -21.20$ | 49.40 | $\leq 74$ | PASS |


## Note:

1. The Antenna Gain is compensated in the graph.
2. The Duty Cycle Factor and RBW Factor is compensated in the graph.
3. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.


Test Graphs









11B\_Ant1\_High\_2462\_Peak




11G\_Ant1\_Low\_2412\_AV




## 11G\_Ant1\_Low\_2412\_Peak




## 11G\_Ant1\_High\_2462\_AV




## 11G\_Ant1\_High\_2462\_Peak



11N20SISO\_Ant1\_Low\_2412\_AV




11N20SISO\_Ant1\_Low\_2412\_Peak







## 11N20SISO\_Ant1\_High\_2462\_AV




## 11N20SISO\_Ant1\_High\_2462\_Peak



## 11N40SISO\_Ant1\_Low\_2422\_AV



11N40SISO\_Ant1\_Low\_2422\_Peak



11N40SISO\_Ant1\_High\_2452\_AV

