



# TEST REPORT

**Report No.** ..... : **CTC2024264106**

**FCC ID**..... : **2BBOT-V1231**

**IC** ..... : **30767-V1231**

**Applicant** ..... : **VITURE Inc.**

**Address**..... : 95 Third Street, 2nd Floor, San Francisco, 94103

**Manufacturer**..... : VITURE Inc.

**Address**..... : 95 Third Street, 2nd Floor, San Francisco, 94103

**Product Name** ..... : **VITURE Pro Neckband**

**Trade Mark** ..... : VITURE

**Model/Type reference**..... : V1231

**Listed Model(s)** ..... : /

**Standard** ..... : **FCC CFR Title 47 Part 15 Subpart E Section 15.407**  
**RSS-248 Issue 3**

**Test Report Form No** ..... : CTC-TR-150\_A1

**Master TRF** ..... : Dated 2025-01-21

**Date of receipt of test sample**..... : Nov. 14, 2024

**Date of testing**..... : Nov. 22, 2024 ~ Jan. 22, 2025

**Date of issue**..... : Jan. 22, 2025

**Result**..... : **PASS**

Compiled by:

(Printed name+signature)

Lucy Lan

Supervised by:

(Printed name+signature)

Eric Zhang

Approved by:

(Printed name+signature)

Totti Zhao

This test report may be duplicated completely for legal use with the approval of the applicant. It should not be reproduced except in full, without the written approval of our laboratory. The client should not use it to claim product endorsement by CTC. The test result in the report only apply to the tested sample. The test report shall be invalid without all the signatures of testing engineers, reviewer and approver. Any objections must be raised to CTC within 15 days since the date when the report is received. It will not be taken into consideration beyond this limit.

**Table of Contents****Page**

|                                                     |           |
|-----------------------------------------------------|-----------|
| <b>1. TEST SUMMARY .....</b>                        | <b>3</b>  |
| 1.1. TEST STANDARDS.....                            | 3         |
| 1.2. REPORT VERSION .....                           | 3         |
| 1.3. TEST DESCRIPTION.....                          | 4         |
| 1.4. TEST FACILITY .....                            | 5         |
| 1.5. MEASUREMENT UNCERTAINTY .....                  | 6         |
| 1.6. ENVIRONMENTAL CONDITIONS.....                  | 6         |
| <b>2. GENERAL INFORMATION .....</b>                 | <b>7</b>  |
| 2.1. CLIENT INFORMATION .....                       | 7         |
| 2.2. GENERAL DESCRIPTION OF EUT .....               | 7         |
| 2.3. ACCESSORY EQUIPMENT INFORMATION .....          | 9         |
| 2.4. OPERATION STATE .....                          | 10        |
| 2.5. MEASUREMENT INSTRUMENTS LIST .....             | 14        |
| <b>3. TEST ITEM AND RESULTS .....</b>               | <b>15</b> |
| 3.1. CONDUCTED EMISSION.....                        | 15        |
| 3.2. RADIATED EMISSION.....                         | 18        |
| 3.3. BAND EDGE EMISSIONS .....                      | 65        |
| 3.4. BANDWIDTH.....                                 | 83        |
| 3.5. MAXIMUM E.I.R.P. ....                          | 142       |
| 3.6. MAXIMUM POWER SPECTRAL DENSITY (E.I.R.P.)..... | 146       |
| 3.7. FREQUENCY STABILITY .....                      | 178       |
| 3.8. ANTENNA REQUIREMENT.....                       | 189       |
| 3.9. IN-BAND EMISSIONS (CHANNEL MASK).....          | 190       |
| 3.10. CONTENTION BASED PROTOCOL.....                | 222       |



# 1. TEST SUMMARY

## 1.1. Test Standards

The tests were performed according to following standards:

[Part 15 Subpart E U-NII 6 GHz](#): Unlicensed National Information Infrastructure Devices.

[RSS-248 Issue 3](#): Radio Local Area Network (RLAN) Devices Operating in the 5925-7125 MHz Band.

[RSS-Gen Issue 5](#): General Requirements for Compliance of Radio Apparatus.

[ANSI C63.10-2013](#): American National Standard of Procedures for Compliance Testing of Unlicensed Wireless Devices.

[FCC KDB 987594 D02 U-NII 6 GHz EMC Measurement v03](#).

[FCC KDB 789033 D02 General UNII Test Procedures New Rules v02r01](#).

[FCC KDB 414788 D01 Radiated Test Site v01r01](#).

[FCC KDB 662911 D01 Multiple Transmitter Output v02r01](#).

## 1.2. Report Version

| Revised No. | Report No.    | Date of issue | Description |
|-------------|---------------|---------------|-------------|
| 01          | CTC2024264106 | Jan. 22, 2025 | Original    |
|             |               |               |             |
|             |               |               |             |



### 1.3. Test Description

| FCC Part 15 Subpart E (15.407) / RSS-248 Issue 3               |                                     |                                            |        |               |
|----------------------------------------------------------------|-------------------------------------|--------------------------------------------|--------|---------------|
| Test Item                                                      | Standard Section                    |                                            | Result | Test Engineer |
|                                                                | FCC                                 | IC                                         |        |               |
| Antenna Requirement                                            | 15.203                              | RSS-Gen 6.8                                | Pass   | Tony Huang    |
| Conducted Emission                                             | 15.207                              | RSS-Gen 8.8                                | Pass   | Tony Huang    |
| 26dB Bandwidth & 99% Bandwidth                                 | 15.407(a)                           | RSS-248 4.4<br>RSS-Gen 6.7                 | Pass   | Tony Huang    |
| Maximum e.i.r.p.                                               | 15.407(a)                           | RSS-248 4.5                                | Pass   | Tony Huang    |
| Maximum Power Spectral Density<br>(e.i.r.p.)                   | 15.407(a)                           | RSS-248 4.5                                | Pass   | Tony Huang    |
| Transmitter Radiated Spurious<br>Emission& Band Edge Emissions | 15.407(b)<br>15.205(a)<br>15.209(a) | RSS-248 4.6<br>RSS-Gen 8.9<br>RSS-Gen 8.10 | Pass   | Tony Huang    |
| In-Band Emission (Mask)                                        | 15.407(b)                           | RSS-248 4.6                                | Pass   | Tony Huang    |
| Contention Based Protocol                                      | 15.407(d)                           | RSS-248 4.7                                | Pass   | Tony Huang    |
| Frequency Stability                                            | 15.407(g)                           | RSS-Gen 6.11                               | Pass   | Tony Huang    |

Note:

1. The measurement uncertainty is not included in the test result.
2. N/A: means this test item is not applicable for this device according to the technology characteristic of device.



## 1.4. Test Facility

### Address of the report laboratory

#### CTC Laboratories, Inc.

Add: Room 101 of Building B, Room 107, 108, 207, 208 of Building A, No. 7, Lanqing 1st Road, Luhua Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China

### Laboratory accreditation

The test facility is recognized, certified, or accredited by the following organizations:

#### A2LA-Lab Cert. No.: 4340.01

CTC Laboratories, Inc. EMC Laboratory has been accredited by A2LA for technical competence in the field of electrical testing, and proved to be in compliance with ISO/IEC 17025:2017 General Requirements for the Competence of Testing and Calibration Laboratories and any additional program requirements in the identified field of testing.

#### Industry Canada (Registration No.: 9783A, CAB Identifier: CN0029)

CTC Laboratories, Inc. EMC Laboratory has been registered by Certification and Engineer Bureau of Industry Canada for the performance of with Registration NO.: 9783A on Jan, 2016.

#### FCC (Registration No.: 951311, Designation Number CN1208)

CTC Laboratories, Inc. EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications Commission. The acceptance letter from the FCC is maintained in our files. Registration 951311, Aug 26, 2017.



## 1.5. Measurement Uncertainty

The data and results referenced in this document are true and accurate. The reader is cautioned that there may be errors within the calibration limits of the equipment and facilities. The measurement uncertainty was calculated for all measurements listed in this test report acc. to TR-100028-01 "Electromagnetic compatibility and Radio spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics; Part 1" and TR-100028-02 "Electromagnetic compatibility and Radio spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics; Part 2" and is documented in the CTC Laboratories, Inc. quality system acc. to DIN EN ISO/IEC 17025. Furthermore, component and process variability of devices similar to that tested may result in additional deviation. The manufacturer has the sole responsibility of continued compliance of the device.

Below is the best measurement capability for CTC Laboratories, Inc.

| Test Items                     | Measurement Uncertainty                                             | Notes |
|--------------------------------|---------------------------------------------------------------------|-------|
| Emission Bandwidth             | $\pm 0.0196\%$                                                      | (1)   |
| Maximum Conduct Output Power   | $\pm 0.766\text{dB}$                                                | (1)   |
| Power Spectral Density         | $\pm 1.22\text{dB}$                                                 | (1)   |
| Band Edge Measurements         | $\pm 1.328\text{dB}$                                                | (1)   |
| Unwanted Emissions Measurement | 9kHz-1GHz: $\pm 0.746\text{dB}$<br>1GHz-26GHz: $\pm 1.328\text{dB}$ | (1)   |
| Frequency Stability            | $\pm 2.76\%$                                                        | (1)   |
| Conducted Emissions 9kHz~30MHz | $\pm 3.08\text{ dB}$                                                | (1)   |
| Radiated Emissions 30~1000MHz  | $\pm 4.51\text{ dB}$                                                | (1)   |
| Radiated Emissions 1~18GHz     | $\pm 5.84\text{ dB}$                                                | (1)   |
| Radiated Emissions 18~40GHz    | $\pm 6.12\text{ dB}$                                                | (1)   |

Note (1): This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of  $k=2$ .

## 1.6. Environmental Conditions

|                   |                   |                                                                                                                  |
|-------------------|-------------------|------------------------------------------------------------------------------------------------------------------|
| Normal Condition  | Temperature       | 15 °C to 35 °C                                                                                                   |
|                   | Relative Humidity | 20 % to 75 %                                                                                                     |
|                   | Air Pressure      | 101 kPa                                                                                                          |
|                   | Voltage           | The normal test voltage for the equipment shall be the nominal voltage for which the equipment was designed.     |
| Extreme Condition | Temperature       | Measurements shall be made over the extremes of the operating temperature range as declared by the manufacturer. |
|                   | Voltage           | Measurements shall be made over the extremes of the operating temperature range as declared by the manufacturer. |

|                   |                           |       |
|-------------------|---------------------------|-------|
| Normal Condition  | $T_N$ =Normal Temperature | 25 °C |
| Extreme Condition | $T_L$ =Lower Temperature  | 0 °C  |
|                   | $T_H$ =Higher Temperature | 35 °C |

CTC Laboratories, Inc.

Room 101 Building B, No. 7, Lanqing 1st Road, Luhu Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China  
Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn

TRF No: CTC-TR-150\_A1

For anti-fake verification, please visit the official website of China Inspection And Testing Society : [yz.cnca.cn](http://yz.cnca.cn)



## 2. GENERAL INFORMATION

### 2.1. Client Information

|               |                                                                                                                      |
|---------------|----------------------------------------------------------------------------------------------------------------------|
| Applicant:    | VITURE Inc.                                                                                                          |
| Address:      | 95 Third Street, 2nd Floor, San Francisco, 94103                                                                     |
| Manufacturer: | VITURE Inc.                                                                                                          |
| Address:      | 95 Third Street, 2nd Floor, San Francisco, 94103                                                                     |
| Factory:      | Shenzhen Qiyao Intelligent Manufacturing Technology Co., Ltd                                                         |
| Address:      | 1F,Building 1,Lingqi Industrial Park Factory,NO.17,Yingren Shi Tianbao Road,Shiyan Town,Baoan District,Shenzhen City |

### 2.2. General Description of EUT

|                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                             |                                             |                                             |                                            |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|---------------------------------------------|---------------------------------------------|--------------------------------------------|
| Product Name:         | VITURE Pro Neckband                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                             |                                             |                                             |                                            |
| Trade Mark:           | VITURE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                             |                                             |                                             |                                            |
| Model/Type reference: | V1231                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                             |                                             |                                             |                                            |
| Listed Model(s):      | /                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                             |                                             |                                             |                                            |
| Model Difference:     | /                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                             |                                             |                                             |                                            |
| Sample ID:            | CTC241111-003-S005                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                             |                                             |                                             |                                            |
| Power Supply:         | USB-C Input:5V/2A; 9V/2A<br>Magnetic connector Input: 5V/1A;9V/1A Output: 5V/1A<br>3.85Vdc from 3280mAh Rechargeable Lithium Ion Battery                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                             |                                             |                                             |                                            |
| Hardware Version:     | V1.03                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                             |                                             |                                             |                                            |
| Software Version:     | T29                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                             |                                             |                                             |                                            |
| 6G Wi-Fi              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                             |                                             |                                             |                                            |
| Operation Band:       | <input checked="" type="checkbox"/> U-NII-5                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | <input checked="" type="checkbox"/> U-NII-6 | <input checked="" type="checkbox"/> U-NII-7 | <input checked="" type="checkbox"/> U-NII-8 |                                            |
| Operation Frequency:  | U-NII-5                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | UNII-5: 5925 MHz ~ 6425 MHz                 |                                             |                                             |                                            |
|                       | U-NII-6                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | UNII-6: 6425 MHz ~ 6525 MHz                 |                                             |                                             |                                            |
|                       | U-NII-7                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | UNII-7: 6525 MHz ~ 6875 MHz                 |                                             |                                             |                                            |
|                       | U-NII-8                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | UNII-8: 6875 MHz ~ 7125 MHz                 |                                             |                                             |                                            |
| Support Bandwidth:    | 802.11ax                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | <input checked="" type="checkbox"/> 20MHz   | <input checked="" type="checkbox"/> 40MHz   | <input checked="" type="checkbox"/> 80MHz   | <input checked="" type="checkbox"/> 160MHz |
| Modulation:           | 802.11ax: OFDMA (BPSK, QPSK, 16QAM, 64QAM, 256QAM, 1024QAM)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                             |                                             |                                             |                                            |
| Device Type:          | <div><input type="checkbox"/> 6ID: 15E 6 GHz Low-power indoor access point operating in U-NII bands 5-8.</div> <div><input type="checkbox"/> 6PP: 15E 6 GHz Subordinate indoor device. These devices are controlled by a low-power indoor access point (P1) and operate in U-NII bands 5-8.</div> <div><input checked="" type="checkbox"/> 6XD: 15E 6 GHz Low-power Indoor client. These devices are controlled by a low-power indoor access point (P1) and operate in U-NII bands 5-8.</div> <div><input type="checkbox"/> 6CD: 15E 6 GHz Dual client. U-NII bands 5 -8 are under the control of a low-power indoor access point (P1), and U-NII bands 5 &amp; 8 are under the control of a standard power access point (P2).</div> <div><input type="checkbox"/> 6SD: 15E 6 GHz Standard power access point. These devices are</div> |                                             |                                             |                                             |                                            |

CTC Laboratories, Inc.

Room 101 Building B, No. 7, Lanqing 1st Road, Luhu Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China  
Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn

TRF No: CTC-TR-150\_A1

For anti-fake verification, please visit the official website of China Inspection And Testing Society : [yz.cnca.cn](http://yz.cnca.cn)



|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                   | <p>managed by the Automatic Frequency Coordination (AFC) system (P3) and operate in U-NII bands 5 and 7.</p> <p><input type="checkbox"/> 6FX: 15E 6 GHz Standard client. These devices are controlled by a Standard power access point managed by the AFC system (P2) and operate in U-NII bands 5 and 7.</p> <p><input type="checkbox"/> 6FC: 15E 6 GHz Fixed client. These devices are associated with a standard power access point (P3) and operate in U-NII bands 5 and 7.</p> <p><input type="checkbox"/> 6VL: 15E 6 GHz VLP device operating in U-NII bands 5 &amp; 7.</p> |
| Antenna 1&2 Type: | FPC Antenna                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Antenna 1 Gain:   | 0.94dBi                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Antenna 2 Gain:   | 1.74dBi                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |



## 2.3. Accessory Equipment Information

| Equipment Information     |                   |              |              |
|---------------------------|-------------------|--------------|--------------|
| Name                      | Model             | S/N          | Manufacturer |
| Notebook                  | ThinkPad T460s    | /            | Lenovo       |
| Adapter                   | TAP-23A050200CU01 | /            | /            |
| Cable Information         |                   |              |              |
| Name                      | Shielded Type     | Ferrite Core | Length       |
| /                         | /                 | /            | /            |
| Test Software Information |                   |              |              |
| Name                      | Version           | /            | /            |
| QRCT4                     | 4.0.211.0         | /            | /            |

CTC Laboratories, Inc.

Room 101 Building B, No. 7, Lanqing 1st Road, Luhua Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China  
Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn

TRF No: CTC-TR-150\_A1

For anti-fake verification, please visit the official website of China Inspection And Testing Society : [yz.cnca.cn](http://yz.cnca.cn)



## 2.4. Operation State

Operation Frequency List: The EUT has been tested under typical operating condition. The Applicant provides communication tools software to control the EUT for staying in continuous transmitting.

Operation Frequency List:

| ☑ UNII-5              |                 |         |                 |         |                 |
|-----------------------|-----------------|---------|-----------------|---------|-----------------|
| ☑ IEEE 802.11ax(HE20) |                 |         |                 |         |                 |
| Channel               | Frequency (MHz) | Channel | Frequency (MHz) | Channel | Frequency (MHz) |
| 1                     | 5955            | 33      | 6115            | 65      | 6275            |
| 5                     | 5975            | 37      | 6135            | 69      | 6295            |
| 9                     | 5995            | 41      | 6155            | 73      | 6315            |
| 13                    | 6015            | 45      | 6175            | 77      | 6335            |
| 17                    | 6035            | 49      | 6195            | 81      | 6355            |
| 21                    | 6055            | 53      | 6215            | 85      | 6375            |
| 25                    | 6075            | 57      | 6235            | 89      | 6395            |
| 29                    | 6095            | 61      | 6255            | 93      | 6415            |

| ☑ UNII-5              |                 |         |                 |         |                 |
|-----------------------|-----------------|---------|-----------------|---------|-----------------|
| ☑ IEEE 802.11ax(HE40) |                 |         |                 |         |                 |
| Channel               | Frequency (MHz) | Channel | Frequency (MHz) | Channel | Frequency (MHz) |
| 3                     | 5965            | 35      | 6125            | 67      | 6285            |
| 11                    | 6005            | 43      | 6165            | 75      | 6325            |
| 19                    | 6045            | 51      | 6205            | 83      | 6365            |
| 27                    | 6085            | 59      | 6245            | 91      | 6405            |

| ☑ UNII-5              |                 |         |                 |         |                 |
|-----------------------|-----------------|---------|-----------------|---------|-----------------|
| ☑ IEEE 802.11ax(HE80) |                 |         |                 |         |                 |
| Channel               | Frequency (MHz) | Channel | Frequency (MHz) | Channel | Frequency (MHz) |
| 7                     | 5985            | 39      | 6145            | 71      | 6305            |
| 23                    | 6065            | 55      | 6225            | 87      | 6385            |

| ☑ UNII-5               |                 |         |                 |         |                 |
|------------------------|-----------------|---------|-----------------|---------|-----------------|
| ☑ IEEE 802.11ax(HE160) |                 |         |                 |         |                 |
| Channel                | Frequency (MHz) | Channel | Frequency (MHz) | Channel | Frequency (MHz) |
| 15                     | 6025            | 47      | 6185            | 79      | 6345            |

| ☑ UNII-6              |                 |         |                 |         |                 |
|-----------------------|-----------------|---------|-----------------|---------|-----------------|
| ☑ IEEE 802.11ax(HE20) |                 |         |                 |         |                 |
| Channel               | Frequency (MHz) | Channel | Frequency (MHz) | Channel | Frequency (MHz) |
| 97                    | 6435            | 105     | 6475            | 113     | 6515            |
| 101                   | 6455            | 109     | 6495            |         |                 |

| ☑ UNII-6              |                 |         |                 |         |                 |
|-----------------------|-----------------|---------|-----------------|---------|-----------------|
| ☑ IEEE 802.11ax(HE40) |                 |         |                 |         |                 |
| Channel               | Frequency (MHz) | Channel | Frequency (MHz) | Channel | Frequency (MHz) |
| 99                    | 6445            | 107     | 6485            | 115     | 6525            |

CTC Laboratories, Inc.

Room 101 Building B, No. 7, Lanqing 1st Road, Luhu Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China  
Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn

TRF No: CTC-TR-150\_A1

For anti-fake verification, please visit the official website of China Inspection And Testing Society : [yz.cnca.cn](http://yz.cnca.cn)



| ☑UNII-6              |                 |         |                 |         |                 |
|----------------------|-----------------|---------|-----------------|---------|-----------------|
| ☑IEEE 802.11ax(HE80) |                 |         |                 |         |                 |
| Channel              | Frequency (MHz) | Channel | Frequency (MHz) | Channel | Frequency (MHz) |
| 103                  | 6465            |         |                 |         |                 |

| ☑UNII-6               |                 |         |                 |         |                 |
|-----------------------|-----------------|---------|-----------------|---------|-----------------|
| ☑IEEE 802.11ax(HE160) |                 |         |                 |         |                 |
| Channel               | Frequency (MHz) | Channel | Frequency (MHz) | Channel | Frequency (MHz) |
| 111                   | 6505            |         |                 |         |                 |

| ☑UNII-7              |                 |         |                 |         |                 |
|----------------------|-----------------|---------|-----------------|---------|-----------------|
| ☑IEEE 802.11ax(HE20) |                 |         |                 |         |                 |
| Channel              | Frequency (MHz) | Channel | Frequency (MHz) | Channel | Frequency (MHz) |
| 117                  | 6535            | 141     | 6655            | 165     | 6775            |
| 121                  | 6555            | 145     | 6675            | 169     | 6795            |
| 125                  | 6575            | 149     | 6695            | 173     | 6815            |
| 129                  | 6595            | 153     | 6715            | 177     | 6835            |
| 133                  | 6615            | 157     | 6735            | 181     | 6855            |
| 137                  | 6635            | 161     | 6755            | 185     | 6875            |

| ☑UNII-7              |                 |         |                 |         |                 |
|----------------------|-----------------|---------|-----------------|---------|-----------------|
| ☑IEEE 802.11ax(HE40) |                 |         |                 |         |                 |
| Channel              | Frequency (MHz) | Channel | Frequency (MHz) | Channel | Frequency (MHz) |
| 123                  | 6565            | 147     | 6685            | 171     | 6805            |
| 131                  | 6605            | 155     | 6725            | 179     | 6845            |
| 139                  | 6645            | 163     | 6765            |         |                 |

| ☑UNII-7              |                 |         |                 |         |                 |
|----------------------|-----------------|---------|-----------------|---------|-----------------|
| ☑IEEE 802.11ax(HE80) |                 |         |                 |         |                 |
| Channel              | Frequency (MHz) | Channel | Frequency (MHz) | Channel | Frequency (MHz) |
| 119                  | 6545            | 151     | 6705            | 183     | 6865            |
| 135                  | 6625            | 167     | 6785            |         |                 |

| ☑UNII-7               |                 |         |                 |         |                 |
|-----------------------|-----------------|---------|-----------------|---------|-----------------|
| ☑IEEE 802.11ax(HE160) |                 |         |                 |         |                 |
| Channel               | Frequency (MHz) | Channel | Frequency (MHz) | Channel | Frequency (MHz) |
| 143                   | 6665            | 175     | 6825            |         |                 |

| ☑UNII-8              |                 |         |                 |         |                 |
|----------------------|-----------------|---------|-----------------|---------|-----------------|
| ☑IEEE 802.11ax(HE20) |                 |         |                 |         |                 |
| Channel              | Frequency (MHz) | Channel | Frequency (MHz) | Channel | Frequency (MHz) |
| 189                  | 6895            | 205     | 6975            | 221     | 7055            |
| 193                  | 6915            | 209     | 6995            | 225     | 7075            |
| 197                  | 6935            | 213     | 7015            | 229     | 7095            |
| 201                  | 6955            | 217     | 7035            | 233     | 7115            |

CTC Laboratories, Inc.

Room 101 Building B, No. 7, Lanqing 1st Road, Luhu Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China  
Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn

TRF No: CTC-TR-150\_A1

For anti-fake verification, please visit the official website of China Inspection And Testing Society : [yz.cnca.cn](http://yz.cnca.cn)



| ☑UNII-8              |                 |         |                 |         |                 |
|----------------------|-----------------|---------|-----------------|---------|-----------------|
| ☑IEEE 802.11ax(HE40) |                 |         |                 |         |                 |
| Channel              | Frequency (MHz) | Channel | Frequency (MHz) | Channel | Frequency (MHz) |
| 187                  | 6885            | 203     | 6965            | 219     | 7045            |
| 195                  | 6925            | 211     | 7005            | 227     | 7085            |

| ☑UNII-8              |                 |         |                 |         |                 |
|----------------------|-----------------|---------|-----------------|---------|-----------------|
| ☑IEEE 802.11ax(HE80) |                 |         |                 |         |                 |
| Channel              | Frequency (MHz) | Channel | Frequency (MHz) | Channel | Frequency (MHz) |
| 199                  | 6945            | 215     | 7025            |         |                 |

| ☑UNII-8               |                 |         |                 |         |                 |
|-----------------------|-----------------|---------|-----------------|---------|-----------------|
| ☑IEEE 802.11ax(HE160) |                 |         |                 |         |                 |
| Channel               | Frequency (MHz) | Channel | Frequency (MHz) | Channel | Frequency (MHz) |
| 207                   | 6985            |         |                 |         |                 |

Test channel is below:

| Ch. #    |        | UNII-5        | UNII-6        | UNII-7        | UNII-8        |
|----------|--------|---------------|---------------|---------------|---------------|
|          |        | 5925-6425 MHz | 6425-6525 MHz | 6525-6875 MHz | 6875-7125 MHz |
|          |        | 20M BW        | 20M BW        | 20M BW        | 20M BW        |
| L        | Low    | 001           | 097           | 117           | 189           |
| M        | Middle | 045           | 105           | 149           | 209           |
| H        | High   | 093           | 113           | 181           | 229           |
| Straddle |        | -             | -             | -             | -             |

| Ch. #    |        | UNII-5        | UNII-6        | UNII-7        | UNII-8        |
|----------|--------|---------------|---------------|---------------|---------------|
|          |        | 5925-6425 MHz | 6425-6525 MHz | 6525-6875 MHz | 6875-7125 MHz |
|          |        | 40M BW        | 40M BW        | 40M BW        | 40M BW        |
| L        | Low    | 003           | 099           | 123           | 195           |
| M        | Middle | 043           | -             | 147           | 203           |
| H        | High   | 091           | 107           | 179           | 227           |
| Straddle |        | -             | 115           | -             | -             |

| Ch. #    |        | UNII-5        | UNII-6        | UNII-7        | UNII-8        |
|----------|--------|---------------|---------------|---------------|---------------|
|          |        | 5925-6425 MHz | 6425-6525 MHz | 6525-6875 MHz | 6875-7125 MHz |
|          |        | 80M BW        | 80M BW        | 80M BW        | 80M BW        |
| L        | Low    | 007           | 103           | 135           | 199           |
| M        | Middle | 039           |               | 151           | -             |
| H        | High   | 087           |               | 167           | 215           |
| Straddle |        | -             | -             | 119/183       | -             |

CTC Laboratories, Inc.

Room 101 Building B, No. 7, Lanqing 1st Road, Luhu Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China  
Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn

TRF No: CTC-TR-150\_A1

For anti-fake verification, please visit the official website of China Inspection And Testing Society : [yz.cnca.cn](http://yz.cnca.cn)



| Ch. #    |        | UNII-5        | UNII-6        | UNII-7        | UNII-8        |
|----------|--------|---------------|---------------|---------------|---------------|
|          |        | 5925-6425 MHz | 6425-6525 MHz | 6525-6875 MHz | 6875-7125 MHz |
|          |        | 160M BW       | 160M BW       | 160M BW       | 160M BW       |
| L        | Low    | 015           | -             | 143           | 207           |
| M        | Middle | 047           |               |               |               |
| H        | High   | 079           |               |               |               |
| Straddle |        | -             | 111           | 175           | -             |

**Antenna Specification:**

| Ant. | Brand | Model Name | Antenna Type | Connector | Gain(dBi) |
|------|-------|------------|--------------|-----------|-----------|
| 1    | NA    | NA         | FPC Antenna  | IPEX      | 0.94      |
| 2    | NA    | NA         | FPC Antenna  | IPEX      | 1.74      |

This EUT supports MIMO 2X2 with the unequal antenna gain, and any transmit signals are correlated with each other.

According to KDB 662911 D01, Directional Gain =  $10 \log[(10^{G1/20} + 10^{G2/20} + \dots + 10^{GN/20})^2 / N]$  dBi, that is Directional Gain =  $10 \log[((10^{(0.94/20)} + 10^{(1.74/20)})^2) / 2] = 4.36 \text{ dBi}$ .

**Data Rated:**

Preliminary tests were performed in different data rate, and found which the below bit rate is worst case mode, so only show data which it is a worst case mode.

| Test Mode                                                          | Data Rate (worst mode) |
|--------------------------------------------------------------------|------------------------|
| 802.11ax(HE20)/ 802.11ax(HE40)/<br>802.11ax(HE80)/ 802.11ax(HE160) | HE-MCS0                |

**Test Mode:**

|                                                                                                                                                                                                                          |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| For RF test items:                                                                                                                                                                                                       |
| The engineering test program was provided and enabled to make EUT continuous transmit.                                                                                                                                   |
| For AC power line conducted emissions:                                                                                                                                                                                   |
| The EUT was set to connect with the WLAN AP under large package sizes transmission.                                                                                                                                      |
| For Radiated spurious emissions test item:                                                                                                                                                                               |
| The engineering test program was provided and enabled to make EUT continuous transmit. The EUT in each of three orthogonal axis emissions had been tested, but only the worst case (X axis) data recorded in the report. |
| For Contention Based Protocol:                                                                                                                                                                                           |
| The EUT was Configured to be in normally transmitting mode with a constant duty cycle.                                                                                                                                   |



## 2.5. Measurement Instruments List

| RF Test System – SRD (test data: 2024.12.30~2025.01.20) |                                       |              |           |            |                  |
|---------------------------------------------------------|---------------------------------------|--------------|-----------|------------|------------------|
| Item                                                    | Test Equipment                        | Manufacturer | Model No. | Serial No. | Calibrated Until |
| 1                                                       | Spectrum Analyzer                     | R&S          | FSV40-N   | 101331     | Mar. 21, 2025    |
| 2                                                       | EXG Analog Signal Generator           | Keysight     | N5173B    | MY59100842 | Dec. 12, 2025    |
| 3                                                       | MXG Vector Signal Generator           | Keysight     | N5182B    | MY59100212 | Dec. 12, 2025    |
| 4                                                       | Wideband Radio Communication Tester   | R&S          | CMW500    | 102414     | Dec. 12, 2025    |
| 5                                                       | RF Control Unit                       | Tonscend     | JS0806-2  | /          | Aug. 21, 2025    |
| 6                                                       | High and low temperature test chamber | ESPEC        | MT3035    | /          | Mar. 21, 2025    |
| 7                                                       | Test Software                         | Tonscend     | JS1120-3  | V3.3.38    | /                |

| Radiated emission (test data: 2024.12.14~2024.12.15) |                              |              |            |            |                  |
|------------------------------------------------------|------------------------------|--------------|------------|------------|------------------|
| Item                                                 | Test Equipment               | Manufacturer | Model No.  | Serial No. | Calibrated Until |
| 1                                                    | Trilog-Broadband Antenna     | Schwarzbeck  | VULB 9163  | 01026      | Dec. 24, 2025    |
| 2                                                    | Horn Antenna                 | Schwarzbeck  | BBHA 9120D | 9120D-647  | Sep. 25, 2025    |
| 3                                                    | Test Receiver                | Keysight     | N9038A     | MY56400071 | Dec. 12, 2025    |
| 4                                                    | Broadband Amplifier          | Schwarzbeck  | BBV9743B   | 259        | Dec. 12, 2025    |
| 5                                                    | Mirowave Broadband Amplifier | Schwarzbeck  | BBV9718C   | 111        | Dec. 12, 2025    |
| 6                                                    | 3m chamber 3                 | YIHENG       | EE106      | /          | Aug. 28, 2026    |
| 7                                                    | Test Software                | FARA         | EZ-EMC     | FA-03A2    | /                |

| Conducted emission (test data: 2024.11.22~2024.11.22) |                   |              |           |                |                  |
|-------------------------------------------------------|-------------------|--------------|-----------|----------------|------------------|
| Item                                                  | Test Equipment    | Manufacturer | Model No. | Serial No.     | Calibrated until |
| 1                                                     | LISN              | R&S          | ENV216    | 101112         | Dec. 12, 2024    |
| 2                                                     | LISN              | R&S          | ENV216    | 101113         | Dec. 12, 2024    |
| 3                                                     | EMI Test Receiver | R&S          | ESCI      | 100524         | Dec. 12, 2024    |
| 4                                                     | ISN CAT6          | Schwarzbeck  | NTFM 8158 | CAT6-8158-0046 | Dec. 12, 2024    |
| 5                                                     | ISN CAT5          | Schwarzbeck  | NTFM 8158 | CAT5-8158-0046 | Dec. 12, 2024    |
| 6                                                     | Test Software     | R&S          | EMC32     | 6.10.10        | /                |

Note: 1. The Cal. Interval was one year.

2. The Cal. Interval was three years of the antenna.

3. The cable loss has been calculated in test result which connection between each test instruments.

### 3. TEST ITEM AND RESULTS

#### 3.1. Conducted Emission


##### Limit

FCC CFR Title 47 Part 15 Subpart C Section 15.207 / RSS-Gen 8.8

| Frequency (MHz) | Conducted Limit (dBμV) |            |
|-----------------|------------------------|------------|
|                 | Quasi-peak             | Average    |
| 0.15 - 0.5      | 66 to 56 *             | 56 to 46 * |
| 0.5 - 5         | 56                     | 46         |
| 5 - 30          | 60                     | 50         |

\* Decreases with the logarithm of the frequency.

##### Test Configuration



##### Test Procedure


1. The EUT was setup according to ANSI C63.10:2013 requirements.
2. The EUT was placed on a platform of nominal size, 1 m by 1.5 m, raised 80 cm above the conducting ground plane. The vertical conducting plane was located 40 cm to the rear of the EUT. All other surfaces of EUT were at least 80 cm from any other grounded conducting surface.
3. The EUT and simulators are connected to the main power through a line impedance stabilization network (LISN). The LISN provides a 50 ohm / 50 μH coupling impedance for the measuring equipment.
4. The peripheral devices are also connected to the main power through a LISN. (Please refer to the block diagram of the test setup and photographs)
5. Each current-carrying conductor of the EUT power cord, except the ground (safety) conductor, was individually connected through a LISN to the input power source.
6. The excess length of the power cord between the EUT and the LISN receptacle were folded back and forth at the center of the lead to form a bundle not exceeding 40 cm in length.
7. Conducted emissions were investigated over the frequency range from 0.15MHz to 30MHz using a receiver bandwidth of 9 kHz.
8. During the above scans, the emissions were maximized by cable manipulation.

##### Test Mode

Please refer to the clause 2.4.

**Test Result**

|               |                             |
|---------------|-----------------------------|
| Test Voltage: | AC 120V/60Hz                |
| Terminal:     | Line                        |
| Remark:       | Only worse case is reported |

**Final Measurement Detector 1**

| Frequency (MHz) | QuasiPeak (dBμ V) | Meas. Time (ms) | Bandwidth (kHz) | Filter | Line | Corr. (dB) | Margin (dB) | Limit (dBμ V) | Comment |
|-----------------|-------------------|-----------------|-----------------|--------|------|------------|-------------|---------------|---------|
| 0.190500        | 49.6              | 1000.00         | 9.000           | On     | L1   | 9.5        | 14.4        | 64.0          |         |
| 0.505500        | 43.6              | 1000.00         | 9.000           | On     | L1   | 9.5        | 12.4        | 56.0          |         |
| 0.568500        | 44.7              | 1000.00         | 9.000           | On     | L1   | 9.5        | 11.3        | 56.0          |         |


**Final Measurement Detector 2**

| Frequency (MHz) | Average (dBμ V) | Meas. Time (ms) | Bandwidth (kHz) | Filter | Line | Corr. (dB) | Margin (dB) | Limit (dBμ V) | Comment |
|-----------------|-----------------|-----------------|-----------------|--------|------|------------|-------------|---------------|---------|
| 0.190500        | 33.9            | 1000.00         | 9.000           | On     | L1   | 9.5        | 20.1        | 54.0          |         |
| 0.492000        | 27.3            | 1000.00         | 9.000           | On     | L1   | 9.5        | 18.8        | 46.1          |         |
| 0.568500        | 28.7            | 1000.00         | 9.000           | On     | L1   | 9.5        | 17.3        | 46.0          |         |

Emission Level = Read Level + Correct Factor



|               |                             |
|---------------|-----------------------------|
| Test Voltage: | AC 120V/60Hz                |
| Terminal:     | Neutral                     |
| Remark:       | Only worse case is reported |



### Final Measurement Detector 1

| Frequency (MHz) | QuasiPeak (dBμ V) | Meas. Time (ms) | Bandwidth (kHz) | Filter | Line | Corr. (dB) | Margin (dB) | Limit (dBμ V) | Comment |
|-----------------|-------------------|-----------------|-----------------|--------|------|------------|-------------|---------------|---------|
| 0.514500        | 39.6              | 1000.00         | 9.000           | On     | N    | 9.4        | 16.4        | 56.0          |         |
| 0.591000        | 36.5              | 1000.00         | 9.000           | On     | N    | 9.4        | 19.5        | 56.0          |         |
| 1.176000        | 35.4              | 1000.00         | 9.000           | On     | N    | 9.5        | 20.6        | 56.0          |         |

### Final Measurement Detector 2

| Frequency (MHz) | Average (dBμ V) | Meas. Time (ms) | Bandwidth (kHz) | Filter | Line | Corr. (dB) | Margin (dB) | Limit (dBμ V) | Comment |
|-----------------|-----------------|-----------------|-----------------|--------|------|------------|-------------|---------------|---------|
| 0.280500        | 29.7            | 1000.00         | 9.000           | On     | N    | 9.4        | 21.1        | 50.8          |         |
| 0.609000        | 28.8            | 1000.00         | 9.000           | On     | N    | 9.4        | 17.2        | 46.0          |         |
| 1.392000        | 21.1            | 1000.00         | 9.000           | On     | N    | 9.4        | 24.9        | 46.0          |         |

Emission Level = Read Level + Correct Factor

## 3.2. Radiated Emission

### Limit

FCC CFR Title 47 Part 15 Subpart C Section 15.209 / RSS-Gen 8.9.

In case the emission fall within the restricted band specified on 15.205(a)&RSS-Gen 8.10.

| Frequency (MHz) | Field Strength (microvolts/meter) | Measurement Distance (meters) |
|-----------------|-----------------------------------|-------------------------------|
| 0.009~0.490     | 2400/F (kHz)                      | 300                           |
| 0.490~1.705     | 24000/F (kHz)                     | 30                            |
| 1.705~30.0      | 30                                | 30                            |
| 30~88           | 100                               | 3                             |
| 88~216          | 150                               | 3                             |
| 216~960         | 200                               | 3                             |
| 960~1000        | 500                               | 3                             |


| Frequency Range (MHz) | dBμV/m (at 3 meters) |         |
|-----------------------|----------------------|---------|
|                       | Peak                 | Average |
| Above 1000            | 74                   | 54      |

Note:


(1) The tighter limit applies at the band edges.

(2) Emission Level (dBμV/m)=20log Emission Level (μV/m).


### Test Configuration



Below 30MHz Test Setup



30-1000MHz Test Setup



Above 1GHz Test Setup



### **Test Procedure**

1. The EUT was setup and tested according to ANSI C63.10:2013.
2. The EUT is placed on a turn table which is 0.8 meter above ground for below 1 GHz, and 1.5 m for above 1 GHz. The turn table is rotated 360 degrees to determine the position of the maximum emission level.
3. The EUT was set 3 meters from the receiving antenna, which was mounted on the top of a variable height antenna tower.
4. For each suspected emission, the EUT was arranged to its worst case and then tune the Antenna tower (from 1 m to 4 m) and turntable (from 0 degree to 360 degrees) to find the maximum reading. A pre-amp and a high pass filter are used for the test in order to get better signal level to comply with the guidelines.
5. Set to the maximum power setting and enable the EUT transmit continuously.
6. Use the following spectrum analyzer settings
  - (1) Span shall wide enough to fully capture the emission being measured;
  - (2) 9k – 150kHz:  
RBW=300 Hz, VBW=1 kHz, Sweep=auto, Detector function=peak, Trace=max hold
  - (3) 0.15M – 30MHz:  
RBW=10 kHz, VBW=30 kHz, Sweep=auto, Detector function=peak, Trace=max hold
  - (4) 30M - 1 GHz:  
RBW=120 kHz, VBW=300 kHz, Sweep=auto, Detector function=peak, Trace=max holdIf the emission level of the EUT measured by the peak detector is 3 dB lower than the applicable limit, the peak emission level will be reported. Otherwise, the emission measurement will be repeated using the quasi-peak detector and reported.
- (5) From 1 GHz to 10<sup>th</sup> harmonic:  
RBW=1MHz, VBW=3MHz Peak detector for Peak value.  
RBW=1MHz, VBW see note 1 with Peak Detector for Average Value.  
Note 1: For measurements above 1 GHz the resolution bandwidth is set to 1 MHz, then the video bandwidth is set to 3 MHz for peak measurements and 1 MHz resolution bandwidth with 1/T video bandwidth with peak detector for average measurements. For the Duty Cycle please refer to clause Duty Cycle.

### **Test Mode**

Please refer to the clause 2.4.

### **Test Result**

#### **9 kHz~30 MHz**


From 9 kHz to 30 MHz: The conclusion is PASS.

- Note: 1. The amplitude of spurious emissions which are attenuated by more than 20dB below the permissible value has no need to be reported.  
2. Pre-scan all antenna, only show the test data for worse case antenna on the test report.



## 30MHz-1GHz

|            |                                          |
|------------|------------------------------------------|
| Ant. No.   | MIMO                                     |
| Ant. Pol.  | Horizontal                               |
| Test Mode: | TX 802.11ax (HE20) Mode 5955MHz (UNII-5) |
| Remark:    | Only worse case is reported.             |



| No. | Frequency (MHz) | Reading (dBuV) | Factor (dB/m) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector |
|-----|-----------------|----------------|---------------|----------------|----------------|-------------|----------|
| 1   | 68.6310         | 38.32          | -18.58        | 19.74          | 40.00          | -20.26      | QP       |
| 2   | 98.8324         | 47.71          | -20.07        | 27.64          | 43.50          | -15.86      | QP       |
| 3   | 212.2694        | 49.04          | -18.94        | 30.10          | 43.50          | -13.40      | QP       |
| 4   | 315.4806        | 52.81          | -15.34        | 37.47          | 46.00          | -8.53       | QP       |
| 5 * | 334.8588        | 52.57          | -14.77        | 37.80          | 46.00          | -8.20       | QP       |
| 6   | 818.8340        | 37.53          | -3.59         | 33.94          | 46.00          | -12.06      | QP       |


## Remarks:

1. Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor

2. Margin value = Level -Limit value



|            |                                          |
|------------|------------------------------------------|
| Ant. No.   | MIMO                                     |
| Ant. Pol.  | Vertical                                 |
| Test Mode: | TX 802.11ax (HE20) Mode 5955MHz (UNII-5) |
| Remark:    | Only worse case is reported.             |



| No. | Frequency (MHz) | Reading (dBuV) | Factor (dB/m) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector |
|-----|-----------------|----------------|---------------|----------------|----------------|-------------|----------|
| 1   | 39.9942         | 37.22          | -15.91        | 21.31          | 40.00          | -18.69      | QP       |
| 2   | 68.1514         | 40.46          | -18.50        | 21.96          | 40.00          | -18.04      | QP       |
| 3   | 207.1226        | 44.49          | -19.12        | 25.37          | 43.50          | -18.13      | QP       |
| 4 * | 307.8313        | 50.92          | -15.55        | 35.37          | 46.00          | -10.63      | QP       |
| 5   | 423.5403        | 43.58          | -12.26        | 31.32          | 46.00          | -14.68      | QP       |
| 6   | 986.0717        | 36.48          | -1.25         | 35.23          | 54.00          | -18.77      | QP       |

## Remarks:

1. Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor

2. Margin value = Level -Limit value



Above 1GHz

|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Horizontal                                                                   |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax (HE20) Mode 5955MHz (UNII-5)                                     |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBuV) | Factor (dB/m) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector |
| 1                                                                                                                                 | 11909.469                                                                    | 39.25          | 15.28         | 54.53          | 74.00          | -19.47      | peak     |
| 2 *                                                                                                                               | 11909.905                                                                    | 26.78          | 15.29         | 42.07          | 54.00          | -11.93      | AVG      |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |

|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Vertical                                                                     |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax (HE20) Mode 5955MHz (UNII-5)                                     |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1 *                                                                                                                               | 11909.127                                                                    | 26.34          | 15.28         | 41.62          | 54.00          | -12.38      | AVG      |
| 2                                                                                                                                 | 11910.651                                                                    | 39.89          | 15.29         | 55.18          | 74.00          | -18.82      | peak     |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |



|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Horizontal                                                                   |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax (HE20) Mode 6175MHz (UNII-5)                                     |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1 *                                                                                                                               | 12350.514                                                                    | 26.25          | 15.55         | 41.80          | 54.00          | -12.20      | AVG      |
| 2                                                                                                                                 | 12350.601                                                                    | 39.14          | 15.55         | 54.69          | 74.00          | -19.31      | peak     |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |

|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Vertical                                                                     |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax (HE20) Mode 6175MHz (UNII-5)                                     |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1                                                                                                                                 | 12349.329                                                                    | 39.51          | 15.55         | 55.06          | 74.00          | -18.94      | peak     |
| 2 *                                                                                                                               | 12350.839                                                                    | 26.00          | 15.55         | 41.55          | 54.00          | -12.45      | AVG      |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |



|            |                                                                              |  |  |  |  |  |  |
|------------|------------------------------------------------------------------------------|--|--|--|--|--|--|
| Ant. No.   | MIMO                                                                         |  |  |  |  |  |  |
| Ant. Pol.  | Horizontal                                                                   |  |  |  |  |  |  |
| Test Mode: | TX 802.11ax (HE20) Mode 6415MHz (UNII-5)                                     |  |  |  |  |  |  |
| Remark:    | No report for the emission which more than 20 dB below the prescribed limit. |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |

| Ant. No.                                                                                                                                                                                                                                                                                                                                                                                                                                        | MIMO                                                                         |                |               |                |                |             |          |     |                 |                |               |                |                |             |          |     |           |       |       |       |       |        |     |   |           |       |       |       |       |        |      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|-----|-----------------|----------------|---------------|----------------|----------------|-------------|----------|-----|-----------|-------|-------|-------|-------|--------|-----|---|-----------|-------|-------|-------|-------|--------|------|
| Ant. Pol.                                                                                                                                                                                                                                                                                                                                                                                                                                       | Vertical                                                                     |                |               |                |                |             |          |     |                 |                |               |                |                |             |          |     |           |       |       |       |       |        |     |   |           |       |       |       |       |        |      |
| Test Mode:                                                                                                                                                                                                                                                                                                                                                                                                                                      | TX 802.11ax (HE20) Mode 6415MHz (UNII-5)                                     |                |               |                |                |             |          |     |                 |                |               |                |                |             |          |     |           |       |       |       |       |        |     |   |           |       |       |       |       |        |      |
| Remark:                                                                                                                                                                                                                                                                                                                                                                                                                                         | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |     |                 |                |               |                |                |             |          |     |           |       |       |       |       |        |     |   |           |       |       |       |       |        |      |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                              |                |               |                |                |             |          |     |                 |                |               |                |                |             |          |     |           |       |       |       |       |        |     |   |           |       |       |       |       |        |      |
| <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Level (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Detector</th></tr><tr><td>1 *</td><td>12829.633</td><td>26.05</td><td>16.64</td><td>42.69</td><td>54.00</td><td>-11.31</td><td>AVG</td></tr><tr><td>2</td><td>12829.729</td><td>38.75</td><td>16.64</td><td>55.39</td><td>74.00</td><td>-18.61</td><td>peak</td></tr></table> |                                                                              |                |               |                |                |             |          | No. | Frequency (MHz) | Reading (dBuV) | Factor (dB/m) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | 1 * | 12829.633 | 26.05 | 16.64 | 42.69 | 54.00 | -11.31 | AVG | 2 | 12829.729 | 38.75 | 16.64 | 55.39 | 74.00 | -18.61 | peak |
| No.                                                                                                                                                                                                                                                                                                                                                                                                                                             | Frequency (MHz)                                                              | Reading (dBuV) | Factor (dB/m) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector |     |                 |                |               |                |                |             |          |     |           |       |       |       |       |        |     |   |           |       |       |       |       |        |      |
| 1 *                                                                                                                                                                                                                                                                                                                                                                                                                                             | 12829.633                                                                    | 26.05          | 16.64         | 42.69          | 54.00          | -11.31      | AVG      |     |                 |                |               |                |                |             |          |     |           |       |       |       |       |        |     |   |           |       |       |       |       |        |      |
| 2                                                                                                                                                                                                                                                                                                                                                                                                                                               | 12829.729                                                                    | 38.75          | 16.64         | 55.39          | 74.00          | -18.61      | peak     |     |                 |                |               |                |                |             |          |     |           |       |       |       |       |        |     |   |           |       |       |       |       |        |      |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value                                                                                                                                                                                                                                                                                                               |                                                                              |                |               |                |                |             |          |     |                 |                |               |                |                |             |          |     |           |       |       |       |       |        |     |   |           |       |       |       |       |        |      |



|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Horizontal                                                                   |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE40) Mode 5965MHz (UNII-5)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1 *                                                                                                                               | 11929.059                                                                    | 26.16          | 15.32         | 41.48          | 54.00          | -12.52      | AVG      |
| 2                                                                                                                                 | 11929.614                                                                    | 39.03          | 15.32         | 54.35          | 74.00          | -19.65      | peak     |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |

|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Vertical                                                                     |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE40) Mode 5965MHz (UNII-5)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBuV) | Factor (dB/m) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector |
| 1                                                                                                                                 | 11929.397                                                                    | 39.27          | 15.32         | 54.59          | 74.00          | -19.41      | peak     |
| 2 *                                                                                                                               | 11929.691                                                                    | 26.33          | 15.32         | 41.65          | 54.00          | -12.35      | AVG      |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |



|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Horizontal                                                                   |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE40) Mode 6165MHz (UNII-5)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBuV) | Factor (dB/m) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector |
| 1                                                                                                                                 | 12329.259                                                                    | 38.62          | 15.58         | 54.20          | 74.00          | -19.80      | peak     |
| 2 *                                                                                                                               | 12329.570                                                                    | 25.99          | 15.58         | 41.57          | 54.00          | -12.43      | AVG      |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |

|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Vertical                                                                     |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE40) Mode 6165MHz (UNII-5)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1 *                                                                                                                               | 12329.983                                                                    | 26.24          | 15.57         | 41.81          | 54.00          | -12.19      | AVG      |
| 2                                                                                                                                 | 12330.602                                                                    | 40.16          | 15.57         | 55.73          | 74.00          | -18.27      | peak     |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |



|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Horizontal                                                                   |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE40) Mode 6405MHz (UNII-5)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1                                                                                                                                 | 12810.026                                                                    | 38.79          | 16.59         | 55.38          | 74.00          | -18.62      | peak     |
| 2 *                                                                                                                               | 12810.557                                                                    | 25.71          | 16.59         | 42.30          | 54.00          | -11.70      | AVG      |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |

|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Vertical                                                                     |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE40) Mode 6405MHz (UNII-5)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBuV) | Factor (dB/m) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector |
| 1 *                                                                                                                               | 12809.785                                                                    | 25.93          | 16.59         | 42.52          | 54.00          | -11.48      | AVG      |
| 2                                                                                                                                 | 12810.326                                                                    | 38.73          | 16.59         | 55.32          | 74.00          | -18.68      | peak     |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |



|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Horizontal                                                                   |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE80) Mode 5985MHz (UNII-5)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1                                                                                                                                 | 11969.092                                                                    | 38.74          | 15.39         | 54.13          | 74.00          | -19.87      | peak     |
| 2 *                                                                                                                               | 11969.507                                                                    | 26.66          | 15.39         | 42.05          | 54.00          | -11.95      | AVG      |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |

|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Vertical                                                                     |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE80) Mode 5985MHz (UNII-5)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBuV) | Factor (dB/m) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector |
| 1 *                                                                                                                               | 11969.035                                                                    | 26.64          | 15.39         | 42.03          | 54.00          | -11.97      | AVG      |
| 2                                                                                                                                 | 11970.249                                                                    | 40.22          | 15.40         | 55.62          | 74.00          | -18.38      | peak     |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |



|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Horizontal                                                                   |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE80) Mode 6145MHz (UNII-5)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1                                                                                                                                 | 12289.959                                                                    | 38.35          | 15.62         | 53.97          | 74.00          | -20.03      | peak     |
| 2 *                                                                                                                               | 12290.945                                                                    | 25.92          | 15.61         | 41.53          | 54.00          | -12.47      | AVG      |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |

|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Vertical                                                                     |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE80) Mode 6145MHz (UNII-5)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1                                                                                                                                 | 12289.501                                                                    | 39.22          | 15.62         | 54.84          | 74.00          | -19.16      | peak     |
| 2 *                                                                                                                               | 12289.666                                                                    | 25.87          | 15.62         | 41.49          | 54.00          | -12.51      | AVG      |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |



|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Horizontal                                                                   |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE80) Mode 6385MHz (UNII-5)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1 *                                                                                                                               | 12769.807                                                                    | 25.45          | 16.49         | 41.94          | 54.00          | -12.06      | AVG      |
| 2                                                                                                                                 | 12770.268                                                                    | 38.95          | 16.49         | 55.44          | 74.00          | -18.56      | peak     |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |

|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Vertical                                                                     |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE80) Mode 6385MHz (UNII-5)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1 *                                                                                                                               | 12770.617                                                                    | 25.46          | 16.49         | 41.95          | 54.00          | -12.05      | AVG      |
| 2                                                                                                                                 | 12770.647                                                                    | 38.75          | 16.49         | 55.24          | 74.00          | -18.76      | peak     |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |



|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Horizontal                                                                   |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE160) Mode 6025MHz (UNII-5)                                     |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1                                                                                                                                 | 12049.079                                                                    | 39.70          | 15.51         | 55.21          | 74.00          | -18.79      | peak     |
| 2 *                                                                                                                               | 12050.536                                                                    | 26.68          | 15.52         | 42.20          | 54.00          | -11.80      | AVG      |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |

|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Vertical                                                                     |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE160) Mode 6025MHz (UNII-5)                                     |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1 *                                                                                                                               | 12049.675                                                                    | 26.40          | 15.51         | 41.91          | 54.00          | -12.09      | AVG      |
| 2                                                                                                                                 | 12049.764                                                                    | 39.34          | 15.51         | 54.85          | 74.00          | -19.15      | peak     |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |



|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Horizontal                                                                   |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE160) Mode 6185MHz (UNII-5)                                     |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1 *                                                                                                                               | 12369.056                                                                    | 26.31          | 15.53         | 41.84          | 54.00          | -12.16      | AVG      |
| 2                                                                                                                                 | 12370.039                                                                    | 39.14          | 15.52         | 54.66          | 74.00          | -19.34      | peak     |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |

|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Vertical                                                                     |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE160) Mode 6185MHz (UNII-5)                                     |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBuV) | Factor (dB/m) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector |
| 1 *                                                                                                                               | 12369.841                                                                    | 26.34          | 15.53         | 41.87          | 54.00          | -12.13      | AVG      |
| 2                                                                                                                                 | 12370.758                                                                    | 38.87          | 15.52         | 54.39          | 74.00          | -19.61      | peak     |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |



|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Horizontal                                                                   |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE160) Mode 6345MHz (UNII-5)                                     |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBuV) | Factor (dB/m) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector |
| 1 *                                                                                                                               | 12689.165                                                                    | 25.08          | 16.29         | 41.37          | 54.00          | -12.63      | AVG      |
| 2                                                                                                                                 | 12689.228                                                                    | 38.01          | 16.29         | 54.30          | 74.00          | -19.70      | peak     |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |

|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Vertical                                                                     |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE160) Mode 6345MHz (UNII-5)                                     |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBuV) | Factor (dB/m) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector |
| 1 *                                                                                                                               | 12689.302                                                                    | 25.00          | 16.29         | 41.29          | 54.00          | -12.71      | AVG      |
| 2                                                                                                                                 | 12689.577                                                                    | 37.61          | 16.29         | 53.90          | 74.00          | -20.10      | peak     |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |



|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Horizontal                                                                   |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE20) Mode 6435MHz (UNII-6)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1 *                                                                                                                               | 12869.524                                                                    | 25.56          | 16.73         | 42.29          | 54.00          | -11.71      | AVG      |
| 2                                                                                                                                 | 12870.707                                                                    | 38.91          | 16.73         | 55.64          | 74.00          | -18.36      | peak     |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |

|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Vertical                                                                     |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE20) Mode 6435MHz (UNII-6)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1 *                                                                                                                               | 12869.174                                                                    | 25.57          | 16.73         | 42.30          | 54.00          | -11.70      | AVG      |
| 2                                                                                                                                 | 12870.608                                                                    | 38.64          | 16.73         | 55.37          | 74.00          | -18.63      | peak     |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |



|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Horizontal                                                                   |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE20) Mode 6475MHz (UNII-6)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBuV) | Factor (dB/m) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector |
| 1 *                                                                                                                               | 12949.055                                                                    | 25.56          | 16.92         | 42.48          | 54.00          | -11.52      | AVG      |
| 2                                                                                                                                 | 12949.214                                                                    | 38.48          | 16.92         | 55.40          | 74.00          | -18.60      | peak     |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |

|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Vertical                                                                     |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE20) Mode 6475MHz (UNII-6)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBuV) | Factor (dB/m) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector |
| 1 *                                                                                                                               | 12950.009                                                                    | 25.54          | 16.93         | 42.47          | 54.00          | -11.53      | AVG      |
| 2                                                                                                                                 | 12950.631                                                                    | 38.32          | 16.93         | 55.25          | 74.00          | -18.75      | peak     |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |



|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Horizontal                                                                   |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE20) Mode 6515MHz (UNII-6)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1 *                                                                                                                               | 13029.306                                                                    | 25.31          | 17.05         | 42.36          | 54.00          | -11.64      | AVG      |
| 2                                                                                                                                 | 13029.677                                                                    | 38.59          | 17.05         | 55.64          | 74.00          | -18.36      | peak     |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |

|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Vertical                                                                     |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE20) Mode 6515MHz (UNII-6)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1                                                                                                                                 | 13029.947                                                                    | 38.00          | 17.05         | 55.05          | 74.00          | -18.95      | peak     |
| 2 *                                                                                                                               | 13030.856                                                                    | 25.26          | 17.04         | 42.30          | 54.00          | -11.70      | AVG      |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |



|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Horizontal                                                                   |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE40) Mode 6445MHz (UNII-6)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1 *                                                                                                                               | 12889.094                                                                    | 25.36          | 16.78         | 42.14          | 54.00          | -11.86      | AVG      |
| 2                                                                                                                                 | 12889.490                                                                    | 40.10          | 16.78         | 56.88          | 74.00          | -17.12      | peak     |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |

|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Vertical                                                                     |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE40) Mode 6445MHz (UNII-6)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBuV) | Factor (dB/m) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector |
| 1                                                                                                                                 | 12889.348                                                                    | 38.25          | 16.78         | 55.03          | 74.00          | -18.97      | peak     |
| 2 *                                                                                                                               | 12890.767                                                                    | 25.55          | 16.78         | 42.33          | 54.00          | -11.67      | AVG      |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |



|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Horizontal                                                                   |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE40) Mode 6485MHz (UNII-6)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1 *                                                                                                                               | 12970.138                                                                    | 25.40          | 16.97         | 42.37          | 54.00          | -11.63      | AVG      |
| 2                                                                                                                                 | 12970.586                                                                    | 38.78          | 16.97         | 55.75          | 74.00          | -18.25      | peak     |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |

|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Vertical                                                                     |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE40) Mode 6485MHz (UNII-6)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1 *                                                                                                                               | 12969.825                                                                    | 25.37          | 16.97         | 42.34          | 54.00          | -11.66      | AVG      |
| 2                                                                                                                                 | 12970.331                                                                    | 37.86          | 16.97         | 54.83          | 74.00          | -19.17      | peak     |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |



|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Horizontal                                                                   |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE40) Mode 6525MHz (UNII-6)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1 *                                                                                                                               | 13049.770                                                                    | 25.16          | 17.05         | 42.21          | 54.00          | -11.79      | AVG      |
| 2                                                                                                                                 | 13050.505                                                                    | 38.16          | 17.04         | 55.20          | 74.00          | -18.80      | peak     |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |

|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Vertical                                                                     |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE40) Mode 6525MHz (UNII-6)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1 *                                                                                                                               | 13049.164                                                                    | 25.14          | 17.05         | 42.19          | 54.00          | -11.81      | AVG      |
| 2                                                                                                                                 | 13049.677                                                                    | 38.62          | 17.05         | 55.67          | 74.00          | -18.33      | peak     |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |



|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Horizontal                                                                   |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE80) Mode 6465MHz (UNII-6)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBuV) | Factor (dB/m) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector |
| 1                                                                                                                                 | 12929.425                                                                    | 38.40          | 16.88         | 55.28          | 74.00          | -18.72      | peak     |
| 2 *                                                                                                                               | 12929.668                                                                    | 25.60          | 16.88         | 42.48          | 54.00          | -11.52      | AVG      |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |

|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Vertical                                                                     |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE80) Mode 6465MHz (UNII-6)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1                                                                                                                                 | 12929.217                                                                    | 38.50          | 16.88         | 55.38          | 74.00          | -18.62      | peak     |
| 2 *                                                                                                                               | 12930.916                                                                    | 25.58          | 16.88         | 42.46          | 54.00          | -11.54      | AVG      |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |



|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Horizontal                                                                   |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE160) Mode 6505MHz (UNII-6)                                     |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1 *                                                                                                                               | 13009.804                                                                    | 25.42          | 17.05         | 42.47          | 54.00          | -11.53      | AVG      |
| 2                                                                                                                                 | 13010.947                                                                    | 37.91          | 17.04         | 54.95          | 74.00          | -19.05      | peak     |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |

|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Vertical                                                                     |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE160) Mode 6505MHz (UNII-6)                                     |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBuV) | Factor (dB/m) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector |
| 1 *                                                                                                                               | 13009.864                                                                    | 25.25          | 17.05         | 42.30          | 54.00          | -11.70      | AVG      |
| 2                                                                                                                                 | 13010.381                                                                    | 37.76          | 17.04         | 54.80          | 74.00          | -19.20      | peak     |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |



|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Horizontal                                                                   |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE20) Mode 6535MHz (UNII-7)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1                                                                                                                                 | 13069.682                                                                    | 38.46          | 17.05         | 55.51          | 74.00          | -18.49      | peak     |
| 2 *                                                                                                                               | 13070.567                                                                    | 25.65          | 17.04         | 42.69          | 54.00          | -11.31      | AVG      |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |

|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Vertical                                                                     |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE20) Mode 6535MHz (UNII-7)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBuV) | Factor (dB/m) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector |
| 1                                                                                                                                 | 13069.503                                                                    | 38.77          | 17.05         | 55.82          | 74.00          | -18.18      | peak     |
| 2 *                                                                                                                               | 13069.849                                                                    | 24.99          | 17.05         | 42.04          | 54.00          | -11.96      | AVG      |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |



|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Horizontal                                                                   |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE20) Mode 6695MHz (UNII-7)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1 *                                                                                                                               | 13389.307                                                                    | 23.10          | 17.55         | 40.65          | 54.00          | -13.35      | AVG      |
| 2                                                                                                                                 | 13390.815                                                                    | 38.22          | 17.55         | 55.77          | 74.00          | -18.23      | peak     |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |

|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Vertical                                                                     |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE20) Mode 6695MHz (UNII-7)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1                                                                                                                                 | 13389.644                                                                    | 37.54          | 17.55         | 55.09          | 74.00          | -18.91      | peak     |
| 2 *                                                                                                                               | 13390.238                                                                    | 23.33          | 17.55         | 40.88          | 54.00          | -13.12      | AVG      |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |



|            |                                                                              |  |  |  |  |  |  |
|------------|------------------------------------------------------------------------------|--|--|--|--|--|--|
| Ant. No.   | MIMO                                                                         |  |  |  |  |  |  |
| Ant. Pol.  | Horizontal                                                                   |  |  |  |  |  |  |
| Test Mode: | TX 802.11ax(HE20) Mode 6855MHz (UNII-7)                                      |  |  |  |  |  |  |
| Remark:    | No report for the emission which more than 20 dB below the prescribed limit. |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |

|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Vertical                                                                     |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE20) Mode 6855MHz (UNII-7)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1 *                                                                                                                               | 13709.785                                                                    | 23.33          | 18.41         | 41.74          | 54.00          | -12.26      | AVG      |
| 2                                                                                                                                 | 13710.276                                                                    | 38.03          | 18.41         | 56.44          | 74.00          | -17.56      | peak     |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |



|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Horizontal                                                                   |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE40) Mode 6565MHz (UNII-7)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1                                                                                                                                 | 13129.187                                                                    | 38.78          | 17.04         | 55.82          | 74.00          | -18.18      | peak     |
| 2 *                                                                                                                               | 13130.682                                                                    | 25.88          | 17.03         | 42.91          | 54.00          | -11.09      | AVG      |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |

|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Vertical                                                                     |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE40) Mode 6565MHz (UNII-7)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1 *                                                                                                                               | 13130.219                                                                    | 25.83          | 17.03         | 42.86          | 54.00          | -11.14      | AVG      |
| 2                                                                                                                                 | 13130.712                                                                    | 38.94          | 17.03         | 55.97          | 74.00          | -18.03      | peak     |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |



|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Horizontal                                                                   |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE40) Mode 6685MHz (UNII-7)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1 *                                                                                                                               | 13369.383                                                                    | 25.65          | 17.43         | 43.08          | 54.00          | -10.92      | AVG      |
| 2                                                                                                                                 | 13370.107                                                                    | 39.05          | 17.43         | 56.48          | 74.00          | -17.52      | peak     |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |

|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Vertical                                                                     |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE40) Mode 6685MHz (UNII-7)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1                                                                                                                                 | 13369.867                                                                    | 37.86          | 17.43         | 55.29          | 74.00          | -18.71      | peak     |
| 2 *                                                                                                                               | 13369.893                                                                    | 25.87          | 17.43         | 43.30          | 54.00          | -10.70      | AVG      |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |



|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Horizontal                                                                   |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE40) Mode 6845MHz (UNII-7)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1 *                                                                                                                               | 13689.579                                                                    | 27.34          | 18.23         | 45.57          | 54.00          | -8.43       | AVG      |
| 2                                                                                                                                 | 13690.955                                                                    | 39.71          | 18.23         | 57.94          | 74.00          | -16.06      | peak     |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |

|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Vertical                                                                     |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE40) Mode 6845MHz (UNII-7)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBuV) | Factor (dB/m) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector |
| 1                                                                                                                                 | 13689.087                                                                    | 39.40          | 18.23         | 57.63          | 74.00          | -16.37      | peak     |
| 2 *                                                                                                                               | 13690.595                                                                    | 26.79          | 18.23         | 45.02          | 54.00          | -8.98       | AVG      |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |



|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Horizontal                                                                   |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE80) Mode 6545MHz (UNII-7)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1                                                                                                                                 | 13089.887                                                                    | 39.45          | 17.04         | 56.49          | 74.00          | -17.51      | peak     |
| 2 *                                                                                                                               | 13090.813                                                                    | 25.28          | 17.03         | 42.31          | 54.00          | -11.69      | AVG      |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |

|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Vertical                                                                     |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE80) Mode 6545MHz (UNII-7)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1 *                                                                                                                               | 13090.480                                                                    | 25.21          | 17.03         | 42.24          | 54.00          | -11.76      | AVG      |
| 2                                                                                                                                 | 13090.872                                                                    | 37.98          | 17.03         | 55.01          | 74.00          | -18.99      | peak     |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |



|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Horizontal                                                                   |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE80) Mode 6625MHz (UNII-7)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1                                                                                                                                 | 13249.390                                                                    | 38.84          | 17.30         | 56.14          | 74.00          | -17.86      | peak     |
| 2 *                                                                                                                               | 13250.899                                                                    | 24.18          | 17.29         | 41.47          | 54.00          | -12.53      | AVG      |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |

|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Vertical                                                                     |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE80) Mode 6625MHz (UNII-7)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1                                                                                                                                 | 13250.637                                                                    | 39.11          | 17.29         | 56.40          | 74.00          | -17.60      | peak     |
| 2 *                                                                                                                               | 13250.901                                                                    | 23.90          | 17.29         | 41.19          | 54.00          | -12.81      | AVG      |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |



|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Horizontal                                                                   |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE80) Mode 6705MHz (UNII-7)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1 *                                                                                                                               | 13409.663                                                                    | 25.50          | 17.51         | 43.01          | 54.00          | -10.99      | AVG      |
| 2                                                                                                                                 | 13410.457                                                                    | 38.51          | 17.51         | 56.02          | 74.00          | -17.98      | peak     |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |

|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Vertical                                                                     |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE80) Mode 6705MHz (UNII-7)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1 *                                                                                                                               | 13409.535                                                                    | 25.68          | 17.51         | 43.19          | 54.00          | -10.81      | AVG      |
| 2                                                                                                                                 | 13410.813                                                                    | 38.35          | 17.51         | 55.86          | 74.00          | -18.14      | peak     |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |



|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Horizontal                                                                   |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE80) Mode 6785MHz (UNII-7)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1                                                                                                                                 | 13570.584                                                                    | 38.73          | 17.86         | 56.59          | 74.00          | -17.41      | peak     |
| 2 *                                                                                                                               | 13570.741                                                                    | 23.70          | 17.86         | 41.56          | 54.00          | -12.44      | AVG      |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |

|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Vertical                                                                     |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE80) Mode 6785MHz (UNII-7)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1                                                                                                                                 | 13570.773                                                                    | 37.67          | 17.86         | 55.53          | 74.00          | -18.47      | peak     |
| 2 *                                                                                                                               | 13570.947                                                                    | 23.73          | 17.86         | 41.59          | 54.00          | -12.41      | AVG      |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |



|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Horizontal                                                                   |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE80) Mode 6865MHz (UNII-7)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1 *                                                                                                                               | 13730.204                                                                    | 26.73          | 18.42         | 45.15          | 54.00          | -8.85       | AVG      |
| 2                                                                                                                                 | 13730.841                                                                    | 40.08          | 18.42         | 58.50          | 74.00          | -15.50      | peak     |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |

|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Vertical                                                                     |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE80) Mode 6865MHz (UNII-7)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBuV) | Factor (dB/m) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector |
| 1                                                                                                                                 | 13729.788                                                                    | 39.85          | 18.42         | 58.27          | 74.00          | -15.73      | peak     |
| 2 *                                                                                                                               | 13730.077                                                                    | 26.72          | 18.42         | 45.14          | 54.00          | -8.86       | AVG      |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |



|            |                                                                              |  |  |  |  |  |  |
|------------|------------------------------------------------------------------------------|--|--|--|--|--|--|
| Ant. No.   | MIMO                                                                         |  |  |  |  |  |  |
| Ant. Pol.  | Horizontal                                                                   |  |  |  |  |  |  |
| Test Mode: | TX 802.11ax(HE160) Mode 6665MHz (UNII-7)                                     |  |  |  |  |  |  |
| Remark:    | No report for the emission which more than 20 dB below the prescribed limit. |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |

|            |                                                                              |  |  |  |  |  |  |
|------------|------------------------------------------------------------------------------|--|--|--|--|--|--|
| Ant. No.   | MIMO                                                                         |  |  |  |  |  |  |
| Ant. Pol.  | Vertical                                                                     |  |  |  |  |  |  |
| Test Mode: | TX 802.11ax(HE160) Mode 6665MHz (UNII-7)                                     |  |  |  |  |  |  |
| Remark:    | No report for the emission which more than 20 dB below the prescribed limit. |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |
|            |                                                                              |  |  |  |  |  |  |



|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Horizontal                                                                   |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE160) Mode 6825MHz (UNII-7)                                     |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1                                                                                                                                 | 13649.704                                                                    | 41.14          | 18.04         | 59.18          | 74.00          | -14.82      | peak     |
| 2 *                                                                                                                               | 13650.267                                                                    | 27.05          | 18.05         | 45.10          | 54.00          | -8.90       | AVG      |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |

|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Vertical                                                                     |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE160) Mode 6825MHz (UNII-7)                                     |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1                                                                                                                                 | 13649.121                                                                    | 39.66          | 18.04         | 57.70          | 74.00          | -16.30      | peak     |
| 2 *                                                                                                                               | 13649.681                                                                    | 27.39          | 18.04         | 45.43          | 54.00          | -8.57       | AVG      |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |



|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Horizontal                                                                   |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE20) Mode 6895MHz (UNII-8)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1                                                                                                                                 | 13789.669                                                                    | 39.73          | 18.70         | 58.43          | 74.00          | -15.57      | peak     |
| 2 *                                                                                                                               | 13790.517                                                                    | 26.19          | 18.70         | 44.89          | 54.00          | -9.11       | AVG      |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |

|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Vertical                                                                     |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE20) Mode 6895MHz (UNII-8)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBuV) | Factor (dB/m) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector |
| 1 *                                                                                                                               | 13789.658                                                                    | 26.41          | 18.70         | 45.11          | 54.00          | -8.89       | AVG      |
| 2                                                                                                                                 | 13790.567                                                                    | 39.67          | 18.70         | 58.37          | 74.00          | -15.63      | peak     |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |



|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Horizontal                                                                   |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE20) Mode 6995MHz (UNII-8)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1                                                                                                                                 | 13989.843                                                                    | 40.28          | 19.55         | 59.83          | 74.00          | -14.17      | peak     |
| 2 *                                                                                                                               | 13990.237                                                                    | 27.02          | 19.54         | 46.56          | 54.00          | -7.44       | AVG      |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |

|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Vertical                                                                     |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE20) Mode 6995MHz (UNII-8)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1 *                                                                                                                               | 13989.771                                                                    | 26.79          | 19.55         | 46.34          | 54.00          | -7.66       | AVG      |
| 2                                                                                                                                 | 13989.872                                                                    | 39.93          | 19.55         | 59.48          | 74.00          | -14.52      | peak     |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |



|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Horizontal                                                                   |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE20) Mode 7095MHz (UNII-8)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1                                                                                                                                 | 14189.702                                                                    | 40.36          | 19.67         | 60.03          | 74.00          | -13.97      | peak     |
| 2 *                                                                                                                               | 14190.398                                                                    | 27.12          | 19.67         | 46.79          | 54.00          | -7.21       | AVG      |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |

|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Vertical                                                                     |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE20) Mode 7095MHz (UNII-8)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1 *                                                                                                                               | 14189.354                                                                    | 26.92          | 19.67         | 46.59          | 54.00          | -7.41       | AVG      |
| 2                                                                                                                                 | 14189.607                                                                    | 39.73          | 19.67         | 59.40          | 74.00          | -14.60      | peak     |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |



|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Horizontal                                                                   |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE40) Mode 6885MHz (UNII-8)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1 *                                                                                                                               | 13770.427                                                                    | 26.34          | 18.61         | 44.95          | 54.00          | -9.05       | AVG      |
| 2                                                                                                                                 | 13770.580                                                                    | 39.53          | 18.61         | 58.14          | 74.00          | -15.86      | peak     |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |

|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Vertical                                                                     |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE40) Mode 6885MHz (UNII-8)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBuV) | Factor (dB/m) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector |
| 1 *                                                                                                                               | 13769.620                                                                    | 26.33          | 18.61         | 44.94          | 54.00          | -9.06       | AVG      |
| 2                                                                                                                                 | 13769.929                                                                    | 39.62          | 18.61         | 58.23          | 74.00          | -15.77      | peak     |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |



|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Horizontal                                                                   |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE40) Mode 6965MHz (UNII-8)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBuV) | Factor (dB/m) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector |
| 1                                                                                                                                 | 13929.413                                                                    | 40.01          | 19.30         | 59.31          | 74.00          | -14.69      | peak     |
| 2 *                                                                                                                               | 13929.709                                                                    | 26.76          | 19.30         | 46.06          | 54.00          | -7.94       | AVG      |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |

|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Vertical                                                                     |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE40) Mode 6965MHz (UNII-8)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1                                                                                                                                 | 13930.021                                                                    | 39.55          | 19.29         | 58.84          | 74.00          | -15.16      | peak     |
| 2 *                                                                                                                               | 13930.095                                                                    | 26.91          | 19.29         | 46.20          | 54.00          | -7.80       | AVG      |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |



|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Horizontal                                                                   |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE40) Mode 7085MHz (UNII-8)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1                                                                                                                                 | 14169.795                                                                    | 40.30          | 19.66         | 59.96          | 74.00          | -14.04      | peak     |
| 2 *                                                                                                                               | 14170.658                                                                    | 27.04          | 19.66         | 46.70          | 54.00          | -7.30       | AVG      |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |

|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Vertical                                                                     |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE40) Mode 7085MHz (UNII-8)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1                                                                                                                                 | 14169.901                                                                    | 39.95          | 19.66         | 59.61          | 74.00          | -14.39      | peak     |
| 2 *                                                                                                                               | 14170.609                                                                    | 27.25          | 19.66         | 46.91          | 54.00          | -7.09       | AVG      |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |



|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Horizontal                                                                   |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE80) Mode 6945MHz (UNII-8)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBuV) | Factor (dB/m) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector |
| 1                                                                                                                                 | 13890.703                                                                    | 39.92          | 19.12         | 59.04          | 74.00          | -14.96      | peak     |
| 2 *                                                                                                                               | 13890.962                                                                    | 26.58          | 19.12         | 45.70          | 54.00          | -8.30       | AVG      |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |

|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Vertical                                                                     |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE80) Mode 6945MHz (UNII-8)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBuV) | Factor (dB/m) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector |
| 1 *                                                                                                                               | 13890.827                                                                    | 26.54          | 19.12         | 45.66          | 54.00          | -8.34       | AVG      |
| 2                                                                                                                                 | 13890.960                                                                    | 40.78          | 19.12         | 59.90          | 74.00          | -14.10      | peak     |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |



|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Horizontal                                                                   |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE80) Mode 7025MHz (UNII-8)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1 *                                                                                                                               | 14049.453                                                                    | 27.02          | 19.62         | 46.64          | 54.00          | -7.36       | AVG      |
| 2                                                                                                                                 | 14050.363                                                                    | 39.54          | 19.61         | 59.15          | 74.00          | -14.85      | peak     |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |

|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Vertical                                                                     |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE80) Mode 7025MHz (UNII-8)                                      |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1                                                                                                                                 | 14050.433                                                                    | 41.07          | 19.61         | 60.68          | 74.00          | -13.32      | peak     |
| 2 *                                                                                                                               | 14050.839                                                                    | 27.09          | 19.61         | 46.70          | 54.00          | -7.30       | AVG      |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |



|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Horizontal                                                                   |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE160) Mode 6985MHz (UNII-8)                                     |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1                                                                                                                                 | 13969.263                                                                    | 40.59          | 19.47         | 60.06          | 74.00          | -13.94      | peak     |
| 2 *                                                                                                                               | 13970.131                                                                    | 26.91          | 19.46         | 46.37          | 54.00          | -7.63       | AVG      |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |

|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------|---------------|----------------|----------------|-------------|----------|
| Ant. No.                                                                                                                          | MIMO                                                                         |                |               |                |                |             |          |
| Ant. Pol.                                                                                                                         | Vertical                                                                     |                |               |                |                |             |          |
| Test Mode:                                                                                                                        | TX 802.11ax(HE160) Mode 6985MHz (UNII-8)                                     |                |               |                |                |             |          |
| Remark:                                                                                                                           | No report for the emission which more than 20 dB below the prescribed limit. |                |               |                |                |             |          |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| No.                                                                                                                               | Frequency (MHz)                                                              | Reading (dBUV) | Factor (dB/m) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Detector |
| 1                                                                                                                                 | 13969.224                                                                    | 39.53          | 19.47         | 59.00          | 74.00          | -15.00      | peak     |
| 2 *                                                                                                                               | 13970.963                                                                    | 26.92          | 19.46         | 46.38          | 54.00          | -7.62       | AVG      |
|                                                                                                                                   |                                                                              |                |               |                |                |             |          |
| Remarks:<br>1.Factor (dB/m) = Antenna Factor (dB/m)+Cable Factor (dB)-Pre-amplifier Factor<br>2.Margin value = Level -Limit value |                                                                              |                |               |                |                |             |          |

### 3.3. Band Edge Emissions

#### Limit

Limits of unwanted emission out of the restricted bands

FCC CFR Title 47 Part 15 Subpart E Section 15. 407(b) / RSS-248 4.6

Limits of unwanted emission out of the restricted bands

#### LIMITS OF UNWANTED EMISSION OUT OF THE RESTRICTED BANDS (Above 1000 MHz)


| Frequency (MHz) | EIRP Limit (dBm/MHz) | Equivalent Field Strength at 3m (dBμV/m) |
|-----------------|----------------------|------------------------------------------|
| 5925-7125       | Average (RMS): -27   | 68.2                                     |
| 5925-7125       | (Peak): - 7          | 88.2                                     |

NOTE:

- (1) The following formula is used to convert the equipment isotropic radiated power (eirp) to field strength:

$$E = \frac{1000000\sqrt{30P}}{3} \mu\text{V/m, where } P \text{ is the eirp (Watts)}$$

#### Test Configuration



**Test Procedure**

1. The EUT was setup and tested according to ANSI C63.10:2013 requirements.
2. The EUT is placed on a turn table which is 1.5 meter above ground. The turn table is rotated 360 degrees to determine the position of the maximum emission level.
3. The EUT was positioned such that the distance from antenna to the EUT was 3 meters.
4. The antenna is scanned from 1 meter to 4 meters to find out the maximum emission level. This is repeated for both horizontal and vertical polarization of the antenna. In order to find the maximum emission, all of the interface cables were manipulated according to ANSI C63.10:2013 on radiated measurement.
5. The receiver set as follow:  
RBW=1MHz, VBW=3MHz Peak detector for Peak value.  
RBW=1MHz, VBW see note 1 with Peak Detector for Average Value.

Note 1: For measurements above 1 GHz the resolution bandwidth is set to 1 MHz, then the video bandwidth is set to 3 MHz for peak measurements and 1 MHz resolution bandwidth with 1/T video bandwidth with peak detector for average measurements. For the Duty Cycle please refer to clause Duty Cycle.


**Test Mode**


Please refer to the clause 2.4.


**Test Result**


Note: 1. Pre-scan both 4500-5150MHz, 5350-5460MHz were investigated, report only shows the test data for worst case.


2. Pre-scan all antenna, only show the test data for worse case antenna on the test report.















































### 3.4. Bandwidth

#### Limit

#### **FCC CFR Title 47 Part 15 Subpart E Section 15.407(a) & (e) / RSS-248 4.4**

The maximum bandwidth for U-NII devices in the 5.925-7.125 GHz band is 320 MHz. KDB 987594 D03 U-NII 6 GHz QA v02, modified by FCC TCB Workshop Presentation Review of TCB PAG Submissions - October 2023, allows the maximum bandwidths to be defined by either the 26dB bandwidth or the 99% bandwidth for a 320 MHz nominal channel bandwidth and by the 26dB bandwidth for all other nominal channel bandwidths. The KDB requires that the test report show the 99% and 26 dB bandwidth for all the nominal channel bandwidths used by the device.

#### Test Configuration



#### Test

#### Procedure

Please refer to KDB789033 D02 for the measurement methods.

#### The setting of the spectrum analyzer as below:

| 26dB Bandwidth Test         |                                            |
|-----------------------------|--------------------------------------------|
| Spectrum Parameters         | Setting                                    |
| Attenuation                 | Auto                                       |
| Span                        | >26 dB Bandwidth                           |
| RBW                         | Approximately 1% of the emission bandwidth |
| VBW                         | >RBW                                       |
| Detector                    | Peak                                       |
| Trace                       | Max Hold                                   |
| Sweep Time                  | Auto                                       |
| 99% Occupied Bandwidth Test |                                            |
| Spectrum Parameters         | Setting                                    |
| Attenuation                 | Auto                                       |
| RBW                         | 1% to 5% of the OBW                        |
| VBW                         | $\geq 3 \times \text{RBW}$                 |
| Detector                    | Peak                                       |
| Trace                       | Max Hold                                   |

NOTE: The EUT was set to continuously transmitting in each mode and low, middle and high channel for the test.

**Test Mode**

Please refer to the clause 2.4.

**Test Result****26dB Bandwidth & 99% Bandwidth**

| TestMode   | Antenna | Channel | 26db EBW [MHz] | OCB [MHz] | Limit [MHz] | Verdict |
|------------|---------|---------|----------------|-----------|-------------|---------|
| 11AX20MIMO | Ant1    | 5955    | 20.80          | 18.901    | 320         | PASS    |
|            | Ant2    | 5955    | 20.52          | 18.901    | 320         | PASS    |
|            | Ant1    | 6175    | 20.68          | 18.861    | 320         | PASS    |
|            | Ant2    | 6175    | 20.36          | 18.941    | 320         | PASS    |
|            | Ant1    | 6415    | 20.08          | 18.981    | 320         | PASS    |
|            | Ant2    | 6415    | 20.40          | 18.861    | 320         | PASS    |
|            | Ant1    | 6435    | 20.64          | 19.021    | 320         | PASS    |
|            | Ant2    | 6435    | 20.48          | 18.861    | 320         | PASS    |
|            | Ant1    | 6475    | 20.84          | 18.941    | 320         | PASS    |
|            | Ant2    | 6475    | 20.64          | 19.021    | 320         | PASS    |
|            | Ant1    | 6515    | 20.28          | 18.981    | 320         | PASS    |
|            | Ant2    | 6515    | 20.68          | 18.941    | 320         | PASS    |
|            | Ant1    | 6535    | 20.16          | 19.061    | 320         | PASS    |
|            | Ant2    | 6535    | 20.48          | 18.981    | 320         | PASS    |
|            | Ant1    | 6695    | 20.28          | 18.901    | 320         | PASS    |
|            | Ant2    | 6695    | 20.84          | 18.941    | 320         | PASS    |
|            | Ant1    | 6855    | 20.96          | 18.981    | 320         | PASS    |
|            | Ant2    | 6855    | 20.40          | 18.981    | 320         | PASS    |
|            | Ant1    | 6895    | 20.76          | 18.901    | 320         | PASS    |
|            | Ant2    | 6895    | 20.44          | 19.141    | 320         | PASS    |
|            | Ant1    | 6995    | 21.28          | 18.981    | 320         | PASS    |
|            | Ant2    | 6995    | 20.52          | 18.901    | 320         | PASS    |
|            | Ant1    | 7095    | 20.60          | 18.941    | 320         | PASS    |
|            | Ant2    | 7095    | 20.56          | 18.941    | 320         | PASS    |
| 11AX40MIMO | Ant1    | 5965    | 40.24          | 37.722    | 320         | PASS    |
|            | Ant2    | 5965    | 40.16          | 37.483    | 320         | PASS    |
|            | Ant1    | 6165    | 39.92          | 37.722    | 320         | PASS    |
|            | Ant2    | 6165    | 39.60          | 37.722    | 320         | PASS    |
|            | Ant1    | 6405    | 39.92          | 38.122    | 320         | PASS    |
|            | Ant2    | 6405    | 40.00          | 37.802    | 320         | PASS    |
|            | Ant1    | 6445    | 40.32          | 37.882    | 320         | PASS    |
|            | Ant2    | 6445    | 40.00          | 37.642    | 320         | PASS    |
|            | Ant1    | 6485    | 39.84          | 37.562    | 320         | PASS    |
|            | Ant2    | 6485    | 39.60          | 37.722    | 320         | PASS    |
|            | Ant1    | 6525    | 39.76          | 37.882    | 320         | PASS    |
|            | Ant2    | 6525    | 39.68          | 37.962    | 320         | PASS    |
|            | Ant1    | 6565    | 39.60          | 37.483    | 320         | PASS    |
|            | Ant2    | 6565    | 39.92          | 37.722    | 320         | PASS    |
|            | Ant1    | 6685    | 40.16          | 37.722    | 320         | PASS    |
|            | Ant2    | 6685    | 40.48          | 37.882    | 320         | PASS    |
|            | Ant1    | 6845    | 39.52          | 37.882    | 320         | PASS    |
|            | Ant2    | 6845    | 40.64          | 38.042    | 320         | PASS    |
|            | Ant1    | 6925    | 39.92          | 37.562    | 320         | PASS    |
|            | Ant2    | 6925    | 40.64          | 37.802    | 320         | PASS    |
|            | Ant1    | 6965    | 40.56          | 37.882    | 320         | PASS    |
|            | Ant2    | 6965    | 40.08          | 37.802    | 320         | PASS    |
|            | Ant1    | 7085    | 40.00          | 37.562    | 320         | PASS    |
|            | Ant2    | 7085    | 40.16          | 37.642    | 320         | PASS    |
| 11AX80MIMO | Ant1    | 5985    | 81.28          | 78.322    | 320         | PASS    |
|            | Ant2    | 5985    | 81.12          | 76.883    | 320         | PASS    |
|            | Ant1    | 6145    | 80.48          | 78.002    | 320         | PASS    |
|            | Ant2    | 6145    | 80.32          | 77.682    | 320         | PASS    |
|            | Ant1    | 6385    | 80.32          | 77.842    | 320         | PASS    |
|            | Ant2    | 6385    | 80.00          | 77.842    | 320         | PASS    |
|            | Ant1    | 6465    | 80.96          | 78.801    | 320         | PASS    |

CTC Laboratories, Inc.


Room 101 Building B, No. 7, Lanqing 1st Road, Luhu Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China  
Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn

TRF No: CTC-TR-150\_A1

For anti-fake verification, please visit the official website of China Inspection And Testing Society : [yz.cnca.cn](http://yz.cnca.cn)



|             |      |      |        |         |     |      |
|-------------|------|------|--------|---------|-----|------|
|             | Ant2 | 6465 | 80.00  | 77.203  | 320 | PASS |
|             | Ant1 | 6545 | 80.48  | 78.482  | 320 | PASS |
|             | Ant2 | 6545 | 81.28  | 77.203  | 320 | PASS |
|             | Ant1 | 6625 | 80.48  | 77.682  | 320 | PASS |
|             | Ant2 | 6625 | 80.48  | 78.162  | 320 | PASS |
|             | Ant1 | 6705 | 80.48  | 77.522  | 320 | PASS |
|             | Ant2 | 6705 | 80.16  | 77.682  | 320 | PASS |
|             | Ant1 | 6785 | 80.48  | 78.482  | 320 | PASS |
|             | Ant2 | 6785 | 80.48  | 77.203  | 320 | PASS |
|             | Ant1 | 6865 | 80.16  | 77.842  | 320 | PASS |
|             | Ant2 | 6865 | 80.16  | 77.842  | 320 | PASS |
|             | Ant1 | 6945 | 80.32  | 78.322  | 320 | PASS |
|             | Ant2 | 6945 | 80.80  | 77.842  | 320 | PASS |
|             | Ant1 | 7025 | 80.80  | 78.961  | 320 | PASS |
|             | Ant2 | 7025 | 80.32  | 77.842  | 320 | PASS |
| 11AX160MIMO | Ant1 | 6025 | 162.56 | 156.963 | 320 | PASS |
|             | Ant2 | 6025 | 162.24 | 156.004 | 320 | PASS |
|             | Ant1 | 6185 | 162.56 | 157.283 | 320 | PASS |
|             | Ant2 | 6185 | 162.56 | 156.643 | 320 | PASS |
|             | Ant1 | 6345 | 161.92 | 157.602 | 320 | PASS |
|             | Ant2 | 6345 | 164.16 | 156.963 | 320 | PASS |
|             | Ant1 | 6505 | 162.56 | 157.602 | 320 | PASS |
|             | Ant2 | 6505 | 162.56 | 156.643 | 320 | PASS |
|             | Ant1 | 6665 | 162.88 | 157.283 | 320 | PASS |
|             | Ant2 | 6665 | 162.56 | 157.602 | 320 | PASS |
|             | Ant1 | 6825 | 162.24 | 157.602 | 320 | PASS |
|             | Ant2 | 6825 | 162.56 | 157.283 | 320 | PASS |
|             | Ant1 | 6985 | 161.92 | 156.324 | 320 | PASS |
|             | Ant2 | 6985 | 160.96 | 156.324 | 320 | PASS |


**26dB Bandwidth:**

CTC Laboratories, Inc.


Room 101 Building B, No. 7, Lanqing 1st Road, Luhu Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China  
Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn

TRF No: CTC-TR-150\_A1


For anti-fake verification, please visit the official website of China Inspection And Testing Society : [yz.cnca.cn](http://yz.cnca.cn)



11AX20MIMO\_Ant1\_6415



11AX20MIMO\_Ant2\_6415




11AX20MIMO\_Ant1\_6435

CTC Laboratories, Inc.


Room 101 Building B, No. 7, Lanqing 1st Road, Luhu Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China  
Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn

TRF No: CTC-TR-150\_A1


For anti-fake verification, please visit the official website of China Inspection And Testing Society : [yz.cnca.cn](http://yz.cnca.cn)



## 11AX20MIMO\_Ant2\_6435



## 11AX20MIMO\_Ant1\_6475




## 11AX20MIMO\_Ant2\_6475

CTC Laboratories, Inc.


Room 101 Building B, No. 7, Lanqing 1st Road, Luhu Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China  
Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn

TRF No: CTC-TR-150\_A1


For anti-fake verification, please visit the official website of China Inspection And Testing Society : [yz.cnca.cn](http://yz.cnca.cn)



## 11AX20MIMO\_Ant1\_6515



## 11AX20MIMO\_Ant2\_6515




## 11AX20MIMO\_Ant1\_6535

CTC Laboratories, Inc.


Room 101 Building B, No. 7, Lanqing 1st Road, Luhu Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China  
Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn

TRF No: CTC-TR-150\_A1


For anti-fake verification, please visit the official website of China Inspection And Testing Society : [yz.cnca.cn](http://yz.cnca.cn)



## 11AX20MIMO\_Ant2\_6535



## 11AX20MIMO\_Ant1\_6695




## 11AX20MIMO\_Ant2\_6695

CTC Laboratories, Inc.


Room 101 Building B, No. 7, Lanqing 1st Road, Luhu Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China  
Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn

TRF No: CTC-TR-150\_A1


For anti-fake verification, please visit the official website of China Inspection And Testing Society : [yz.cnca.cn](http://yz.cnca.cn)



## 11AX20MIMO\_Ant1\_6855



## 11AX20MIMO\_Ant2\_6855



## 11AX20MIMO\_Ant1\_6895

CTC Laboratories, Inc.

Room 101 Building B, No. 7, Lanqing 1st Road, Luhu Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China  
Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn

TRF No: CTC-TR-150\_A1

For anti-fake verification, please visit the official website of China Inspection And Testing Society : [yz.cnca.cn](http://yz.cnca.cn)