

Appendix G: Conducted Spurious Emission

Test Result

TestMode	Antenna	Frequency[MHz]	FreqRange [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11AX20SISO	Ant1	5955	30~3000	2968.02	-46	≤-27	PASS
11AX20SISO	Ant1	5955	3000~10000	4062.83	-43.61	≤-27	PASS
11AX20SISO	Ant1	5955	10000~40000	38908	-33.12	≤-27	PASS
11AX20SISO	Ant2	5955	30~3000	2769.63	-46.8	≤-27	PASS
11AX20SISO	Ant2	5955	3000~10000	7989.6	-44.33	≤-27	PASS
11AX20SISO	Ant2	5955	10000~40000	38588	-33.48	≤-27	PASS
11AX20SISO	Ant3	5955	30~3000	2740.03	-46.67	≤-27	PASS
11AX20SISO	Ant3	5955	3000~10000	4771	-44.3	≤-27	PASS
11AX20SISO	Ant3	5955	10000~40000	38989	-32.9	≤-27	PASS
11AX20SISO	Ant4	5955	30~3000	2519.16	-46.95	≤-27	PASS
11AX20SISO	Ant4	5955	3000~10000	4026.67	-44.39	≤-27	PASS
11AX20SISO	Ant4	5955	10000~40000	38566	-33.47	≤-27	PASS
11AX20SISO	Ant1	6175	30~3000	2443.13	-45.77	≤-27	PASS
11AX20SISO	Ant1	6175	3000~10000	3600.6	-44.6	≤-27	PASS
11AX20SISO	Ant1	6175	10000~40000	38256	-33.19	≤-27	PASS
11AX20SISO	Ant2	6175	30~3000	2986.24	-46.81	≤-27	PASS
11AX20SISO	Ant2	6175	3000~10000	3948.27	-43.85	≤-27	PASS
11AX20SISO	Ant2	6175	10000~40000	38615	-33.6	≤-27	PASS
11AX20SISO	Ant3	6175	30~3000	2937.33	-46.32	≤-27	PASS
11AX20SISO	Ant3	6175	3000~10000	8194	-44.65	≤-27	PASS
11AX20SISO	Ant3	6175	10000~40000	38348	-34.1	≤-27	PASS
11AX20SISO	Ant4	6175	30~3000	2785.67	-46.72	≤-27	PASS
11AX20SISO	Ant4	6175	3000~10000	5075.73	-42.82	≤-27	PASS
11AX20SISO	Ant4	6175	10000~40000	38952	-33.45	≤-27	PASS
11AX20SISO	Ant1	6415	30~3000	2514.01	-46.78	≤-27	PASS
11AX20SISO	Ant1	6415	3000~10000	7349.1	-43.27	≤-27	PASS
11AX20SISO	Ant1	6415	10000~40000	38232	-32.2	≤-27	PASS
11AX20SISO	Ant2	6415	30~3000	2512.52	-45.55	≤-27	PASS
11AX20SISO	Ant2	6415	3000~10000	3999.13	-43.24	≤-27	PASS
11AX20SISO	Ant2	6415	10000~40000	38314	-33.1	≤-27	PASS
11AX20SISO	Ant3	6415	30~3000	2963.47	-46.73	≤-27	PASS
11AX20SISO	Ant3	6415	3000~10000	3974.63	-44.19	≤-27	PASS
11AX20SISO	Ant3	6415	10000~40000	35692	-33.2	≤-27	PASS
11AX20SISO	Ant4	6415	30~3000	2684.49	-46.8	≤-27	PASS
11AX20SISO	Ant4	6415	3000~10000	4009.17	-43.2	≤-27	PASS
11AX20SISO	Ant4	6415	10000~40000	38249	-32.7	≤-27	PASS
11AX20SISO	Ant1	6435	30~3000	2689.34	-46.93	≤-27	PASS
11AX20SISO	Ant1	6435	3000~10000	3700.23	-43.83	≤-27	PASS
11AX20SISO	Ant1	6435	10000~40000	38585	-32.83	≤-27	PASS
11AX20SISO	Ant2	6435	30~3000	2587.96	-45.66	≤-27	PASS

11AX20SISO	Ant2	6435	3000~10000	3983.27	-43.65	≤-27	PASS
11AX20SISO	Ant2	6435	10000~40000	38567	-33.22	≤-27	PASS
11AX20SISO	Ant3	6435	30~3000	2502.33	-45.77	≤-27	PASS
11AX20SISO	Ant3	6435	3000~10000	4743.93	-44.02	≤-27	PASS
11AX20SISO	Ant3	6435	10000~40000	38189	-33.75	≤-27	PASS
11AX20SISO	Ant4	6435	30~3000	2720.03	-45.6	≤-27	PASS
11AX20SISO	Ant4	6435	3000~10000	5478.23	-43.58	≤-27	PASS
11AX20SISO	Ant4	6435	10000~40000	38591	-33.04	≤-27	PASS
11AX20SISO	Ant1	6475	30~3000	2486.69	-46.65	≤-27	PASS
11AX20SISO	Ant1	6475	3000~10000	8059.13	-43.58	≤-27	PASS
11AX20SISO	Ant1	6475	10000~40000	38207	-33.37	≤-27	PASS
11AX20SISO	Ant2	6475	30~3000	2842.59	-46.42	≤-27	PASS
11AX20SISO	Ant2	6475	3000~10000	4046.97	-43.26	≤-27	PASS
11AX20SISO	Ant2	6475	10000~40000	38924	-33.06	≤-27	PASS
11AX20SISO	Ant3	6475	30~3000	2769.33	-45.92	≤-27	PASS
11AX20SISO	Ant3	6475	3000~10000	3937.53	-43.79	≤-27	PASS
11AX20SISO	Ant3	6475	10000~40000	38623	-32.8	≤-27	PASS
11AX20SISO	Ant4	6475	30~3000	2682.51	-46.58	≤-27	PASS
11AX20SISO	Ant4	6475	3000~10000	4011.27	-43.5	≤-27	PASS
11AX20SISO	Ant4	6475	10000~40000	38284	-33.02	≤-27	PASS
11AX20SISO	Ant1	6515	30~3000	2683	-46.45	≤-27	PASS
11AX20SISO	Ant1	6515	3000~10000	4644.77	-43.08	≤-27	PASS
11AX20SISO	Ant1	6515	10000~40000	38576	-32.83	≤-27	PASS
11AX20SISO	Ant2	6515	30~3000	2840.51	-46.48	≤-27	PASS
11AX20SISO	Ant2	6515	3000~10000	4812.07	-42.43	≤-27	PASS
11AX20SISO	Ant2	6515	10000~40000	38574	-32.29	≤-27	PASS
11AX20SISO	Ant3	6515	30~3000	2640.93	-46.08	≤-27	PASS
11AX20SISO	Ant3	6515	3000~10000	4036.7	-43.66	≤-27	PASS
11AX20SISO	Ant3	6515	10000~40000	38227	-32.88	≤-27	PASS
11AX20SISO	Ant4	6515	30~3000	2450.85	-45.38	≤-27	PASS
11AX20SISO	Ant4	6515	3000~10000	4774.27	-42.58	≤-27	PASS
11AX20SISO	Ant4	6515	10000~40000	38217	-33.56	≤-27	PASS
11AX20SISO	Ant1	6535	30~3000	2745.27	-46.11	≤-27	PASS
11AX20SISO	Ant1	6535	3000~10000	4795.03	-43.46	≤-27	PASS
11AX20SISO	Ant1	6535	10000~40000	38901	-31.95	≤-27	PASS
11AX20SISO	Ant2	6535	30~3000	2367.09	-46.42	≤-27	PASS
11AX20SISO	Ant2	6535	3000~10000	4028.07	-43.66	≤-27	PASS
11AX20SISO	Ant2	6535	10000~40000	38246	-32.66	≤-27	PASS
11AX20SISO	Ant3	6535	30~3000	2417.78	-45.91	≤-27	PASS
11AX20SISO	Ant3	6535	3000~10000	8267.73	-44.3	≤-27	PASS
11AX20SISO	Ant3	6535	10000~40000	38293	-31.69	≤-27	PASS
11AX20SISO	Ant4	6535	30~3000	2444.51	-46.47	≤-27	PASS
11AX20SISO	Ant4	6535	3000~10000	8204.5	-44.01	≤-27	PASS
11AX20SISO	Ant4	6535	10000~40000	35400	-33.63	≤-27	PASS
11AX20SISO	Ant1	6695	30~3000	2204.24	-46.97	≤-27	PASS

11AX20SISO	Ant1	6695	3000~10000	4782.43	-43.84	≤-27	PASS
11AX20SISO	Ant1	6695	10000~40000	38263	-33.75	≤-27	PASS
11AX20SISO	Ant2	6695	30~3000	2692.51	-45.69	≤-27	PASS
11AX20SISO	Ant2	6695	3000~10000	6595.9	-43.93	≤-27	PASS
11AX20SISO	Ant2	6695	10000~40000	38601	-33.24	≤-27	PASS
11AX20SISO	Ant3	6695	30~3000	2688.65	-47.29	≤-27	PASS
11AX20SISO	Ant3	6695	3000~10000	8271.93	-43.9	≤-27	PASS
11AX20SISO	Ant3	6695	10000~40000	38218	-33.58	≤-27	PASS
11AX20SISO	Ant4	6695	30~3000	2604.89	-47	≤-27	PASS
11AX20SISO	Ant4	6695	3000~10000	4777.53	-44.48	≤-27	PASS
11AX20SISO	Ant4	6695	10000~40000	38665	-33.67	≤-27	PASS
11AX20SISO	Ant1	6855	30~3000	2829.13	-46.54	≤-27	PASS
11AX20SISO	Ant1	6855	3000~10000	4003.1	-44.28	≤-27	PASS
11AX20SISO	Ant1	6855	10000~40000	38993	-33.23	≤-27	PASS
11AX20SISO	Ant2	6855	30~3000	2792	-46.93	≤-27	PASS
11AX20SISO	Ant2	6855	3000~10000	4016.63	-43.24	≤-27	PASS
11AX20SISO	Ant2	6855	10000~40000	38560	-32.29	≤-27	PASS
11AX20SISO	Ant3	6855	30~3000	2982.18	-45.93	≤-27	PASS
11AX20SISO	Ant3	6855	3000~10000	4000.07	-43.83	≤-27	PASS
11AX20SISO	Ant3	6855	10000~40000	38555	-33.5	≤-27	PASS
11AX20SISO	Ant4	6855	30~3000	2817.44	-46.63	≤-27	PASS
11AX20SISO	Ant4	6855	3000~10000	3714.23	-43.54	≤-27	PASS
11AX20SISO	Ant4	6855	10000~40000	38217	-32.69	≤-27	PASS
11AX20SISO	Ant1	6875	30~3000	2409.17	-46.49	≤-27	PASS
11AX20SISO	Ant1	6875	3000~10000	7340.23	-44.01	≤-27	PASS
11AX20SISO	Ant1	6875	10000~40000	38236	-33.64	≤-27	PASS
11AX20SISO	Ant2	6875	30~3000	2951.39	-46.27	≤-27	PASS
11AX20SISO	Ant2	6875	3000~10000	5014.37	-43.87	≤-27	PASS
11AX20SISO	Ant2	6875	10000~40000	38912	-33.23	≤-27	PASS
11AX20SISO	Ant3	6875	30~3000	2508.37	-46.55	≤-27	PASS
11AX20SISO	Ant3	6875	3000~10000	4025.03	-43.64	≤-27	PASS
11AX20SISO	Ant3	6875	10000~40000	38284	-32.84	≤-27	PASS
11AX20SISO	Ant4	6875	30~3000	2710.23	-45.67	≤-27	PASS
11AX20SISO	Ant4	6875	3000~10000	9097.7	-44.05	≤-27	PASS
11AX20SISO	Ant4	6875	10000~40000	38597	-32.76	≤-27	PASS
11AX20SISO	Ant1	6895	30~3000	2456.19	-46.54	≤-27	PASS
11AX20SISO	Ant1	6895	3000~10000	8985.23	-43.9	≤-27	PASS
11AX20SISO	Ant1	6895	10000~40000	38942	-33.37	≤-27	PASS
11AX20SISO	Ant2	6895	30~3000	2970.99	-45.93	≤-27	PASS
11AX20SISO	Ant2	6895	3000~10000	4744.4	-43.75	≤-27	PASS
11AX20SISO	Ant2	6895	10000~40000	38618	-33.49	≤-27	PASS
11AX20SISO	Ant3	6895	30~3000	2730.82	-46.02	≤-27	PASS
11AX20SISO	Ant3	6895	3000~10000	3979.07	-43.38	≤-27	PASS
11AX20SISO	Ant3	6895	10000~40000	38547	-32.73	≤-27	PASS
11AX20SISO	Ant4	6895	30~3000	2827.44	-45.59	≤-27	PASS

11AX20SISO	Ant4	6895	3000~10000	4002.63	-43.05	≤-27	PASS
11AX20SISO	Ant4	6895	10000~40000	38268	-33.11	≤-27	PASS
11AX20SISO	Ant1	6995	30~3000	2797.45	-46.22	≤-27	PASS
11AX20SISO	Ant1	6995	3000~10000	6175.67	-44.13	≤-27	PASS
11AX20SISO	Ant1	6995	10000~40000	38895	-32.73	≤-27	PASS
11AX20SISO	Ant2	6995	30~3000	2559.35	-46.54	≤-27	PASS
11AX20SISO	Ant2	6995	3000~10000	5445.1	-43.98	≤-27	PASS
11AX20SISO	Ant2	6995	10000~40000	38650	-32.65	≤-27	PASS
11AX20SISO	Ant3	6995	30~3000	2846.25	-45.8	≤-27	PASS
11AX20SISO	Ant3	6995	3000~10000	3720.77	-43.93	≤-27	PASS
11AX20SISO	Ant3	6995	10000~40000	38216	-33.52	≤-27	PASS
11AX20SISO	Ant4	6995	30~3000	2703.2	-46.29	≤-27	PASS
11AX20SISO	Ant4	6995	3000~10000	5134.53	-43.16	≤-27	PASS
11AX20SISO	Ant4	6995	10000~40000	38547	-33.02	≤-27	PASS
11AX20SISO	Ant1	7115	30~3000	2692.51	-45.08	≤-27	PASS
11AX20SISO	Ant1	7115	3000~10000	3731.5	-44	≤-27	PASS
11AX20SISO	Ant1	7115	10000~40000	38240	-33.01	≤-27	PASS
11AX20SISO	Ant2	7115	30~3000	2291.95	-45.7	≤-27	PASS
11AX20SISO	Ant2	7115	3000~10000	8521.13	-43.33	≤-27	PASS
11AX20SISO	Ant2	7115	10000~40000	38184	-33.12	≤-27	PASS
11AX20SISO	Ant3	7115	30~3000	2637.56	-45.69	≤-27	PASS
11AX20SISO	Ant3	7115	3000~10000	4365.93	-43.77	≤-27	PASS
11AX20SISO	Ant3	7115	10000~40000	38535	-33.62	≤-27	PASS
11AX20SISO	Ant4	7115	30~3000	2998.32	-46.55	≤-27	PASS
11AX20SISO	Ant4	7115	3000~10000	4777.3	-42.37	≤-27	PASS
11AX20SISO	Ant4	7115	10000~40000	39030	-32.48	≤-27	PASS
11AX20MIMO	Ant1	5955	30~3000	2387.29	-47.47	≤-27	PASS
11AX20MIMO	Ant1	5955	3000~10000	4714.77	-44.62	≤-27	PASS
11AX20MIMO	Ant1	5955	10000~40000	39007	-33.68	≤-27	PASS
11AX20MIMO	Ant2	5955	30~3000	2755.67	-45.48	≤-27	PASS
11AX20MIMO	Ant2	5955	3000~10000	3767.67	-43.63	≤-27	PASS
11AX20MIMO	Ant2	5955	10000~40000	38185	-33.69	≤-27	PASS
11AX20MIMO	Ant3	5955	30~3000	2674.88	-46.76	≤-27	PASS
11AX20MIMO	Ant3	5955	3000~10000	3985.13	-44.09	≤-27	PASS
11AX20MIMO	Ant3	5955	10000~40000	38925	-32.37	≤-27	PASS
11AX20MIMO	Ant4	5955	30~3000	2476.09	-47.14	≤-27	PASS
11AX20MIMO	Ant4	5955	3000~10000	3984.2	-43.46	≤-27	PASS
11AX20MIMO	Ant4	5955	10000~40000	38239	-32.44	≤-27	PASS
11AX20MIMO	Ant1	6175	30~3000	2863.88	-46.68	≤-27	PASS
11AX20MIMO	Ant1	6175	3000~10000	4015.93	-44.04	≤-27	PASS
11AX20MIMO	Ant1	6175	10000~40000	38615	-33.25	≤-27	PASS
11AX20MIMO	Ant2	6175	30~3000	2728.44	-46.69	≤-27	PASS
11AX20MIMO	Ant2	6175	3000~10000	4040.2	-43.94	≤-27	PASS
11AX20MIMO	Ant2	6175	10000~40000	38305	-33.76	≤-27	PASS
11AX20MIMO	Ant3	6175	30~3000	2281.46	-46.43	≤-27	PASS

11AX20MIMO	Ant3	6175	3000~10000	3954.57	-44.44	≤-27	PASS
11AX20MIMO	Ant3	6175	10000~40000	38244	-33.09	≤-27	PASS
11AX20MIMO	Ant4	6175	30~3000	2375.9	-47.48	≤-27	PASS
11AX20MIMO	Ant4	6175	3000~10000	3666.63	-43.95	≤-27	PASS
11AX20MIMO	Ant4	6175	10000~40000	38245	-33.84	≤-27	PASS
11AX20MIMO	Ant1	6415	30~3000	2499.75	-46.38	≤-27	PASS
11AX20MIMO	Ant1	6415	3000~10000	9128.5	-43.93	≤-27	PASS
11AX20MIMO	Ant1	6415	10000~40000	38590	-32.47	≤-27	PASS
11AX20MIMO	Ant2	6415	30~3000	2593.8	-45.82	≤-27	PASS
11AX20MIMO	Ant2	6415	3000~10000	4005.9	-44.17	≤-27	PASS
11AX20MIMO	Ant2	6415	10000~40000	38220	-33.06	≤-27	PASS
11AX20MIMO	Ant3	6415	30~3000	2704.49	-45.35	≤-27	PASS
11AX20MIMO	Ant3	6415	3000~10000	4770.53	-42.14	≤-27	PASS
11AX20MIMO	Ant3	6415	10000~40000	38232	-32.79	≤-27	PASS
11AX20MIMO	Ant4	6415	30~3000	2852.99	-46.44	≤-27	PASS
11AX20MIMO	Ant4	6415	3000~10000	3714.47	-43.88	≤-27	PASS
11AX20MIMO	Ant4	6415	10000~40000	38617	-33.04	≤-27	PASS
11AX20MIMO	Ant1	6435	30~3000	2653.5	-46.12	≤-27	PASS
11AX20MIMO	Ant1	6435	3000~10000	4014.07	-43.3	≤-27	PASS
11AX20MIMO	Ant1	6435	10000~40000	38542	-32.34	≤-27	PASS
11AX20MIMO	Ant2	6435	30~3000	2506.88	-46.64	≤-27	PASS
11AX20MIMO	Ant2	6435	3000~10000	9925.57	-43.7	≤-27	PASS
11AX20MIMO	Ant2	6435	10000~40000	38563	-32.92	≤-27	PASS
11AX20MIMO	Ant3	6435	30~3000	2858.73	-47.04	≤-27	PASS
11AX20MIMO	Ant3	6435	3000~10000	5093.47	-43.46	≤-27	PASS
11AX20MIMO	Ant3	6435	10000~40000	38891	-32.98	≤-27	PASS
11AX20MIMO	Ant4	6435	30~3000	2406.5	-46.99	≤-27	PASS
11AX20MIMO	Ant4	6435	3000~10000	4035.77	-42.93	≤-27	PASS
11AX20MIMO	Ant4	6435	10000~40000	38211	-33.56	≤-27	PASS
11AX20MIMO	Ant1	6475	30~3000	2786.95	-46.96	≤-27	PASS
11AX20MIMO	Ant1	6475	3000~10000	3997.03	-43.61	≤-27	PASS
11AX20MIMO	Ant1	6475	10000~40000	38904	-33.54	≤-27	PASS
11AX20MIMO	Ant2	6475	30~3000	2973.37	-46.25	≤-27	PASS
11AX20MIMO	Ant2	6475	3000~10000	4004.5	-43.28	≤-27	PASS
11AX20MIMO	Ant2	6475	10000~40000	38528	-32.73	≤-27	PASS
11AX20MIMO	Ant3	6475	30~3000	2462.73	-46.67	≤-27	PASS
11AX20MIMO	Ant3	6475	3000~10000	5401.7	-43.54	≤-27	PASS
11AX20MIMO	Ant3	6475	10000~40000	38286	-32.72	≤-27	PASS
11AX20MIMO	Ant4	6475	30~3000	2561.53	-46.08	≤-27	PASS
11AX20MIMO	Ant4	6475	3000~10000	3978.83	-43.46	≤-27	PASS
11AX20MIMO	Ant4	6475	10000~40000	38198	-32.58	≤-27	PASS
11AX20MIMO	Ant1	6515	30~3000	2634.79	-46.08	≤-27	PASS
11AX20MIMO	Ant1	6515	3000~10000	9431.83	-43.82	≤-27	PASS
11AX20MIMO	Ant1	6515	10000~40000	38582	-32.75	≤-27	PASS
11AX20MIMO	Ant2	6515	30~3000	2843.88	-46.13	≤-27	PASS

11AX20MIMO	Ant2	6515	3000~10000	8592.53	-44.23	≤-27	PASS
11AX20MIMO	Ant2	6515	10000~40000	38223	-32.8	≤-27	PASS
11AX20MIMO	Ant3	6515	30~3000	2742.01	-45.95	≤-27	PASS
11AX20MIMO	Ant3	6515	3000~10000	4313.9	-44.24	≤-27	PASS
11AX20MIMO	Ant3	6515	10000~40000	38237	-33.47	≤-27	PASS
11AX20MIMO	Ant4	6515	30~3000	2698.35	-46.04	≤-27	PASS
11AX20MIMO	Ant4	6515	3000~10000	8154.8	-44.13	≤-27	PASS
11AX20MIMO	Ant4	6515	10000~40000	38217	-33.08	≤-27	PASS
11AX20MIMO	Ant1	6535	30~3000	2698.15	-45.35	≤-27	PASS
11AX20MIMO	Ant1	6535	3000~10000	7467.4	-44.47	≤-27	PASS
11AX20MIMO	Ant1	6535	10000~40000	38543	-33.05	≤-27	PASS
11AX20MIMO	Ant2	6535	30~3000	2674.69	-45.94	≤-27	PASS
11AX20MIMO	Ant2	6535	3000~10000	5044.23	-43.86	≤-27	PASS
11AX20MIMO	Ant2	6535	10000~40000	38622	-33.4	≤-27	PASS
11AX20MIMO	Ant3	6535	30~3000	2499.16	-46.24	≤-27	PASS
11AX20MIMO	Ant3	6535	3000~10000	4033.2	-44.25	≤-27	PASS
11AX20MIMO	Ant3	6535	10000~40000	38916	-33.48	≤-27	PASS
11AX20MIMO	Ant4	6535	30~3000	2947.83	-45.48	≤-27	PASS
11AX20MIMO	Ant4	6535	3000~10000	5107.7	-43.89	≤-27	PASS
11AX20MIMO	Ant4	6535	10000~40000	38364	-32.78	≤-27	PASS
11AX20MIMO	Ant1	6695	30~3000	2746.56	-47.08	≤-27	PASS
11AX20MIMO	Ant1	6695	3000~10000	4583.17	-44.06	≤-27	PASS
11AX20MIMO	Ant1	6695	10000~40000	38913	-33.52	≤-27	PASS
11AX20MIMO	Ant2	6695	30~3000	2889.12	-46.8	≤-27	PASS
11AX20MIMO	Ant2	6695	3000~10000	3989.8	-43.96	≤-27	PASS
11AX20MIMO	Ant2	6695	10000~40000	38893	-33.16	≤-27	PASS
11AX20MIMO	Ant3	6695	30~3000	2828.33	-47.01	≤-27	PASS
11AX20MIMO	Ant3	6695	3000~10000	3815.97	-43.93	≤-27	PASS
11AX20MIMO	Ant3	6695	10000~40000	38272	-32.85	≤-27	PASS
11AX20MIMO	Ant4	6695	30~3000	2732.6	-47.04	≤-27	PASS
11AX20MIMO	Ant4	6695	3000~10000	4003.57	-43.43	≤-27	PASS
11AX20MIMO	Ant4	6695	10000~40000	38197	-32.59	≤-27	PASS
11AX20MIMO	Ant1	6855	30~3000	2751.11	-46.23	≤-27	PASS
11AX20MIMO	Ant1	6855	3000~10000	4805.77	-43.75	≤-27	PASS
11AX20MIMO	Ant1	6855	10000~40000	38514	-33.53	≤-27	PASS
11AX20MIMO	Ant2	6855	30~3000	2703.99	-46.63	≤-27	PASS
11AX20MIMO	Ant2	6855	3000~10000	7674.13	-44.13	≤-27	PASS
11AX20MIMO	Ant2	6855	10000~40000	39013	-33.66	≤-27	PASS
11AX20MIMO	Ant3	6855	30~3000	2555	-47.17	≤-27	PASS
11AX20MIMO	Ant3	6855	3000~10000	4811.6	-43.97	≤-27	PASS
11AX20MIMO	Ant3	6855	10000~40000	38100	-33.1	≤-27	PASS
11AX20MIMO	Ant4	6855	30~3000	2813.88	-46.74	≤-27	PASS
11AX20MIMO	Ant4	6855	3000~10000	4624	-43.9	≤-27	PASS
11AX20MIMO	Ant4	6855	10000~40000	38949	-32.67	≤-27	PASS
11AX20MIMO	Ant1	6875	30~3000	2613.9	-46.53	≤-27	PASS

11AX20MIMO	Ant1	6875	3000~10000	4015.93	-43.65	≤-27	PASS
11AX20MIMO	Ant1	6875	10000~40000	38264	-32.49	≤-27	PASS
11AX20MIMO	Ant2	6875	30~3000	2783.39	-46.25	≤-27	PASS
11AX20MIMO	Ant2	6875	3000~10000	8537.7	-43.45	≤-27	PASS
11AX20MIMO	Ant2	6875	10000~40000	38285	-33.36	≤-27	PASS
11AX20MIMO	Ant3	6875	30~3000	2260.77	-46.8	≤-27	PASS
11AX20MIMO	Ant3	6875	3000~10000	3670.13	-44.08	≤-27	PASS
11AX20MIMO	Ant3	6875	10000~40000	38532	-33.07	≤-27	PASS
11AX20MIMO	Ant4	6875	30~3000	2560.24	-46.62	≤-27	PASS
11AX20MIMO	Ant4	6875	3000~10000	7335.33	-43.6	≤-27	PASS
11AX20MIMO	Ant4	6875	10000~40000	38580	-32.82	≤-27	PASS
11AX20MIMO	Ant1	6895	30~3000	906.94	-35.99	≤-27	PASS
11AX20MIMO	Ant1	6895	3000~10000	8280.1	-44.01	≤-27	PASS
11AX20MIMO	Ant1	6895	10000~40000	38937	-33.05	≤-27	PASS
11AX20MIMO	Ant2	6895	30~3000	2612.71	-46.49	≤-27	PASS
11AX20MIMO	Ant2	6895	3000~10000	3646.8	-43.65	≤-27	PASS
11AX20MIMO	Ant2	6895	10000~40000	38921	-32.81	≤-27	PASS
11AX20MIMO	Ant3	6895	30~3000	2489.46	-46.44	≤-27	PASS
11AX20MIMO	Ant3	6895	3000~10000	3998.2	-42.84	≤-27	PASS
11AX20MIMO	Ant3	6895	10000~40000	38222	-32.9	≤-27	PASS
11AX20MIMO	Ant4	6895	30~3000	2940.7	-44.81	≤-27	PASS
11AX20MIMO	Ant4	6895	3000~10000	5131.5	-43.98	≤-27	PASS
11AX20MIMO	Ant4	6895	10000~40000	38560	-33.62	≤-27	PASS
11AX20MIMO	Ant1	6995	30~3000	2880.21	-46.78	≤-27	PASS
11AX20MIMO	Ant1	6995	3000~10000	4863.87	-43.36	≤-27	PASS
11AX20MIMO	Ant1	6995	10000~40000	38553	-33.1	≤-27	PASS
11AX20MIMO	Ant2	6995	30~3000	2291.95	-46.41	≤-27	PASS
11AX20MIMO	Ant2	6995	3000~10000	5127.53	-43.57	≤-27	PASS
11AX20MIMO	Ant2	6995	10000~40000	38230	-32.87	≤-27	PASS
11AX20MIMO	Ant3	6995	30~3000	2766.46	-46.69	≤-27	PASS
11AX20MIMO	Ant3	6995	3000~10000	9157.67	-43.72	≤-27	PASS
11AX20MIMO	Ant3	6995	10000~40000	38583	-32.91	≤-27	PASS
11AX20MIMO	Ant4	6995	30~3000	2431.94	-46.77	≤-27	PASS
11AX20MIMO	Ant4	6995	3000~10000	4773.8	-43.07	≤-27	PASS
11AX20MIMO	Ant4	6995	10000~40000	38569	-33.16	≤-27	PASS
11AX20MIMO	Ant1	7115	30~3000	2479.36	-46.63	≤-27	PASS
11AX20MIMO	Ant1	7115	3000~10000	4715.47	-43.55	≤-27	PASS
11AX20MIMO	Ant1	7115	10000~40000	38230	-32.79	≤-27	PASS
11AX20MIMO	Ant2	7115	30~3000	2374.22	-46.74	≤-27	PASS
11AX20MIMO	Ant2	7115	3000~10000	9931.4	-43.28	≤-27	PASS
11AX20MIMO	Ant2	7115	10000~40000	38291	-32.02	≤-27	PASS
11AX20MIMO	Ant3	7115	30~3000	2934.07	-45.94	≤-27	PASS
11AX20MIMO	Ant3	7115	3000~10000	4019.43	-43.35	≤-27	PASS
11AX20MIMO	Ant3	7115	10000~40000	38079	-33.22	≤-27	PASS
11AX20MIMO	Ant4	7115	30~3000	2625.19	-46.79	≤-27	PASS

11AX20MIMO	Ant4	7115	3000~10000	7725.93	-43.24	≤-27	PASS
11AX20MIMO	Ant4	7115	10000~40000	38574	-31.94	≤-27	PASS
11AX40SISO	Ant1	5965	30~3000	2782	-46.34	≤-27	PASS
11AX40SISO	Ant1	5965	3000~10000	3638.87	-44.59	≤-27	PASS
11AX40SISO	Ant1	5965	10000~40000	38273	-33.1	≤-27	PASS
11AX40SISO	Ant2	5965	30~3000	2832.89	-45.94	≤-27	PASS
11AX40SISO	Ant2	5965	3000~10000	4841.7	-43.6	≤-27	PASS
11AX40SISO	Ant2	5965	10000~40000	38293	-32.69	≤-27	PASS
11AX40SISO	Ant3	5965	30~3000	2440.45	-46.63	≤-27	PASS
11AX40SISO	Ant3	5965	3000~10000	4803.67	-43.78	≤-27	PASS
11AX40SISO	Ant3	5965	10000~40000	38210	-32.32	≤-27	PASS
11AX40SISO	Ant4	5965	30~3000	2679.93	-46.57	≤-27	PASS
11AX40SISO	Ant4	5965	3000~10000	7389	-43.56	≤-27	PASS
11AX40SISO	Ant4	5965	10000~40000	38558	-32.48	≤-27	PASS
11AX40SISO	Ant1	6165	30~3000	2686.86	-47.1	≤-27	PASS
11AX40SISO	Ant1	6165	3000~10000	4775.43	-43.34	≤-27	PASS
11AX40SISO	Ant1	6165	10000~40000	38904	-33.7	≤-27	PASS
11AX40SISO	Ant2	6165	30~3000	2665.97	-46.1	≤-27	PASS
11AX40SISO	Ant2	6165	3000~10000	4596.47	-44.08	≤-27	PASS
11AX40SISO	Ant2	6165	10000~40000	38584	-31.96	≤-27	PASS
11AX40SISO	Ant3	6165	30~3000	2591.63	-47.11	≤-27	PASS
11AX40SISO	Ant3	6165	3000~10000	4667.87	-43.82	≤-27	PASS
11AX40SISO	Ant3	6165	10000~40000	38626	-33.59	≤-27	PASS
11AX40SISO	Ant4	6165	30~3000	2602.61	-46.98	≤-27	PASS
11AX40SISO	Ant4	6165	3000~10000	4764	-44.18	≤-27	PASS
11AX40SISO	Ant4	6165	10000~40000	38556	-31.42	≤-27	PASS
11AX40SISO	Ant1	6405	30~3000	2818.14	-46.34	≤-27	PASS
11AX40SISO	Ant1	6405	3000~10000	4633.1	-43.24	≤-27	PASS
11AX40SISO	Ant1	6405	10000~40000	38291	-33.2	≤-27	PASS
11AX40SISO	Ant2	6405	30~3000	2896.94	-45.21	≤-27	PASS
11AX40SISO	Ant2	6405	3000~10000	7988.67	-43.77	≤-27	PASS
11AX40SISO	Ant2	6405	10000~40000	38229	-33.25	≤-27	PASS
11AX40SISO	Ant3	6405	30~3000	2999.11	-46.47	≤-27	PASS
11AX40SISO	Ant3	6405	3000~10000	3991.2	-43.76	≤-27	PASS
11AX40SISO	Ant3	6405	10000~40000	38323	-32.24	≤-27	PASS
11AX40SISO	Ant4	6405	30~3000	2906.35	-45.96	≤-27	PASS
11AX40SISO	Ant4	6405	3000~10000	7365.2	-44.09	≤-27	PASS
11AX40SISO	Ant4	6405	10000~40000	38600	-32.81	≤-27	PASS
11AX40SISO	Ant1	6445	30~3000	2647.46	-46.74	≤-27	PASS
11AX40SISO	Ant1	6445	3000~10000	4024.57	-43.58	≤-27	PASS
11AX40SISO	Ant1	6445	10000~40000	38578	-33.08	≤-27	PASS
11AX40SISO	Ant2	6445	30~3000	2983.17	-45.47	≤-27	PASS
11AX40SISO	Ant2	6445	3000~10000	6258.27	-43.59	≤-27	PASS
11AX40SISO	Ant2	6445	10000~40000	38960	-33.05	≤-27	PASS
11AX40SISO	Ant3	6445	30~3000	2551.04	-46.75	≤-27	PASS

11AX40SISO	Ant3	6445	3000~10000	4611.87	-43.56	≤-27	PASS
11AX40SISO	Ant3	6445	10000~40000	38171	-32.32	≤-27	PASS
11AX40SISO	Ant4	6445	30~3000	2600.93	-46.56	≤-27	PASS
11AX40SISO	Ant4	6445	3000~10000	7406.5	-43.14	≤-27	PASS
11AX40SISO	Ant4	6445	10000~40000	38248	-33.51	≤-27	PASS
11AX40SISO	Ant1	6485	30~3000	2668.45	-46.76	≤-27	PASS
11AX40SISO	Ant1	6485	3000~10000	6304.47	-43.36	≤-27	PASS
11AX40SISO	Ant1	6485	10000~40000	38923	-32.95	≤-27	PASS
11AX40SISO	Ant2	6485	30~3000	2704.88	-46.22	≤-27	PASS
11AX40SISO	Ant2	6485	3000~10000	4662.27	-42.91	≤-27	PASS
11AX40SISO	Ant2	6485	10000~40000	38869	-33.29	≤-27	PASS
11AX40SISO	Ant3	6485	30~3000	2677.56	-45.46	≤-27	PASS
11AX40SISO	Ant3	6485	3000~10000	4613.03	-43.69	≤-27	PASS
11AX40SISO	Ant3	6485	10000~40000	38309	-32.66	≤-27	PASS
11AX40SISO	Ant4	6485	30~3000	2940.6	-46.53	≤-27	PASS
11AX40SISO	Ant4	6485	3000~10000	4008	-43.32	≤-27	PASS
11AX40SISO	Ant4	6485	10000~40000	38232	-32.55	≤-27	PASS
11AX40SISO	Ant1	6525	30~3000	2690.53	-46.17	≤-27	PASS
11AX40SISO	Ant1	6525	3000~10000	4784.07	-42.05	≤-27	PASS
11AX40SISO	Ant1	6525	10000~40000	38249	-33.01	≤-27	PASS
11AX40SISO	Ant2	6525	30~3000	2523.91	-46.82	≤-27	PASS
11AX40SISO	Ant2	6525	3000~10000	3983.03	-43.33	≤-27	PASS
11AX40SISO	Ant2	6525	10000~40000	38593	-33.58	≤-27	PASS
11AX40SISO	Ant3	6525	30~3000	2081.58	-46.07	≤-27	PASS
11AX40SISO	Ant3	6525	3000~10000	5143.87	-43.01	≤-27	PASS
11AX40SISO	Ant3	6525	10000~40000	38708	-33.39	≤-27	PASS
11AX40SISO	Ant4	6525	30~3000	2683.79	-46.09	≤-27	PASS
11AX40SISO	Ant4	6525	3000~10000	4046.73	-43.64	≤-27	PASS
11AX40SISO	Ant4	6525	10000~40000	38255	-33.46	≤-27	PASS
11AX40SISO	Ant1	6565	30~3000	2520.94	-44.69	≤-27	PASS
11AX40SISO	Ant1	6565	3000~10000	9921.6	-43.69	≤-27	PASS
11AX40SISO	Ant1	6565	10000~40000	38567	-32.61	≤-27	PASS
11AX40SISO	Ant2	6565	30~3000	2635.38	-45.67	≤-27	PASS
11AX40SISO	Ant2	6565	3000~10000	3956.9	-43.91	≤-27	PASS
11AX40SISO	Ant2	6565	10000~40000	38939	-30.78	≤-27	PASS
11AX40SISO	Ant3	6565	30~3000	2650.73	-45.86	≤-27	PASS
11AX40SISO	Ant3	6565	3000~10000	7396.7	-43.68	≤-27	PASS
11AX40SISO	Ant3	6565	10000~40000	38985	-32.87	≤-27	PASS
11AX40SISO	Ant4	6565	30~3000	2485.5	-46.46	≤-27	PASS
11AX40SISO	Ant4	6565	3000~10000	3988.63	-43.9	≤-27	PASS
11AX40SISO	Ant4	6565	10000~40000	38207	-33.58	≤-27	PASS
11AX40SISO	Ant1	6685	30~3000	2607.07	-46.68	≤-27	PASS
11AX40SISO	Ant1	6685	3000~10000	4001.23	-44.11	≤-27	PASS
11AX40SISO	Ant1	6685	10000~40000	38589	-33.02	≤-27	PASS
11AX40SISO	Ant2	6685	30~3000	2800.71	-46.25	≤-27	PASS

11AX40SISO	Ant2	6685	3000~10000	6490.2	-43.17	≤-27	PASS
11AX40SISO	Ant2	6685	10000~40000	38590	-32.72	≤-27	PASS
11AX40SISO	Ant3	6685	30~3000	2687.36	-46.19	≤-27	PASS
11AX40SISO	Ant3	6685	3000~10000	4025.5	-42.94	≤-27	PASS
11AX40SISO	Ant3	6685	10000~40000	38216	-32.41	≤-27	PASS
11AX40SISO	Ant4	6685	30~3000	2496.98	-45.3	≤-27	PASS
11AX40SISO	Ant4	6685	3000~10000	3705.6	-42.89	≤-27	PASS
11AX40SISO	Ant4	6685	10000~40000	38938	-33.02	≤-27	PASS
11AX40SISO	Ant1	6845	30~3000	2562.62	-46.5	≤-27	PASS
11AX40SISO	Ant1	6845	3000~10000	8124	-42.8	≤-27	PASS
11AX40SISO	Ant1	6845	10000~40000	38222	-32.85	≤-27	PASS
11AX40SISO	Ant2	6845	30~3000	2545.89	-45.71	≤-27	PASS
11AX40SISO	Ant2	6845	3000~10000	6643.5	-43.7	≤-27	PASS
11AX40SISO	Ant2	6845	10000~40000	38561	-31.1	≤-27	PASS
11AX40SISO	Ant3	6845	30~3000	2562.72	-46.57	≤-27	PASS
11AX40SISO	Ant3	6845	3000~10000	9365.33	-43.85	≤-27	PASS
11AX40SISO	Ant3	6845	10000~40000	38205	-32.12	≤-27	PASS
11AX40SISO	Ant4	6845	30~3000	2579.75	-46.6	≤-27	PASS
11AX40SISO	Ant4	6845	3000~10000	4830.03	-43.58	≤-27	PASS
11AX40SISO	Ant4	6845	10000~40000	38648	-32.39	≤-27	PASS
11AX40SISO	Ant1	6885	30~3000	2660.53	-46.51	≤-27	PASS
11AX40SISO	Ant1	6885	3000~10000	4648.27	-42.98	≤-27	PASS
11AX40SISO	Ant1	6885	10000~40000	38492	-33.21	≤-27	PASS
11AX40SISO	Ant2	6885	30~3000	2827.64	-46.26	≤-27	PASS
11AX40SISO	Ant2	6885	3000~10000	4701.7	-43.64	≤-27	PASS
11AX40SISO	Ant2	6885	10000~40000	38309	-31.68	≤-27	PASS
11AX40SISO	Ant3	6885	30~3000	2714.88	-46.46	≤-27	PASS
11AX40SISO	Ant3	6885	3000~10000	3661.73	-43.26	≤-27	PASS
11AX40SISO	Ant3	6885	10000~40000	38001	-33.52	≤-27	PASS
11AX40SISO	Ant4	6885	30~3000	2650.04	-45.94	≤-27	PASS
11AX40SISO	Ant4	6885	3000~10000	3630	-44.07	≤-27	PASS
11AX40SISO	Ant4	6885	10000~40000	38263	-32.44	≤-27	PASS
11AX40SISO	Ant1	6925	30~3000	2450.45	-46.9	≤-27	PASS
11AX40SISO	Ant1	6925	3000~10000	3678.53	-44.48	≤-27	PASS
11AX40SISO	Ant1	6925	10000~40000	38556	-32.12	≤-27	PASS
11AX40SISO	Ant2	6925	30~3000	2522.62	-46.1	≤-27	PASS
11AX40SISO	Ant2	6925	3000~10000	4030.63	-43.36	≤-27	PASS
11AX40SISO	Ant2	6925	10000~40000	38987	-32.73	≤-27	PASS
11AX40SISO	Ant3	6925	30~3000	2330.27	-46.38	≤-27	PASS
11AX40SISO	Ant3	6925	3000~10000	8250.23	-43.74	≤-27	PASS
11AX40SISO	Ant3	6925	10000~40000	38224	-33.02	≤-27	PASS
11AX40SISO	Ant4	6925	30~3000	2947.23	-46.36	≤-27	PASS
11AX40SISO	Ant4	6925	3000~10000	4673.23	-43.43	≤-27	PASS
11AX40SISO	Ant4	6925	10000~40000	38203	-32.84	≤-27	PASS
11AX40SISO	Ant1	6965	30~3000	2743.19	-47.24	≤-27	PASS

11AX40SISO	Ant1	6965	3000~10000	5095.33	-44.1	≤-27	PASS
11AX40SISO	Ant1	6965	10000~40000	38289	-32.9	≤-27	PASS
11AX40SISO	Ant2	6965	30~3000	2908.23	-46.55	≤-27	PASS
11AX40SISO	Ant2	6965	3000~10000	4075.43	-43.31	≤-27	PASS
11AX40SISO	Ant2	6965	10000~40000	38594	-33.12	≤-27	PASS
11AX40SISO	Ant3	6965	30~3000	2387.59	-46.82	≤-27	PASS
11AX40SISO	Ant3	6965	3000~10000	3993.3	-43.37	≤-27	PASS
11AX40SISO	Ant3	6965	10000~40000	38917	-32.83	≤-27	PASS
11AX40SISO	Ant4	6965	30~3000	2497.77	-46.2	≤-27	PASS
11AX40SISO	Ant4	6965	3000~10000	4744.87	-43.17	≤-27	PASS
11AX40SISO	Ant4	6965	10000~40000	38595	-32.61	≤-27	PASS
11AX40SISO	Ant1	7085	30~3000	2754.58	-44.82	≤-27	PASS
11AX40SISO	Ant1	7085	3000~10000	4018.27	-43.95	≤-27	PASS
11AX40SISO	Ant1	7085	10000~40000	38613	-32.27	≤-27	PASS
11AX40SISO	Ant2	7085	30~3000	2485.1	-45.92	≤-27	PASS
11AX40SISO	Ant2	7085	3000~10000	4650.13	-43.32	≤-27	PASS
11AX40SISO	Ant2	7085	10000~40000	38247	-32	≤-27	PASS
11AX40SISO	Ant3	7085	30~3000	2439.26	-45.76	≤-27	PASS
11AX40SISO	Ant3	7085	3000~10000	3701.4	-43.57	≤-27	PASS
11AX40SISO	Ant3	7085	10000~40000	38560	-33.28	≤-27	PASS
11AX40SISO	Ant4	7085	30~3000	2673.99	-46.45	≤-27	PASS
11AX40SISO	Ant4	7085	3000~10000	3997.27	-42.36	≤-27	PASS
11AX40SISO	Ant4	7085	10000~40000	38216	-32.06	≤-27	PASS
11AX40MIMO	Ant1	5965	30~3000	2518.86	-46.81	≤-27	PASS
11AX40MIMO	Ant1	5965	3000~10000	4008.23	-43.08	≤-27	PASS
11AX40MIMO	Ant1	5965	10000~40000	38261	-33.2	≤-27	PASS
11AX40MIMO	Ant2	5965	30~3000	2766.46	-46.19	≤-27	PASS
11AX40MIMO	Ant2	5965	3000~10000	4010.57	-43.09	≤-27	PASS
11AX40MIMO	Ant2	5965	10000~40000	39002	-33.17	≤-27	PASS
11AX40MIMO	Ant3	5965	30~3000	2456	-46.2	≤-27	PASS
11AX40MIMO	Ant3	5965	3000~10000	4666	-44.11	≤-27	PASS
11AX40MIMO	Ant3	5965	10000~40000	38649	-33.36	≤-27	PASS
11AX40MIMO	Ant4	5965	30~3000	2490.25	-46.23	≤-27	PASS
11AX40MIMO	Ant4	5965	3000~10000	4786.63	-44.14	≤-27	PASS
11AX40MIMO	Ant4	5965	10000~40000	38219	-32.83	≤-27	PASS
11AX40MIMO	Ant1	6165	30~3000	2920.21	-45.72	≤-27	PASS
11AX40MIMO	Ant1	6165	3000~10000	4657.6	-44.44	≤-27	PASS
11AX40MIMO	Ant1	6165	10000~40000	38363	-33.65	≤-27	PASS
11AX40MIMO	Ant2	6165	30~3000	2598.65	-46.34	≤-27	PASS
11AX40MIMO	Ant2	6165	3000~10000	4774.27	-42.57	≤-27	PASS
11AX40MIMO	Ant2	6165	10000~40000	38582	-33.03	≤-27	PASS
11AX40MIMO	Ant3	6165	30~3000	2506.68	-46.43	≤-27	PASS
11AX40MIMO	Ant3	6165	3000~10000	8518.1	-44.53	≤-27	PASS
11AX40MIMO	Ant3	6165	10000~40000	38260	-33.2	≤-27	PASS
11AX40MIMO	Ant4	6165	30~3000	2717.75	-46.31	≤-27	PASS

11AX40MIMO	Ant4	6165	3000~10000	7158.47	-44.34	≤-27	PASS
11AX40MIMO	Ant4	6165	10000~40000	38223	-32.8	≤-27	PASS
11AX40MIMO	Ant1	6405	30~3000	2765.87	-46.51	≤-27	PASS
11AX40MIMO	Ant1	6405	3000~10000	4864.8	-44.03	≤-27	PASS
11AX40MIMO	Ant1	6405	10000~40000	38312	-32.51	≤-27	PASS
11AX40MIMO	Ant2	6405	30~3000	2504.8	-46.41	≤-27	PASS
11AX40MIMO	Ant2	6405	3000~10000	4632.4	-43.98	≤-27	PASS
11AX40MIMO	Ant2	6405	10000~40000	38256	-32.88	≤-27	PASS
11AX40MIMO	Ant3	6405	30~3000	906.65	-45.72	≤-27	PASS
11AX40MIMO	Ant3	6405	3000~10000	3606.2	-43.77	≤-27	PASS
11AX40MIMO	Ant3	6405	10000~40000	38390	-32.81	≤-27	PASS
11AX40MIMO	Ant4	6405	30~3000	2932.58	-46.61	≤-27	PASS
11AX40MIMO	Ant4	6405	3000~10000	5147.83	-44.01	≤-27	PASS
11AX40MIMO	Ant4	6405	10000~40000	38564	-31.24	≤-27	PASS
11AX40MIMO	Ant1	6445	30~3000	2899.22	-45.82	≤-27	PASS
11AX40MIMO	Ant1	6445	3000~10000	5772	-43.5	≤-27	PASS
11AX40MIMO	Ant1	6445	10000~40000	38301	-33.81	≤-27	PASS
11AX40MIMO	Ant2	6445	30~3000	2939.21	-46.65	≤-27	PASS
11AX40MIMO	Ant2	6445	3000~10000	9062.7	-43.71	≤-27	PASS
11AX40MIMO	Ant2	6445	10000~40000	38561	-31.78	≤-27	PASS
11AX40MIMO	Ant3	6445	30~3000	2803.68	-46.36	≤-27	PASS
11AX40MIMO	Ant3	6445	3000~10000	4586.67	-44.07	≤-27	PASS
11AX40MIMO	Ant3	6445	10000~40000	38640	-33.25	≤-27	PASS
11AX40MIMO	Ant4	6445	30~3000	2695.38	-45.74	≤-27	PASS
11AX40MIMO	Ant4	6445	3000~10000	3935.9	-43.91	≤-27	PASS
11AX40MIMO	Ant4	6445	10000~40000	38645	-33.5	≤-27	PASS
11AX40MIMO	Ant1	6485	30~3000	2395.41	-45.82	≤-27	PASS
11AX40MIMO	Ant1	6485	3000~10000	3958.07	-43.81	≤-27	PASS
11AX40MIMO	Ant1	6485	10000~40000	38166	-33.05	≤-27	PASS
11AX40MIMO	Ant2	6485	30~3000	3000	-46.54	≤-27	PASS
11AX40MIMO	Ant2	6485	3000~10000	5792.77	-38.57	≤-27	PASS
11AX40MIMO	Ant2	6485	10000~40000	38543	-33.58	≤-27	PASS
11AX40MIMO	Ant3	6485	30~3000	2702.11	-45.46	≤-27	PASS
11AX40MIMO	Ant3	6485	3000~10000	9127.1	-42.81	≤-27	PASS
11AX40MIMO	Ant3	6485	10000~40000	38231	-33.03	≤-27	PASS
11AX40MIMO	Ant4	6485	30~3000	2568.76	-45.37	≤-27	PASS
11AX40MIMO	Ant4	6485	3000~10000	4033.9	-43.56	≤-27	PASS
11AX40MIMO	Ant4	6485	10000~40000	38552	-32.4	≤-27	PASS
11AX40MIMO	Ant1	6525	30~3000	2681.52	-46.99	≤-27	PASS
11AX40MIMO	Ant1	6525	3000~10000	9795.37	-44.18	≤-27	PASS
11AX40MIMO	Ant1	6525	10000~40000	38213	-33.2	≤-27	PASS
11AX40MIMO	Ant2	6525	30~3000	2948.12	-44.84	≤-27	PASS
11AX40MIMO	Ant2	6525	3000~10000	7963.47	-43.4	≤-27	PASS
11AX40MIMO	Ant2	6525	10000~40000	38969	-33.74	≤-27	PASS
11AX40MIMO	Ant3	6525	30~3000	2777.25	-46.78	≤-27	PASS

11AX40MIMO	Ant3	6525	3000~10000	3974.17	-43.54	≤-27	PASS
11AX40MIMO	Ant3	6525	10000~40000	38328	-33.49	≤-27	PASS
11AX40MIMO	Ant4	6525	30~3000	2604.89	-45.62	≤-27	PASS
11AX40MIMO	Ant4	6525	3000~10000	3961.57	-43.81	≤-27	PASS
11AX40MIMO	Ant4	6525	10000~40000	38314	-32.73	≤-27	PASS
11AX40MIMO	Ant1	6565	30~3000	906.05	-41.07	≤-27	PASS
11AX40MIMO	Ant1	6565	3000~10000	4016.87	-43.43	≤-27	PASS
11AX40MIMO	Ant1	6565	10000~40000	38641	-32.03	≤-27	PASS
11AX40MIMO	Ant2	6565	30~3000	2500.74	-45.85	≤-27	PASS
11AX40MIMO	Ant2	6565	3000~10000	4068.2	-43.85	≤-27	PASS
11AX40MIMO	Ant2	6565	10000~40000	38600	-33.03	≤-27	PASS
11AX40MIMO	Ant3	6565	30~3000	2893.08	-46.59	≤-27	PASS
11AX40MIMO	Ant3	6565	3000~10000	4779.63	-42.96	≤-27	PASS
11AX40MIMO	Ant3	6565	10000~40000	38285	-32.35	≤-27	PASS
11AX40MIMO	Ant4	6565	30~3000	2195.63	-46.53	≤-27	PASS
11AX40MIMO	Ant4	6565	3000~10000	4044.87	-42.95	≤-27	PASS
11AX40MIMO	Ant4	6565	10000~40000	38515	-33.47	≤-27	PASS
11AX40MIMO	Ant1	6685	30~3000	907.14	-45.88	≤-27	PASS
11AX40MIMO	Ant1	6685	3000~10000	4657.83	-44.19	≤-27	PASS
11AX40MIMO	Ant1	6685	10000~40000	38223	-32.73	≤-27	PASS
11AX40MIMO	Ant2	6685	30~3000	2156.82	-46.61	≤-27	PASS
11AX40MIMO	Ant2	6685	3000~10000	7620.7	-44.07	≤-27	PASS
11AX40MIMO	Ant2	6685	10000~40000	38208	-33.76	≤-27	PASS
11AX40MIMO	Ant3	6685	30~3000	2721.81	-46.35	≤-27	PASS
11AX40MIMO	Ant3	6685	3000~10000	8308.33	-44.06	≤-27	PASS
11AX40MIMO	Ant3	6685	10000~40000	38592	-33.17	≤-27	PASS
11AX40MIMO	Ant4	6685	30~3000	2944.66	-46.69	≤-27	PASS
11AX40MIMO	Ant4	6685	3000~10000	4019.43	-43.66	≤-27	PASS
11AX40MIMO	Ant4	6685	10000~40000	38604	-32.94	≤-27	PASS
11AX40MIMO	Ant1	6845	30~3000	2655.88	-45.33	≤-27	PASS
11AX40MIMO	Ant1	6845	3000~10000	3903.7	-43.98	≤-27	PASS
11AX40MIMO	Ant1	6845	10000~40000	38423	-32.56	≤-27	PASS
11AX40MIMO	Ant2	6845	30~3000	2622.91	-45.69	≤-27	PASS
11AX40MIMO	Ant2	6845	3000~10000	4764.93	-43.21	≤-27	PASS
11AX40MIMO	Ant2	6845	10000~40000	38516	-32.62	≤-27	PASS
11AX40MIMO	Ant3	6845	30~3000	2771.01	-46.48	≤-27	PASS
11AX40MIMO	Ant3	6845	3000~10000	3700.23	-43.93	≤-27	PASS
11AX40MIMO	Ant3	6845	10000~40000	38292	-32.73	≤-27	PASS
11AX40MIMO	Ant4	6845	30~3000	2858.73	-45.81	≤-27	PASS
11AX40MIMO	Ant4	6845	3000~10000	3991.43	-43.1	≤-27	PASS
11AX40MIMO	Ant4	6845	10000~40000	38280	-33.71	≤-27	PASS
11AX40MIMO	Ant1	6885	30~3000	2645.38	-46.97	≤-27	PASS
11AX40MIMO	Ant1	6885	3000~10000	8228.07	-44.24	≤-27	PASS
11AX40MIMO	Ant1	6885	10000~40000	38225	-33.32	≤-27	PASS
11AX40MIMO	Ant2	6885	30~3000	2672.21	-46.97	≤-27	PASS

11AX40MIMO	Ant2	6885	3000~10000	3726.83	-43.38	≤-27	PASS
11AX40MIMO	Ant2	6885	10000~40000	38600	-33.55	≤-27	PASS
11AX40MIMO	Ant3	6885	30~3000	2655.28	-45.97	≤-27	PASS
11AX40MIMO	Ant3	6885	3000~10000	4045.1	-43.2	≤-27	PASS
11AX40MIMO	Ant3	6885	10000~40000	38948	-32.81	≤-27	PASS
11AX40MIMO	Ant4	6885	30~3000	2106.82	-47.16	≤-27	PASS
11AX40MIMO	Ant4	6885	3000~10000	4656.9	-43.84	≤-27	PASS
11AX40MIMO	Ant4	6885	10000~40000	38555	-32.88	≤-27	PASS
11AX40MIMO	Ant1	6925	30~3000	2978.81	-46.2	≤-27	PASS
11AX40MIMO	Ant1	6925	3000~10000	9184.03	-44.34	≤-27	PASS
11AX40MIMO	Ant1	6925	10000~40000	38209	-32.05	≤-27	PASS
11AX40MIMO	Ant2	6925	30~3000	2676.47	-46.15	≤-27	PASS
11AX40MIMO	Ant2	6925	3000~10000	5748.43	-43.61	≤-27	PASS
11AX40MIMO	Ant2	6925	10000~40000	38648	-32.46	≤-27	PASS
11AX40MIMO	Ant3	6925	30~3000	2693.79	-45.55	≤-27	PASS
11AX40MIMO	Ant3	6925	3000~10000	6247.53	-43.34	≤-27	PASS
11AX40MIMO	Ant3	6925	10000~40000	38560	-33.2	≤-27	PASS
11AX40MIMO	Ant4	6925	30~3000	2923.37	-47.17	≤-27	PASS
11AX40MIMO	Ant4	6925	3000~10000	7959.03	-44.27	≤-27	PASS
11AX40MIMO	Ant4	6925	10000~40000	38293	-33.43	≤-27	PASS
11AX40MIMO	Ant1	6965	30~3000	2974.56	-46.49	≤-27	PASS
11AX40MIMO	Ant1	6965	3000~10000	3974.4	-43.62	≤-27	PASS
11AX40MIMO	Ant1	6965	10000~40000	38645	-32.25	≤-27	PASS
11AX40MIMO	Ant2	6965	30~3000	2824.47	-47.14	≤-27	PASS
11AX40MIMO	Ant2	6965	3000~10000	4045.33	-44.16	≤-27	PASS
11AX40MIMO	Ant2	6965	10000~40000	38324	-32.79	≤-27	PASS
11AX40MIMO	Ant3	6965	30~3000	2520.94	-46.84	≤-27	PASS
11AX40MIMO	Ant3	6965	3000~10000	7224.27	-43.57	≤-27	PASS
11AX40MIMO	Ant3	6965	10000~40000	38589	-32.58	≤-27	PASS
11AX40MIMO	Ant4	6965	30~3000	2762	-47.03	≤-27	PASS
11AX40MIMO	Ant4	6965	3000~10000	4837.03	-44.2	≤-27	PASS
11AX40MIMO	Ant4	6965	10000~40000	38178	-32.91	≤-27	PASS
11AX40MIMO	Ant1	7085	30~3000	2630.93	-46.35	≤-27	PASS
11AX40MIMO	Ant1	7085	3000~10000	7812.5	-43.31	≤-27	PASS
11AX40MIMO	Ant1	7085	10000~40000	38200	-32.46	≤-27	PASS
11AX40MIMO	Ant2	7085	30~3000	2680.53	-45.88	≤-27	PASS
11AX40MIMO	Ant2	7085	3000~10000	4050	-43.04	≤-27	PASS
11AX40MIMO	Ant2	7085	10000~40000	38524	-33.22	≤-27	PASS
11AX40MIMO	Ant3	7085	30~3000	2952.88	-45.51	≤-27	PASS
11AX40MIMO	Ant3	7085	3000~10000	3642.37	-43.55	≤-27	PASS
11AX40MIMO	Ant3	7085	10000~40000	38363	-33.66	≤-27	PASS
11AX40MIMO	Ant4	7085	30~3000	2769.03	-46.38	≤-27	PASS
11AX40MIMO	Ant4	7085	3000~10000	4327.43	-42.88	≤-27	PASS
11AX40MIMO	Ant4	7085	10000~40000	38230	-32.96	≤-27	PASS
11AX80SISO	Ant1	5985	30~3000	2759.03	-46.54	≤-27	PASS

11AX80SISO	Ant1	5985	3000~10000	3994.23	-43.54	≤-27	PASS
11AX80SISO	Ant1	5985	10000~40000	38265	-33.53	≤-27	PASS
11AX80SISO	Ant2	5985	30~3000	2526.88	-45.98	≤-27	PASS
11AX80SISO	Ant2	5985	3000~10000	3927.27	-43.88	≤-27	PASS
11AX80SISO	Ant2	5985	10000~40000	38907	-33.31	≤-27	PASS
11AX80SISO	Ant3	5985	30~3000	2956.14	-46.42	≤-27	PASS
11AX80SISO	Ant3	5985	3000~10000	3992.13	-43.33	≤-27	PASS
11AX80SISO	Ant3	5985	10000~40000	38217	-33.13	≤-27	PASS
11AX80SISO	Ant4	5985	30~3000	2721.81	-46.78	≤-27	PASS
11AX80SISO	Ant4	5985	3000~10000	3970.43	-44.13	≤-27	PASS
11AX80SISO	Ant4	5985	10000~40000	38232	-32.83	≤-27	PASS
11AX80SISO	Ant1	6145	30~3000	2488.57	-46.65	≤-27	PASS
11AX80SISO	Ant1	6145	3000~10000	8112.57	-44.47	≤-27	PASS
11AX80SISO	Ant1	6145	10000~40000	38307	-33.53	≤-27	PASS
11AX80SISO	Ant2	6145	30~3000	2998.02	-45.9	≤-27	PASS
11AX80SISO	Ant2	6145	3000~10000	4676.97	-44.16	≤-27	PASS
11AX80SISO	Ant2	6145	10000~40000	38569	-33.79	≤-27	PASS
11AX80SISO	Ant3	6145	30~3000	2584.5	-47.01	≤-27	PASS
11AX80SISO	Ant3	6145	3000~10000	8333.77	-43.49	≤-27	PASS
11AX80SISO	Ant3	6145	10000~40000	38908	-33.16	≤-27	PASS
11AX80SISO	Ant4	6145	30~3000	2910.41	-46.49	≤-27	PASS
11AX80SISO	Ant4	6145	3000~10000	5108.4	-44.53	≤-27	PASS
11AX80SISO	Ant4	6145	10000~40000	38212	-32.22	≤-27	PASS
11AX80SISO	Ant1	6385	30~3000	2968.62	-47.29	≤-27	PASS
11AX80SISO	Ant1	6385	3000~10000	7716.6	-43.77	≤-27	PASS
11AX80SISO	Ant1	6385	10000~40000	38920	-33.49	≤-27	PASS
11AX80SISO	Ant2	6385	30~3000	2972.38	-46.45	≤-27	PASS
11AX80SISO	Ant2	6385	3000~10000	9802.37	-44.03	≤-27	PASS
11AX80SISO	Ant2	6385	10000~40000	38222	-33.38	≤-27	PASS
11AX80SISO	Ant3	6385	30~3000	2639.84	-46.16	≤-27	PASS
11AX80SISO	Ant3	6385	3000~10000	3972.53	-43.63	≤-27	PASS
11AX80SISO	Ant3	6385	10000~40000	38252	-32.73	≤-27	PASS
11AX80SISO	Ant4	6385	30~3000	2447.78	-46.61	≤-27	PASS
11AX80SISO	Ant4	6385	3000~10000	3991.2	-44.37	≤-27	PASS
11AX80SISO	Ant4	6385	10000~40000	38576	-33.14	≤-27	PASS
11AX80SISO	Ant1	6465	30~3000	2616.08	-45.96	≤-27	PASS
11AX80SISO	Ant1	6465	3000~10000	3990.73	-43.53	≤-27	PASS
11AX80SISO	Ant1	6465	10000~40000	38247	-33.34	≤-27	PASS
11AX80SISO	Ant2	6465	30~3000	2995.05	-46.53	≤-27	PASS
11AX80SISO	Ant2	6465	3000~10000	4043.7	-43.41	≤-27	PASS
11AX80SISO	Ant2	6465	10000~40000	38921	-33.06	≤-27	PASS
11AX80SISO	Ant3	6465	30~3000	2415.9	-45.77	≤-27	PASS
11AX80SISO	Ant3	6465	3000~10000	4006.83	-43.74	≤-27	PASS
11AX80SISO	Ant3	6465	10000~40000	38557	-32.89	≤-27	PASS
11AX80SISO	Ant4	6465	30~3000	2416.2	-46.22	≤-27	PASS

11AX80SISO	Ant4	6465	3000~10000	5128.93	-43.87	≤-27	PASS
11AX80SISO	Ant4	6465	10000~40000	38557	-32.67	≤-27	PASS
11AX80SISO	Ant1	6545	30~3000	2238.1	-46.61	≤-27	PASS
11AX80SISO	Ant1	6545	3000~10000	4783.37	-42.5	≤-27	PASS
11AX80SISO	Ant1	6545	10000~40000	39043	-33.28	≤-27	PASS
11AX80SISO	Ant2	6545	30~3000	2494.7	-45.91	≤-27	PASS
11AX80SISO	Ant2	6545	3000~10000	4643.6	-43.91	≤-27	PASS
11AX80SISO	Ant2	6545	10000~40000	38096	-33.13	≤-27	PASS
11AX80SISO	Ant3	6545	30~3000	2719.24	-46.59	≤-27	PASS
11AX80SISO	Ant3	6545	3000~10000	3697.9	-43.63	≤-27	PASS
11AX80SISO	Ant3	6545	10000~40000	38210	-31.42	≤-27	PASS
11AX80SISO	Ant4	6545	30~3000	2766.56	-46.38	≤-27	PASS
11AX80SISO	Ant4	6545	3000~10000	7734.57	-43.16	≤-27	PASS
11AX80SISO	Ant4	6545	10000~40000	38192	-33.42	≤-27	PASS
11AX80SISO	Ant1	6625	30~3000	2758.14	-47.27	≤-27	PASS
11AX80SISO	Ant1	6625	3000~10000	7745.3	-43.39	≤-27	PASS
11AX80SISO	Ant1	6625	10000~40000	38594	-32.91	≤-27	PASS
11AX80SISO	Ant2	6625	30~3000	2797.35	-45.77	≤-27	PASS
11AX80SISO	Ant2	6625	3000~10000	4872.27	-44	≤-27	PASS
11AX80SISO	Ant2	6625	10000~40000	38902	-31.5	≤-27	PASS
11AX80SISO	Ant3	6625	30~3000	2768.04	-45.62	≤-27	PASS
11AX80SISO	Ant3	6625	3000~10000	4805.77	-43.77	≤-27	PASS
11AX80SISO	Ant3	6625	10000~40000	38551	-33.61	≤-27	PASS
11AX80SISO	Ant4	6625	30~3000	2832	-45.99	≤-27	PASS
11AX80SISO	Ant4	6625	3000~10000	4006.13	-43.97	≤-27	PASS
11AX80SISO	Ant4	6625	10000~40000	38563	-32.84	≤-27	PASS
11AX80SISO	Ant1	6705	30~3000	2652.41	-47.11	≤-27	PASS
11AX80SISO	Ant1	6705	3000~10000	8224.57	-43.14	≤-27	PASS
11AX80SISO	Ant1	6705	10000~40000	38524	-32.79	≤-27	PASS
11AX80SISO	Ant2	6705	30~3000	2759.23	-46.97	≤-27	PASS
11AX80SISO	Ant2	6705	3000~10000	8249.77	-43.12	≤-27	PASS
11AX80SISO	Ant2	6705	10000~40000	38491	-33.14	≤-27	PASS
11AX80SISO	Ant3	6705	30~3000	2520.54	-43.63	≤-27	PASS
11AX80SISO	Ant3	6705	3000~10000	3671.53	-43.19	≤-27	PASS
11AX80SISO	Ant3	6705	10000~40000	38598	-32.77	≤-27	PASS
11AX80SISO	Ant4	6705	30~3000	2461.64	-46.34	≤-27	PASS
11AX80SISO	Ant4	6705	3000~10000	4641.27	-43.08	≤-27	PASS
11AX80SISO	Ant4	6705	10000~40000	38241	-33.23	≤-27	PASS
11AX80SISO	Ant1	6785	30~3000	704.59	-42.52	≤-27	PASS
11AX80SISO	Ant1	6785	3000~10000	4056.07	-43.72	≤-27	PASS
11AX80SISO	Ant1	6785	10000~40000	38176	-33.91	≤-27	PASS
11AX80SISO	Ant2	6785	30~3000	2450.25	-46.22	≤-27	PASS
11AX80SISO	Ant2	6785	3000~10000	3991.43	-43.33	≤-27	PASS
11AX80SISO	Ant2	6785	10000~40000	38608	-33.87	≤-27	PASS
11AX80SISO	Ant3	6785	30~3000	2503.42	-46.62	≤-27	PASS

11AX80SISO	Ant3	6785	3000~10000	9111.93	-44.56	≤-27	PASS
11AX80SISO	Ant3	6785	10000~40000	38230	-32.89	≤-27	PASS
11AX80SISO	Ant4	6785	30~3000	2984.16	-46.7	≤-27	PASS
11AX80SISO	Ant4	6785	3000~10000	5047.73	-44.1	≤-27	PASS
11AX80SISO	Ant4	6785	10000~40000	38591	-32.04	≤-27	PASS
11AX80SISO	Ant1	6865	30~3000	2977.23	-46.76	≤-27	PASS
11AX80SISO	Ant1	6865	3000~10000	5488.97	-43.55	≤-27	PASS
11AX80SISO	Ant1	6865	10000~40000	38224	-33.25	≤-27	PASS
11AX80SISO	Ant2	6865	30~3000	2365.71	-46.03	≤-27	PASS
11AX80SISO	Ant2	6865	3000~10000	3838.83	-43.71	≤-27	PASS
11AX80SISO	Ant2	6865	10000~40000	38990	-33.08	≤-27	PASS
11AX80SISO	Ant3	6865	30~3000	2550.24	-45.95	≤-27	PASS
11AX80SISO	Ant3	6865	3000~10000	3987.23	-44.14	≤-27	PASS
11AX80SISO	Ant3	6865	10000~40000	38225	-33.03	≤-27	PASS
11AX80SISO	Ant4	6865	30~3000	2459.76	-46.58	≤-27	PASS
11AX80SISO	Ant4	6865	3000~10000	7999.87	-43.94	≤-27	PASS
11AX80SISO	Ant4	6865	10000~40000	38207	-32.44	≤-27	PASS
11AX80SISO	Ant1	6945	30~3000	2734.28	-46.16	≤-27	PASS
11AX80SISO	Ant1	6945	3000~10000	4020.13	-44.11	≤-27	PASS
11AX80SISO	Ant1	6945	10000~40000	38304	-33.63	≤-27	PASS
11AX80SISO	Ant2	6945	30~3000	2479.85	-46.44	≤-27	PASS
11AX80SISO	Ant2	6945	3000~10000	4678.37	-44.01	≤-27	PASS
11AX80SISO	Ant2	6945	10000~40000	38593	-32.03	≤-27	PASS
11AX80SISO	Ant3	6945	30~3000	2689.73	-46.48	≤-27	PASS
11AX80SISO	Ant3	6945	3000~10000	3945	-43.45	≤-27	PASS
11AX80SISO	Ant3	6945	10000~40000	38560	-33.35	≤-27	PASS
11AX80SISO	Ant4	6945	30~3000	2636.27	-46.16	≤-27	PASS
11AX80SISO	Ant4	6945	3000~10000	8218.5	-43.82	≤-27	PASS
11AX80SISO	Ant4	6945	10000~40000	38218	-33.22	≤-27	PASS
11AX80SISO	Ant1	7025	30~3000	2550.14	-46.33	≤-27	PASS
11AX80SISO	Ant1	7025	3000~10000	4000.07	-43.41	≤-27	PASS
11AX80SISO	Ant1	7025	10000~40000	38929	-32.55	≤-27	PASS
11AX80SISO	Ant2	7025	30~3000	2856.75	-46.32	≤-27	PASS
11AX80SISO	Ant2	7025	3000~10000	8744.67	-43.77	≤-27	PASS
11AX80SISO	Ant2	7025	10000~40000	38573	-32.96	≤-27	PASS
11AX80SISO	Ant3	7025	30~3000	2499.46	-46.29	≤-27	PASS
11AX80SISO	Ant3	7025	3000~10000	9167.23	-43.95	≤-27	PASS
11AX80SISO	Ant3	7025	10000~40000	38600	-33.46	≤-27	PASS
11AX80SISO	Ant4	7025	30~3000	2929.12	-46.75	≤-27	PASS
11AX80SISO	Ant4	7025	3000~10000	3614.37	-43.84	≤-27	PASS
11AX80SISO	Ant4	7025	10000~40000	38942	-33.52	≤-27	PASS
11AX80MIMO	Ant1	5985	30~3000	2913.87	-46.47	≤-27	PASS
11AX80MIMO	Ant1	5985	3000~10000	4980.77	-44.3	≤-27	PASS
11AX80MIMO	Ant1	5985	10000~40000	38233	-32.38	≤-27	PASS
11AX80MIMO	Ant2	5985	30~3000	2856.05	-46.48	≤-27	PASS

11AX80MIMO	Ant2	5985	3000~10000	9133.87	-43.8	≤-27	PASS
11AX80MIMO	Ant2	5985	10000~40000	38983	-32.62	≤-27	PASS
11AX80MIMO	Ant3	5985	30~3000	2815.96	-46.22	≤-27	PASS
11AX80MIMO	Ant3	5985	3000~10000	7725.93	-43.6	≤-27	PASS
11AX80MIMO	Ant3	5985	10000~40000	38593	-33.33	≤-27	PASS
11AX80MIMO	Ant4	5985	30~3000	2930.8	-46.53	≤-27	PASS
11AX80MIMO	Ant4	5985	3000~10000	3973.47	-44.15	≤-27	PASS
11AX80MIMO	Ant4	5985	10000~40000	38952	-33.72	≤-27	PASS
11AX80MIMO	Ant1	6145	30~3000	2437.28	-44.77	≤-27	PASS
11AX80MIMO	Ant1	6145	3000~10000	4033.43	-43.57	≤-27	PASS
11AX80MIMO	Ant1	6145	10000~40000	38565	-32.73	≤-27	PASS
11AX80MIMO	Ant2	6145	30~3000	2940.4	-47.03	≤-27	PASS
11AX80MIMO	Ant2	6145	3000~10000	4607.9	-43.86	≤-27	PASS
11AX80MIMO	Ant2	6145	10000~40000	38582	-33.24	≤-27	PASS
11AX80MIMO	Ant3	6145	30~3000	1719.34	-46.83	≤-27	PASS
11AX80MIMO	Ant3	6145	3000~10000	7787.53	-43.96	≤-27	PASS
11AX80MIMO	Ant3	6145	10000~40000	38292	-32.67	≤-27	PASS
11AX80MIMO	Ant4	6145	30~3000	2849.22	-45.86	≤-27	PASS
11AX80MIMO	Ant4	6145	3000~10000	3971.37	-44.26	≤-27	PASS
11AX80MIMO	Ant4	6145	10000~40000	38977	-33.2	≤-27	PASS
11AX80MIMO	Ant1	6385	30~3000	2935.75	-46.79	≤-27	PASS
11AX80MIMO	Ant1	6385	3000~10000	5132.43	-44.38	≤-27	PASS
11AX80MIMO	Ant1	6385	10000~40000	38607	-33.41	≤-27	PASS
11AX80MIMO	Ant2	6385	30~3000	2637.66	-46.9	≤-27	PASS
11AX80MIMO	Ant2	6385	3000~10000	4771.23	-43.79	≤-27	PASS
11AX80MIMO	Ant2	6385	10000~40000	38214	-33.44	≤-27	PASS
11AX80MIMO	Ant3	6385	30~3000	2834.87	-47.03	≤-27	PASS
11AX80MIMO	Ant3	6385	3000~10000	4850.8	-44.15	≤-27	PASS
11AX80MIMO	Ant3	6385	10000~40000	38534	-33.3	≤-27	PASS
11AX80MIMO	Ant4	6385	30~3000	2758.34	-46.72	≤-27	PASS
11AX80MIMO	Ant4	6385	3000~10000	3998.43	-43.68	≤-27	PASS
11AX80MIMO	Ant4	6385	10000~40000	38874	-32.8	≤-27	PASS
11AX80MIMO	Ant1	6465	30~3000	2415.31	-40.69	≤-27	PASS
11AX80MIMO	Ant1	6465	3000~10000	8269.83	-42.81	≤-27	PASS
11AX80MIMO	Ant1	6465	10000~40000	38592	-33.47	≤-27	PASS
11AX80MIMO	Ant2	6465	30~3000	2704.98	-46.57	≤-27	PASS
11AX80MIMO	Ant2	6465	3000~10000	8044.43	-43.14	≤-27	PASS
11AX80MIMO	Ant2	6465	10000~40000	38613	-33.48	≤-27	PASS
11AX80MIMO	Ant3	6465	30~3000	2763.29	-45.74	≤-27	PASS
11AX80MIMO	Ant3	6465	3000~10000	4032.27	-43.98	≤-27	PASS
11AX80MIMO	Ant3	6465	10000~40000	38887	-32.93	≤-27	PASS
11AX80MIMO	Ant4	6465	30~3000	2603.11	-46.93	≤-27	PASS
11AX80MIMO	Ant4	6465	3000~10000	3995.17	-44.26	≤-27	PASS
11AX80MIMO	Ant4	6465	10000~40000	38583	-32.5	≤-27	PASS
11AX80MIMO	Ant1	6545	30~3000	2550.44	-46.19	≤-27	PASS

11AX80MIMO	Ant1	6545	3000~10000	4007.3	-43.93	≤-27	PASS
11AX80MIMO	Ant1	6545	10000~40000	38162	-33.09	≤-27	PASS
11AX80MIMO	Ant2	6545	30~3000	2828.93	-45.44	≤-27	PASS
11AX80MIMO	Ant2	6545	3000~10000	5036.53	-44.07	≤-27	PASS
11AX80MIMO	Ant2	6545	10000~40000	38591	-32.77	≤-27	PASS
11AX80MIMO	Ant3	6545	30~3000	2464.91	-46.58	≤-27	PASS
11AX80MIMO	Ant3	6545	3000~10000	8305.77	-43.82	≤-27	PASS
11AX80MIMO	Ant3	6545	10000~40000	38162	-32.76	≤-27	PASS
11AX80MIMO	Ant4	6545	30~3000	2502.43	-46.1	≤-27	PASS
11AX80MIMO	Ant4	6545	3000~10000	3986.77	-43.24	≤-27	PASS
11AX80MIMO	Ant4	6545	10000~40000	38924	-31.84	≤-27	PASS
11AX80MIMO	Ant1	6625	30~3000	2431.94	-32.35	≤-27	PASS
11AX80MIMO	Ant1	6625	3000~10000	5789.27	-44	≤-27	PASS
11AX80MIMO	Ant1	6625	10000~40000	38628	-32.97	≤-27	PASS
11AX80MIMO	Ant2	6625	30~3000	2749.23	-46.72	≤-27	PASS
11AX80MIMO	Ant2	6625	3000~10000	8485.67	-43.8	≤-27	PASS
11AX80MIMO	Ant2	6625	10000~40000	38931	-32.51	≤-27	PASS
11AX80MIMO	Ant3	6625	30~3000	2460.05	-47.11	≤-27	PASS
11AX80MIMO	Ant3	6625	3000~10000	4035.3	-43.02	≤-27	PASS
11AX80MIMO	Ant3	6625	10000~40000	38236	-33.17	≤-27	PASS
11AX80MIMO	Ant4	6625	30~3000	2857.54	-47.31	≤-27	PASS
11AX80MIMO	Ant4	6625	3000~10000	3981.63	-44.1	≤-27	PASS
11AX80MIMO	Ant4	6625	10000~40000	38269	-33.4	≤-27	PASS
11AX80MIMO	Ant1	6705	30~3000	904.47	-30.1	≤-27	PASS
11AX80MIMO	Ant1	6705	3000~10000	3681.1	-42.39	≤-27	PASS
11AX80MIMO	Ant1	6705	10000~40000	38605	-33.59	≤-27	PASS
11AX80MIMO	Ant2	6705	30~3000	2609.35	-45.92	≤-27	PASS
11AX80MIMO	Ant2	6705	3000~10000	3965.07	-44.39	≤-27	PASS
11AX80MIMO	Ant2	6705	10000~40000	38575	-32.61	≤-27	PASS
11AX80MIMO	Ant3	6705	30~3000	2476.09	-46.68	≤-27	PASS
11AX80MIMO	Ant3	6705	3000~10000	7574.27	-43.89	≤-27	PASS
11AX80MIMO	Ant3	6705	10000~40000	38868	-33.82	≤-27	PASS
11AX80MIMO	Ant4	6705	30~3000	2668.15	-46.99	≤-27	PASS
11AX80MIMO	Ant4	6705	3000~10000	4002.87	-43.68	≤-27	PASS
11AX80MIMO	Ant4	6705	10000~40000	38210	-33.92	≤-27	PASS
11AX80MIMO	Ant1	6785	30~3000	711.42	-46.15	≤-27	PASS
11AX80MIMO	Ant1	6785	3000~10000	4020.13	-43.7	≤-27	PASS
11AX80MIMO	Ant1	6785	10000~40000	38577	-32.34	≤-27	PASS
11AX80MIMO	Ant2	6785	30~3000	2609.84	-45.71	≤-27	PASS
11AX80MIMO	Ant2	6785	3000~10000	4792.93	-44.12	≤-27	PASS
11AX80MIMO	Ant2	6785	10000~40000	38482	-33.31	≤-27	PASS
11AX80MIMO	Ant3	6785	30~3000	2741.12	-46.63	≤-27	PASS
11AX80MIMO	Ant3	6785	3000~10000	7642.17	-43.69	≤-27	PASS
11AX80MIMO	Ant3	6785	10000~40000	38923	-32.44	≤-27	PASS
11AX80MIMO	Ant4	6785	30~3000	2739.63	-46.7	≤-27	PASS

11AX80MIMO	Ant4	6785	3000~10000	5090.9	-44.01	≤-27	PASS
11AX80MIMO	Ant4	6785	10000~40000	38255	-33.6	≤-27	PASS
11AX80MIMO	Ant1	6865	30~3000	1746.46	-38.07	≤-27	PASS
11AX80MIMO	Ant1	6865	3000~10000	3989.1	-43.5	≤-27	PASS
11AX80MIMO	Ant1	6865	10000~40000	38576	-33.23	≤-27	PASS
11AX80MIMO	Ant2	6865	30~3000	1891.4	-46.01	≤-27	PASS
11AX80MIMO	Ant2	6865	3000~10000	4014.53	-42.93	≤-27	PASS
11AX80MIMO	Ant2	6865	10000~40000	38625	-32.36	≤-27	PASS
11AX80MIMO	Ant3	6865	30~3000	2805.37	-46.19	≤-27	PASS
11AX80MIMO	Ant3	6865	3000~10000	4036.93	-43.1	≤-27	PASS
11AX80MIMO	Ant3	6865	10000~40000	38576	-32.85	≤-27	PASS
11AX80MIMO	Ant4	6865	30~3000	2944.86	-46.25	≤-27	PASS
11AX80MIMO	Ant4	6865	3000~10000	3926.57	-44	≤-27	PASS
11AX80MIMO	Ant4	6865	10000~40000	38579	-32.18	≤-27	PASS
11AX80MIMO	Ant1	6945	30~3000	2643.3	-46.45	≤-27	PASS
11AX80MIMO	Ant1	6945	3000~10000	4629.83	-42.89	≤-27	PASS
11AX80MIMO	Ant1	6945	10000~40000	38204	-32.86	≤-27	PASS
11AX80MIMO	Ant2	6945	30~3000	2735.37	-46.57	≤-27	PASS
11AX80MIMO	Ant2	6945	3000~10000	4774.03	-43.64	≤-27	PASS
11AX80MIMO	Ant2	6945	10000~40000	38687	-32.5	≤-27	PASS
11AX80MIMO	Ant3	6945	30~3000	2703.79	-46.32	≤-27	PASS
11AX80MIMO	Ant3	6945	3000~10000	8793.43	-43.94	≤-27	PASS
11AX80MIMO	Ant3	6945	10000~40000	38195	-33.06	≤-27	PASS
11AX80MIMO	Ant4	6945	30~3000	2878.92	-46.94	≤-27	PASS
11AX80MIMO	Ant4	6945	3000~10000	3989.57	-43.83	≤-27	PASS
11AX80MIMO	Ant4	6945	10000~40000	38356	-32.65	≤-27	PASS
11AX80MIMO	Ant1	7025	30~3000	2470.65	-33.48	≤-27	PASS
11AX80MIMO	Ant1	7025	3000~10000	4003.8	-43.64	≤-27	PASS
11AX80MIMO	Ant1	7025	10000~40000	38600	-33.04	≤-27	PASS
11AX80MIMO	Ant2	7025	30~3000	2534.3	-46.45	≤-27	PASS
11AX80MIMO	Ant2	7025	3000~10000	4260.47	-43.63	≤-27	PASS
11AX80MIMO	Ant2	7025	10000~40000	38927	-33.09	≤-27	PASS
11AX80MIMO	Ant3	7025	30~3000	2567.77	-45.86	≤-27	PASS
11AX80MIMO	Ant3	7025	3000~10000	3773.03	-43.76	≤-27	PASS
11AX80MIMO	Ant3	7025	10000~40000	38224	-32.43	≤-27	PASS
11AX80MIMO	Ant4	7025	30~3000	2883.18	-44.71	≤-27	PASS
11AX80MIMO	Ant4	7025	3000~10000	5084.37	-43.6	≤-27	PASS
11AX80MIMO	Ant4	7025	10000~40000	38312	-32.07	≤-27	PASS
11AX160SISO	Ant1	6025	30~3000	2618.16	-46.75	≤-27	PASS
11AX160SISO	Ant1	6025	3000~10000	4928.97	-44.45	≤-27	PASS
11AX160SISO	Ant1	6025	10000~40000	38205	-33	≤-27	PASS
11AX160SISO	Ant2	6025	30~3000	2654.89	-46.22	≤-27	PASS
11AX160SISO	Ant2	6025	3000~10000	4618.63	-44.33	≤-27	PASS
11AX160SISO	Ant2	6025	10000~40000	38916	-33.81	≤-27	PASS
11AX160SISO	Ant3	6025	30~3000	2821.21	-46.27	≤-27	PASS

11AX160SISO	Ant3	6025	3000~10000	3984.9	-44.36	≤-27	PASS
11AX160SISO	Ant3	6025	10000~40000	38988	-34	≤-27	PASS
11AX160SISO	Ant4	6025	30~3000	2814.87	-46.9	≤-27	PASS
11AX160SISO	Ant4	6025	3000~10000	3966.23	-43.82	≤-27	PASS
11AX160SISO	Ant4	6025	10000~40000	38517	-33.57	≤-27	PASS
11AX160SISO	Ant1	6185	30~3000	2734.48	-46.25	≤-27	PASS
11AX160SISO	Ant1	6185	3000~10000	7301.73	-43.64	≤-27	PASS
11AX160SISO	Ant1	6185	10000~40000	38145	-33.86	≤-27	PASS
11AX160SISO	Ant2	6185	30~3000	2534.7	-46.92	≤-27	PASS
11AX160SISO	Ant2	6185	3000~10000	5064.3	-43.57	≤-27	PASS
11AX160SISO	Ant2	6185	10000~40000	38579	-31.69	≤-27	PASS
11AX160SISO	Ant3	6185	30~3000	2785.86	-46.85	≤-27	PASS
11AX160SISO	Ant3	6185	3000~10000	3980.23	-44.05	≤-27	PASS
11AX160SISO	Ant3	6185	10000~40000	35013	-33.28	≤-27	PASS
11AX160SISO	Ant4	6185	30~3000	2956.04	-47.34	≤-27	PASS
11AX160SISO	Ant4	6185	3000~10000	3965.3	-43.5	≤-27	PASS
11AX160SISO	Ant4	6185	10000~40000	38200	-33.24	≤-27	PASS
11AX160SISO	Ant1	6345	30~3000	2517.28	-45.27	≤-27	PASS
11AX160SISO	Ant1	6345	3000~10000	3972.53	-44.38	≤-27	PASS
11AX160SISO	Ant1	6345	10000~40000	38234	-32.92	≤-27	PASS
11AX160SISO	Ant2	6345	30~3000	2983.57	-46.73	≤-27	PASS
11AX160SISO	Ant2	6345	3000~10000	5001.07	-43.87	≤-27	PASS
11AX160SISO	Ant2	6345	10000~40000	38599	-32.78	≤-27	PASS
11AX160SISO	Ant3	6345	30~3000	2581.82	-46.52	≤-27	PASS
11AX160SISO	Ant3	6345	3000~10000	4781.97	-44.04	≤-27	PASS
11AX160SISO	Ant3	6345	10000~40000	38249	-33.22	≤-27	PASS
11AX160SISO	Ant4	6345	30~3000	2663.3	-47.39	≤-27	PASS
11AX160SISO	Ant4	6345	3000~10000	4637.77	-43.93	≤-27	PASS
11AX160SISO	Ant4	6345	10000~40000	38586	-33.91	≤-27	PASS
11AX160SISO	Ant1	6505	30~3000	2670.92	-46.46	≤-27	PASS
11AX160SISO	Ant1	6505	3000~10000	4800.17	-42.93	≤-27	PASS
11AX160SISO	Ant1	6505	10000~40000	38453	-33.48	≤-27	PASS
11AX160SISO	Ant2	6505	30~3000	2916.54	-47.01	≤-27	PASS
11AX160SISO	Ant2	6505	3000~10000	4773.57	-43.9	≤-27	PASS
11AX160SISO	Ant2	6505	10000~40000	38644	-32.71	≤-27	PASS
11AX160SISO	Ant3	6505	30~3000	2520.15	-45.31	≤-27	PASS
11AX160SISO	Ant3	6505	3000~10000	9723.73	-43.05	≤-27	PASS
11AX160SISO	Ant3	6505	10000~40000	38563	-31.84	≤-27	PASS
11AX160SISO	Ant4	6505	30~3000	2665.78	-46.53	≤-27	PASS
11AX160SISO	Ant4	6505	3000~10000	4024.8	-42.99	≤-27	PASS
11AX160SISO	Ant4	6505	10000~40000	38198	-32.9	≤-27	PASS
11AX160SISO	Ant1	6665	30~3000	2747.85	-46.91	≤-27	PASS
11AX160SISO	Ant1	6665	3000~10000	4670.67	-44.02	≤-27	PASS
11AX160SISO	Ant1	6665	10000~40000	38915	-32.5	≤-27	PASS
11AX160SISO	Ant2	6665	30~3000	2705.38	-47.31	≤-27	PASS

11AX160SISO	Ant2	6665	3000~10000	4031.1	-44.34	≤-27	PASS
11AX160SISO	Ant2	6665	10000~40000	38576	-32.79	≤-27	PASS
11AX160SISO	Ant3	6665	30~3000	2615.39	-47.01	≤-27	PASS
11AX160SISO	Ant3	6665	3000~10000	3989.1	-43.42	≤-27	PASS
11AX160SISO	Ant3	6665	10000~40000	38591	-32.67	≤-27	PASS
11AX160SISO	Ant4	6665	30~3000	2369.47	-45.74	≤-27	PASS
11AX160SISO	Ant4	6665	3000~10000	8033.47	-43.94	≤-27	PASS
11AX160SISO	Ant4	6665	10000~40000	39167	-33.33	≤-27	PASS
11AX160SISO	Ant1	6825	30~3000	2759.23	-46.05	≤-27	PASS
11AX160SISO	Ant1	6825	3000~10000	8435.5	-44.16	≤-27	PASS
11AX160SISO	Ant1	6825	10000~40000	38280	-33.14	≤-27	PASS
11AX160SISO	Ant2	6825	30~3000	2480.25	-47.03	≤-27	PASS
11AX160SISO	Ant2	6825	3000~10000	8280.8	-43.6	≤-27	PASS
11AX160SISO	Ant2	6825	10000~40000	38231	-33.55	≤-27	PASS
11AX160SISO	Ant3	6825	30~3000	2833.98	-46.12	≤-27	PASS
11AX160SISO	Ant3	6825	3000~10000	4015	-43.27	≤-27	PASS
11AX160SISO	Ant3	6825	10000~40000	38226	-32.91	≤-27	PASS
11AX160SISO	Ant4	6825	30~3000	2486.59	-45.82	≤-27	PASS
11AX160SISO	Ant4	6825	3000~10000	9078.1	-43.84	≤-27	PASS
11AX160SISO	Ant4	6825	10000~40000	38546	-33.58	≤-27	PASS
11AX160SISO	Ant1	6985	30~3000	2479.16	-46.53	≤-27	PASS
11AX160SISO	Ant1	6985	3000~10000	9924.17	-43.37	≤-27	PASS
11AX160SISO	Ant1	6985	10000~40000	38317	-33.19	≤-27	PASS
11AX160SISO	Ant2	6985	30~3000	2890.7	-46.94	≤-27	PASS
11AX160SISO	Ant2	6985	3000~10000	4690.97	-44.12	≤-27	PASS
11AX160SISO	Ant2	6985	10000~40000	38318	-33.12	≤-27	PASS
11AX160SISO	Ant3	6985	30~3000	2625.98	-45.85	≤-27	PASS
11AX160SISO	Ant3	6985	3000~10000	5094.87	-44.21	≤-27	PASS
11AX160SISO	Ant3	6985	10000~40000	38973	-33.56	≤-27	PASS
11AX160SISO	Ant4	6985	30~3000	2735.47	-46.56	≤-27	PASS
11AX160SISO	Ant4	6985	3000~10000	4790.13	-42.91	≤-27	PASS
11AX160SISO	Ant4	6985	10000~40000	38526	-33.8	≤-27	PASS
11AX160MIMO	Ant1	6025	30~3000	2581.63	-47.11	≤-27	PASS
11AX160MIMO	Ant1	6025	3000~10000	9696.67	-42.6	≤-27	PASS
11AX160MIMO	Ant1	6025	10000~40000	38615	-33.29	≤-27	PASS
11AX160MIMO	Ant2	6025	30~3000	2669.14	-46.42	≤-27	PASS
11AX160MIMO	Ant2	6025	3000~10000	7176.67	-43.77	≤-27	PASS
11AX160MIMO	Ant2	6025	10000~40000	38589	-32.7	≤-27	PASS
11AX160MIMO	Ant3	6025	30~3000	2361.95	-47.46	≤-27	PASS
11AX160MIMO	Ant3	6025	3000~10000	3965.53	-43.98	≤-27	PASS
11AX160MIMO	Ant3	6025	10000~40000	38302	-33.15	≤-27	PASS
11AX160MIMO	Ant4	6025	30~3000	2392.64	-46.53	≤-27	PASS
11AX160MIMO	Ant4	6025	3000~10000	3788.2	-44.14	≤-27	PASS
11AX160MIMO	Ant4	6025	10000~40000	38243	-32.61	≤-27	PASS
11AX160MIMO	Ant1	6185	30~3000	2812	-46.5	≤-27	PASS

11AX160MIMO	Ant1	6185	3000~10000	9709.5	-44.45	≤-27	PASS
11AX160MIMO	Ant1	6185	10000~40000	38869	-33.86	≤-27	PASS
11AX160MIMO	Ant2	6185	30~3000	2596.18	-46.54	≤-27	PASS
11AX160MIMO	Ant2	6185	3000~10000	3735.93	-44.01	≤-27	PASS
11AX160MIMO	Ant2	6185	10000~40000	38160	-32.81	≤-27	PASS
11AX160MIMO	Ant3	6185	30~3000	2925.06	-46.85	≤-27	PASS
11AX160MIMO	Ant3	6185	3000~10000	3740.83	-43.58	≤-27	PASS
11AX160MIMO	Ant3	6185	10000~40000	38578	-33.94	≤-27	PASS
11AX160MIMO	Ant4	6185	30~3000	2609.84	-47.37	≤-27	PASS
11AX160MIMO	Ant4	6185	3000~10000	3999.37	-43.91	≤-27	PASS
11AX160MIMO	Ant4	6185	10000~40000	38632	-33.13	≤-27	PASS
11AX160MIMO	Ant1	6345	30~3000	2492.13	-46.91	≤-27	PASS
11AX160MIMO	Ant1	6345	3000~10000	3713.53	-44.43	≤-27	PASS
11AX160MIMO	Ant1	6345	10000~40000	38388	-33.78	≤-27	PASS
11AX160MIMO	Ant2	6345	30~3000	2352.44	-46.76	≤-27	PASS
11AX160MIMO	Ant2	6345	3000~10000	3729.63	-43.3	≤-27	PASS
11AX160MIMO	Ant2	6345	10000~40000	38598	-33.68	≤-27	PASS
11AX160MIMO	Ant3	6345	30~3000	2312.74	-46.19	≤-27	PASS
11AX160MIMO	Ant3	6345	3000~10000	4989.87	-44.37	≤-27	PASS
11AX160MIMO	Ant3	6345	10000~40000	38221	-32.35	≤-27	PASS
11AX160MIMO	Ant4	6345	30~3000	2681.72	-45.76	≤-27	PASS
11AX160MIMO	Ant4	6345	3000~10000	4006.6	-44.13	≤-27	PASS
11AX160MIMO	Ant4	6345	10000~40000	38642	-33.52	≤-27	PASS
11AX160MIMO	Ant1	6505	30~3000	2787.45	-46.46	≤-27	PASS
11AX160MIMO	Ant1	6505	3000~10000	3963.9	-43.99	≤-27	PASS
11AX160MIMO	Ant1	6505	10000~40000	38223	-32.87	≤-27	PASS
11AX160MIMO	Ant2	6505	30~3000	2830.02	-45.15	≤-27	PASS
11AX160MIMO	Ant2	6505	3000~10000	4785	-44.33	≤-27	PASS
11AX160MIMO	Ant2	6505	10000~40000	38634	-33.24	≤-27	PASS
11AX160MIMO	Ant3	6505	30~3000	2823.38	-46.83	≤-27	PASS
11AX160MIMO	Ant3	6505	3000~10000	4913.1	-43.97	≤-27	PASS
11AX160MIMO	Ant3	6505	10000~40000	38299	-33.39	≤-27	PASS
11AX160MIMO	Ant4	6505	30~3000	2479.46	-45.94	≤-27	PASS
11AX160MIMO	Ant4	6505	3000~10000	8593.23	-43.44	≤-27	PASS
11AX160MIMO	Ant4	6505	10000~40000	39213	-33.12	≤-27	PASS
11AX160MIMO	Ant1	6665	30~3000	2587.37	-46.88	≤-27	PASS
11AX160MIMO	Ant1	6665	3000~10000	4794.57	-44.33	≤-27	PASS
11AX160MIMO	Ant1	6665	10000~40000	38308	-33.05	≤-27	PASS
11AX160MIMO	Ant2	6665	30~3000	2949.51	-46.71	≤-27	PASS
11AX160MIMO	Ant2	6665	3000~10000	3972.53	-44.39	≤-27	PASS
11AX160MIMO	Ant2	6665	10000~40000	38918	-33.41	≤-27	PASS
11AX160MIMO	Ant3	6665	30~3000	2313.14	-47.12	≤-27	PASS
11AX160MIMO	Ant3	6665	3000~10000	4742.07	-44.3	≤-27	PASS
11AX160MIMO	Ant3	6665	10000~40000	38315	-33.39	≤-27	PASS
11AX160MIMO	Ant4	6665	30~3000	2843.09	-46.14	≤-27	PASS

11AX160MIMO	Ant4	6665	3000~10000	8420.33	-43.99	≤-27	PASS
11AX160MIMO	Ant4	6665	10000~40000	38543	-33.69	≤-27	PASS
11AX160MIMO	Ant1	6825	30~3000	2368.78	-46.56	≤-27	PASS
11AX160MIMO	Ant1	6825	3000~10000	9533.33	-44.43	≤-27	PASS
11AX160MIMO	Ant1	6825	10000~40000	38604	-32.23	≤-27	PASS
11AX160MIMO	Ant2	6825	30~3000	2669.93	-46.69	≤-27	PASS
11AX160MIMO	Ant2	6825	3000~10000	5427.6	-44.05	≤-27	PASS
11AX160MIMO	Ant2	6825	10000~40000	38536	-33.43	≤-27	PASS
11AX160MIMO	Ant3	6825	30~3000	2486.78	-46.88	≤-27	PASS
11AX160MIMO	Ant3	6825	3000~10000	3985.37	-44	≤-27	PASS
11AX160MIMO	Ant3	6825	10000~40000	38187	-33.62	≤-27	PASS
11AX160MIMO	Ant4	6825	30~3000	2696.27	-45.65	≤-27	PASS
11AX160MIMO	Ant4	6825	3000~10000	4017.1	-43.05	≤-27	PASS
11AX160MIMO	Ant4	6825	10000~40000	38622	-33.61	≤-27	PASS
11AX160MIMO	Ant1	6985	30~3000	2985.65	-46.79	≤-27	PASS
11AX160MIMO	Ant1	6985	3000~10000	3987.23	-43.82	≤-27	PASS
11AX160MIMO	Ant1	6985	10000~40000	38206	-32.08	≤-27	PASS
11AX160MIMO	Ant2	6985	30~3000	2657.06	-46.65	≤-27	PASS
11AX160MIMO	Ant2	6985	3000~10000	4775.2	-44.15	≤-27	PASS
11AX160MIMO	Ant2	6985	10000~40000	38607	-32.75	≤-27	PASS
11AX160MIMO	Ant3	6985	30~3000	2917.04	-46.81	≤-27	PASS
11AX160MIMO	Ant3	6985	3000~10000	4783.37	-43.34	≤-27	PASS
11AX160MIMO	Ant3	6985	10000~40000	38696	-32.91	≤-27	PASS
11AX160MIMO	Ant4	6985	30~3000	2644.39	-45.95	≤-27	PASS
11AX160MIMO	Ant4	6985	3000~10000	3726.83	-43.84	≤-27	PASS
11AX160MIMO	Ant4	6985	10000~40000	38567	-33.62	≤-27	PASS

Test Graphs

