

# JVISMall CO., Ltd

Federal Communications Commission  
Equipment Authorization Division  
7435 Oakland Mills Road  
Columbia, MD 21046  
USA

Date:

## Subject: **Module Approval Request Letter**

**Company name: 802.11a/b/g/n/ac 433Mbps WLAN + BT v4.2 Combo SDIO Module**  
**FCC ID: 2BBYEGL-M8821CS1**

Dear Sir/Madam,

This letter includes the FCC application requirements for Modular Transmitter Approval Request for:-

FCC KDB 996369 D01 'Module Certification Guide v02; and  
FCC KDB 996369 D03 OEM Manual v01

In accordance with 47CFR 15.212 Modular Transmitters and KDB 996369 D01 'Module Equip Auth Guide v02'. FCC ID: **2BBYEGL-M8821CS1** has been examined against the following requirements.

Requirement per 15.212 and KDB 996369 D01	Explanation from Grantee (do not write yes/no, but explain why product complies/how it is achieved)
The radio elements must have the radio frequency circuitry shielded. Physical components and tuning capacitor(s) may be located external to the shield, but must be on the module assembly.	Yes the module with a shield.
The module must have buffered modulation/data inputs to ensure that the device will comply with Part 15 requirements with any type of input signal.	Yes
The module must contain power supply regulation on the module.	The modular has an onboard 3.3V regulator(integrated in RTL8821CS M).
The module must contain a permanently attached antenna, or contain a unique antenna connector, and be marketed and operated only with specific antenna(s), per §§ 15.203, 15.204(b), 15.204(c), 15.212(a), 2.929(b).	The modular has a External antenna which comply with the antenna requirement of Section 15.203,Maximum Antenna Gain is (model: AMAN1003015ST06) 2.23dBi(Max.) for 2.4G Band and 2.79dBi(Max.) for 5G Band, and Maximum Antenna Gain is (model: ODBWPTR5020) 1.47dBi(Max.) for 2.4G Band and 3.36dBi(Max.) for 5G Band;
The module must demonstrate compliance in a stand-alone configuration.	The modular was tested in a standalone configuration apart from host units.
The module must be labeled with its permanently affixed FCC ID label, or use an electronic display (see KDB Publication 784748).	The modular has its own FCC ID number.

# JVISMall CO., Ltd

The module must comply with all specific rules applicable to the transmitter, including all the conditions provided in the integration instructions by the grantee.	Yes
The module must comply with RF exposure requirements	Yes, RF cexposure evaluation performed at 20cm.

## Integration Instructions for host product manufacturers

The following items are submitted in support of application for Modular Transmitter FCC ID as noted above as required by the FCC KDB 996369 D03 OEM Manual v01.

These items are provided as integration instructions for host product manufacturers (e.g., OEM instruction manual) to use when integrating a module in a host product.

Any requirements that are not applicable to the Module are as indicated below.

Summary of requirements and Checklist. Refer to the KDB for description of the complete requirements;

KDB Ref Sect	Requirements of KDB 996369 D03	User Manual Page Number reference
2.2	List of applicable FCC rules	<b>Page 18</b>
2.3	Summarize the specific operational use conditions	<b>Page 18</b>
2.4	Limited module procedures	<b>Page 19</b>
2.5	Trace antenna designs	<b>Page 19</b>
2.6	RF exposure considerations	<b>Page 20</b>
2.7	Antennas	<b>Page 21</b>
2.8	Label and compliance information	<b>Page 21</b>
2.9	Information on test modes and additional testing requirements	<b>Page 21</b>
2.10	Additional testing, Part 15 Subpart B disclaimer	<b>Page 21</b>
2.11	Manual Information to The End User	<b>Page 21</b>
2.12	How to Make Changes - Important Note	<b>Page 21</b>

Name: Joshua Yu

Date: 2025-01-02

Title: manager

Signature of applicant

