Appendix A

RF Test Data:

FCC ID:2BBZV-SNL02
Product Name: Live streaming console pad
Tested Model:SNL02

1. Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)
NVNT	a	5180	Ant1	100	0
NVNT	a	5200	Ant1	100	0
NVNT	a	5240	Ant1	100	0
NVNT	a	5745	Ant1	100	0
NVNT	a	5785	Ant1	100	0
NVNT	a	5825	Ant1	100	0
NVNT	n20	5180	Ant1	100	0
NVNT	n20	5200	Ant1	100	0
NVNT	n20	5240	Ant1	100	0
NVNT	n20	5745	Ant1	100	0
NVNT	n20	5785	Ant1	100	0
NVNT	n20	5825	Ant1	100	0
NVNT	n40	5190	Ant1	100	0
NVNT	n40	5230	Ant1	100	0
NVNT	n40	5755	Ant1	100	0
NVNT	n40	5795	Ant1	100	0
NVNT	ac20	5180	Ant1	100	0
NVNT	ac20	5200	Ant1	100	0
NVNT	ac20	5240	Ant1	100	0
NVNT	ac20	5745	Ant1	100	0
NVNT	ac20	5785	Ant1	100	0
NVNT	ac20	5825	Ant1	100	0
NVNT	ac40	5190	Ant1	100	0
NVNT	ac40	5230	Ant1	100	0
NVNT	ac40	5755	Ant1	100	0
NVNT	ac40	5795	Ant1	100	0
NVNT	ac80	5775	Ant1	100	0

Duty Cycle NVNT a 5180MHz Ant1

Duty Cycle NVNT a 5200MHz Ant1

Duty Cycle NVNT a 5240MHz Ant1

Duty Cycle NVNT a 5745MHz Ant1

Duty Cycle NVNT a 5785MHz Ant1

Duty Cycle NVNT a 5825MHz Ant1

Duty Cycle NVNT n20 5180MHz Ant1

Duty Cycle NVNT n20 5200MHz Ant1

Duty Cycle NVNT n20 5240MHz Ant1

Duty Cycle NVNT n20 5745MHz Ant1

Duty Cycle NVNT n20 5785MHz Ant1

Duty Cycle NVNT n20 5825MHz Ant1

Duty Cycle NVNT n40 5190MHz Ant1

Duty Cycle NVNT n40 5230MHz Ant1

Duty Cycle NVNT n40 5755MHz Ant1

Duty Cycle NVNT n40 5795MHz Ant1

Duty Cycle NVNT ac20 5180MHz Ant1

Duty Cycle NVNT ac20 5200MHz Ant1

Duty Cycle NVNT ac20 5240MHz Ant1

Duty Cycle NVNT ac20 5745MHz Ant1

Duty Cycle NVNT ac20 5785MHz Ant1

Duty Cycle NVNT ac20 5825MHz Ant1

Duty Cycle NVNT ac40 5190MHz Ant1

Duty Cycle NVNT ac40 5230MHz Ant1

Duty Cycle NVNT ac40 5755MHz Ant1

Duty Cycle NVNT ac40 5795MHz Ant1

Duty Cycle NVNT ac80 5775MHz Ant1

2. Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	9.27	0	9.27	24	Pass
NVNT	a	5200	Ant1	9.36	0	9.36	24	Pass
NVNT	a	5240	Ant1	10.1	0	10.1	24	Pass
NVNT	a	5745	Ant1	10.68	0	10.68	30	Pass
NVNT	a	5785	Ant1	10.57	0	10.57	30	Pass
NVNT	a	5825	Ant1	9.83	0	9.83	30	Pass
NVNT	n20	5180	Ant1	7.91	0	7.91	24	Pass
NVNT	n20	5200	Ant1	9.23	0	9.23	24	Pass
NVNT	n20	5240	Ant1	8.73	0	8.73	24	Pass
NVNT	n20	5745	Ant1	12.4	0	12.4	30	Pass
NVNT	n20	5785	Ant1	10.78	0	10.78	30	Pass
NVNT	n20	5825	Ant1	10.04	0	10.04	30	Pass
NVNT	n40	5190	Ant1	10.01	0	10.01	24	Pass
NVNT	n40	5230	Ant1	9.8	0	9.8	24	Pass
NVNT	n40	5755	Ant1	9.82	0	9.82	30	Pass
NVNT	n40	5795	Ant1	9.29	0	9.29	30	Pass
NVNT	ac20	5180	Ant1	8.61	0	8.61	24	Pass
NVNT	ac20	5200	Ant1	9.32	0	9.32	24	Pass
NVNT	ac20	5240	Ant1	8.47	0	8.47	24	Pass
NVNT	ac20	5745	Ant1	10.53	0	10.53	30	Pass
NVNT	ac20	5785	Ant1	9.38	0	9.38	30	Pass
NVNT	ac20	5825	Ant1	8.98	0	8.98	30	Pass
NVNT	ac40	5190	Ant1	9.86	0	9.86	24	Pass
NVNT	ac40	5230	Ant1	9.81	0	9.81	24	Pass
NVNT	ac40	5755	Ant1	10.18	0	10.18	30	Pass
NVNT	ac40	5795	Ant1	9.16	0	9.16	30	Pass
NVNT	ac80	5775	Ant1	9.95	0	9.95	30	Pass



Power NVNT a 5180MHz Ant1



Power NVNT a 5200MHz Ant1

Power NVNT a 5240MHz Ant1



Power NVNT a 5745MHz Ant1

Power NVNT a 5785MHz Ant1

Power NVNT a 5825MHz Ant1

Power NVNT n20 5180MHz Ant1



Power NVNT n20 5200MHz Ant1

Power NVNT n20 5240MHz Ant1



Power NVNT n20 5745MHz Ant1

Power NVNT n20 5785MHz Ant1



Power NVNT n20 5825MHz Ant1

Power NVNT n40 5190MHz Ant1



Power NVNT n40 5230MHz Ant1

Power NVNT n40 5755MHz Ant1



Power NVNT n40 5795MHz Ant1

Power NVNT ac20 5180MHz Ant1



Power NVNT ac20 5200MHz Ant1

Power NVNT ac20 5240MHz Ant1



Power NVNT ac20 5745MHz Ant1

Power NVNT ac20 5785MHz Ant1



Power NVNT ac20 5825MHz Ant1

Power NVNT ac40 5190MHz Ant1



Power NVNT ac40 5230MHz Ant1

Power NVNT ac40 5755MHz Ant1



Power NVNT ac40 5795MHz Ant1

Power NVNT ac80 5775MHz Ant1

3. -26dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant1	20.524	0.5	Pass
NVNT	a	5200	Ant1	20.561	0.5	Pass
NVNT	a	5240	Ant1	20.632	0.5	Pass
NVNT	n20	5180	Ant1	21.105	0.5	Pass
NVNT	n20	5200	Ant1	21.101	0.5	Pass
NVNT	n20	5240	Ant1	21.236	0.5	Pass
NVNT	n40	5190	Ant1	40.818	0.5	Pass
NVNT	n40	5230	Ant1	40.983	0.5	Pass
NVNT	ac20	5180	Ant1	21.158	0.5	Pass
NVNT	ac20	5200	Ant1	21.111	0.5	Pass
NVNT	ac20	5240	Ant1	21.381	0.5	Pass
NVNT	ac40	5190	Ant1	40.839	0.5	Pass
NVNT	ac40	5230	Ant1	40.653	0.5	Pass
NVNT	ac80	5210	Ant1	79.547	0.5	Pass

-26dB Bandwidth NVNT a 5180MHz Ant1



-26dB Bandwidth NVNT a 5200MHz Ant1

-26dB Bandwidth NVNT a 5240MHz Ant1



-26dB Bandwidth NVNT n20 5180MHz Ant1

-26dB Bandwidth NVNT n20 5200MHz Ant1

-26dB Bandwidth NVNT n20 5240MHz Ant1

-26dB Bandwidth NVNT n40 5190MHz Ant1



-26dB Bandwidth NVNT n40 5230MHz Ant1



-26dB Bandwidth NVNT ac20 5180MHz Ant1



-26dB Bandwidth NVNT ac20 5200MHz Ant1

-26dB Bandwidth NVNT ac20 5240MHz Ant1



-26dB Bandwidth NVNT ac40 5190MHz Ant1



-26dB Bandwidth NVNT ac40 5230MHz Ant1

-26dB Bandwidth NVNT ac80 5210MHz Ant1

4. Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5180	Ant1	16.542
NVNT	a	5200	Ant1	16.532
NVNT	a	5240	Ant1	16.524
NVNT	a	5745	Ant1	16.531
NVNT	a	5785	Ant1	16.512
NVNT	a	5825	Ant1	16.541
NVNT	n20	5180	Ant1	17.647
NVNT	n20	5200	Ant1	17.651
NVNT	n20	5240	Ant1	17.631
NVNT	n20	5745	Ant1	17.656
NVNT	n20	5785	Ant1	17.64
NVNT	n20	5825	Ant1	17.663
NVNT	n40	5190	Ant1	36.118
NVNT	n40	5230	Ant1	36.145
NVNT	n40	5755	Ant1	36.071
NVNT	n40	5795	Ant1	36.104
NVNT	ac20	5180	Ant1	17.662
NVNT	ac20	5200	Ant1	17.652
NVNT	ac20	5240	Ant1	17.652
NVNT	ac20	5745	Ant1	17.649
NVNT	ac20	5785	Ant1	17.625
NVNT	ac20	5825	Ant1	17.678
NVNT	ac40	5190	Ant1	36.106
NVNT	ac40	5230	Ant1	36.139
NVNT	ac40	5755	Ant1	36.118
NVNT	ac40	5795	Ant1	36.112
NVNT	ac80	5775	Ant1	75.23



OBW NVNT a 5180MHz Ant1



OBW NVNT a 5200MHz Ant1



OBW NVNT a 5240MHz Ant1



OBW NVNT a 5745MHz Ant1



OBW NVNT a 5785MHz Ant1



OBW NVNT a 5825MHz Ant1



OBW NVNT n20 5180MHz Ant1



OBW NVNT n20 5200MHz Ant1



OBW NVNT n20 5240MHz Ant1



OBW NVNT n20 5745MHz Ant1



OBW NVNT n20 5785MHz Ant1



OBW NVNT n20 5825MHz Ant1



OBW NVNT n40 5190MHz Ant1



OBW NVNT n40 5230MHz Ant1



OBW NVNT n40 5755MHz Ant1



OBW NVNT n40 5795MHz Ant1



OBW NVNT ac20 5180MHz Ant1



OBW NVNT ac20 5200MHz Ant1



OBW NVNT ac20 5240MHz Ant1



OBW NVNT ac20 5745MHz Ant1



OBW NVNT ac20 5785MHz Ant1



OBW NVNT ac20 5825MHz Ant1



OBW NVNT ac40 5190MHz Ant1



OBW NVNT ac40 5230MHz Ant1



OBW NVNT ac40 5755MHz Ant1



OBW NVNT ac40 5795MHz Ant1



OBW NVNT ac80 5775MHz Ant1

5. Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	-1.65	0	-1.65	11	Pass
NVNT	a	5200	Ant1	-1.22	0	-1.22	11	Pass
NVNT	a	5240	Ant1	-0.7	0	-0.7	11	Pass
NVNT	a	5745	Ant1	-2.78	0	-2.78	30	Pass
NVNT	a	5785	Ant1	-2.98	0	-2.98	30	Pass
NVNT	a	5825	Ant1	-3.69	0	-3.69	30	Pass
NVNT	n20	5180	Ant1	-2.64	0	-2.64	11	Pass
NVNT	n20	5200	Ant1	1.7	0	1.7	11	Pass
NVNT	n20	5240	Ant1	-1.61	0	-1.61	11	Pass
NVNT	n20	5745	Ant1	-0.89	0	-0.89	30	Pass
NVNT	n20	5785	Ant1	-3.27	0	-3.27	30	Pass
NVNT	n20	5825	Ant1	-3.75	0	-3.75	30	Pass
NVNT	n40	5190	Ant1	-4.08	0	-4.08	11	Pass
NVNT	n40	5230	Ant1	-4.02	0	-4.02	11	Pass
NVNT	n40	5755	Ant1	-7.86	0	-7.86	30	Pass
NVNT	n40	5795	Ant1	-7.38	0	-7.38	30	Pass
NVNT	ac20	5180	Ant1	-2.64	0	-2.64	11	Pass
NVNT	ac20	5200	Ant1	-1.42	0	-1.42	11	Pass
NVNT	ac20	5240	Ant1	-2.24	0	-2.24	11	Pass
NVNT	ac20	5745	Ant1	-3.53	0	-3.53	30	Pass
NVNT	ac20	5785	Ant1	-4.66	0	-4.66	30	Pass
NVNT	ac20	5825	Ant1	-4.69	0	-4.69	30	Pass
NVNT	ac40	5190	Ant1	-4.21	0	-4.21	11	Pass
NVNT	ac40	5230	Ant1	-3.93	0	-3.93	11	Pass
NVNT	ac40	5755	Ant1	-6.88	0	-6.88	30	Pass
NVNT	ac40	5795	Ant1	-7.66	0	-7.66	30	Pass
NVNT	ac80	5775	Ant1	-8.49	0	-8.49	30	Pass



PSD NVNT a 5180MHz Ant1



PSD NVNT a 5200MHz Ant1



PSD NVNT a 5240MHz Ant1

PSD NVNT a 5745MHz Ant1

PSD NVNT a 5785MHz Ant1



PSD NVNT a 5825MHz Ant1



PSD NVNT n20 5180MHz Ant1



PSD NVNT n20 5200MHz Ant1



PSD NVNT n20 5240MHz Ant1

PSD NVNT n20 5745MHz Ant1

PSD NVNT n20 5785MHz Ant1



PSD NVNT n20 5825MHz Ant1



PSD NVNT n40 5190MHz Ant1

PSD NVNT n40 5230MHz Ant1

PSD NVNT n40 5755MHz Ant1

PSD NVNT n40 5795MHz Ant1



PSD NVNT ac20 5180MHz Ant1



PSD NVNT ac20 5200MHz Ant1



PSD NVNT ac20 5240MHz Ant1



PSD NVNT ac20 5745MHz Ant1

PSD NVNT ac20 5785MHz Ant1



PSD NVNT ac20 5825MHz Ant1



PSD NVNT ac40 5190MHz Ant1



PSD NVNT ac40 5230MHz Ant1

PSD NVNT ac40 5755MHz Ant1

PSD NVNT ac40 5795MHz Ant1



PSD NVNT ac80 5775MHz Ant1

6. Band Edge

Mode	Channel	Freq.(MHz)	Power(dBm)	Gain(dBi)	EIRP(dBm)	E(dBuV/m)	Limit(dBuV/m)	Margin(dB)
a	5180.0	5150.0	-46.71	1.31	-45.40	49.83	74.00	-24.17
		5147.4	-44.72	1.31	-43.41	51.82	74.00	-22.18
	5240.0	5350.0	-48.74	1.31	-47.43	47.80	74.00	-26.20
		5364.8	-45.28	1.31	-43.97	51.26	74.00	-22.74
n20	5180.0	5150.0	-43.99	1.31	-42.68	52.55	74.00	-21.45
	5240.0	5350.0	-49.27	1.31	-47.96	47.27	74.00	-26.73
		5407.6	-45.86	1.31	-44.55	50.68	74.00	-23.32
n40	5190.0	5150.0	-42.07	1.31	-40.76	54.47	74.00	-19.53
		5148.8	-37.75	1.31	-36.44	58.79	74.00	-15.21
	5230.0	5350.0	-48.91	1.31	-47.60	47.63	74.00	-26.37
		5367.4	-46.23	1.31	-44.92	50.31	74.00	-23.69
ac20	5180.0	5150.0	-44.47	1.31	-43.16	52.07	74.00	-21.93
		5145.2	-44.25	1.31	-42.94	52.29	74.00	-21.71
	5240.0	5350.0	-48.74	1.31	-47.43	47.80	74.00	-26.20
		5408.2	-45.32	1.31	-44.01	51.22	74.00	-22.78
ac40	5190.0	5150.0	-40.77	1.31	-39.46	55.77	74.00	-18.23
		5149.0	-37.53	1.31	-36.22	59.01	74.00	-14.99
	5230.0	5350.0	-49.19	1.31	-47.88	47.35	74.00	-26.65
		5358.2	-45.50	1.31	-44.19	51.04	74.00	-22.96

Mode	Channel	Freq.(MHz)	Power(dBm)	Gain(dBi)	EIRP(dBm)	Limit(dBm)	Margin(dB)
a	5745.0	5725.0	-39.09	1.19	-37.90	-27.00	-10.90
		5724.8	-37.84	1.19	-36.65	-27.00	-9.65
	5825.0	5850.0	-45.71	1.19	-44.52	-27.00	-17.52
		5964.8	-44.14	1.19	-42.95	-27.00	-15.95
n20	5745.0	5725.0	-25.85	1.19	-24.66	27.00	-51.66
	5825.0	5850.0	-41.07	1.19	-39.88	-27.00	-12.88
n40	5755.0	5725.0	-42.95	1.19	-41.76	-27.00	-14.76
		5721.0	-41.85	1.19	-40.66	-27.00	-13.66
	5795.0	5850.0	-48.29	1.19	-47.10	-27.00	-20.10
		5896.2	-45.29	1.19	-44.10	-27.00	-17.10
ac20	5745.0	5725.0	-47.76	1.19	-46.57	-27.00	-19.57
		5577.4	-44.09	1.19	-42.90	-27.00	-15.90
	5825.0	5850.0	-42.22	1.19	-41.03	-27.00	-14.03
ac40	5755.0	5725.0	-40.45	1.19	-39.26	-27.00	-12.26
		5719.4	-36.56	1.19	-35.37	-27.00	-8.37
	5795.0	5850.0	-46.50	1.19	-45.31	-27.00	-18.31
		5881.4	-44.67	1.19	-43.48	-27.00	-16.48
ac80	5755.0	5725.0	-35.98	1.19	-34.79	-27.00	-7.79

		5722.6	-35.37	1.19	-34.18	-27.00	-7.18
		5850.0	-37.60	1.19	-36.41	-27.00	-9.41
		5850.8	-33.32	1.19	-32.13	-27.00	-5.13



Band Edge NVNT a 5180MHz Low Ant1



Band Edge NVNT a 5240MHz High Ant1



Band Edge NVNT a 5745MHz Low Ant1



Band Edge NVNT a 5825MHz High Ant1



Band Edge NVNT n20 5180MHz Low Ant1



Band Edge NVNT n20 5240MHz High Ant1



Band Edge NVNT n20 5745MHz Low Ant1



Band Edge NVNT n20 5825MHz High Ant1



Band Edge NVNT n40 5190MHz Low Ant1



Band Edge NVNT n40 5230MHz High Ant1



Band Edge NVNT n40 5755MHz Low Ant1



Band Edge NVNT n40 5795MHz High Ant1



Band Edge NVNT ac20 5180MHz Low Ant1



Band Edge NVNT ac20 5240MHz High Ant1



Band Edge NVNT ac20 5745MHz Low Ant1



Band Edge NVNT ac20 5825MHz High Ant1



Band Edge NVNT ac40 5190MHz Low Ant1



Band Edge NVNT ac40 5230MHz High Ant1



Band Edge NVNT ac40 5755MHz Low Ant1



Band Edge NVNT ac40 5795MHz High Ant1



Band Edge NVNT ac80 5775MHz High Ant1



Band Edge NVNT ac80 5775MHz Low Ant1

7. Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-30.81	-27	Pass
NVNT	a	5200	Ant1	-30.89	-27	Pass
NVNT	a	5240	Ant1	-31.02	-27	Pass
NVNT	a	5745	Ant1	-31.42	-27	Pass
NVNT	a	5785	Ant1	-31.44	-27	Pass
NVNT	a	5825	Ant1	-31.13	-27	Pass
NVNT	n20	5180	Ant1	-31.35	-27	Pass
NVNT	n20	5200	Ant1	-31.9	-27	Pass
NVNT	n20	5240	Ant1	-31.76	-27	Pass
NVNT	n20	5745	Ant1	-31.54	-27	Pass
NVNT	n20	5785	Ant1	-31.01	-27	Pass
NVNT	n20	5825	Ant1	-31.36	-27	Pass
NVNT	n40	5190	Ant1	-31.34	-27	Pass
NVNT	n40	5230	Ant1	-30.85	-27	Pass
NVNT	n40	5755	Ant1	-30.7	-27	Pass
NVNT	n40	5795	Ant1	-31.52	-27	Pass
NVNT	ac20	5180	Ant1	-31.08	-27	Pass
NVNT	ac20	5200	Ant1	-31.11	-27	Pass
NVNT	ac20	5240	Ant1	-31.97	-27	Pass
NVNT	ac20	5745	Ant1	-31.79	-27	Pass
NVNT	ac20	5785	Ant1	-31.52	-27	Pass
NVNT	ac20	5825	Ant1	-30.44	-27	Pass
NVNT	ac40	5190	Ant1	-31.35	-27	Pass
NVNT	ac40	5230	Ant1	-30.54	-27	Pass
NVNT	ac40	5755	Ant1	-31.24	-27	Pass
NVNT	ac40	5795	Ant1	-31.7	-27	Pass
NVNT	ac80	5775	Ant1	-31.46	-27	Pass



Tx. Spurious NVNT a 5180MHz Ant1 Emission



Tx. Spurious NVNT a 5200MHz Ant1 Emission



Tx. Spurious NVNT a 5240MHz Ant1 Emission



Tx. Spurious NVNT a 5745MHz Ant1 Emission



Tx. Spurious NVNT a 5785MHz Ant1 Emission



Tx. Spurious NVNT a 5825MHz Ant1 Emission



Tx. Spurious NVNT n20 5180MHz Ant1 Emission



Tx. Spurious NVNT n20 5200MHz Ant1 Emission

Tx. Spurious NVNT n20 5240MHz Ant1 Emission



Tx. Spurious NVNT n20 5745MHz Ant1 Emission

Tx. Spurious NVNT n20 5785MHz Ant1 Emission

Tx. Spurious NVNT n20 5825MHz Ant1 Emission



Tx. Spurious NVNT n40 5190MHz Ant1 Emission



Tx. Spurious NVNT n40 5230MHz Ant1 Emission

Tx. Spurious NVNT n40 5755MHz Ant1 Emission



Tx. Spurious NVNT n40 5795MHz Ant1 Emission

Tx. Spurious NVNT ac20 5180MHz Ant1 Emission



Tx. Spurious NVNT ac20 5200MHz Ant1 Emission

Tx. Spurious NVNT ac20 5240MHz Ant1 Emission



Tx. Spurious NVNT ac20 5745MHz Ant1 Emission



Tx. Spurious NVNT ac20 5785MHz Ant1 Emission



Tx. Spurious NVNT ac20 5825MHz Ant1 Emission



Tx. Spurious NVNT ac40 5190MHz Ant1 Emission



Tx. Spurious NVNT ac40 5230MHz Ant1 Emission



Tx. Spurious NVNT ac40 5755MHz Ant1 Emission



Tx. Spurious NVNT ac40 5795MHz Ant1 Emission



Tx. Spurious NVNT ac80 5775MHz Ant1 Emission

8. -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	Ant1	16.514	0.5	Pass
NVNT	a	5785	Ant1	16.499	0.5	Pass
NVNT	a	5825	Ant1	16.525	0.5	Pass
NVNT	n20	5745	Ant1	17.641	0.5	Pass
NVNT	n20	5785	Ant1	17.609	0.5	Pass
NVNT	n20	5825	Ant1	17.603	0.5	Pass
NVNT	n40	5755	Ant1	36.44	0.5	Pass
NVNT	n40	5795	Ant1	36.398	0.5	Pass
NVNT	ac20	5745	Ant1	17.669	0.5	Pass
NVNT	ac20	5785	Ant1	17.689	0.5	Pass
NVNT	ac20	5825	Ant1	17.616	0.5	Pass
NVNT	ac40	5755	Ant1	36.407	0.5	Pass
NVNT	ac40	5795	Ant1	36.407	0.5	Pass
NVNT	ac80	5775	Ant1	75.964	0.5	Pass



-6dB Bandwidth NVNT a 5745MHz Ant1



-6dB Bandwidth NVNT a 5785MHz Ant1



-6dB Bandwidth NVNT a 5825MHz Ant1



-6dB Bandwidth NVNT n20 5745MHz Ant1



-6dB Bandwidth NVNT n20 5785MHz Ant1



-6dB Bandwidth NVNT n20 5825MHz Ant1



-6dB Bandwidth NVNT n40 5755MHz Ant1



-6dB Bandwidth NVNT n40 5795MHz Ant1



-6dB Bandwidth NVNT ac20 5745MHz Ant1



-6dB Bandwidth NVNT ac20 5785MHz Ant1



-6dB Bandwidth NVNT ac20 5825MHz Ant1



-6dB Bandwidth NVNT ac40 5755MHz Ant1



-6dB Bandwidth NVNT ac40 5795MHz Ant1



-6dB Bandwidth NVNT ac80 5775MHz Ant1