


18.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.54	-25	43.54	Pass	401
0.15	30	0.01	RMS	0.2	-68.18	-25	43.18	Pass	2986
30	1000	0.1	RMS	997.498	-60.91	-25	35.91	Pass	9701
1000	2560	1	RMS	2489	-47.58	-25	22.58	Pass	1561
2560	2630	1	RMS	2601.125	23.4	60	36.6	Pass	401
2630	3000	1	RMS	2636.475	-26.88	-25	1.88	Pass*	401
3000	12000	1	RMS	6980	-68.15	-25	43.15	Pass	9002
12000	26500	1	RMS	25499	-50.87	-25	25.87	Pass	14502



18.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.23	-25	43.23	Pass	401
0.15	30	0.01	RMS	0.18	-68.13	-25	43.13	Pass	2986
30	1000	0.1	RMS	999.6	-61.03	-25	36.03	Pass	9701
1000	2560	1	RMS	2521	-47.59	-25	22.59	Pass	1561
2560	2630	1	RMS	2601.125	22.39	60	37.61	Pass	401
2630	3000	1	RMS	2636.475	-27.37	-25	2.37	Pass*	401
3000	12000	1	RMS	7468	-68.14	-25	43.14	Pass	9002
12000	26500	1	RMS	25498	-50.8	-25	25.8	Pass	14502



19. LTE_Band41 120M


19.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.4	-25	43.4	Pass	401
0.15	30	0.01	RMS	0.15	-67	-25	42	Pass	2986
30	1000	0.1	RMS	985.09	-61.06	-25	36.06	Pass	9701
1000	2525	1	RMS	2525	-47.3	-25	22.3	Pass	1526
2525	2665	1	RMS	2535.15	22.6	60	37.4	Pass	401
2665	3000	1	RMS	2997.488	-46.47	-25	21.47	Pass	401
3000	12000	1	RMS	5070	-77.41	-25	52.41	Pass	9002
12000	26500	1	RMS	25501	-73.58	-25	48.58	Pass	14502




19.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.33	-25	43.33	Pass	401
0.15	30	0.01	RMS	0.17	-67.76	-25	42.76	Pass	2986
30	1000	0.1	RMS	990.093	-61.01	-25	36.01	Pass	9701
1000	2525	1	RMS	2524	-47.4	-25	22.4	Pass	1526
2525	2665	1	RMS	2535.15	21.69	60	38.31	Pass	401
2665	3000	1	RMS	2996.65	-46.48	-25	21.48	Pass	401
3000	12000	1	RMS	5071	-77.52	-25	52.52	Pass	9002
12000	26500	1	RMS	25519	-73.66	-25	48.66	Pass	14502




19.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.91	-25	43.91	Pass	401
0.15	30	0.01	RMS	0.15	-68.95	-25	43.95	Pass	2986
30	1000	0.1	RMS	855.504	-60.98	-25	35.98	Pass	9701
1000	2525	1	RMS	2481	-47.35	-25	22.35	Pass	1526
2525	2665	1	RMS	2592.55	23.46	60	36.54	Pass	401
2665	3000	1	RMS	2999.163	-46.5	-25	21.5	Pass	401
3000	12000	1	RMS	5186	-76.22	-25	51.22	Pass	9002
12000	26500	1	RMS	25499	-73.55	-25	48.55	Pass	14502




19.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40640, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.62	-25	43.62	Pass	401
0.15	30	0.01	RMS	0.17	-68.42	-25	43.42	Pass	2986
30	1000	0.1	RMS	857.806	-61.04	-25	36.04	Pass	9701
1000	2525	1	RMS	2507	-47.58	-25	22.58	Pass	1526
2525	2665	1	RMS	2592.55	22.4	60	37.6	Pass	401
2665	3000	1	RMS	2999.163	-46.5	-25	21.5	Pass	401
3000	12000	1	RMS	6984	-78.21	-25	53.21	Pass	9002
12000	26500	1	RMS	25501	-73.53	-25	48.53	Pass	14502




19.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.51	-25	42.51	Pass	401
0.15	30	0.01	RMS	0.15	-67.93	-25	42.93	Pass	2986
30	1000	0.1	RMS	933.856	-60.99	-25	35.99	Pass	9701
1000	2525	1	RMS	2521	-47.57	-25	22.57	Pass	1526
2525	2665	1	RMS	2649.95	22.86	60	37.14	Pass	401
2665	3000	1	RMS	3000	-46.51	-25	21.51	Pass	401
3000	12000	1	RMS	6996	-78.29	-25	53.29	Pass	9002
12000	26500	1	RMS	25509	-73.63	-25	48.63	Pass	14502




19.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-68.53	-25	43.53	Pass	401
0.15	30	0.01	RMS	0.15	-67.87	-25	42.87	Pass	2986
30	1000	0.1	RMS	875.417	-61	-25	36	Pass	9701
1000	2525	1	RMS	2480	-45.48	-25	20.48	Pass	1526
2525	2665	1	RMS	2650.3	22.23	60	37.77	Pass	401
2665	3000	1	RMS	2999.163	-46.51	-25	21.51	Pass	401
3000	12000	1	RMS	5301	-76.32	-25	51.32	Pass	9002
12000	26500	1	RMS	25509	-73.54	-25	48.54	Pass	14502




19.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.3	-25	43.3	Pass	401
0.15	30	0.01	RMS	0.16	-68.17	-25	43.17	Pass	2986
30	1000	0.1	RMS	937.659	-61.04	-25	36.04	Pass	9701
1000	2525	1	RMS	2518	-42.82	-25	17.82	Pass	1526
2525	2665	1	RMS	2535.5	22.73	60	37.27	Pass	401
2665	3000	1	RMS	2999.163	-46.51	-25	21.51	Pass	401
3000	12000	1	RMS	6978	-78.17	-25	53.17	Pass	9002
12000	26500	1	RMS	25508	-73.59	-25	48.59	Pass	14502




19.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.77	-25	42.77	Pass	401
0.15	30	0.01	RMS	0.15	-68.06	-25	43.06	Pass	2986
30	1000	0.1	RMS	962.375	-60.99	-25	35.99	Pass	9701
1000	2525	1	RMS	2517	-44.46	-25	19.46	Pass	1526
2525	2665	1	RMS	2535.5	21.68	60	38.32	Pass	401
2665	3000	1	RMS	3000	-46.5	-25	21.5	Pass	401
3000	12000	1	RMS	6982	-78.2	-25	53.2	Pass	9002
12000	26500	1	RMS	25502	-73.54	-25	48.54	Pass	14502



19.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.51	-25	43.51	Pass	401
0.15	30	0.01	RMS	0.18	-68.3	-25	43.3	Pass	2986
30	1000	0.1	RMS	873.816	-60.91	-25	35.91	Pass	9701
1000	2525	1	RMS	2504	-47.54	-25	22.54	Pass	1526
2525	2665	1	RMS	2590.45	22.67	60	37.33	Pass	401
2665	3000	1	RMS	2998.325	-46.52	-25	21.52	Pass	401
3000	12000	1	RMS	5182	-77.72	-25	52.72	Pass	9002
12000	26500	1	RMS	25505	-73.57	-25	48.57	Pass	14502



19.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.86	-25	43.86	Pass	401
0.15	30	0.01	RMS	0.16	-68.44	-25	43.44	Pass	2986
30	1000	0.1	RMS	873.816	-60.93	-25	35.93	Pass	9701
1000	2525	1	RMS	2491	-47.6	-25	22.6	Pass	1526
2525	2665	1	RMS	2590.45	21.97	60	38.03	Pass	401
2665	3000	1	RMS	2997.488	-46.48	-25	21.48	Pass	401
3000	12000	1	RMS	5181	-75.81	-25	50.81	Pass	9002
12000	26500	1	RMS	25490	-73.52	-25	48.52	Pass	14502



19.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.5	-25	42.5	Pass	401
0.15	30	0.01	RMS	0.15	-67.76	-25	42.76	Pass	2986
30	1000	0.1	RMS	845.3	-61.08	-25	36.08	Pass	9701
1000	2525	1	RMS	2517	-47.56	-25	22.56	Pass	1526
2525	2665	1	RMS	2645.4	23.1	60	36.9	Pass	401
2665	3000	1	RMS	2665	-46.51	-25	21.51	Pass	401
3000	12000	1	RMS	5291	-77.02	-25	52.02	Pass	9002
12000	26500	1	RMS	25501	-73.63	-25	48.63	Pass	14502



19.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.95	-25	43.95	Pass	401
0.15	30	0.01	RMS	0.42	-68.67	-25	43.67	Pass	2986
30	1000	0.1	RMS	850.801	-61.05	-25	36.05	Pass	9701
1000	2525	1	RMS	2516	-47.59	-25	22.59	Pass	1526
2525	2665	1	RMS	2645.4	22.7	60	37.3	Pass	401
2665	3000	1	RMS	2999.163	-46.52	-25	21.52	Pass	401
3000	12000	1	RMS	6979	-78.25	-25	53.25	Pass	9002
12000	26500	1	RMS	25493	-73.61	-25	48.61	Pass	14502



19.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:40115, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.51	-25	43.51	Pass	401
0.15	30	0.01	RMS	0.15	-67.36	-25	42.36	Pass	2986
30	1000	0.1	RMS	883.223	-61.02	-25	36.02	Pass	9701
1000	2525	1	RMS	2510	-42	-25	17	Pass	1526
2525	2665	1	RMS	2535.85	22.66	60	37.34	Pass	401
2665	3000	1	RMS	2998.325	-46.52	-25	21.52	Pass	401
3000	12000	1	RMS	6986	-78.21	-25	53.21	Pass	9002
12000	26500	1	RMS	25503	-73.58	-25	48.58	Pass	14502



19.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:40115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.61	-25	43.61	Pass	401
0.15	30	0.01	RMS	0.17	-67.69	-25	42.69	Pass	2986
30	1000	0.1	RMS	929.653	-61.15	-25	36.15	Pass	9701
1000	2525	1	RMS	2525	-41.91	-25	16.91	Pass	1526
2525	2665	1	RMS	2535.5	21.67	60	38.33	Pass	401
2665	3000	1	RMS	2974.038	-46.58	-25	21.58	Pass	401
3000	12000	1	RMS	5072	-77.6	-25	52.6	Pass	9002
12000	26500	1	RMS	25494	-73.7	-25	48.7	Pass	14502



19.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40640, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.04	-25	44.04	Pass	401
0.15	30	0.01	RMS	0.15	-68.07	-25	43.07	Pass	2986
30	1000	0.1	RMS	973.482	-61.15	-25	36.15	Pass	9701
1000	2525	1	RMS	2505	-47.65	-25	22.65	Pass	1526
2525	2665	1	RMS	2588	22.62	60	37.38	Pass	401
2665	3000	1	RMS	2999.163	-46.57	-25	21.57	Pass	401
3000	12000	1	RMS	5177	-75.73	-25	50.73	Pass	9002
12000	26500	1	RMS	25502	-73.62	-25	48.62	Pass	14502



19.16 LTE Spurious Emission at Antenna


Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40640, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.49	-25	43.49	Pass	401
0.15	30	0.01	RMS	0.17	-68.26	-25	43.26	Pass	2986
30	1000	0.1	RMS	917.345	-61.19	-25	36.19	Pass	9701
1000	2525	1	RMS	2501	-47.68	-25	22.68	Pass	1526
2525	2665	1	RMS	2588	21.64	60	38.36	Pass	401
2665	3000	1	RMS	2967.338	-46.62	-25	21.62	Pass	401
3000	12000	1	RMS	7008	-78.3	-25	53.3	Pass	9002
12000	26500	1	RMS	25510	-73.64	-25	48.64	Pass	14502



19.17 LTE Spurious Emission at Antenna
Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41165, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.62	-25	47.62	Pass	401
0.15	30	0.01	RMS	0.15	-72.33	-25	47.33	Pass	2986
30	1000	0.1	RMS	848.1	-64.93	-25	39.93	Pass	9701
1000	2525	1	RMS	2498	-51.43	-25	26.43	Pass	1526
2525	2665	1	RMS	2640.5	20.2	60	39.8	Pass	401
2665	3000	1	RMS	2666.675	-26.1	-25	1.1	Pass*	401
3000	12000	1	RMS	5282	-82.08	-25	57.08	Pass	9002
12000	26500	1	RMS	25496	-77.41	-25	52.41	Pass	14502



19.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.03	-25	45.03	Pass	401
0.15	30	0.01	RMS	0.2	-69.75	-25	44.75	Pass	2986
30	1000	0.1	RMS	919.747	-62.44	-25	37.44	Pass	9701
1000	2525	1	RMS	2516	-48.97	-25	23.97	Pass	1526
2525	2665	1	RMS	2640.85	21.1	60	38.9	Pass	401
2665	3000	1	RMS	2666.675	-25.34	-25	0.34	Pass*	401
3000	12000	1	RMS	6976	-79.69	-25	54.69	Pass	9002
12000	26500	1	RMS	25486	-74.93	-25	49.93	Pass	14502



19.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.86	-25	43.86	Pass	401
0.15	30	0.01	RMS	0.15	-67.71	-25	42.71	Pass	2986
30	1000	0.1	RMS	900.434	-61.2	-25	36.2	Pass	9701
1000	2525	1	RMS	2524	-40.77	-25	15.77	Pass	1526
2525	2665	1	RMS	2535.85	22.05	60	37.95	Pass	401
2665	3000	1	RMS	2997.488	-46.68	-25	21.68	Pass	401
3000	12000	1	RMS	5072	-75.44	-25	50.44	Pass	9002
12000	26500	1	RMS	25501	-73.63	-25	48.63	Pass	14502



19.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-69.15	-25	44.15	Pass	401
0.15	30	0.01	RMS	0.16	-68.5	-25	43.5	Pass	2986
30	1000	0.1	RMS	999.199	-61.25	-25	36.25	Pass	9701
1000	2525	1	RMS	2524	-40.79	-25	15.79	Pass	1526
2525	2665	1	RMS	2536.2	21.27	60	38.73	Pass	401
2665	3000	1	RMS	2997.488	-46.69	-25	21.69	Pass	401
3000	12000	1	RMS	5072	-76.47	-25	51.47	Pass	9002
12000	26500	1	RMS	25519	-73.67	-25	48.67	Pass	14502



19.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.01	-25	44.01	Pass	401
0.15	30	0.01	RMS	0.19	-68.51	-25	43.51	Pass	2986
30	1000	0.1	RMS	949.867	-61.14	-25	36.14	Pass	9701
1000	2525	1	RMS	2494	-47.73	-25	22.73	Pass	1526
2525	2665	1	RMS	2585.9	22.88	60	37.12	Pass	401
2665	3000	1	RMS	3000	-46.72	-25	21.72	Pass	401
3000	12000	1	RMS	3430	-73.44	-25	48.44	Pass	9002
12000	26500	1	RMS	25501	-73.72	-25	48.72	Pass	14502



19.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40640, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.24	-25	42.24	Pass	401
0.15	30	0.01	RMS	0.15	-67.91	-25	42.91	Pass	2986
30	1000	0.1	RMS	960.474	-61.25	-25	36.25	Pass	9701
1000	2525	1	RMS	2500	-47.75	-25	22.75	Pass	1526
2525	2665	1	RMS	2585.9	21.44	60	38.56	Pass	401
2665	3000	1	RMS	2999.163	-46.67	-25	21.67	Pass	401
3000	12000	1	RMS	3406	-66.54	-25	41.54	Pass	9002
12000	26500	1	RMS	25510	-73.69	-25	48.69	Pass	14502



19.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41140, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.46	-25	47.46	Pass	401
0.15	30	0.01	RMS	0.15	-71.69	-25	46.69	Pass	2986
30	1000	0.1	RMS	945.664	-64.99	-25	39.99	Pass	9701
1000	2525	1	RMS	2515	-51.4	-25	26.4	Pass	1526
2525	2665	1	RMS	2635.95	20.15	60	39.85	Pass	401
2665	3000	1	RMS	2670.863	-27.14	-25	2.14	Pass*	401
3000	12000	1	RMS	6980	-82.05	-25	57.05	Pass	9002
12000	26500	1	RMS	25501	-77.44	-25	52.44	Pass	14502



19.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.37	-25	43.37	Pass	401
0.15	30	0.01	RMS	0.15	-68.42	-25	43.42	Pass	2986
30	1000	0.1	RMS	967.278	-61.2	-25	36.2	Pass	9701
1000	2525	1	RMS	2502	-47.83	-25	22.83	Pass	1526
2525	2665	1	RMS	2635.95	22.36	60	37.64	Pass	401
2665	3000	1	RMS	2670.863	-25.3	-25	0.3	Pass*	401
3000	12000	1	RMS	6984	-78.46	-25	53.46	Pass	9002
12000	26500	1	RMS	25505	-73.63	-25	48.63	Pass	14502



20. LTE_Band66


20.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.71	-13	59.71	Pass	401
0.15	30	0.01	RMS	0.15	-71.83	-13	58.83	Pass	2986
30	1000	0.1	RMS	845.6	-65.43	-13	52.43	Pass	9701
1000	1700	1	RMS	1700	-53.8	-13	40.8	Pass	701
1700	1790	1	RMS	1710.125	22.05	60	37.95	Pass	401
1790	3000	1	RMS	2996	-51.56	-13	38.56	Pass	1211
3000	12000	1	RMS	12000	-44.41	-13	31.41	Pass	9002
12000	20000	1	RMS	13605	-39.88	-13	26.88	Pass	8001




20.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.74	-13	58.74	Pass	401
0.15	30	0.01	RMS	0.15	-72.9	-13	59.9	Pass	2986
30	1000	0.1	RMS	847	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1700	-53.87	-13	40.87	Pass	701
1700	1790	1	RMS	1710.125	21.13	60	38.87	Pass	401
1790	3000	1	RMS	2988	-51.57	-13	38.57	Pass	1211
3000	12000	1	RMS	12000	-44.38	-13	31.38	Pass	9002
12000	20000	1	RMS	13601	-39.96	-13	26.96	Pass	8001




20.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.59	-13	59.59	Pass	401
0.15	30	0.01	RMS	0.15	-71.94	-13	58.94	Pass	2986
30	1000	0.1	RMS	954.47	-65.47	-13	52.47	Pass	9701
1000	1700	1	RMS	1677	-54.22	-13	41.22	Pass	701
1700	1790	1	RMS	1744.55	21.98	60	38.02	Pass	401
1790	3000	1	RMS	2998	-51.57	-13	38.57	Pass	1211
3000	12000	1	RMS	11991	-44.45	-13	31.45	Pass	9002
12000	20000	1	RMS	13603	-39.95	-13	26.95	Pass	8001




20.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.09	-13	59.09	Pass	401
0.15	30	0.01	RMS	0.15	-72.8	-13	59.8	Pass	2986
30	1000	0.1	RMS	837.1	-65.56	-13	52.56	Pass	9701
1000	1700	1	RMS	1700	-53.9	-13	40.9	Pass	701
1700	1790	1	RMS	1744.55	21.04	60	38.96	Pass	401
1790	3000	1	RMS	2994	-51.52	-13	38.52	Pass	1211
3000	12000	1	RMS	11989	-44.44	-13	31.44	Pass	9002
12000	20000	1	RMS	13598	-39.92	-13	26.92	Pass	8001




20.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.75	-13	59.75	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-13	58.73	Pass	2986
30	1000	0.1	RMS	869.013	-65.37	-13	52.37	Pass	9701
1000	1700	1	RMS	1680	-54.24	-13	41.24	Pass	701
1700	1790	1	RMS	1778.75	22.32	60	37.68	Pass	401
1790	3000	1	RMS	1793	-51.14	-13	38.14	Pass	1211
3000	12000	1	RMS	12000	-44.39	-13	31.39	Pass	9002
12000	20000	1	RMS	13602	-39.84	-13	26.84	Pass	8001




20.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.29	-13	59.29	Pass	401
0.15	30	0.01	RMS	0.15	-72.33	-13	59.33	Pass	2986
30	1000	0.1	RMS	830.4	-65.45	-13	52.45	Pass	9701
1000	1700	1	RMS	1676	-54.2	-13	41.2	Pass	701
1700	1790	1	RMS	1778.75	21.43	60	38.57	Pass	401
1790	3000	1	RMS	2994	-51.62	-13	38.62	Pass	1211
3000	12000	1	RMS	11998	-44.41	-13	31.41	Pass	9002
12000	20000	1	RMS	13603	-39.94	-13	26.94	Pass	8001




20.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.92	-13	59.92	Pass	401
0.15	30	0.01	RMS	0.16	-72.37	-13	59.37	Pass	2986
30	1000	0.1	RMS	852.502	-65.54	-13	52.54	Pass	9701
1000	1700	1	RMS	1700	-53.53	-13	40.53	Pass	701
1700	1790	1	RMS	1710.125	22.1	60	37.9	Pass	401
1790	3000	1	RMS	2930	-51.58	-13	38.58	Pass	1211
3000	12000	1	RMS	12000	-44.46	-13	31.46	Pass	9002
12000	20000	1	RMS	13602	-40.03	-13	27.03	Pass	8001




20.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.95	-13	58.95	Pass	401
0.15	30	0.01	RMS	0.17	-72.61	-13	59.61	Pass	2986
30	1000	0.1	RMS	871.915	-65.46	-13	52.46	Pass	9701
1000	1700	1	RMS	1700	-53.73	-13	40.73	Pass	701
1700	1790	1	RMS	1710.125	21.32	60	38.68	Pass	401
1790	3000	1	RMS	2991	-51.62	-13	38.62	Pass	1211
3000	12000	1	RMS	11998	-44.36	-13	31.36	Pass	9002
12000	20000	1	RMS	13600	-40	-13	27	Pass	8001



20.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.34	-13	60.34	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-13	58.7	Pass	2986
30	1000	0.1	RMS	894.43	-65.47	-13	52.47	Pass	9701
1000	1700	1	RMS	1698	-53.33	-13	40.33	Pass	701
1700	1790	1	RMS	1743.65	22.44	60	37.56	Pass	401
1790	3000	1	RMS	2982	-51.62	-13	38.62	Pass	1211
3000	12000	1	RMS	12000	-44.5	-13	31.5	Pass	9002
12000	20000	1	RMS	13600	-39.94	-13	26.94	Pass	8001



20.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.32	-13	60.32	Pass	401
0.15	30	0.01	RMS	0.15	-72.67	-13	59.67	Pass	2986
30	1000	0.1	RMS	841	-65.63	-13	52.63	Pass	9701
1000	1700	1	RMS	1700	-53.37	-13	40.37	Pass	701
1700	1790	1	RMS	1743.65	21.43	60	38.57	Pass	401
1790	3000	1	RMS	2985	-51.6	-13	38.6	Pass	1211
3000	12000	1	RMS	11986	-44.38	-13	31.38	Pass	9002
12000	20000	1	RMS	13601	-40.02	-13	27.02	Pass	8001



20.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.98	-13	59.98	Pass	401
0.15	30	0.01	RMS	0.18	-72.87	-13	59.87	Pass	2986
30	1000	0.1	RMS	855.404	-65.47	-13	52.47	Pass	9701
1000	1700	1	RMS	1677	-54.24	-13	41.24	Pass	701
1700	1790	1	RMS	1777.175	22.42	60	37.58	Pass	401
1790	3000	1	RMS	3000	-51.64	-13	38.64	Pass	1211
3000	12000	1	RMS	11993	-44.47	-13	31.47	Pass	9002
12000	20000	1	RMS	13606	-39.97	-13	26.97	Pass	8001



20.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.95	-13	59.95	Pass	401
0.15	30	0.01	RMS	0.16	-72.79	-13	59.79	Pass	2986
30	1000	0.1	RMS	926.852	-65.52	-13	52.52	Pass	9701
1000	1700	1	RMS	1679	-54.26	-13	41.26	Pass	701
1700	1790	1	RMS	1777.175	21.51	60	38.49	Pass	401
1790	3000	1	RMS	2998	-51.61	-13	38.61	Pass	1211
3000	12000	1	RMS	11987	-44.5	-13	31.5	Pass	9002
12000	20000	1	RMS	13603	-40.05	-13	27.05	Pass	8001



20.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.92	-13	58.92	Pass	401
0.15	30	0.01	RMS	0.15	-71.24	-13	58.24	Pass	2986
30	1000	0.1	RMS	868.213	-65.55	-13	52.55	Pass	9701
1000	1700	1	RMS	1700	-53.29	-13	40.29	Pass	701
1700	1790	1	RMS	1710.125	21.88	60	38.12	Pass	401
1790	3000	1	RMS	2996	-51.64	-13	38.64	Pass	1211
3000	12000	1	RMS	11992	-44.5	-13	31.5	Pass	9002
12000	20000	1	RMS	13599	-39.92	-13	26.92	Pass	8001



20.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.1	-13	60.1	Pass	401
0.15	30	0.01	RMS	0.16	-72.98	-13	59.98	Pass	2986
30	1000	0.1	RMS	872.916	-65.56	-13	52.56	Pass	9701
1000	1700	1	RMS	1700	-53.51	-13	40.51	Pass	701
1700	1790	1	RMS	1710.125	20.99	60	39.01	Pass	401
1790	3000	1	RMS	2844	-51.68	-13	38.68	Pass	1211
3000	12000	1	RMS	11989	-44.52	-13	31.52	Pass	9002
12000	20000	1	RMS	13598	-39.88	-13	26.88	Pass	8001



20.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.21	-13	60.21	Pass	401
0.15	30	0.01	RMS	0.15	-72.43	-13	59.43	Pass	2986
30	1000	0.1	RMS	870.014	-65.57	-13	52.57	Pass	9701
1000	1700	1	RMS	1679	-54.31	-13	41.31	Pass	701
1700	1790	1	RMS	1742.75	22.04	60	37.96	Pass	401
1790	3000	1	RMS	2993	-51.6	-13	38.6	Pass	1211
3000	12000	1	RMS	11997	-44.4	-13	31.4	Pass	9002
12000	20000	1	RMS	13601	-40.01	-13	27.01	Pass	8001



20.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.48	-13	59.48	Pass	401
0.15	30	0.01	RMS	0.16	-72.55	-13	59.55	Pass	2986
30	1000	0.1	RMS	827.6	-65.64	-13	52.64	Pass	9701
1000	1700	1	RMS	1700	-53.18	-13	40.18	Pass	701
1700	1790	1	RMS	1742.75	21.5	60	38.5	Pass	401
1790	3000	1	RMS	2992	-51.66	-13	38.66	Pass	1211
3000	12000	1	RMS	11997	-44.46	-13	31.46	Pass	9002
12000	20000	1	RMS	13601	-40	-13	27	Pass	8001



20.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.91	-13	59.91	Pass	401
0.15	30	0.01	RMS	0.17	-72.21	-13	59.21	Pass	2986
30	1000	0.1	RMS	873.316	-65.39	-13	52.39	Pass	9701
1000	1700	1	RMS	1676	-54.22	-13	41.22	Pass	701
1700	1790	1	RMS	1775.15	22.25	60	37.75	Pass	401
1790	3000	1	RMS	3000	-51.57	-13	38.57	Pass	1211
3000	12000	1	RMS	11995	-44.44	-13	31.44	Pass	9002
12000	20000	1	RMS	13600	-40	-13	27	Pass	8001



20.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.15	-13	60.15	Pass	401
0.15	30	0.01	RMS	0.15	-72.66	-13	59.66	Pass	2986
30	1000	0.1	RMS	886.325	-65.47	-13	52.47	Pass	9701
1000	1700	1	RMS	1678	-54.16	-13	41.16	Pass	701
1700	1790	1	RMS	1775.15	21.49	60	38.51	Pass	401
1790	3000	1	RMS	2999	-51.58	-13	38.58	Pass	1211
3000	12000	1	RMS	12000	-44.38	-13	31.38	Pass	9002
12000	20000	1	RMS	13606	-40.01	-13	27.01	Pass	8001



20.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.62	-13	59.62	Pass	401
0.15	30	0.01	RMS	0.15	-72.29	-13	59.29	Pass	2986
30	1000	0.1	RMS	989.793	-65.42	-13	52.42	Pass	9701
1000	1700	1	RMS	1700	-50.5	-13	37.5	Pass	701
1700	1790	1	RMS	1710.575	21.97	60	38.03	Pass	401
1790	3000	1	RMS	2983	-51.61	-13	38.61	Pass	1211
3000	12000	1	RMS	11999	-44.43	-13	31.43	Pass	9002
12000	20000	1	RMS	13601	-39.92	-13	26.92	Pass	8001



20.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.09	-13	59.09	Pass	401
0.15	30	0.01	RMS	0.17	-72.45	-13	59.45	Pass	2986
30	1000	0.1	RMS	988.392	-65.52	-13	52.52	Pass	9701
1000	1700	1	RMS	1700	-50.56	-13	37.56	Pass	701
1700	1790	1	RMS	1710.575	21.23	60	38.77	Pass	401
1790	3000	1	RMS	2995	-51.61	-13	38.61	Pass	1211
3000	12000	1	RMS	11997	-44.34	-13	31.34	Pass	9002
12000	20000	1	RMS	13603	-39.93	-13	26.93	Pass	8001



20.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.31	-13	60.31	Pass	401
0.15	30	0.01	RMS	0.15	-72.31	-13	59.31	Pass	2986
30	1000	0.1	RMS	848.2	-65.57	-13	52.57	Pass	9701
1000	1700	1	RMS	1678	-54.21	-13	41.21	Pass	701
1700	1790	1	RMS	1740.5	22.09	60	37.91	Pass	401
1790	3000	1	RMS	2980	-51.61	-13	38.61	Pass	1211
3000	12000	1	RMS	11996	-44.46	-13	31.46	Pass	9002
12000	20000	1	RMS	13604	-40.01	-13	27.01	Pass	8001



20.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.82	-13	57.82	Pass	401
0.15	30	0.01	RMS	0.15	-71.97	-13	58.97	Pass	2986
30	1000	0.1	RMS	845.2	-65.57	-13	52.57	Pass	9701
1000	1700	1	RMS	1677	-54.21	-13	41.21	Pass	701
1700	1790	1	RMS	1740.5	21.42	60	38.58	Pass	401
1790	3000	1	RMS	2994	-51.6	-13	38.6	Pass	1211
3000	12000	1	RMS	11999	-44.48	-13	31.48	Pass	9002
12000	20000	1	RMS	13601	-39.94	-13	26.94	Pass	8001



20.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-73.13	-13	60.13	Pass	401
0.15	30	0.01	RMS	0.16	-72.47	-13	59.47	Pass	2986
30	1000	0.1	RMS	996.298	-65.58	-13	52.58	Pass	9701
1000	1700	1	RMS	1700	-54.17	-13	41.17	Pass	701
1700	1790	1	RMS	1770.425	22.34	60	37.66	Pass	401
1790	3000	1	RMS	1791	-48.46	-13	35.46	Pass	1211
3000	12000	1	RMS	12000	-44.44	-13	31.44	Pass	9002
12000	20000	1	RMS	13602	-40.05	-13	27.05	Pass	8001



20.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.7	-13	59.7	Pass	401
0.15	30	0.01	RMS	0.22	-72.63	-13	59.63	Pass	2986
30	1000	0.1	RMS	850.201	-65.55	-13	52.55	Pass	9701
1000	1700	1	RMS	1679	-54.2	-13	41.2	Pass	701
1700	1790	1	RMS	1770.425	21.53	60	38.47	Pass	401
1790	3000	1	RMS	1790	-50.29	-13	37.29	Pass	1211
3000	12000	1	RMS	11995	-44.36	-13	31.36	Pass	9002
12000	20000	1	RMS	13600	-39.93	-13	26.93	Pass	8001



20.25 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.26	-13	60.26	Pass	401
0.15	30	0.01	RMS	0.16	-72.71	-13	59.71	Pass	2986
30	1000	0.1	RMS	991.594	-65.5	-13	52.5	Pass	9701
1000	1700	1	RMS	1698	-47.26	-13	34.26	Pass	701
1700	1790	1	RMS	1710.8	21.95	60	38.05	Pass	401
1790	3000	1	RMS	2987	-51.59	-13	38.59	Pass	1211
3000	12000	1	RMS	11999	-44.38	-13	31.38	Pass	9002
12000	20000	1	RMS	13600	-40.02	-13	27.02	Pass	8001



20.26 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.36	-13	59.36	Pass	401
0.15	30	0.01	RMS	0.16	-71.87	-13	58.87	Pass	2986
30	1000	0.1	RMS	848.8	-65.43	-13	52.43	Pass	9701
1000	1700	1	RMS	1698	-47.6	-13	34.6	Pass	701
1700	1790	1	RMS	1710.8	21.13	60	38.87	Pass	401
1790	3000	1	RMS	2955	-51.59	-13	38.59	Pass	1211
3000	12000	1	RMS	11999	-44.47	-13	31.47	Pass	9002
12000	20000	1	RMS	13604	-39.94	-13	26.94	Pass	8001



20.27 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.44	-13	59.44	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	58.92	Pass	2986
30	1000	0.1	RMS	841.8	-65.51	-13	52.51	Pass	9701
1000	1700	1	RMS	1698	-53.56	-13	40.56	Pass	701
1700	1790	1	RMS	1738.25	22.33	60	37.67	Pass	401
1790	3000	1	RMS	2994	-51.63	-13	38.63	Pass	1211
3000	12000	1	RMS	11991	-44.47	-13	31.47	Pass	9002
12000	20000	1	RMS	13600	-39.94	-13	26.94	Pass	8001



20.28 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.39	-13	59.39	Pass	401
0.15	30	0.01	RMS	0.16	-72.31	-13	59.31	Pass	2986
30	1000	0.1	RMS	999.099	-65.47	-13	52.47	Pass	9701
1000	1700	1	RMS	1682	-54.2	-13	41.2	Pass	701
1700	1790	1	RMS	1738.25	21.59	60	38.41	Pass	401
1790	3000	1	RMS	2985	-51.58	-13	38.58	Pass	1211
3000	12000	1	RMS	12000	-44.44	-13	31.44	Pass	9002
12000	20000	1	RMS	13604	-40.03	-13	27.03	Pass	8001



20.29 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.23	-13	59.23	Pass	401
0.15	30	0.01	RMS	0.15	-72.11	-13	59.11	Pass	2986
30	1000	0.1	RMS	965.277	-65.53	-13	52.53	Pass	9701
1000	1700	1	RMS	1700	-54.09	-13	41.09	Pass	701
1700	1790	1	RMS	1765.7	22.3	60	37.7	Pass	401
1790	3000	1	RMS	1793	-26.55	-13	13.55	Pass	1211
3000	12000	1	RMS	12000	-44.43	-13	31.43	Pass	9002
12000	20000	1	RMS	13607	-40.03	-13	27.03	Pass	8001



20.30 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.24	-13	59.24	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-13	59.01	Pass	2986
30	1000	0.1	RMS	839.7	-65.57	-13	52.57	Pass	9701
1000	1700	1	RMS	1700	-54.09	-13	41.09	Pass	701
1700	1790	1	RMS	1765.7	21.45	60	38.55	Pass	401
1790	3000	1	RMS	1792	-27.35	-13	14.35	Pass	1211
3000	12000	1	RMS	11999	-44.37	-13	31.37	Pass	9002
12000	20000	1	RMS	13605	-39.99	-13	26.99	Pass	8001



20.31 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.16	-13	59.16	Pass	401
0.15	30	0.01	RMS	0.17	-72.3	-13	59.3	Pass	2986
30	1000	0.1	RMS	984.49	-65.37	-13	52.37	Pass	9701
1000	1700	1	RMS	1700	-48.49	-13	35.49	Pass	701
1700	1790	1	RMS	1711.025	21.83	60	38.17	Pass	401
1790	3000	1	RMS	2994	-51.57	-13	38.57	Pass	1211
3000	12000	1	RMS	11997	-44.45	-13	31.45	Pass	9002
12000	20000	1	RMS	13600	-40.04	-13	27.04	Pass	8001



20.32 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.29	-13	60.29	Pass	401
0.15	30	0.01	RMS	0.15	-72.54	-13	59.54	Pass	2986
30	1000	0.1	RMS	989.893	-65.46	-13	52.46	Pass	9701
1000	1700	1	RMS	1700	-48.74	-13	35.74	Pass	701
1700	1790	1	RMS	1711.025	21.02	60	38.98	Pass	401
1790	3000	1	RMS	2935	-51.64	-13	38.64	Pass	1211
3000	12000	1	RMS	11991	-44.48	-13	31.48	Pass	9002
12000	20000	1	RMS	13604	-40.02	-13	27.02	Pass	8001



20.33 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.92	-13	59.92	Pass	401
0.15	30	0.01	RMS	0.15	-72.5	-13	59.5	Pass	2986
30	1000	0.1	RMS	849.901	-65.46	-13	52.46	Pass	9701
1000	1700	1	RMS	1700	-50.89	-13	37.89	Pass	701
1700	1790	1	RMS	1736	21.92	60	38.08	Pass	401
1790	3000	1	RMS	2843	-51.68	-13	38.68	Pass	1211
3000	12000	1	RMS	11993	-44.43	-13	31.43	Pass	9002
12000	20000	1	RMS	13603	-40.04	-13	27.04	Pass	8001



20.34 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.59	-13	58.59	Pass	401
0.15	30	0.01	RMS	0.23	-72.71	-13	59.71	Pass	2986
30	1000	0.1	RMS	866.712	-65.49	-13	52.49	Pass	9701
1000	1700	1	RMS	1700	-51.51	-13	38.51	Pass	701
1700	1790	1	RMS	1736	21.42	60	38.58	Pass	401
1790	3000	1	RMS	2992	-51.59	-13	38.59	Pass	1211
3000	12000	1	RMS	11996	-44.48	-13	31.48	Pass	9002
12000	20000	1	RMS	13603	-40.05	-13	27.05	Pass	8001



20.35 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.8	-13	59.8	Pass	401
0.15	30	0.01	RMS	0.15	-72.62	-13	59.62	Pass	2986
30	1000	0.1	RMS	964.677	-65.54	-13	52.54	Pass	9701
1000	1700	1	RMS	1700	-54.23	-13	41.23	Pass	701
1700	1790	1	RMS	1760.975	21.76	60	38.24	Pass	401
1790	3000	1	RMS	1797	-26.7	-13	13.7	Pass	1211
3000	12000	1	RMS	11998	-44.41	-13	31.41	Pass	9002
12000	20000	1	RMS	13600	-39.95	-13	26.95	Pass	8001



20.36 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.96	-13	59.96	Pass	401
0.15	30	0.01	RMS	0.15	-72.56	-13	59.56	Pass	2986
30	1000	0.1	RMS	844.7	-65.49	-13	52.49	Pass	9701
1000	1700	1	RMS	1674	-54.23	-13	41.23	Pass	701
1700	1790	1	RMS	1760.975	20.85	60	39.15	Pass	401
1790	3000	1	RMS	1797	-27.39	-13	14.39	Pass	1211
3000	12000	1	RMS	11997	-44.4	-13	31.4	Pass	9002
12000	20000	1	RMS	13600	-40.01	-13	27.01	Pass	8001

