





HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11654.467	65.16	-0.88	64.28	74.00	-9.72			peak
2 *		11654.805	51.49	-0.88	50.61	54.00	-3.39			AVG
3		17475.500	48.22	5.18	53.40	68.20	-14.80			peak

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5626.600	24.66	33.73	58.39	68.20	-9.81			peak
2 *		5821.000	84.48	34.08	118.56	122.20	-3.64			peak
3		6020.200	25.52	34.45	59.97	68.20	-8.23			peak

Above 1G (1GHz~18GHz)

Test mode: 11BE20MIMO


Test Channel:36

VERTICAL

Radiated Emission



Radiated Emission




HORIZONTAL

Radiated Emission



Radiated Emission





Above 1G (1GHz~18GHz)

Test mode: 11BE20MIMO

Test Channel:64


VERTICAL






HORIZONTAL

Radiated Emission



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Antenna Height cm	Table Degree	Comment
1		10636.436	37.22	-3.23	33.99	54.00	-20.01	AVG		
2		10644.100	51.10	-3.22	47.88	74.00	-26.12	peak		
3		15959.433	49.57	-0.11	49.46	74.00	-24.54	peak		
4 *		15965.054	36.91	-0.11	36.80	54.00	-17.20	AVG		


Radiated Emission



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Antenna Height cm	Table Degree	Comment
1		5350.000	28.40	33.47	61.87	74.00	-12.13	peak		
2 *		5350.000	19.74	33.47	53.21	54.00	-0.79	AVG		


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10996.991	38.74	-2.83	35.91	54.00	-18.09	AVG		
2		11000.500	50.80	-2.83	47.97	74.00	-26.03	peak		
3 *		16500.250	49.58	1.27	50.85	68.20	-17.35	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5460.000	26.94	33.49	60.43	74.00	-13.57	peak		
2 *		5460.000	19.28	33.49	52.77	54.00	-1.23	AVG		

HORIZONTAL

Radiated Emission



Radiated Emission




Above 1G (1GHz~18GHz)

Test mode: 11BE40MIMO

Test Channel:38


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		10383.033	49.36	-3.58	45.78	68.20	-22.42	peak	
2 *		15565.586	37.32	-0.15	37.17	54.00	-16.83	AVG	
3		15571.100	48.92	-0.15	48.77	74.00	-25.23	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		5150.000	25.21	33.43	58.64	74.00	-15.36	peak	
2 *		5150.000	16.79	33.43	50.22	54.00	-3.78	AVG	

HORIZONTAL

Radiated Emission



Radiated Emission




Above 1G (1GHz~18GHz)


Test mode: 11BE40MIMO

Test Channel:46


VERTICAL




HORIZONTAL





VERTICAL



HORIZONTAL




VERTICAL




HORIZONTAL

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10620.000	44.67	8.30	52.87	74.00	-21.13	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5360.000	54.95	5.75	60.70	68.20	-7.50	peak	
2	*	5360.000	46.41	5.75	51.16	64.00	-2.84	AVG	
3		5460.000	44.50	5.53	50.03	68.20	-18.17	peak	

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11020.000	43.68	8.02	51.70	74.00	-22.30	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	44.74	5.75	50.49	68.20	-17.71	peak	
2		5460.000	56.60	5.53	62.13	68.20	-6.07	peak	
3	*	5460.000	45.96	5.53	51.49	54.00	-2.51	AVG	

Above 1G (1GHz~18GHz)


Test mode: 11BE40MIMO

Test Channel:110

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11BE40MIMO

Test Channel:134



VERTICAL



HORIZONTAL




VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dBm	dBuV/m	dBuV/m	dB	cm	degree
1	*	11510.000	45.35	8.26	53.61	74.00	-20.39	peak	

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dBm	dBuV/m	dBuV/m	dB	cm	degree
1	*	5650.000	45.13	6.22	51.35	68.20	-16.85	peak	
2		5700.000	68.07	6.50	74.57	105.20	-30.63	peak	
3		5720.000	82.19	6.32	88.51	110.80	-22.29	peak	
4		5725.000	81.90	6.28	88.18	122.20	-34.02	peak	

Above 1G (1GHz~18GHz)

Test mode: 11BE40MIMO


Test Channel:159

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11590.000	44.93	8.04	52.97	74.00	-21.03	peak	

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5850.000	86.24	7.29	73.53	122.20	-48.67	peak	
2		5855.000	81.80	7.22	69.02	110.80	-41.78	peak	
3		5875.000	82.51	6.96	59.47	105.20	-45.73	peak	
4	*	5925.000	43.80	6.96	50.76	68.20	-17.44	peak	

Above 1G (1GHz~18GHz)

Test mode: 11BE80MIMO


Test Channel:42

VERTICAL




HORIZONTAL

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10420.000	47.04	7.76	54.80	68.20	-13.40	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		4500.000	44.65	4.90	49.55	68.20	-18.65	peak		
2		5150.000	54.67	6.54	61.21	68.20	-6.99	peak		
3	*	5150.000	43.82	6.54	50.36	54.00	-3.64	AVG		

VERTICAL




HORIZONTAL

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10580.000	46.94	8.26	55.20	68.20	-13.00	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	55.12	5.75	60.87	68.20	-7.33	peak	
2	*	5350.000	44.72	5.75	50.47	54.00	-3.53	AVG	
3		5460.000	45.00	5.53	50.53	68.20	-17.67	peak	

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11060.000	44.38	8.10	52.48	74.00	-21.52	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	45.34	5.75	51.09	68.20	-17.11	peak	
2		5460.000	54.33	5.53	59.86	68.20	-8.34	peak	
3	*	5460.000	44.86	5.53	50.39	54.00	-3.61	AVG	

Above 1G (1GHz~18GHz)


Test mode: 11BE80MIMO

Test Channel:122



VERTICAL



HORIZONTAL




VERTICAL




HORIZONTAL

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11550.000	45.01	8.15	53.16	74.00	-20.84	peak	

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	5650.000	57.47	6.22	63.69	68.20	-4.51	peak	
2		5700.000	77.83	6.50	84.33	105.20	-20.87	peak	
3		5720.000	81.72	6.32	88.04	110.80	-22.76	peak	
4		5725.000	82.36	6.28	88.64	122.20	-33.56	peak	
5		5850.000	74.77	7.29	82.06	122.20	-40.14	peak	
6		5855.000	74.99	7.22	82.21	110.80	-28.59	peak	
7		5875.000	67.62	6.96	74.58	105.20	-30.62	peak	
8		5925.000	50.15	6.96	57.11	68.20	-11.09	peak	



VERTICAL





HORIZONTAL



VERTICAL



HORIZONTAL



Note: The high frequency, which started from 18GHz to 40GHz, was pre-scanned and the result which was 20dB lower than the limit line was not recorded in this report.

3.3 Spectrum Bandwidth

3.3.1 Limit

FCC Part15, Subpart E (15.407)			
Section	Test Item	Limit	Frequency Range (MHz)
15.407(a)	26 dB Bandwidth	-	5150-5250
	26 dB Bandwidth	-	5250-5350
15.407(e)	26 dB Bandwidth	-	5470-5725
	26 dB Bandwidth	-	5725-5850
	6 dB Bandwidth	Minimum 500 kHz	5725-5850

3.3.2 Test Procedure

Test Method	
●Conducted Measurement	○Radiated Measurement
Test Channels	
●Lowest, Middle and Highest Channel	○ Lowest and Highest Channel
Environmental conditions	
●Normal	○Normal and Extreme
Note:●:Test ○:No Test	

a) The EUT was directly connected to the tonscond test system and antenna output port as show in the block diagram below.

b) the spectrum analyser is set as follow:

For 26 dB Bandwidth


Centre Frequency	The centre frequency of the channel under test
RBW	$\geq 1\% \times \text{Nominal Channel Bandwidth}$
VBW	$\geq 3 \times \text{RBW}$
Frequency span	$2 \times \text{Nominal Channel Bandwidth}$
Detector Mode	Peak
Trace Mode	Max Hold
Sweep Time	Auto Couple

For 6 dB Bandwidth

Centre Frequency	The centre frequency of the channel under test
RBW	100 kHz
VBW	300 kHz
Frequency span	$2 \times \text{Nominal Channel Bandwidth}$
Detector Mode	Peak
Trace Mode	Max Hold
Sweep Time	Auto Couple

- c) Wait for the trace to stabilize then find the peak value of the trace and place the analyser marker on this peak.
- d) Use the -26/-6dB bandwidth function of the spectrum analyser to measure the -26/-6dB Bandwidth of the EUT. This value shall be recorded.
- e) Make sure that the power envelope is sufficiently above the noise floor of the analyser to avoid the noise signals left and right from the power envelope being taken into account by this measurement.

3.3.3 Test Setup



3.3.4 Test Result

26 dB Bandwidth

TestMode	Antenna	Frequency[MHz]	26db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A-CDD	Ant1	5180	22.720	5168.440	5191.160	---	---
	Ant2	5180	22.840	5168.800	5191.640	---	---
	Ant3	5180	22.040	5169.240	5191.280	---	---
	Ant4	5180	23.360	5168.360	5191.720	---	---
	Ant1	5200	21.560	5189.240	5210.800	---	---
	Ant2	5200	21.560	5189.200	5210.760	---	---
	Ant3	5200	21.640	5189.160	5210.800	---	---
	Ant4	5200	21.560	5189.240	5210.800	---	---
	Ant1	5240	21.680	5229.280	5250.960	---	---
	Ant2	5240	21.560	5229.200	5250.760	---	---
	Ant3	5240	21.520	5229.200	5250.720	---	---
	Ant4	5240	21.440	5229.240	5250.680	---	---
	Ant1	5260	21.440	5249.320	5270.760	---	---
	Ant2	5260	21.360	5249.320	5270.680	---	---
	Ant3	5260	21.360	5249.360	5270.720	---	---
	Ant4	5260	21.480	5249.240	5270.720	---	---
	Ant1	5280	21.440	5269.320	5290.760	---	---
	Ant2	5280	21.400	5269.320	5290.720	---	---
	Ant3	5280	21.520	5269.200	5290.720	---	---
	Ant4	5280	21.440	5269.320	5290.760	---	---
	Ant1	5320	22.360	5309.000	5331.360	---	---
	Ant2	5320	22.920	5308.280	5331.200	---	---
	Ant3	5320	22.080	5308.880	5330.960	---	---
	Ant4	5320	22.960	5308.160	5331.120	---	---
	Ant1	5500	22.880	5488.560	5511.440	---	---
	Ant2	5500	22.240	5488.920	5511.160	---	---
	Ant3	5500	22.960	5488.680	5511.640	---	---
	Ant4	5500	24.240	5486.840	5511.080	---	---
	Ant1	5580	21.600	5569.200	5590.800	---	---
	Ant2	5580	21.480	5569.320	5590.800	---	---
	Ant3	5580	21.640	5569.120	5590.760	---	---
	Ant4	5580	21.440	5569.360	5590.800	---	---
	Ant1	5700	21.600	5689.240	5710.840	---	---
	Ant2	5700	21.440	5689.320	5710.760	---	---
	Ant3	5700	21.440	5689.240	5710.680	---	---
	Ant4	5700	21.720	5689.040	5710.760	---	---
	Ant1	5745	22.800	5734.000	5756.800	---	---

	Ant2	5745	22.680	5733.720	5756.400	---	---
	Ant3	5745	22.840	5733.440	5756.280	---	---
	Ant4	5745	24.480	5732.800	5757.280	---	---
	Ant1	5785	24.560	5773.280	5797.840	---	---
	Ant2	5785	22.040	5774.200	5796.240	---	---
	Ant3	5785	21.480	5774.280	5795.760	---	---
	Ant4	5785	21.920	5774.280	5796.200	---	---
	Ant1	5825	23.240	5813.040	5836.280	---	---
	Ant2	5825	21.440	5814.320	5835.760	---	---
	Ant3	5825	21.800	5814.120	5835.920	---	---
	Ant4	5825	25.760	5810.520	5836.280	---	---
11BE20MIMO	Ant1	5180	25.280	5168.840	5194.120	---	---
	Ant2	5180	24.560	5168.840	5193.400	---	---
	Ant3	5180	26.000	5167.440	5193.440	---	---
	Ant4	5180	23.840	5168.920	5192.760	---	---
	Ant1	5200	21.880	5189.080	5210.960	---	---
	Ant2	5200	21.520	5189.200	5210.720	---	---
	Ant3	5200	21.760	5189.040	5210.800	---	---
	Ant4	5200	21.720	5189.080	5210.800	---	---
	Ant1	5240	21.720	5229.160	5250.880	---	---
	Ant2	5240	21.640	5229.200	5250.840	---	---
	Ant3	5240	21.560	5229.240	5250.800	---	---
	Ant4	5240	21.640	5229.120	5250.760	---	---
	Ant1	5260	21.720	5249.080	5270.800	---	---
	Ant2	5260	21.600	5249.200	5270.800	---	---
	Ant3	5260	21.520	5249.280	5270.800	---	---
	Ant4	5260	21.560	5249.160	5270.720	---	---
	Ant1	5280	21.720	5269.200	5290.920	---	---
	Ant2	5280	21.640	5269.120	5290.760	---	---
	Ant3	5280	21.520	5269.200	5290.720	---	---
	Ant4	5280	21.760	5269.080	5290.840	---	---
	Ant1	5320	23.640	5308.880	5332.520	---	---
	Ant2	5320	27.360	5306.680	5334.040	---	---
	Ant3	5320	25.760	5306.960	5332.720	---	---
	Ant4	5320	26.280	5305.880	5332.160	---	---
	Ant1	5500	22.720	5488.360	5511.080	---	---
	Ant2	5500	28.080	5485.720	5513.800	---	---
	Ant3	5500	26.520	5486.760	5513.280	---	---
	Ant4	5500	26.520	5485.840	5512.360	---	---
	Ant1	5580	21.800	5569.120	5590.920	---	---
	Ant2	5580	21.840	5569.040	5590.880	---	---
	Ant3	5580	21.520	5569.240	5590.760	---	---

	Ant4	5580	21.840	5569.000	5590.840	---	---
	Ant1	5700	21.880	5689.080	5710.960	---	---
	Ant2	5700	21.640	5689.320	5710.960	---	---
	Ant3	5700	21.720	5689.160	5710.880	---	---
	Ant4	5700	21.640	5689.280	5710.920	---	---
	Ant1	5745	32.400	5731.040	5763.440	---	---
	Ant2	5745	22.320	5733.920	5756.240	---	---
	Ant3	5745	22.920	5733.600	5756.520	---	---
	Ant4	5745	26.560	5732.000	5758.560	---	---
	Ant1	5785	28.080	5771.040	5799.120	---	---
	Ant2	5785	21.880	5774.280	5796.160	---	---
	Ant3	5785	21.800	5774.040	5795.840	---	---
	Ant4	5785	23.960	5773.080	5797.040	---	---
	Ant1	5825	29.600	5809.160	5838.760	---	---
	Ant2	5825	21.680	5814.280	5835.960	---	---
	Ant3	5825	21.680	5814.240	5835.920	---	---
	Ant4	5825	24.720	5812.760	5837.480	---	---
11BE40MIMO	Ant1	5190	48.080	5167.680	5215.760	---	---
	Ant2	5190	46.160	5167.680	5213.840	---	---
	Ant3	5190	43.920	5168.560	5212.480	---	---
	Ant4	5190	45.520	5168.720	5214.240	---	---
	Ant1	5230	40.960	5209.600	5250.560	---	---
	Ant2	5230	40.880	5209.360	5250.240	---	---
	Ant3	5230	41.120	5209.120	5250.240	---	---
	Ant4	5230	40.960	5209.280	5250.240	---	---
	Ant1	5270	41.280	5249.360	5290.640	---	---
	Ant2	5270	40.720	5249.680	5290.400	---	---
	Ant3	5270	40.320	5249.920	5290.240	---	---
	Ant4	5270	40.240	5250.000	5290.240	---	---
	Ant1	5310	44.560	5287.760	5332.320	---	---
	Ant2	5310	47.520	5287.760	5335.280	---	---
	Ant3	5310	47.360	5287.120	5334.480	---	---
	Ant4	5310	47.520	5284.720	5332.240	---	---
	Ant1	5510	42.640	5488.800	5531.440	---	---
	Ant2	5510	45.360	5486.160	5531.520	---	---
	Ant3	5510	44.560	5487.520	5532.080	---	---
	Ant4	5510	45.520	5486.720	5532.240	---	---
	Ant1	5550	40.720	5529.840	5570.560	---	---
	Ant2	5550	40.640	5529.600	5570.240	---	---
	Ant3	5550	40.400	5529.760	5570.160	---	---
	Ant4	5550	40.560	5529.840	5570.400	---	---
	Ant1	5670	40.800	5649.840	5690.640	---	---

	Ant2	5670	40.480	5649.840	5690.320	---	---
	Ant3	5670	40.480	5649.920	5690.400	---	---
	Ant4	5670	40.640	5649.680	5690.320	---	---
	Ant1	5755	49.200	5732.680	5781.880	---	---
	Ant2	5755	42.240	5733.560	5775.800	---	---
	Ant3	5755	42.400	5733.480	5775.880	---	---
	Ant4	5755	44.240	5732.840	5777.080	---	---
	Ant1	5795	46.800	5774.440	5821.240	---	---
	Ant2	5795	40.400	5774.760	5815.160	---	---
	Ant3	5795	40.480	5774.840	5815.320	---	---
	Ant4	5795	42.960	5774.600	5817.560	---	---
11BE80MIMO	Ant1	5210	88.000	5167.760	5255.760	---	---
	Ant2	5210	89.120	5167.600	5256.720	---	---
	Ant3	5210	83.040	5168.080	5251.120	---	---
	Ant4	5210	97.600	5166.960	5264.560	---	---
	Ant1	5290	87.360	5246.480	5333.840	---	---
	Ant2	5290	82.880	5248.880	5331.760	---	---
	Ant3	5290	85.120	5246.320	5331.440	---	---
	Ant4	5290	86.720	5244.720	5331.440	---	---
	Ant1	5530	87.040	5485.040	5572.080	---	---
	Ant2	5530	84.320	5487.280	5571.600	---	---
	Ant3	5530	84.320	5487.120	5571.440	---	---
	Ant4	5530	85.120	5486.320	5571.440	---	---
	Ant1	5610	82.400	5569.040	5651.440	---	---
	Ant2	5610	81.280	5569.520	5650.800	---	---
	Ant3	5610	82.400	5568.880	5651.280	---	---
	Ant4	5610	82.080	5569.040	5651.120	---	---
	Ant1	5775	86.400	5731.480	5817.880	---	---
	Ant2	5775	84.160	5732.120	5816.280	---	---
	Ant3	5775	83.680	5732.120	5815.800	---	---
	Ant4	5775	83.840	5732.120	5815.960	---	---
11BE160MIMO	Ant1	5250	163.840	5168.080	5331.920	---	---
	Ant2	5250	164.160	5168.080	5332.240	---	---
	Ant3	5250	163.200	5168.400	5331.600	---	---
	Ant4	5250	163.520	5168.080	5331.600	---	---
	Ant1	5250_UNII-1	81.92	5168.080	5250	---	---
	Ant2	5250_UNII-1	81.92	5168.080	5250	---	---
	Ant3	5250_UNII-1	81.6	5168.400	5250	---	---
	Ant4	5250_UNII-1	81.92	5168.080	5250	---	---
	Ant1	5250_UNII-2A	81.92	5250	5331.920	---	---
	Ant2	5250_UNII-2A	82.24	5250	5332.240	---	---
	Ant3	5250_UNII-2A	81.6	5250	5331.600	---	---