




11BE80MIMO_Ant1_5610




11BE80MIMO_Ant2_5610




11BE80MIMO_Ant3_5610




11BE80MIMO_Ant4_5610



11BE80MIMO_Ant1_5775



11BE80MIMO_Ant2_5775




11BE80MIMO_Ant3_5775



11BE80MIMO_Ant4_5775




11BE160MIMO_Ant1_5250_UNII-1




11BE160MIMO_Ant2_5250_UNII-1




11BE160MIMO_Ant3_5250_UNII-1




11BE160MIMO_Ant4_5250_UNII-1




11BE160MIMO_Ant1_5250_UNII-2A




11BE160MIMO_Ant2_5250_UNII-2A




11BE160MIMO_Ant3_5250_UNII-2A




11BE160MIMO_Ant4_5250_UNII-2A



11BE160MIMO_Ant1_5570




11BE160MIMO_Ant2_5570



11BE160MIMO_Ant3_5570



11BE160MIMO_Ant4_5570



3.6 Frequency Stability

3.6.1 Limit

Manufactures of U-NII devices are responsible for ensuring frequency stability such that an emission is maintained within the band of operation under all conditions of normal operation as specified in the user's manual.

3.6.2 Test Procedure

Frequency Stability Under Temperature Variations:


The equipment under test was connected to an external AC or DC power supply and input rated voltage. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators. The EUT was placed inside the temperature chamber. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 20°C operating frequency as reference frequency. Turn EUT off and set the chamber temperature to highest. After the temperature stabilized for approximately 30 minutes recorded the frequency. Repeat step measure with 10°C decreased per stage until the lowest temperature reached.

Frequency Stability Under Voltage Variations:

Set chamber temperature to 20°C. Use a variable AC power supply / DC power source to power the EUT and set the voltage to rated voltage. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency.

Reduce the input voltage to specify extreme voltage variation ($\pm 15\%$) and endpoint, record the maximum frequency change.

3.6.3 Test Setup



3.6.4 The Result

Voltage								
TestMode	Antenna	Frequency [MHz]	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A-CDD	Ant1	5180	NV	NT	40000.00	7.722008	20	PASS
			LV	NT	20000.00	3.861004	20	PASS
			HV	NT	40000.00	7.722008	20	PASS
	Ant2	5180	NV	NT	20000.00	3.861004	20	PASS
			LV	NT	40000.00	7.722008	20	PASS
			HV	NT	20000.00	3.861004	20	PASS
	Ant3	5180	NV	NT	20000.00	3.861004	20	PASS
			LV	NT	20000.00	3.861004	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant4	5180	NV	NT	20000.00	3.861004	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant1	5200	NV	NT	20000.00	3.846154	20	PASS
			LV	NT	20000.00	3.846154	20	PASS
			HV	NT	20000.00	3.846154	20	PASS
	Ant2	5200	NV	NT	40000.00	7.692308	20	PASS
			LV	NT	20000.00	3.846154	20	PASS
			HV	NT	40000.00	7.692308	20	PASS
	Ant3	5200	NV	NT	20000.00	3.846154	20	PASS
			LV	NT	20000.00	3.846154	20	PASS
			HV	NT	20000.00	3.846154	20	PASS
	Ant4	5200	NV	NT	20000.00	3.846154	20	PASS
			LV	NT	20000.00	3.846154	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant1	5240	NV	NT	40000.00	7.633588	20	PASS
			LV	NT	20000.00	3.816794	20	PASS
			HV	NT	20000.00	3.816794	20	PASS
	Ant2	5240	NV	NT	20000.00	3.816794	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	20000.00	3.816794	20	PASS
	Ant3	5240	NV	NT	0.00	0.000000	20	PASS
			LV	NT	20000.00	3.816794	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant4	5240	NV	NT	0.00	0.000000	20	PASS
			LV	NT	20000.00	3.816794	20	PASS
			HV	NT	20000.00	3.816794	20	PASS
	Ant1	5260	NV	NT	20000.00	3.802281	20	PASS
			LV	NT	20000.00	3.802281	20	PASS

			HV	NT	0.00	0.000000	20	PASS
	Ant2	5260	NV	NT	20000.00	3.802281	20	PASS
			LV	NT	40000.00	7.604563	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant3	5260	NV	NT	20000.00	3.802281	20	PASS
			LV	NT	40000.00	7.604563	20	PASS
			HV	NT	20000.00	3.802281	20	PASS
	Ant4	5260	NV	NT	0.00	0.000000	20	PASS
			LV	NT	40000.00	7.604563	20	PASS
			HV	NT	40000.00	7.604563	20	PASS
	Ant1	5280	NV	NT	20000.00	3.787879	20	PASS
			LV	NT	20000.00	3.787879	20	PASS
			HV	NT	20000.00	3.787879	20	PASS
	Ant2	5280	NV	NT	40000.00	7.575758	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	40000.00	7.575758	20	PASS
	Ant3	5280	NV	NT	40000.00	7.575758	20	PASS
			LV	NT	40000.00	7.575758	20	PASS
			HV	NT	40000.00	7.575758	20	PASS
	Ant4	5280	NV	NT	0.00	0.000000	20	PASS
			LV	NT	20000.00	3.787879	20	PASS
			HV	NT	40000.00	7.575758	20	PASS
	Ant1	5320	NV	NT	40000.00	7.518797	20	PASS
			LV	NT	20000.00	3.759398	20	PASS
			HV	NT	20000.00	3.759398	20	PASS
	Ant2	5320	NV	NT	0.00	0.000000	20	PASS
			LV	NT	20000.00	3.759398	20	PASS
			HV	NT	20000.00	3.759398	20	PASS
	Ant3	5320	NV	NT	20000.00	3.759398	20	PASS
			LV	NT	20000.00	3.759398	20	PASS
			HV	NT	20000.00	3.759398	20	PASS
	Ant4	5320	NV	NT	40000.00	7.518797	20	PASS
			LV	NT	40000.00	7.518797	20	PASS
			HV	NT	20000.00	3.759398	20	PASS
	Ant1	5500	NV	NT	40000.00	7.272727	20	PASS
			LV	NT	20000.00	3.636364	20	PASS
			HV	NT	20000.00	3.636364	20	PASS
	Ant2	5500	NV	NT	40000.00	7.272727	20	PASS
			LV	NT	40000.00	7.272727	20	PASS
			HV	NT	20000.00	3.636364	20	PASS
	Ant3	5500	NV	NT	20000.00	3.636364	20	PASS
			LV	NT	20000.00	3.636364	20	PASS

			HV	NT	40000.00	7.272727	20	PASS
	Ant4	5500	NV	NT	20000.00	3.636364	20	PASS
			LV	NT	20000.00	3.636364	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant1	5580	NV	NT	40000.00	7.168459	20	PASS
			LV	NT	20000.00	3.584229	20	PASS
			HV	NT	40000.00	7.168459	20	PASS
	Ant2	5580	NV	NT	40000.00	7.168459	20	PASS
			LV	NT	40000.00	7.168459	20	PASS
			HV	NT	40000.00	7.168459	20	PASS
	Ant3	5580	NV	NT	20000.00	3.584229	20	PASS
			LV	NT	40000.00	7.168459	20	PASS
			HV	NT	20000.00	3.584229	20	PASS
	Ant4	5580	NV	NT	20000.00	3.584229	20	PASS
			LV	NT	20000.00	3.584229	20	PASS
			HV	NT	40000.00	7.168459	20	PASS
	Ant1	5700	NV	NT	20000.00	3.508772	20	PASS
			LV	NT	40000.00	7.017544	20	PASS
			HV	NT	40000.00	7.017544	20	PASS
	Ant2	5700	NV	NT	20000.00	3.508772	20	PASS
			LV	NT	20000.00	3.508772	20	PASS
			HV	NT	20000.00	3.508772	20	PASS
	Ant3	5700	NV	NT	0.00	0.000000	20	PASS
			LV	NT	40000.00	7.017544	20	PASS
			HV	NT	20000.00	3.508772	20	PASS
	Ant4	5700	NV	NT	20000.00	3.508772	20	PASS
			LV	NT	40000.00	7.017544	20	PASS
			HV	NT	20000.00	3.508772	20	PASS
	Ant1	5745	NV	NT	40000.00	6.962576	20	PASS
			LV	NT	40000.00	6.962576	20	PASS
			HV	NT	20000.00	3.481288	20	PASS
	Ant2	5745	NV	NT	0.00	0.000000	20	PASS
			LV	NT	20000.00	3.481288	20	PASS
			HV	NT	20000.00	3.481288	20	PASS
	Ant3	5745	NV	NT	40000.00	6.962576	20	PASS
			LV	NT	20000.00	3.481288	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant4	5745	NV	NT	20000.00	3.481288	20	PASS
			LV	NT	20000.00	3.481288	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant1	5785	NV	NT	40000.00	6.914434	20	PASS
			LV	NT	20000.00	3.457217	20	PASS

			HV	NT	20000.00	3.457217	20	PASS
	Ant2	5785	NV	NT	40000.00	6.914434	20	PASS
			LV	NT	20000.00	3.457217	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant3	5785	NV	NT	20000.00	3.457217	20	PASS
			LV	NT	20000.00	3.457217	20	PASS
			HV	NT	20000.00	3.457217	20	PASS
	Ant4	5785	NV	NT	20000.00	3.457217	20	PASS
			LV	NT	20000.00	3.457217	20	PASS
			HV	NT	20000.00	3.457217	20	PASS
	Ant1	5825	NV	NT	20000.00	3.433476	20	PASS
			LV	NT	20000.00	3.433476	20	PASS
			HV	NT	20000.00	3.433476	20	PASS
	Ant2	5825	NV	NT	20000.00	3.433476	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	20000.00	3.433476	20	PASS
	Ant3	5825	NV	NT	20000.00	3.433476	20	PASS
			LV	NT	20000.00	3.433476	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant4	5825	NV	NT	20000.00	3.433476	20	PASS
			LV	NT	20000.00	3.433476	20	PASS
			HV	NT	20000.00	3.433476	20	PASS
11N20MIMO	Ant1	5180	NV	NT	40000.00	7.722008	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	20000.00	3.861004	20	PASS
	Ant2	5180	NV	NT	0.00	0.000000	20	PASS
			LV	NT	20000.00	3.861004	20	PASS
			HV	NT	20000.00	3.861004	20	PASS
	Ant3	5180	NV	NT	20000.00	3.861004	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	20000.00	3.861004	20	PASS
	Ant4	5180	NV	NT	0.00	0.000000	20	PASS
LV			NT	20000.00	3.861004	20	PASS	
HV			NT	40000.00	7.722008	20	PASS	
11BE20MIMO	Ant1	5180	NV	NT	60000.00	11.583012	20	PASS
			LV	NT	60000.00	11.583012	20	PASS
			HV	NT	40000.00	7.722008	20	PASS
	Ant2	5180	NV	NT	40000.00	7.722008	20	PASS
			LV	NT	40000.00	7.722008	20	PASS
			HV	NT	40000.00	7.722008	20	PASS
	Ant3	5180	NV	NT	20000.00	3.861004	20	PASS
LV			NT	40000.00	7.722008	20	PASS	

			HV	NT	20000.00	3.861004	20	PASS
	Ant4	5180	NV	NT	20000.00	3.861004	20	PASS
			LV	NT	40000.00	7.722008	20	PASS
			HV	NT	20000.00	3.861004	20	PASS
	Ant1	5200	NV	NT	40000.00	7.692308	20	PASS
			LV	NT	20000.00	3.846154	20	PASS
			HV	NT	20000.00	3.846154	20	PASS
	Ant2	5200	NV	NT	20000.00	3.846154	20	PASS
			LV	NT	20000.00	3.846154	20	PASS
			HV	NT	20000.00	3.846154	20	PASS
	Ant3	5200	NV	NT	20000.00	3.846154	20	PASS
			LV	NT	40000.00	7.692308	20	PASS
			HV	NT	20000.00	3.846154	20	PASS
	Ant4	5200	NV	NT	20000.00	3.846154	20	PASS
			LV	NT	20000.00	3.846154	20	PASS
			HV	NT	20000.00	3.846154	20	PASS
	Ant1	5240	NV	NT	40000.00	7.633588	20	PASS
			LV	NT	20000.00	3.816794	20	PASS
			HV	NT	40000.00	7.633588	20	PASS
	Ant2	5240	NV	NT	20000.00	3.816794	20	PASS
			LV	NT	20000.00	3.816794	20	PASS
			HV	NT	20000.00	3.816794	20	PASS
	Ant3	5240	NV	NT	40000.00	7.633588	20	PASS
			LV	NT	20000.00	3.816794	20	PASS
			HV	NT	40000.00	7.633588	20	PASS
	Ant4	5240	NV	NT	40000.00	7.633588	20	PASS
			LV	NT	20000.00	3.816794	20	PASS
			HV	NT	40000.00	7.633588	20	PASS
	Ant1	5260	NV	NT	20000.00	3.802281	20	PASS
			LV	NT	40000.00	7.604563	20	PASS
			HV	NT	40000.00	7.604563	20	PASS
	Ant2	5260	NV	NT	40000.00	7.604563	20	PASS
			LV	NT	40000.00	7.604563	20	PASS
			HV	NT	20000.00	3.802281	20	PASS
	Ant3	5260	NV	NT	40000.00	7.604563	20	PASS
			LV	NT	40000.00	7.604563	20	PASS
			HV	NT	40000.00	7.604563	20	PASS
	Ant4	5260	NV	NT	40000.00	7.604563	20	PASS
			LV	NT	40000.00	7.604563	20	PASS
			HV	NT	40000.00	7.604563	20	PASS
	Ant1	5280	NV	NT	40000.00	7.575758	20	PASS
			LV	NT	40000.00	7.575758	20	PASS

	Ant2	5280	HV	NT	40000.00	7.575758	20	PASS
			NV	NT	40000.00	7.575758	20	PASS
			LV	NT	40000.00	7.575758	20	PASS
			HV	NT	40000.00	7.575758	20	PASS
	Ant3	5280	NV	NT	40000.00	7.575758	20	PASS
			LV	NT	40000.00	7.575758	20	PASS
			HV	NT	40000.00	7.575758	20	PASS
	Ant4	5280	NV	NT	40000.00	7.575758	20	PASS
			LV	NT	40000.00	7.575758	20	PASS
			HV	NT	40000.00	7.575758	20	PASS
	Ant1	5320	NV	NT	40000.00	7.518797	20	PASS
			LV	NT	40000.00	7.518797	20	PASS
			HV	NT	40000.00	7.518797	20	PASS
	Ant2	5320	NV	NT	40000.00	7.518797	20	PASS
			LV	NT	40000.00	7.518797	20	PASS
			HV	NT	40000.00	7.518797	20	PASS
	Ant3	5320	NV	NT	40000.00	7.518797	20	PASS
			LV	NT	40000.00	7.518797	20	PASS
			HV	NT	40000.00	7.518797	20	PASS
	Ant4	5320	NV	NT	40000.00	7.518797	20	PASS
			LV	NT	40000.00	7.518797	20	PASS
			HV	NT	40000.00	7.518797	20	PASS
	Ant1	5500	NV	NT	40000.00	7.272727	20	PASS
			LV	NT	40000.00	7.272727	20	PASS
			HV	NT	40000.00	7.272727	20	PASS
	Ant2	5500	NV	NT	40000.00	7.272727	20	PASS
			LV	NT	40000.00	7.272727	20	PASS
			HV	NT	40000.00	7.272727	20	PASS
	Ant3	5500	NV	NT	40000.00	7.272727	20	PASS
			LV	NT	40000.00	7.272727	20	PASS
			HV	NT	40000.00	7.272727	20	PASS
	Ant4	5500	NV	NT	40000.00	7.272727	20	PASS
			LV	NT	40000.00	7.272727	20	PASS
			HV	NT	40000.00	7.272727	20	PASS
	Ant1	5580	NV	NT	40000.00	7.168459	20	PASS
			LV	NT	40000.00	7.168459	20	PASS
			HV	NT	40000.00	7.168459	20	PASS
	Ant2	5580	NV	NT	40000.00	7.168459	20	PASS
			LV	NT	40000.00	7.168459	20	PASS
			HV	NT	40000.00	7.168459	20	PASS
	Ant3	5580	NV	NT	40000.00	7.168459	20	PASS
			LV	NT	40000.00	7.168459	20	PASS

			HV	NT	40000.00	7.168459	20	PASS
	Ant4	5580	NV	NT	40000.00	7.168459	20	PASS
			LV	NT	40000.00	7.168459	20	PASS
			HV	NT	40000.00	7.168459	20	PASS
	Ant1	5700	NV	NT	40000.00	7.017544	20	PASS
			LV	NT	40000.00	7.017544	20	PASS
			HV	NT	40000.00	7.017544	20	PASS
	Ant2	5700	NV	NT	40000.00	7.017544	20	PASS
			LV	NT	40000.00	7.017544	20	PASS
			HV	NT	40000.00	7.017544	20	PASS
	Ant3	5700	NV	NT	40000.00	7.017544	20	PASS
			LV	NT	40000.00	7.017544	20	PASS
			HV	NT	40000.00	7.017544	20	PASS
	Ant4	5700	NV	NT	20000.00	3.508772	20	PASS
			LV	NT	40000.00	7.017544	20	PASS
			HV	NT	40000.00	7.017544	20	PASS
	Ant1	5745	NV	NT	60000.00	10.443864	20	PASS
			LV	NT	60000.00	10.443864	20	PASS
			HV	NT	60000.00	10.443864	20	PASS
	Ant2	5745	NV	NT	60000.00	10.443864	20	PASS
			LV	NT	60000.00	10.443864	20	PASS
			HV	NT	60000.00	10.443864	20	PASS
	Ant3	5745	NV	NT	40000.00	6.962576	20	PASS
			LV	NT	40000.00	6.962576	20	PASS
			HV	NT	60000.00	10.443864	20	PASS
	Ant4	5745	NV	NT	40000.00	6.962576	20	PASS
			LV	NT	40000.00	6.962576	20	PASS
			HV	NT	40000.00	6.962576	20	PASS
	Ant1	5785	NV	NT	60000.00	10.371651	20	PASS
			LV	NT	60000.00	10.371651	20	PASS
			HV	NT	60000.00	10.371651	20	PASS
	Ant2	5785	NV	NT	40000.00	6.914434	20	PASS
			LV	NT	40000.00	6.914434	20	PASS
			HV	NT	40000.00	6.914434	20	PASS
	Ant3	5785	NV	NT	40000.00	6.914434	20	PASS
			LV	NT	40000.00	6.914434	20	PASS
			HV	NT	40000.00	6.914434	20	PASS
	Ant4	5785	NV	NT	40000.00	6.914434	20	PASS
			LV	NT	40000.00	6.914434	20	PASS
			HV	NT	40000.00	6.914434	20	PASS
	Ant1	5825	NV	NT	40000.00	6.866953	20	PASS
			LV	NT	60000.00	10.300429	20	PASS

	Ant2	5825	HV	NT	40000.00	6.866953	20	PASS
			NV	NT	40000.00	6.866953	20	PASS
			LV	NT	40000.00	6.866953	20	PASS
	Ant3	5825	HV	NT	40000.00	6.866953	20	PASS
			NV	NT	40000.00	6.866953	20	PASS
			LV	NT	40000.00	6.866953	20	PASS
	Ant4	5825	HV	NT	40000.00	6.866953	20	PASS
			NV	NT	40000.00	6.866953	20	PASS
			LV	NT	40000.00	6.866953	20	PASS
11BE40MI MO	Ant1	5190	NV	NT	40000.00	7.707129	20	PASS
			LV	NT	40000.00	7.707129	20	PASS
			HV	NT	40000.00	7.707129	20	PASS
	Ant2	5190	NV	NT	40000.00	7.707129	20	PASS
			LV	NT	40000.00	7.707129	20	PASS
			HV	NT	40000.00	7.707129	20	PASS
	Ant3	5190	NV	NT	40000.00	7.707129	20	PASS
			LV	NT	40000.00	7.707129	20	PASS
			HV	NT	40000.00	7.707129	20	PASS
	Ant4	5190	NV	NT	40000.00	7.707129	20	PASS
			LV	NT	40000.00	7.707129	20	PASS
			HV	NT	40000.00	7.707129	20	PASS
	Ant1	5230	NV	NT	40000.00	7.648184	20	PASS
			LV	NT	40000.00	7.648184	20	PASS
			HV	NT	40000.00	7.648184	20	PASS
	Ant2	5230	NV	NT	40000.00	7.648184	20	PASS
			LV	NT	40000.00	7.648184	20	PASS
			HV	NT	40000.00	7.648184	20	PASS
	Ant3	5230	NV	NT	40000.00	7.648184	20	PASS
			LV	NT	40000.00	7.648184	20	PASS
			HV	NT	40000.00	7.648184	20	PASS
	Ant4	5230	NV	NT	40000.00	7.648184	20	PASS
			LV	NT	40000.00	7.648184	20	PASS
			HV	NT	40000.00	7.648184	20	PASS
	Ant1	5270	NV	NT	40000.00	7.590133	20	PASS
			LV	NT	40000.00	7.590133	20	PASS
			HV	NT	40000.00	7.590133	20	PASS
	Ant2	5270	NV	NT	40000.00	7.590133	20	PASS
			LV	NT	40000.00	7.590133	20	PASS
			HV	NT	40000.00	7.590133	20	PASS
	Ant3	5270	NV	NT	40000.00	7.590133	20	PASS
			LV	NT	40000.00	7.590133	20	PASS

			HV	NT	40000.00	7.590133	20	PASS
	Ant4	5270	NV	NT	40000.00	7.590133	20	PASS
			LV	NT	40000.00	7.590133	20	PASS
			HV	NT	40000.00	7.590133	20	PASS
	Ant1	5310	NV	NT	40000.00	7.532957	20	PASS
			LV	NT	40000.00	7.532957	20	PASS
			HV	NT	40000.00	7.532957	20	PASS
	Ant2	5310	NV	NT	40000.00	7.532957	20	PASS
			LV	NT	40000.00	7.532957	20	PASS
			HV	NT	40000.00	7.532957	20	PASS
	Ant3	5310	NV	NT	40000.00	7.532957	20	PASS
			LV	NT	40000.00	7.532957	20	PASS
			HV	NT	40000.00	7.532957	20	PASS
	Ant4	5310	NV	NT	40000.00	7.532957	20	PASS
			LV	NT	40000.00	7.532957	20	PASS
			HV	NT	40000.00	7.532957	20	PASS
	Ant1	5510	NV	NT	40000.00	7.259528	20	PASS
			LV	NT	40000.00	7.259528	20	PASS
			HV	NT	40000.00	7.259528	20	PASS
	Ant2	5510	NV	NT	40000.00	7.259528	20	PASS
			LV	NT	40000.00	7.259528	20	PASS
			HV	NT	40000.00	7.259528	20	PASS
	Ant3	5510	NV	NT	40000.00	7.259528	20	PASS
			LV	NT	40000.00	7.259528	20	PASS
			HV	NT	40000.00	7.259528	20	PASS
	Ant4	5510	NV	NT	40000.00	7.259528	20	PASS
			LV	NT	40000.00	7.259528	20	PASS
			HV	NT	80000.00	14.519056	20	PASS
	Ant1	5550	NV	NT	40000.00	7.207207	20	PASS
			LV	NT	40000.00	7.207207	20	PASS
			HV	NT	40000.00	7.207207	20	PASS
	Ant2	5550	NV	NT	40000.00	7.207207	20	PASS
			LV	NT	40000.00	7.207207	20	PASS
			HV	NT	40000.00	7.207207	20	PASS
	Ant3	5550	NV	NT	40000.00	7.207207	20	PASS
			LV	NT	40000.00	7.207207	20	PASS
			HV	NT	40000.00	7.207207	20	PASS
	Ant4	5550	NV	NT	40000.00	7.207207	20	PASS
			LV	NT	40000.00	7.207207	20	PASS
			HV	NT	40000.00	7.207207	20	PASS
	Ant1	5670	NV	NT	40000.00	7.054674	20	PASS
			LV	NT	40000.00	7.054674	20	PASS

			HV	NT	80000.00	14.109347	20	PASS
	Ant2	5670	NV	NT	40000.00	7.054674	20	PASS
			LV	NT	40000.00	7.054674	20	PASS
			HV	NT	40000.00	7.054674	20	PASS
	Ant3	5670	NV	NT	40000.00	7.054674	20	PASS
			LV	NT	40000.00	7.054674	20	PASS
			HV	NT	40000.00	7.054674	20	PASS
	Ant4	5670	NV	NT	40000.00	7.054674	20	PASS
			LV	NT	40000.00	7.054674	20	PASS
			HV	NT	40000.00	7.054674	20	PASS
	Ant1	5755	NV	NT	40000.00	6.950478	20	PASS
			LV	NT	40000.00	6.950478	20	PASS
			HV	NT	40000.00	6.950478	20	PASS
	Ant2	5755	NV	NT	40000.00	6.950478	20	PASS
			LV	NT	40000.00	6.950478	20	PASS
			HV	NT	40000.00	6.950478	20	PASS
	Ant3	5755	NV	NT	40000.00	6.950478	20	PASS
			LV	NT	40000.00	6.950478	20	PASS
			HV	NT	40000.00	6.950478	20	PASS
	Ant4	5755	NV	NT	40000.00	6.950478	20	PASS
			LV	NT	40000.00	6.950478	20	PASS
			HV	NT	40000.00	6.950478	20	PASS
	Ant1	5795	NV	NT	40000.00	6.902502	20	PASS
			LV	NT	40000.00	6.902502	20	PASS
			HV	NT	40000.00	6.902502	20	PASS
	Ant2	5795	NV	NT	40000.00	6.902502	20	PASS
			LV	NT	40000.00	6.902502	20	PASS
			HV	NT	40000.00	6.902502	20	PASS
	Ant3	5795	NV	NT	40000.00	6.902502	20	PASS
			LV	NT	40000.00	6.902502	20	PASS
			HV	NT	40000.00	6.902502	20	PASS
	Ant4	5795	NV	NT	40000.00	6.902502	20	PASS
			LV	NT	40000.00	6.902502	20	PASS
			HV	NT	40000.00	6.902502	20	PASS
11BE80MI MO	Ant1	5210	NV	NT	80000.00	15.355086	20	PASS
			LV	NT	80000.00	15.355086	20	PASS
			HV	NT	80000.00	15.355086	20	PASS
	Ant2	5210	NV	NT	80000.00	15.355086	20	PASS
			LV	NT	80000.00	15.355086	20	PASS
			HV	NT	80000.00	15.355086	20	PASS
	Ant3	5210	NV	NT	80000.00	15.355086	20	PASS
			LV	NT	80000.00	15.355086	20	PASS

			HV	NT	80000.00	15.355086	20	PASS
	Ant4	5210	NV	NT	80000.00	15.355086	20	PASS
			LV	NT	80000.00	15.355086	20	PASS
			HV	NT	80000.00	15.355086	20	PASS
	Ant1	5290	NV	NT	80000.00	15.122873	20	PASS
			LV	NT	80000.00	15.122873	20	PASS
			HV	NT	80000.00	15.122873	20	PASS
	Ant2	5290	NV	NT	80000.00	15.122873	20	PASS
			LV	NT	80000.00	15.122873	20	PASS
			HV	NT	80000.00	15.122873	20	PASS
	Ant3	5290	NV	NT	80000.00	15.122873	20	PASS
			LV	NT	80000.00	15.122873	20	PASS
			HV	NT	80000.00	15.122873	20	PASS
	Ant4	5290	NV	NT	80000.00	15.122873	20	PASS
			LV	NT	80000.00	15.122873	20	PASS
			HV	NT	80000.00	15.122873	20	PASS
	Ant1	5530	NV	NT	80000.00	14.466546	20	PASS
			LV	NT	80000.00	14.466546	20	PASS
			HV	NT	80000.00	14.466546	20	PASS
	Ant2	5530	NV	NT	80000.00	14.466546	20	PASS
			LV	NT	80000.00	14.466546	20	PASS
			HV	NT	80000.00	14.466546	20	PASS
	Ant3	5530	NV	NT	80000.00	14.466546	20	PASS
			LV	NT	80000.00	14.466546	20	PASS
			HV	NT	80000.00	14.466546	20	PASS
	Ant4	5530	NV	NT	80000.00	14.466546	20	PASS
			LV	NT	80000.00	14.466546	20	PASS
			HV	NT	80000.00	14.466546	20	PASS
	Ant1	5610	NV	NT	80000.00	14.260250	20	PASS
			LV	NT	80000.00	14.260250	20	PASS
			HV	NT	80000.00	14.260250	20	PASS
	Ant2	5610	NV	NT	80000.00	14.260250	20	PASS
			LV	NT	80000.00	14.260250	20	PASS
			HV	NT	80000.00	14.260250	20	PASS
	Ant3	5610	NV	NT	80000.00	14.260250	20	PASS
			LV	NT	80000.00	14.260250	20	PASS
			HV	NT	80000.00	14.260250	20	PASS
	Ant4	5610	NV	NT	80000.00	14.260250	20	PASS
			LV	NT	80000.00	14.260250	20	PASS
			HV	NT	80000.00	14.260250	20	PASS
	Ant1	5775	NV	NT	80000.00	13.852814	20	PASS
			LV	NT	80000.00	13.852814	20	PASS

	Ant2	5775	HV	NT	80000.00	13.852814	20	PASS
			NV	NT	80000.00	13.852814	20	PASS
			LV	NT	80000.00	13.852814	20	PASS
	Ant3	5775	HV	NT	80000.00	13.852814	20	PASS
			NV	NT	80000.00	13.852814	20	PASS
			LV	NT	80000.00	13.852814	20	PASS
	Ant4	5775	HV	NT	80000.00	13.852814	20	PASS
			NV	NT	80000.00	13.852814	20	PASS
			LV	NT	80000.00	13.852814	20	PASS
11BE160MI MO	Ant1	5250	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant2	5250	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant3	5250	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant4	5250	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant1	5570	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant2	5570	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant3	5570	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant4	5570	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS

Statement

1. The report is invalid without the official seal or special seal of Shenzhen Haiyun Standard Technical Co., Ltd. (hereinafter referred to as the unit).
2. The report is invalid without the signature of the approver.
3. The report is invalid if altered arbitrarily.
4. The report shall not be partially copied without the written approval of the unit.
5. The reported test results are only valid for the tested samples.
6. If there is any objection to the test report, it shall be submitted to the test unit within 15 days from the date of receiving the report, and the overdue shall not be accepted.

Shenzhen Haiyun Standard Technical Co., Ltd.

Address: Room 110, 111, 112, 113, 115, 116, Block B, Jinyuan Business Building, No. 302, Xixiang Avenue, Labor Community, Xixiang Street, Baoan District, Shenzhen, China

Tel: 0755-26024411

Email: service@hy-lab.cn

(END OF REPORT)