


Above 1GHz (1GHz~18GHz)


Test mode:11BE40MIMO

Test Channel:115

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode:11BE40MIMO

Test Channel:123

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode:11BE40MIMO

Test Channel:147

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode:11BE40MIMO

Test Channel:179

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode:11BE40MIMO

Test Channel:187

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode:11BE40MIMO

Test Channel:195

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode:11BE40MIMO

Test Channel:211

VERTICAL



HORIZONTAL





Above 1GHz (1GHz~18GHz)

Test mode:11BE40MIMO


Test Channel:227

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dBm	dBuV/m	dBuV/m	dB	cm	degree
1	*	14170.000	1.48	53.91	55.39	68.20	-12.81	peak	

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dBm	dBuV/m	dBuV/m	dB	cm	degree
1	*	7125.000	49.69	10.83	60.52	88.00	-27.48	peak	

Above 1GHz (1GHz~18GHz)



Test mode:11BE80MIMO

Test Channel:7

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode:11BE80MIMO

Test Channel:55

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode:11BE80MIMO

Test Channel:87

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode:11BE80MIMO

Test Channel:103

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode:11BE80MIMO

Test Channel:119

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode:11BE80MIMO

Test Channel:135

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode:11BE80MIMO

Test Channel:151

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode:11BE80MIMO

Test Channel:167

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode:11BE80MIMO

Test Channel:183

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode:11BE80MIMO

Test Channel:199

VERTICAL



HORIZONTAL





Above 1GHz (1GHz~18GHz)



Test mode:11BE80MIMO

Test Channel:215

VERTICAL



HORIZONTAL





Above 1GHz (1GHz~18GHz)

Test mode:11BE160MIMO


Test Channel:15

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dBm	dBuV/m	dBuV/m	dB	cm	degree
1	*	12050.000	45.40	7.50	52.90	74.00	-21.10	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dBm	dBuV/m	dBuV/m	dB	cm	degree
1	*	5825.000	59.19	6.96	66.15	88.00	-21.85	peak	

Above 1GHz (1GHz~18GHz)


Test mode:11BE160MIMO

Test Channel:47

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode:11BE160MIMO

Test Channel:79

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode:11BE160MIMO

Test Channel:111

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode:11BE160MIMO

Test Channel:143

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode:11BE160MIMO

Test Channel:175

VERTICAL



HORIZONTAL





Above 1GHz (1GHz~18GHz)



Test mode:11BE160MIMO

Test Channel:207

VERTICAL



HORIZONTAL





Above 1GHz (1GHz~18GHz)

Test mode:11BE320MIMO


Test Channel:31

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dBm	dBuV/m	dBuV/m	dB	cm	degree
1	*	12210.000	44.78	7.59	52.37	74.00	-21.63	peak	

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree		
		MHz	dBuV	dBm	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	5925.000	56.88	6.96	63.84	88.00	-24.16	peak			

Above 1GHz (1GHz~18GHz)


Test mode:11BE320MIMO

Test Channel:63

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode:11BE320MIMO

Test Channel:129

VERTICAL



HORIZONTAL




Above 1GHz (1GHz~18GHz)


Test mode:11BE320MIMO

Test Channel:159

VERTICAL



HORIZONTAL





Above 1GHz (1GHz~18GHz)

Test mode:11BE320MIMO


Test Channel:191

VERTICAL



HORIZONTAL

Radiated Emission



Radiated Emission



The high frequency, which started from 18GHz to 40GHz, was pre-scanned and the result which was 20dB lower than the limit line was not recorded in this report.

3.8 AC Conducted Emissions Measurement


2.8.1 Test Limit

Limits		
Frequency (MHz)	QP (dBuV)	AV (dBuV)
0.15 - 0.50	66 - 56	56 - 46
0.50 - 5.0	56	46
5.0 - 30	60	50

Note 1: The lower limit shall apply at the transition frequencies.

Note 2: The limit decreases linearly with the logarithm of the frequency in the range 0.15MHz to 0.5MHz.

2.8.2 Test Setup



2.8.3 Test Result

Note:


1. Correct Factor = LISN Factor + Cable Loss + Pulse Limiter Factor, the value was added to Original Receiver Reading by the software automatically.
2. Measurement = Reading + Correct Factor.
3. Over = Measurement – Limit

Note: This adapter has been tested the conducted emission with the EUT separately. We only recorded the data of the worst mode. Please see the following:

150kHz~30MHz

Worst Case Operating Mode: BE320MIMO Channel 31


Line



150kHz~30MHz

Worst Case Operating Mode: BE320MIMO Channel 31

Neutral



Statement

1. The report is invalid without the official seal or special seal of Shenzhen Haiyun Standard Technical Co., Ltd. (hereinafter referred to as the unit).
2. The report is invalid without the signature of the approver.
3. The report is invalid if altered arbitrarily.
4. The report shall not be partially copied without the written approval of the unit.
5. The reported test results are only valid for the tested samples.
6. If there is any objection to the test report, it shall be submitted to the test unit within 15 days from the date of receiving the report, and the overdue shall not be accepted.

Shenzhen Haiyun Standard Technical Co., Ltd.

Address: Room 110, 111, 112, 113, 115, 116, Block B, Jinyuan Business Building, No. 302, Xixiang Avenue, Labor Community, Xixiang Street, Baoan District, Shenzhen, China

Tel: 0755-26024411

Email: service@hy-lab.cn

(END OF REPORT)