

RF TEST REPORT

FCC ID: 2BCFYHT-880BEI

Test Report No.....: RF250517002-01-002

Product(s) Name.....: Wireless Home Gateway

Model(s).....: HT-880BEI

Trade Mark.....: HEIGHTS

Applicant.....: Heights Telecom T LTD

Address.....: Ha-Sakhlav 6, Irus, 7680900, Israel

Receipt Date.....: 2025.05.23

Test Date.....: 2025.05.23~2025.07.15

Issued Date.....: 2025.07.16

Standards.....: 47 CFR FCC Part 15, Subpart E(Section 15.407);
ANSI C63.10:2013

Testing Laboratory.....: Shenzhen Haiyun Standard Technical Co., Ltd.

Prepared By:	Checked By:	Approved By:	
Jason Huang	Black Ding	Tim Zhang	
<i>Jason Huang</i>	<i>Black Ding</i>	<i>Tim Zhang</i>	

Table of Contents

History of this test report.....	4
1. General Information	5
1.1 Applicant.....	5
1.2 Manufacturer	5
1.3 Basic Description of Equipment Under Test.....	5
1.4 Transmit Operating Mode.....	6
2. Summary of Test Results	7
2.1 Summary of Test Items	7
2.2 Application of Standard	7
2.3 Test Instruments.....	8
2.4 Operation Mode.....	9
2.5 Test Condition	9
2.6 Duty Cycle of Test Signal	10
2.7 Measurement Uncertainty	17
2.8 Test Location	17
2.9 SUPPORT UNITS	17
3. Test Procedure And Results	18
3.1 AC Power Line Conducted Emission.....	18
3.1.1 Limit	18
3.1.2 Test Procedure	18
3.1.3 Test Setup.....	18
3.1.4 Test Result.....	19
3.2 Radiated Emission.....	21
3.2.1 Limit	21
3.2.2 Test Procedure	22
3.2.3 Test Setup.....	23
3.2.4 Test Result.....	24
3.3 Spectrum Bandwidth	206
3.3.1 Limit	206
3.3.2 Test Procedure	206

3.3.3	Test Setup.....	207
3.3.4	Test Result.....	208
3.4	Conducted Output Power	761
3.4.1	Limit	761
3.4.2	Test Procedure	762
3.4.3	Test Setup.....	762
3.4.4	Table of Parameters of Text Software Setting	763
3.4.5	The Result.....	768
3.5	Power Spectral Density	813
3.5.1	Limit	813
3.5.2	Test Procedure	813
3.5.3	Test Setup.....	814
3.5.4	The Result.....	815

History of this test report

Original Report Issue Date: 2025.07.16

- No additional attachment
- Additional attachments were issued following record

Attachment No.	Issue Date	Description

1. General Information

1.1 Applicant

HEIGHTS TELECOM T LTD

Ha-Sakhlav 6, Irus, 7680900, Israel

1.2 Manufacturer

HEIGHTS TELECOM T LTD

Ha-Sakhlav 6, Irus, 7680900, Israel

1.3 Basic Description of Equipment Under Test

Test sample no.	POC250517002-S001	
Product(s) Name	Wireless Home Gateway	
Test Model	HT-880BEI	
Trade Mark	HEIGHTS	
Power Supply	DC 12V from adapter	
Adapter information	Model: SOY-1200400US-056 Input: 100-240V~50/60Hz 1.2A Max Output: 12V===4A	
Operate temperature	0°C-40°C	
EUT Stage	○ Product Unit	● Final-Sample
Operating Band & Max Conducted Output Power	5150MHz ~5250MHz	802.11ax40: 29.78dBm(0.951W)
	5250MHz ~5350MHz	802.11ax40: 23.96dBm(0.249W)
	5470MHz ~5725MHz	802.11ax40: 23.90dBm(0.245W)
	5725MHz ~5850MHz	802.11ac20: 29.75dBm(0.944W)
Product Type	IEEE 802.11a/n/ac/ax/be: WLAN (MIMO)	
Nominal Bandwidth	20MHz / 40MHz / 80MHz / 160MHz	
Modulation	IEEE 802.11a/n/ac: OFDM IEEE 802.11ax/be: OFDMA	
Antenna gain	Ant0: 1.18 dBi, Ant1: 1.15 dBi, Ant2: 1.19 dBi, Ant3: 1.03 dBi	
Directional gain	Uncorrelated:1.14dBi(from the antenna report) Correlated:5.31 dBi(from the antenna report)	
Antenna type	PCB antenna	
Data Rate (Mbps)	IEEE 802.11a mode : 6/9/12/18/24/36/48/54 IEEE 802.11n mode : up to 600 IEEE 802.11ac mode : up to 3466.7 IEEE 802.11ax mode : up to 4803.9 IEEE 802.11be mode : up to 5764.4	

Channel Information			
Frequency Range (MHz)	IEEE Std. 802.11	Ch. Frequency (MHz)	Channel Number
5150-5250	802.11a /n /ac /ax /be (20MHz)	5180-5240	36-48
5250-5350		5260-5320	52-64
5470-5725		5500-5700	100-140
5725-5850		5745-5825	149-165
5150-5250	802.11n /ac /ax /be (40MHz)	5190-5230	38-46
5250-5350		5270-5310	54-62
5470-5725		5510-5670	102-134
5725-5850		5755-5795	151-159
5150-5250	802.11ac /ax /be (80MHz)	5210	42
5250-5350		5290	58
5470-5725		5530-5610	106-122
5725-5850		5775	155
5150-5350	802.11 ac /ax /be (160MHz)	5250	50
5470-5725		5570	114

Note: For 802.11ax, 802.11be mode only support full RU mode.

1.4 Transmit Operating Mode

Transmit Operating Mode					Transmit Multiple Antennas				
☐ Operating mode 1 (single antenna)					☐ 1TX				
☐ Operating mode 2 (multiple antenna, no beam forming)					☐ 2TX	☐ 3TX	☐	4TX	
☒ Operating mode 3 (multiple antenna, with beam forming)					☐ 2TX	☐ 3TX	☒	4TX	
☒ 802.11a	Operating mode	☐ 1TX	☐ 2TX	☐ 3TX	☒ 4TX				
☒ 802.11n(20MHz)	Operating mode	☐ 1TX	☐ 2TX	☐ 3TX	☒ 4TX				
☒ 802.11n(40MHz)	Operating mode	☐ 1TX	☐ 2TX	☐ 3TX	☒ 4TX				
☒ 802.11ac(20MHz)	Operating mode	☐ 1TX	☐ 2TX	☐ 3TX	☒ 4TX				
☒ 802.11ac(40MHz)	Operating mode	☐ 1TX	☐ 2TX	☐ 3TX	☒ 4TX				
☒ 802.11ac(80MHz)	Operating mode	☐ 1TX	☐ 2TX	☐ 3TX	☒ 4TX				
☒ 802.11ac(160MHz)	Operating mode	☐ 1TX	☐ 2TX	☐ 3TX	☒ 4TX				
☒ 802.11ax(20MHz)	Operating mode	☐ 1TX	☐ 2TX	☐ 3TX	☒ 4TX				
☒ 802.11ax(40MHz)	Operating mode	☐ 1TX	☐ 2TX	☐ 3TX	☒ 4TX				
☒ 802.11ax(80MHz)	Operating mode	☐ 1TX	☐ 2TX	☐ 3TX	☒ 4TX				
☒ 802.11ax(160MHz)	Operating mode	☐ 1TX	☐ 2TX	☐ 3TX	☒ 4TX				
☒ 802.11be(20MHz)	Operating mode	☐ 1TX	☐ 2TX	☐ 3TX	☒ 4TX				
☒ 802.11be (40MHz)	Operating mode	☐ 1TX	☐ 2TX	☐ 3TX	☒ 4TX				
☒ 802.11be (80MHz)	Operating mode	☐ 1TX	☐ 2TX	☐ 3TX	☒ 4TX				
☒ 802.11be (160MHz)	Operating mode	☐ 1TX	☐ 2TX	☐ 3TX	☒ 4TX				

2. Summary of Test Results

2.1 Summary of Test Items

47 CFR FCC Part 15, Subpart E (Section 15.407)			
Test item	Standard	Results	Remarks
AC Power Conducted Emission	15.207 15.407(b)	Pass	Meet the requirement of the limit
Radiated Emission	15.205(a) 15.209(a) 15.407(b)	Pass	Meet the requirement of the limit
Antenna Requirements	15.203	Compliance	Note
Spectrum Bandwidth	15.407(a) 15.407(e)	Pass	Meet the requirement of the limit
Conducted Output Power	15.407(a)	Pass	Meet the requirement of the limit
Power Spectral Density	15.407(a)	Pass	Meet the requirement of the limit
Dynamic Frequency Selection (DFS)	15.407(h)	Pass	See the report RF250517002-01-003 for details
Note: The EUT has four non removable internal antenna units.			

2.2 Application of Standard

47 CFR FCC Part 15, Subpart E

KDB 789033 D02 General UNII Test Procedures New Rules v02r01

KDB 662911 D01 Multiple Transmitter Output v02r01

KDB 905462 D02 UNII DFS Compliance Procedures New Rules v02

ANSI C63.10:2013

2.3 Test Instruments

No.	Name of Equipment	Manufacturer	Model Number	Serial Number	Inventory No.	Last Calibration	Due Calibration
Radiated Emission							
1	Test receiver	Rohde&Schwarz	ESU	100184	JLE011	2025/3/1	2026/2/28
2	Log periodic antenna	Schwarzbeck	VULB 9168	1151	JLE012	2025/4/12	2026/4/11
3	Low frequency amplifier	/	LNA 0920N	2014	JLE023	2025/3/1	2026/2/28
4	High frequency amplifier	Schwarzbeck	BBV 9718	9718-284	JLE024	2025/3/1	2026/2/28
5	Horn Antenna	SCHWARZBECK	BBHA 9120 D	02670	JLE028	2025/4/12	2026/4/11
6	Temp&Humidity Recorder	Meideshi	JR900	/	JLE021	2025/4/15	2026/4/14
7	Horn Antenna	SCHWARZBECK	BBHA 9170	9170#685	JLE029	2024/7/15	2027/7/14
8	Loop Antenna	SCHWARZBECK	FMZB1519B	00029	JLE030	2024/7/15	2027/7/14
9	Broadband preamplifier	Schwarzbeck	BBV9721	9721-019	JLE025	2025/3/1	2026/2/28
10	Test software	Farad Technology Co., Ltd	EZ-EMC Ver.TW-03A2				
Conducted Emission							
1	LISN	Rohde&Schwarz	ENV216	100075	JLE002	2025/3/1	2026/2/28
2	ISN	Schwarzbeck	CATE 5 8158	#171	JLE003	2025/2/21	2026/2/20
3	ISN	Schwarzbeck	CAT 3 8158	00187	JLE032	2025/2/21	2026/2/20
4	Test receiver	Rohde&Schwarz	ESCI	100718	JLE010	2025/3/1	2026/2/28
5	Pulse limiter	Rohde&Schwarz	ESH3-Z2	102299	JLE047	2025/3/1	2026/2/28
6	Temp&Humidity Recorder	Meideshi	JR900	/	JLE020	2025/4/15	2026/4/14
7	Test software	Farad Technology Co., Ltd	EZ-EMC Ver.TW-03A2				
RF Conducted Emissions							
1	MXA Signal Analyzer	Keysight	N9021B	MY60080169	JLE050	2025/3/1	2026/2/28
2	RF Control Unit	dsusoft	JS0806-2	21G8060449	JLE053	2025/3/1	2026/2/28
3	power supply unit	dsusoft	JS0806-4ADC	N/A	JLE055	2025/3/1	2026/2/28
4	VXG Signal Generator	Keysight	M9384B	MY61270787	JLE051	2024/6/11 2025/6/10	2025/6/10 2026/6/09
5	EXG Analog Signal Generator	Keysight	N5173B	MY59101282	JLE052	2025/3/1	2026/2/28
6	Wideband Radio Communication Tester	Rohde&Schwarz	CMW500	1201.0002K5 0-116064-Dt	JLE054	2025/3/1	2026/2/28
7	Test software	dsusoft	JS1120-3 Ver.3.2.22.0				

2.4 Operation Mode

The EUT was supplied by and it was run in TX mode that was controlled by Master provided RF testing program. The worst case test result was showed in the report.

2.5 Test Condition

Test Item	Environmental conditions	Input Power	Tested by
AC Power Conducted Emission	25°C, 53% RH	AC 120V/60Hz	Keith Huang
Radiated Emission	24°C, 51% RH	AC 120V/60Hz	Lemon He
Spectrum Bandwidth	24.4°C, 53% RH	DC 12V	Freedom Zhuo
Conducted Power	24.4°C, 53% RH	DC 12V	Freedom Zhuo
Power Spectral Density	24.4°C, 53% RH	DC 12V	Freedom Zhuo

Note: Adapter supply voltage AC 120V/60Hz.

The applicant declare the operating environment of EUT as below:

Normal conditions: DC 12V, 0~40°C

2.6 Duty Cycle of Test Signal


If duty cycle is $\geq 98\%$, duty factor is not required.

If duty cycle is $< 98\%$, duty factor shall be considered.


All the duty factor of other test mode have been considered.

TestMode	Antenna	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]
11A-CDD	Ant0	5180	0.13	0.24	54.17
11N20MIMO	Ant0	5180	0.15	0.25	60.00
11AC40MIMO	Ant0	5190	0.13	0.16	81.25
11AC80MIMO	Ant0	5210	0.30	0.33	90.91
11AC160MIMO	Ant0	5250	0.11	0.15	73.33
11AX20MIMO	Ant0	5180	0.32	0.36	88.89
11AX40MIMO	Ant0	5190	0.30	0.34	88.24
11AX80MIMO	Ant0	5210	0.29	0.33	87.88
11AX160MIMO	Ant0	5250	0.29	0.32	90.63
11BE20MIMO	Ant0	5180	0.32	0.36	88.89
11BE40MIMO	Ant0	5190	0.31	0.34	91.18
11BE80MIMO	Ant0	5210	0.00	0.02	100
11BE160MIMO	Ant0	5250	0.29	0.32	90.63


Test Graphs




NTNV-11A-CDD-Ant0-5180




NTNV-11N20MIMO-Ant0-5180




NTNV-11N40MIMO-Ant0-5190




NTNV-11AC20MIMO-Ant0-5180




NTNV-11AC40MIMO-Ant0-5190




NTNV-11AC80MIMO-Ant0-5210




NTNV-11AC160MIMO-Ant0-5250



NTNV-11AX20MIMO-Ant0-5180



NTNV-11AX40MIMO-Ant0-5190



NTNV-11AX80MIMO-Ant0-5210



NTNV-11AX160MIMO-Ant0-5250

2.7 Measurement Uncertainty

Where relevant, the following measurement uncertainty levels have been estimated for tests performed on the EUT.

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of $k=2$.

Uncertainty	
Parameter	Uncertainty
Occupied Channel Bandwidth	$\pm 102\text{kHz}$
Power Spectral Density	$\pm 0.243\text{dB}$
Conducted Spurious Emission	$\pm 0.743\text{dB}$
RF power conducted	$\pm 1.328\text{dB}$
Conducted emission(9kHz~30MHz) AC main	$\pm 2.68\text{dB}$
Radiated emission(9kHz~30MHz)	$\pm 3.50\text{dB}$
Radiated emission (30MHz~1GHz)	$\pm 4.20\text{dB}$
Radiated emission (1GHz~18GHz)	$\pm 5.10\text{dB}$
Radiated emission (18GHz~40GHz)	$\pm 5.26\text{dB}$

2.8 Test Location

Company:	Shenzhen Haiyun Standard Technical CO., Ltd.
Address:	No. 110-113, 115, 116, Block B, Jinyuan Business Building, Bao'an District, Shenzhen, China
CNAS Registration Number:	CNAS L18252
CAB identifier:	CN0145
A2LA Certificate Number:	6823.01
Telephone:	0755-26024411

2.9 SUPPORT UNITS

No.	Equipment	Model	Manufacturer	Series No
1	PC	M4500T	Thinkpad	M032004854IT
2	Notebook	L450	Think	/
3	Notebook	L450	Think	/

3. Test Procedure And Results

3.1 AC Power Line Conducted Emission

3.1.1 Limit

Frequency	Maximum RF Line Voltage	
	Quasi-Peak Level dB(μ V)	Average Level dB(μ V)
150kHz ~ 500kHz	66 ~ 56*	56 ~ 46*
500kHz ~ 5MHz	56	46
5MHz ~ 30MHz	60	50

Notes: 1. * Decreasing linearly with logarithm of frequency.


2. The lower limit shall apply at the transition frequencies.

3.1.2 Test Procedure

Test Method	
●Conducted Measurement	○Radiated Measurement
Test Channels	
○ Lowest, Middle and Highest Channel	○ Lowest and Highest Channel
Environmental conditions	
●Normal	○Normal and Extreme
Note: ●:Test ○:No Test	

- The EUT was placed 0.4 meters from the conducting wall of the shielded room with EUT being connected to the power mains through a line impedance stabilization network (LISN). Other support units were connected to the power mains through another LISN. The two LISNs provide 50 ohm/ 50uH of coupling impedance for the measuring instrument.
- Both lines of the power mains connected to the EUT were checked for maximum conducted interference.
- The frequency range from 150kHz to 30MHz was searched. Emission levels under (Limit - 20dB) was not recorded.

3.1.3 Test Setup



3.1.4 Test Result


Note:

1. Correct Factor = LISN Factor + Cable Loss + Pulse Limiter Factor, the value was added to Original Receiver Reading by the software automatically.
2. Measurement = Reading + Correct Factor.
3. Over = Measurement – Limit
4. The TX N40 Mode Channel 159 is found to be the worst case and recorded.

150kHz~30MHz

TX 11AX40MIMO Channel 64


Line



150kHz~30MHz

TX 11AX40MIMO Channel 64

Neutral



3.2 Radiated Emission

3.2.1 Limit

1) Limit of radiated emission measurement:

Radiated emissions which fall in the restricted bands must comply with the radiated emission limits specified as below table. Other emissions shall be at least 20dB below the highest level of the desired power:

Frequency (MHz)	Distance Meters(m)	Field Strength Limit	
		$\mu\text{V/m}$	$\text{dB}(\mu\text{V})/\text{m}$
0.009 – 0.49	300	$2400/F(\text{kHz})$	-
0.490 – 1.705	30	$24000/F(\text{kHz})$	-
1.705 – 30	30	30	-
30~88	3	100	40.0
88~216	3	150	43.5
216~960	3	200	46.0
960~1000	3	500	54.0
Above 1000	3	74.0 $\text{dB}(\mu\text{V})/\text{m}$ (Peak) 54.0 $\text{dB}(\mu\text{V})/\text{m}$ (Average)	

Note: (1) Emission level $\text{dB}\mu\text{V} = 20 \log \text{Emission level } \mu\text{V/m}$

(2) The smaller limit shall apply at the cross point between two frequency bands.

(3) Distance is the distance in meters between the measuring instrument, antenna and the closest point of any part of the device or system.

2) Limit of unwanted emission out of the restricted bands:

Frequency(MHz)	EIRP Limit(dBm/MHz)	Equivalent Field Strength at 3m($\text{dB}\mu\text{V}/\text{m}$)
5150-5250	-27	68.2
5250-5350	-27	68.2
5470-5725	-27	68.2
5725-5850	-27 NOTE (2)	68.2
	10 NOTE (2)	105.2
	15.6 NOTE (2)	110.8
	27 NOTE (2)	122.2

Note: (1) The following formula is used to convert the equipment isotropic radiated power (eirp) to field strength: $E[\text{dB}\mu\text{V}/\text{m}] = \text{EIRP}[\text{dBm}] + 95.2$, for $d=3\text{m}$

(2) According to 15.407(b)(4)(i), all emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.


3.2.2 Test Procedure

Test Method	
○Conducted Measurement	●Radiated Measurement
Test Channels	
●Lowest, Middle and Highest Channel	○ Lowest and Highest Channel
Environmental conditions	
●Normal	○Normal and Extreme
Note:●:Test ○:No Test	


- a) The measuring distance of 3 m shall be used for measurements. The EUT was placed on the top of a rotating table 0.8 meter above the ground at a 3 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.(below 1 GHz)
- b) The measuring distance of 3 m or 1.5m shall be used for measurements. The EUT was placed on the top of a rotating table 1.5 meter above the ground at a 3 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.(above 1GHz)
- c) The height of the equipment or of the substitution antenna shall be 0.8m or 1.5m; the height of the test antenna shall vary between 1 m to 4 m. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- d) For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights find the maximum reading (used Bore sight function).
- e) The receiver system was set to peak and average detect function and specified bandwidth with maximum hold mode when the test frequency is above 1 GHz.
- f) The initial step in collecting radiated emission data is a receiver peak detector mode pre-scanning the measurement frequency range. Significant peaks are then marked and then Quasi Peak detector mode re-measured.
- g) All readings are Peak unless otherwise stated QP in column of Note. Peak denotes that the Peak reading compliance with the QP Limits and then QP Mode measurement didn't perform. (below 1 GHz)
- h) All readings are Peak Mode value unless otherwise stated AVG in column of Note. If the Peak Mode Measured value compliance with the Peak Limits and lower than AVG Limits, the EUT shall be deemed to meet both Peak & AVG Limits and then only Peak Mode was measured, but AVG Mode didn't perform. (above 1 GHz)
- i) For the actual test configuration, please refer to the related Item -EUT Test Photos.

3.2.3 Test Setup


(A) Radiated Emission Test Set-Up Frequency Below 30 MHz



(B) Radiated Emission Test Set-Up Frequency 30 MHz-1000 MHz



(C) Radiated Emission Test Set-Up Frequency Above 1 GHz



3.2.4 Test Result

1) Radiated emission: 9kHz-30MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line was not recorded in this report.

2) Radiated emission: 30MHz-1G


Note:

1. Measurement = Reading + Correct Factor.
2. Over = Measurement – Limit
3. The TX N40 Mode Channel 159 is found to be the worst case and recorded.


Below 1G (30MHz~1GHz)

TX 11AX40MIMO Channel 64

VERTICAL



HORIZONTAL



3) Radiated emission: Above 1G

Note:



1. Measurement = Reading + Correct Factor.
2. Over = Measurement – Limit
3. Pre-scan TPC_H and TPC_L, worst case for TPC_H was recorded.

Above 1G (1GHz~18GHz)

Test mode:11A CDD


Test Channel:36

VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10360.000	46.45	7.53	53.98	68.20	-14.22	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	46.04	4.90	50.94	68.20	-17.26	peak	
2		5150.000	59.21	6.54	65.75	68.20	-2.45	peak	
3	*	5150.000	45.43	6.54	51.97	54.00	-2.03	AVG	

Above 1G (1GHz~18GHz)


Test mode: 11A CDD

Test Channel:40

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11A CDD

Test Channel:48

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11A CDD

Test Channel:52

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11A CDD

Test Channel:56

VERTICAL



HORIZONTAL





Above 1G (1GHz~18GHz)

Test mode: 11A CDD


Test Channel:64

VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10640.000	44.99	8.29	53.28	74.00	-20.72	peak	

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	58.71	5.75	64.46	68.20	-3.74	peak	
2	*	5350.000	45.90	5.75	51.65	54.00	-2.35	AVG	
3		5460.000	45.04	5.53	50.57	68.20	-17.63	peak	

Above 1G (1GHz~18GHz)

Test mode: 11A CDD


Test Channel:100

VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11000.000	43.26	7.98	51.24	74.00	-22.76	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	45.93	5.75	51.68	68.20	-16.52	peak	
2		5480.000	58.57	5.53	64.10	68.20	-4.10	peak	
3	*	5480.000	46.25	5.53	51.78	54.00	-2.22	AVG	

Above 1G (1GHz~18GHz)


Test mode: 11A CDD

Test Channel:116

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11A CDD

Test Channel:140

VERTICAL




HORIZONTAL




VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11490.000	43.53	8.26	51.79	74.00	-22.21	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	5650.000	44.52	6.22	50.74	68.20	-17.46	peak	
2		5700.000	56.54	6.50	63.04	105.20	-42.16	peak	
3		5720.000	77.92	6.32	84.24	110.80	-26.56	peak	
4		5725.000	88.24	6.28	94.52	122.20	-27.68	peak	


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11490.000	44.27	8.26	52.53	74.00	-21.47	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	5650.000	44.64	6.22	50.86	68.20	-17.34	peak	
2		5700.000	48.00	6.50	54.50	105.20	-50.70	peak	
3		5720.000	69.33	6.32	75.65	110.80	-35.15	peak	
4		5725.000	82.15	6.28	88.43	122.20	-33.77	peak	

Above 1G (1GHz~18GHz)


Test mode: 11A CDD

Test Channel:157

VERTICAL




HORIZONTAL




VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11650.000	45.04	7.92	52.96	74.00	-21.04	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5850.000	69.28	7.29	76.57	122.20	-45.63	peak	
2		5855.000	62.31	7.22	69.53	110.80	-41.27	peak	
3		5875.000	45.41	6.96	52.37	105.20	-52.83	peak	
4	*	5925.000	44.38	6.96	51.34	68.20	-16.86	peak	


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11650.000	43.43	7.92	51.35	74.00	-22.65	peak	

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5850.000	65.50	7.29	72.79	122.20	-49.41	peak	
2		5855.000	59.95	7.22	67.17	110.80	-43.63	peak	
3		5875.000	48.40	6.98	55.38	105.20	-49.84	peak	
4	*	5925.000	44.69	6.98	51.65	68.20	-16.55	peak	

Above 1G (1GHz~18GHz)

Test mode: 11N20 MIMO


Test Channel:36

VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10360.000	48.04	7.53	55.57	68.20	-12.63	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	45.33	4.90	50.23	68.20	-17.97	peak	
2		5150.000	58.50	6.54	65.04	68.20	-3.16	peak	
3	*	5150.000	45.24	6.54	51.78	54.00	-2.22	AVG	

Above 1G (1GHz~18GHz)


Test mode: 11N20 MIMO

Test Channel:40

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11N20 MIMO

Test Channel:48

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11N20 MIMO

Test Channel:52

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11N20 MIMO

Test Channel:56



VERTICAL



HORIZONTAL




VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10640.000	44.10	8.29	52.39	74.00	-21.61	peak	

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	58.51	5.75	64.26	68.20	-3.94	peak	
2	*	5350.000	45.83	5.75	51.58	54.00	-2.42	AVG	
3		5460.000	44.92	5.53	50.45	68.20	-17.75	peak	


Above 1G (1GHz~18GHz)

Test mode: 11N20 MIMO

Test Channel:100


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11000.000	45.00	7.98	52.98	74.00	-21.02	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	44.09	5.75	49.84	68.20	-18.36	peak	
2		5480.000	60.76	5.53	66.29	68.20	-1.91	peak	
3	*	5480.000	48.07	5.53	53.60	54.00	-0.40	AVG	


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11000.000	45.16	7.98	53.14	74.00	-20.86	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	44.56	5.75	50.31	68.20	-17.89	peak	
2		5460.000	56.75	5.53	62.28	68.20	-5.92	peak	
3	*	5460.000	47.16	5.53	52.69	54.00	-1.31	AVG	

Above 1G (1GHz~18GHz)


Test mode: 11N20 MIMO

Test Channel:116

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11N20 MIMO

Test Channel:140

VERTICAL



HORIZONTAL





Above 1G (1GHz~18GHz)

Test mode: 11N20 MIMO


Test Channel:149

VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11490.000	45.34	8.26	53.60	74.00	-20.40	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	5650.000	43.71	6.22	49.93	68.20	-18.27	peak	
2		5700.000	49.61	6.50	56.11	105.20	-49.09	peak	
3		5720.000	72.31	6.32	78.63	110.80	-32.17	peak	
4		5725.000	80.28	6.28	86.56	122.20	-35.64	peak	

Above 1G (1GHz~18GHz)


Test mode: 11N20 MIMO

Test Channel:157

VERTICAL




HORIZONTAL




VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11650.000	43.78	7.92	51.70	74.00	-22.30	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5850.000	68.56	7.29	75.85	122.20	-46.35	peak	
2		5855.000	61.47	7.22	68.69	110.80	-42.11	peak	
3		5875.000	46.30	6.98	53.28	105.20	-51.94	peak	
4	*	5925.000	44.06	6.98	51.02	68.20	-17.18	peak	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11650.000	44.86	7.92	52.78	74.00	-21.22	peak	

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5850.000	67.22	7.29	74.51	122.20	-47.69	peak	
2		5855.000	57.28	7.22	64.50	110.80	-46.30	peak	
3		5875.000	45.62	6.96	52.58	105.20	-52.62	peak	
4	*	5925.000	44.51	6.96	51.47	68.20	-16.73	peak	

Above 1G (1GHz~18GHz)

Test mode: 11N40 MIMO


Test Channel:38

VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10380.000	47.52	7.61	55.13	68.20	-13.07	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	44.40	4.90	49.30	68.20	-18.90	peak	
2		5150.000	52.84	6.54	59.38	68.20	-8.82	peak	
3	*	5150.000	43.08	6.54	49.62	54.00	-4.38	AVG	

Above 1G (1GHz~18GHz)


Test mode: 11N40 MIMO

Test Channel:46

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11N40 MIMO

Test Channel:54

VERTICAL



HORIZONTAL





Above 1G (1GHz~18GHz)

Test mode: 11N40 MIMO


Test Channel:62

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10620.000	44.14	8.30	52.44	74.00	-21.56	peak	

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	55.70	5.75	61.45	68.20	-6.75	peak	
2	*	5350.000	45.81	5.75	51.56	54.00	-2.44	AVG	
3		5460.000	44.92	5.53	50.45	68.20	-17.75	peak	

Above 1G (1GHz~18GHz)

Test mode: 11N40 MIMO


Test Channel:102

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11020.000	43.03	8.02	51.05	74.00	-22.95	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	44.95	5.75	50.70	68.20	-17.50	peak	
2		5480.000	61.83	5.53	67.36	68.20	-0.84	peak	
3	*	5480.000	48.14	5.53	53.67	54.00	-0.33	AVG	

Above 1G (1GHz~18GHz)


Test mode: 11N40 MIMO

Test Channel:110

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11N40 MIMO

Test Channel:134

VERTICAL



HORIZONTAL





Above 1G (1GHz~18GHz)

Test mode: 11N40 MIMO


Test Channel:151

VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11510.000	44.48	8.26	52.74	74.00	-21.26	peak		

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5650.000	44.36	6.22	50.58	68.20	-17.62	peak		
2		5700.000	67.15	6.50	73.65	105.20	-31.55	peak		
3		5720.000	81.65	6.32	87.97	110.80	-22.83	peak		
4		5725.000	81.89	6.28	88.17	122.20	-34.03	peak		

Above 1G (1GHz~18GHz)

Test mode: 11N40 MIMO


Test Channel:159

VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11590.000	45.14	8.04	53.18	74.00	-20.82	peak	

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5850.000	60.88	7.29	68.17	122.20	-54.03	peak	
2		5855.000	56.94	7.22	64.16	110.80	-46.64	peak	
3		5875.000	45.96	6.96	52.92	105.20	-52.28	peak	
4	*	5925.000	44.14	6.96	51.10	68.20	-17.10	peak	

Above 1G (1GHz~18GHz)

Test mode: 11AC20 MIMO


Test Channel:36

VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10360.000	46.74	8.36	55.10	68.20	-13.10	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	45.97	4.90	50.87	68.20	-17.33	peak	
2		5150.000	57.47	6.54	64.01	68.20	-4.19	peak	
3	*	5150.000	45.11	6.54	51.65	54.00	-2.35	AVG	

Above 1G (1GHz~18GHz)


Test mode: 11AC20 MIMO

Test Channel:40

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AC20 MIMO

Test Channel:48

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AC20 MIMO

Test Channel:52

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AC20 MIMO

Test Channel:56

VERTICAL




HORIZONTAL




VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10640.000	45.58	7.71	53.29	74.00	-20.71	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	61.26	5.75	67.01	68.20	-1.19	peak	
2	*	5350.000	47.52	5.75	53.27	54.00	-0.73	AVG	
3		5460.000	44.92	5.53	50.45	68.20	-17.75	peak	


HORIZONTAL

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10640.000	43.55	7.71	51.26	74.00	-22.74	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	57.38	5.75	63.13	68.20	-5.07	peak	
2	*	5350.000	46.39	5.75	52.14	54.00	-1.86	AVG	
3		5460.000	44.67	5.53	50.20	68.20	-18.00	peak	

VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11000.000	45.01	5.34	50.35	74.00	-23.65	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	46.10	5.75	51.85	68.20	-16.35	peak	
2		5480.000	57.22	5.53	62.75	68.20	-5.45	peak	
3	*	5480.000	47.21	5.53	52.74	54.00	-1.26	AVG	

Above 1G (1GHz~18GHz)


Test mode: 11AC20 MIMO

Test Channel:116

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AC20 MIMO

Test Channel:140

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)

Test mode: 11AC20 MIMO

Test Channel:149


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11490.000	0.58	50.92	51.50	74.00	-22.50	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	5650.000	43.66	6.22	49.88	68.20	-18.32	peak	
2		5700.000	58.56	6.50	65.06	105.20	-40.14	peak	
3		5720.000	77.10	6.32	83.42	110.80	-27.38	peak	
4		5725.000	86.62	6.28	92.90	122.20	-29.30	peak	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11490.000	-0.23	50.92	50.69	74.00	-23.31	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	5650.000	43.10	6.22	49.32	68.20	-18.88	peak	
2		5700.000	52.78	6.50	59.28	105.20	-45.92	peak	
3		5720.000	72.76	6.32	79.08	110.80	-31.72	peak	
4		5725.000	80.56	6.28	86.84	122.20	-35.36	peak	

Above 1G (1GHz~18GHz)


Test mode: 11AC20 MIMO

Test Channel:157

VERTICAL




HORIZONTAL




VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11650.000	-0.14	50.92	50.78	74.00	-23.22	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5850.000	67.77	7.29	75.06	122.20	-47.14	peak	
2		5855.000	61.74	7.22	68.96	110.80	-41.84	peak	
3		5875.000	49.42	6.98	56.38	105.20	-48.82	peak	
4	*	5925.000	43.47	6.98	50.43	68.20	-17.77	peak	


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11650.000	0.33	50.92	51.25	74.00	-22.75	peak	

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5850.000	64.88	7.29	72.17	122.20	-50.03	peak	
2		5855.000	58.30	7.22	65.52	110.80	-45.28	peak	
3		5875.000	47.84	6.96	54.80	105.20	-50.40	peak	
4	*	5925.000	43.26	6.96	50.22	68.20	-17.98	peak	

Above 1G (1GHz~18GHz)

Test mode: 11AC40 MIMO


Test Channel:38

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10380.000	44.84	8.10	52.94	68.20	-15.26	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	44.54	4.90	49.44	68.20	-18.76	peak	
2		5150.000	55.12	6.54	61.66	68.20	-6.54	peak	
3	*	5150.000	45.20	6.54	51.74	54.00	-2.26	AVG	

Above 1G (1GHz~18GHz)


Test mode: 11AC40 MIMO

Test Channel:46

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AC40 MIMO

Test Channel:54

VERTICAL



HORIZONTAL





Above 1G (1GHz~18GHz)

Test mode: 11AC40 MIMO


Test Channel:62

VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10620.000	44.52	7.28	51.80	74.00	-22.20	peak	

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	55.08	5.75	60.83	68.20	-7.37	peak	
2	*	5350.000	46.95	5.75	52.70	54.00	-1.30	AVG	
3		5460.000	44.25	5.53	49.78	68.20	-18.42	peak	

Above 1G (1GHz~18GHz)

Test mode: 11AC40 MIMO


Test Channel:102

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11020.000	45.16	5.53	50.69	74.00	-23.31	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	5350.000	46.35	5.75	52.10	54.00	-1.90	AVG	
2		5460.000	56.24	5.53	61.77	68.20	-6.43	peak	

Above 1G (1GHz~18GHz)


Test mode: 11AC40 MIMO

Test Channel:110

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AC40 MIMO

Test Channel:134

VERTICAL



HORIZONTAL





Above 1G (1GHz~18GHz)

Test mode: 11AC40 MIMO


Test Channel:151

VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11510.000	1.74	50.97	52.71	74.00	-21.29	peak	

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	5650.000	44.59	6.22	50.81	68.20	-17.39	peak	
2		5700.000	69.70	6.50	76.20	105.20	-29.00	peak	
3		5720.000	82.46	6.32	88.78	110.80	-22.02	peak	
4		5725.000	82.07	6.28	88.35	122.20	-33.85	peak	

Above 1G (1GHz~18GHz)

Test mode: 11AC40 MIMO


Test Channel:159

VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11590.000	-0.52	50.91	50.39	74.00	-23.61	peak	

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5850.000	62.85	7.29	70.14	122.20	-52.06	peak	
2		5855.000	58.76	7.22	65.98	110.80	-44.82	peak	
3		5875.000	49.47	6.96	56.43	105.20	-48.77	peak	
4	*	5925.000	44.64	6.96	51.60	68.20	-16.60	peak	


Above 1G (1GHz~18GHz)

Test mode: 11AC80 MIMO

Test Channel:42


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10420.000	46.89	7.81	54.70	68.20	-13.50	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	45.82	4.90	50.72	68.20	-17.48	peak	
2		5150.000	59.76	6.54	66.30	68.20	-1.90	peak	
3	*	5150.000	48.95	6.54	53.49	54.00	-0.51	AVG	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10420.000	43.62	7.81	51.43	68.20	-16.77	peak	

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	44.34	4.90	49.24	68.20	-18.96	peak	
2		5150.000	52.62	6.54	59.16	68.20	-9.04	peak	
3	*	5150.000	44.86	6.54	51.40	54.00	-2.60	AVG	

Above 1G (1GHz~18GHz)

Test mode: 11AC80 MIMO


Test Channel:58

VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10580.000	45.97	7.01	52.98	68.20	-15.22	peak	

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	55.46	5.75	61.21	68.20	-6.99	peak	
2	*	5350.000	45.75	5.75	51.50	54.00	-2.50	AVG	
3		5460.000	44.42	5.53	49.95	68.20	-18.25	peak	

Above 1G (1GHz~18GHz)

Test mode: 11AC80 MIMO


Test Channel:106

VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11000.000	44.98	5.92	50.90	74.00	-23.10	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	44.89	5.75	50.64	68.20	-17.56	peak	
2		5480.000	56.31	5.53	61.84	68.20	-6.36	peak	
3	*	5480.000	46.14	5.53	51.67	54.00	-2.33	AVG	

Above 1G (1GHz~18GHz)


Test mode: 11AC80 MIMO

Test Channel:122

VERTICAL



HORIZONTAL





Above 1G (1GHz~18GHz)

Test mode: 11AC80 MIMO


Test Channel:155

VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11550.000	-0.15	50.94	50.79	74.00	-23.21	peak	

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	5650.000	54.64	6.22	60.86	68.20	-7.34	peak	
2		5700.000	74.64	6.50	81.14	105.20	-24.06	peak	
3		5720.000	79.17	6.32	85.49	110.80	-25.31	peak	
4		5725.000	78.44	6.28	84.72	122.20	-37.48	peak	
5		5850.000	71.22	7.29	78.51	122.20	-43.69	peak	
6		5855.000	71.20	7.22	78.42	110.80	-32.38	peak	
7		5875.000	65.32	6.96	72.28	105.20	-32.92	peak	
8		5925.000	51.69	6.96	58.65	68.20	-9.55	peak	


Above 1G (1GHz~18GHz)

Test mode: 11AC160MIMO

Test Channel:50


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10500.000	46.34	8.01	54.35	68.20	-13.85	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	43.90	4.90	48.80	68.20	-19.40	peak	
2		5150.000	56.82	6.54	63.36	68.20	-4.84	peak	
3	*	5150.000	46.88	6.54	53.42	54.00	-0.58	AVG	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10500.000	46.09	8.01	54.10	68.20	-14.10	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	45.42	4.90	50.32	68.20	-17.88	peak	
2		5150.000	55.35	6.54	61.89	68.20	-6.31	peak	
3	*	5150.000	45.03	6.54	51.57	54.00	-2.43	AVG	


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11140.000	45.50	8.13	53.63	74.00	-20.37	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	44.18	5.75	49.93	68.20	-18.27	peak	
2		5460.000	61.08	5.53	66.61	68.20	-1.59	peak	
3	*	5460.000	48.11	5.53	53.64	54.00	-0.36	AVG	


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11140.000	44.74	8.13	52.87	74.00	-21.13	peak	

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	44.31	5.75	50.06	68.20	-18.14	peak	
2		5460.000	55.86	5.53	61.39	68.20	-6.81	peak	
3	*	5460.000	46.14	5.53	51.67	54.00	-2.33	AVG	

Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO


Test Channel:36

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10360.000	45.89	8.36	54.25	68.20	-13.95	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	45.25	4.90	50.15	68.20	-18.05	peak	
2		5150.000	56.27	6.54	62.81	68.20	-5.39	peak	
3	*	5150.000	45.33	6.54	51.87	54.00	-2.13	AVG	

Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:40

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:48

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:52

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:56

VERTICAL




HORIZONTAL




VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10640.000	43.37	7.71	51.08	74.00	-22.92	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	60.90	5.75	66.65	68.20	-1.55	peak	
2	*	5350.000	47.52	5.75	53.27	54.00	-0.73	AVG	
3		5460.000	44.77	5.53	50.30	68.20	-17.90	peak	


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10640.000	42.68	7.71	50.39	74.00	-23.61	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	57.73	5.75	63.48	68.20	-4.72	peak	
2	*	5350.000	46.41	5.75	52.16	54.00	-1.84	AVG	
3		5460.000	45.29	5.53	50.82	68.20	-17.38	peak	


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11000.000	46.80	5.34	52.14	74.00	-21.86	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	43.25	5.75	49.00	68.20	-19.20	peak	
2		5480.000	62.17	5.53	67.70	68.20	-0.50	peak	
3	*	5480.000	48.11	5.53	53.64	54.00	-0.36	AVG	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11000.000	46.14	5.34	51.48	74.00	-22.52	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	44.61	5.75	50.36	68.20	-17.84	peak	
2		5460.000	57.61	5.53	63.14	68.20	-5.06	peak	
3	*	5460.000	47.15	5.53	52.68	54.00	-1.32	AVG	

Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:116

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:140



VERTICAL



HORIZONTAL




VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11490.000	0.21	50.92	51.13	74.00	-22.87	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	5650.000	45.36	6.22	51.58	68.20	-16.62	peak	
2		5700.000	54.46	6.50	60.96	105.20	-44.24	peak	
3		5720.000	79.32	6.32	85.64	110.80	-25.16	peak	
4		5725.000	81.65	6.28	87.93	122.20	-34.27	peak	

Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:157



VERTICAL



HORIZONTAL




VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11650.000	1.25	50.92	52.17	74.00	-21.83	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5850.000	77.02	7.29	84.31	122.20	-37.89	peak	
2		5855.000	64.25	7.22	71.47	110.80	-39.33	peak	
3		5875.000	49.21	6.96	56.17	105.20	-49.03	peak	
4	*	5925.000	45.87	6.96	52.83	68.20	-15.37	peak	


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10380.000	44.31	8.10	52.41	68.20	-15.79	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	45.73	4.90	50.63	68.20	-17.57	peak	
2		5150.000	57.83	6.54	64.37	68.20	-3.83	peak	
3	*	5150.000	46.60	6.54	53.14	54.00	-0.86	AVG	


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10380.000	45.28	8.10	53.38	68.20	-14.82	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	45.34	4.90	50.24	68.20	-17.96	peak	
2		5150.000	54.01	6.54	60.55	68.20	-7.65	peak	
3	*	5150.000	44.43	6.54	50.97	54.00	-3.03	AVG	

Above 1G (1GHz~18GHz)


Test mode: 11AX40MIMO

Test Channel:46

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AX40MIMO

Test Channel:54

VERTICAL




HORIZONTAL




VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10620.000	44.44	7.28	51.72	74.00	-22.28	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	60.94	5.75	66.69	68.20	-1.51	peak	
2	*	5350.000	47.51	5.75	53.26	54.00	-0.74	AVG	
3		5460.000	44.94	5.53	50.47	68.20	-17.73	peak	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10620.000	44.76	7.28	52.04	74.00	-21.96	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	55.95	5.75	61.70	68.20	-6.50	peak	
2	*	5350.000	45.50	5.75	51.25	54.00	-2.75	AVG	
3		5460.000	44.83	5.53	50.36	68.20	-17.84	peak	


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11020.000	46.36	5.53	51.89	74.00	-22.11	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	44.56	5.75	50.31	68.20	-17.89	peak	
2		5480.000	61.64	5.53	67.17	68.20	-1.03	peak	
3	*	5480.000	47.75	5.53	53.28	54.00	-0.72	AVG	


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11020.000	46.15	5.53	51.68	74.00	-22.32	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	45.11	5.75	50.86	68.20	-17.34	peak	
2		5480.000	56.03	5.53	61.56	68.20	-6.64	peak	
3	*	5480.000	48.88	5.53	52.41	54.00	-1.59	AVG	

Above 1G (1GHz~18GHz)


Test mode: 11AX40MIMO

Test Channel:110

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AX40MIMO

Test Channel:134

VERTICAL




HORIZONTAL




VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11510.000	2.27	50.97	53.24	74.00	-20.76	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	5650.000	49.14	6.22	55.36	68.20	-12.84	peak	
2		5700.000	73.80	6.50	80.30	105.20	-24.90	peak	
3		5720.000	85.31	6.32	91.63	110.80	-19.17	peak	
4		5725.000	86.57	6.28	92.85	122.20	-29.35	peak	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11510.000	1.64	50.97	52.61	74.00	-21.39	peak	

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	5650.000	45.14	6.22	51.36	68.20	-16.84	peak	
2		5700.000	67.14	6.50	73.64	105.20	-31.56	peak	
3		5720.000	79.81	6.32	86.13	110.80	-24.67	peak	
4		5725.000	81.63	6.28	87.91	122.20	-34.29	peak	

Above 1G (1GHz~18GHz)

Test mode: 11AX40MIMO


Test Channel:159

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11590.000	1.05	50.91	51.96	74.00	-22.04	peak	

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5850.000	65.71	7.29	73.00	122.20	-49.20	peak	
2		5855.000	61.02	7.22	68.24	110.80	-42.56	peak	
3		5875.000	50.27	6.96	57.23	105.20	-47.97	peak	
4	*	5925.000	44.06	6.96	51.02	68.20	-17.18	peak	

Above 1G (1GHz~18GHz)

Test mode: 11AX80MIMO


Test Channel:42

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10420.000	44.67	7.81	52.48	68.20	-15.72	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	44.60	4.90	49.50	68.20	-18.70	peak	
2		5150.000	55.77	6.54	62.31	68.20	-5.89	peak	
3	*	5150.000	45.03	6.54	51.57	54.00	-2.43	AVG	


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10580.000	45.25	7.01	52.26	68.20	-15.94	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	60.41	5.75	66.16	68.20	-2.04	peak	
2	*	5350.000	47.62	5.75	53.37	54.00	-0.63	AVG	
3		5460.000	44.46	5.53	49.99	68.20	-18.21	peak	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10580.000	44.46	7.01	51.47	68.20	-16.73	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	55.29	5.75	61.04	68.20	-7.16	peak	
2	*	5350.000	45.54	5.75	51.29	54.00	-2.71	AVG	
3		5460.000	44.54	5.53	50.07	68.20	-18.13	peak	


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11060.000	46.69	5.92	52.61	74.00	-21.39	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	45.65	5.75	51.40	68.20	-16.80	peak	
2		5480.000	60.65	5.53	66.18	68.20	-2.02	peak	
3	*	5480.000	47.79	5.53	53.32	54.00	-0.68	AVG	


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11080.000	45.36	5.92	51.28	74.00	-22.72	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	44.64	5.75	50.39	68.20	-17.81	peak	
2		5480.000	52.38	5.53	57.91	68.20	-10.29	peak	
3	*	5480.000	44.33	5.53	49.86	54.00	-4.14	AVG	

Above 1G (1GHz~18GHz)


Test mode: 11AX80MIMO

Test Channel:122

VERTICAL




HORIZONTAL




VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11550.000	2.07	50.94	53.01	74.00	-20.99	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	5650.000	59.39	6.22	65.61	68.20	-2.59	peak	
2		5700.000	79.93	6.50	86.43	105.20	-18.77	peak	
3		5720.000	82.94	6.32	89.26	110.80	-21.54	peak	
4		5725.000	82.97	6.28	89.25	122.20	-32.95	peak	
5		5850.000	77.24	7.29	84.53	122.20	-37.67	peak	
6		5855.000	77.64	7.22	84.86	110.80	-25.94	peak	
7		5875.000	72.95	6.96	79.91	105.20	-25.29	peak	
8		5925.000	53.32	6.96	60.28	68.20	-7.92	peak	


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11550.000	1.60	50.94	52.54	74.00	-21.46	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	5650.000	57.68	6.22	63.90	68.20	-4.30	peak	
2		5700.000	77.10	6.50	83.60	105.20	-21.60	peak	
3		5720.000	79.83	6.32	86.15	110.80	-24.65	peak	
4		5725.000	79.14	6.28	85.42	122.20	-36.78	peak	
5		5850.000	73.67	7.29	80.96	122.20	-41.24	peak	
6		5855.000	72.63	7.22	79.85	110.80	-30.95	peak	
7		5875.000	66.28	6.96	73.24	105.20	-31.96	peak	
8		5925.000	48.91	6.96	55.87	68.20	-12.33	peak	


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10500.000	45.74	8.01	53.75	68.20	-14.45	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4500.000	45.28	4.90	50.18	68.20	-18.02	peak		
2		5150.000	58.79	6.54	65.33	68.20	-2.87	peak		
3	*	5150.000	46.75	6.54	53.29	54.00	-0.71	AVG		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10500.000	46.56	8.01	54.57	68.20	-13.63	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	44.81	4.90	49.71	68.20	-18.49	peak	
2		5150.000	54.05	6.54	60.59	68.20	-7.61	peak	
3	*	5150.000	43.78	6.54	50.32	54.00	-3.68	AVG	


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11140.000	45.11	8.13	53.24	74.00	-20.76	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	44.67	5.75	50.42	68.20	-17.78	peak	
2		5480.000	58.81	5.53	64.34	68.20	-3.86	peak	
3	*	5480.000	47.74	5.53	53.27	54.00	-0.73	AVG	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11140.000	43.43	8.13	51.56	74.00	-22.44	peak	

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	43.25	5.75	49.00	68.20	-19.20	peak	
2		5460.000	51.02	5.53	56.55	68.20	-11.65	peak	
3	*	5460.000	43.21	5.53	48.74	54.00	-5.26	AVG	

Above 1G (1GHz~18GHz)

Test mode: 11BE20MIMO


Test Channel:36

VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10360.000	46.70	7.53	54.23	68.20	-13.97	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	45.23	4.90	50.13	68.20	-18.07	peak	
2		5150.000	58.97	6.54	65.51	68.20	-2.69	peak	
3	*	5150.000	46.20	6.54	52.74	54.00	-1.26	AVG	

Above 1G (1GHz~18GHz)


Test mode: 11BE20MIMO

Test Channel:40

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11BE20MIMO

Test Channel:48

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11BE20MIMO

Test Channel:52

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11BE20MIMO

Test Channel:56

VERTICAL




HORIZONTAL




VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10640.000	44.49	8.29	52.78	74.00	-21.22	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	62.01	5.75	67.76	68.20	-0.44	peak	
2	*	5350.000	47.86	5.75	53.61	54.00	-0.39	AVG	
3		5460.000	44.08	5.53	49.61	68.20	-18.59	peak	


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10640.000	45.00	8.29	53.29	74.00	-20.71	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	57.08	5.75	62.83	68.20	-5.37	peak	
2	*	5350.000	46.03	5.75	51.78	54.00	-2.22	AVG	
3		5460.000	44.16	5.53	49.69	68.20	-18.51	peak	


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11000.000	42.66	7.98	50.64	74.00	-23.36	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	44.48	5.75	50.23	68.20	-17.97	peak	
2		5480.000	60.61	5.53	66.14	68.20	-2.06	peak	
3	*	5480.000	47.92	5.53	53.45	54.00	-0.55	AVG	


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11000.000	44.44	7.98	52.42	74.00	-21.58	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	44.32	5.75	50.07	68.20	-18.13	peak	
2		5460.000	56.43	5.53	61.96	68.20	-6.24	peak	
3	*	5460.000	47.26	5.53	52.79	54.00	-1.21	AVG	

Above 1G (1GHz~18GHz)


Test mode: 11BE20MIMO

Test Channel:116

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11BE20MIMO

Test Channel:140

VERTICAL




HORIZONTAL




VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11490.000	44.94	8.26	53.20	74.00	-20.80	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	5650.000	44.48	6.22	50.70	68.20	-17.50	peak	
2		5700.000	58.81	6.50	65.31	105.20	-39.89	peak	
3		5720.000	84.72	6.32	91.04	110.80	-19.76	peak	
4		5725.000	86.62	6.28	92.90	122.20	-29.30	peak	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11490.000	43.90	8.26	52.16	74.00	-21.84	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	5650.000	43.49	6.22	49.71	68.20	-18.49	peak	
2		5700.000	55.17	6.50	61.67	105.20	-43.53	peak	
3		5720.000	78.43	6.32	84.75	110.80	-26.05	peak	
4		5725.000	84.22	6.28	90.50	122.20	-31.70	peak	

Above 1G (1GHz~18GHz)


Test mode: 11BE20MIMO

Test Channel:157



VERTICAL



HORIZONTAL




VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11650.000	45.05	7.92	52.97	74.00	-21.03	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5850.000	75.43	7.29	82.72	122.20	-39.48	peak	
2		5855.000	64.63	7.22	71.85	110.80	-38.95	peak	
3		5875.000	45.86	6.96	52.82	105.20	-52.38	peak	
4	*	5925.000	42.22	6.96	49.18	68.20	-19.02	peak	


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10380.000	47.55	7.61	55.16	68.20	-13.04	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	45.82	4.90	50.72	68.20	-17.48	peak	
2		5150.000	59.80	6.54	66.34	68.20	-1.86	peak	
3	*	5150.000	46.94	6.54	53.48	54.00	-0.52	AVG	


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10380.000	46.00	7.61	53.61	68.20	-14.59	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	44.36	4.90	49.26	68.20	-18.94	peak	
2		5150.000	55.09	6.54	61.63	68.20	-6.57	peak	
3	*	5150.000	44.10	6.54	50.64	54.00	-3.36	AVG	

Above 1G (1GHz~18GHz)


Test mode: 11BE40MIMO

Test Channel:46

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11BE40MIMO

Test Channel:54

VERTICAL




HORIZONTAL




VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10620.000	43.13	8.30	51.43	74.00	-22.57	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	61.83	5.75	67.58	68.20	-0.62	peak	
2	*	5350.000	47.92	5.75	53.67	54.00	-0.33	AVG	
3		5460.000	44.39	5.53	49.92	68.20	-18.28	peak	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10620.000	44.57	8.30	52.87	74.00	-21.13	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	54.95	5.75	60.70	68.20	-7.50	peak	
2	*	5350.000	45.41	5.75	51.16	54.00	-2.84	AVG	
3		5460.000	44.50	5.53	50.03	68.20	-18.17	peak	


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11020.000	45.14	8.02	53.16	74.00	-20.84	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	44.04	5.75	49.79	68.20	-18.41	peak	
2		5480.000	60.37	5.53	65.90	68.20	-2.30	peak	
3	*	5480.000	47.71	5.53	53.24	54.00	-0.76	AVG	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11020.000	43.68	8.02	51.70	74.00	-22.30	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	44.74	5.75	50.49	68.20	-17.71	peak	
2		5460.000	56.60	5.53	62.13	68.20	-6.07	peak	
3	*	5460.000	45.96	5.53	51.49	54.00	-2.51	AVG	

Above 1G (1GHz~18GHz)


Test mode: 11BE40MIMO

Test Channel:110

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11BE40MIMO

Test Channel:134

VERTICAL




HORIZONTAL




VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11510.000	44.93	8.26	53.19	74.00	-20.81	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	5650.000	49.47	6.22	55.69	68.20	-12.51	peak	
2		5700.000	77.37	6.50	83.87	105.20	-21.33	peak	
3		5720.000	86.81	6.32	93.13	110.80	-17.67	peak	
4		5725.000	87.92	6.28	94.20	122.20	-28.00	peak	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11510.000	45.35	8.26	53.61	74.00	-20.39	peak	

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	5650.000	45.13	6.22	51.35	68.20	-16.85	peak	
2		5700.000	68.07	6.50	74.57	105.20	-30.63	peak	
3		5720.000	82.19	6.32	88.51	110.80	-22.29	peak	
4		5725.000	81.90	6.28	88.18	122.20	-34.02	peak	

Above 1G (1GHz~18GHz)

Test mode: 11BE40MIMO


Test Channel:159

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11590.000	44.93	8.04	52.97	74.00	-21.03	peak	

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5850.000	66.24	7.29	73.53	122.20	-48.67	peak	
2		5855.000	61.80	7.22	69.02	110.80	-41.78	peak	
3		5875.000	52.51	6.98	59.47	105.20	-45.73	peak	
4	*	5925.000	43.80	6.98	50.78	68.20	-17.44	peak	

Above 1G (1GHz~18GHz)

Test mode: 11BE80MIMO


Test Channel:42

VERTICAL




HORIZONTALA

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10420.000	47.04	7.76	54.80	68.20	-13.40	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	44.65	4.90	49.55	68.20	-18.65	peak	
2		5150.000	54.67	6.54	61.21	68.20	-6.99	peak	
3	*	5150.000	43.82	6.54	50.36	54.00	-3.64	AVG	

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10580.000	46.94	8.26	55.20	68.20	-13.00	peak	

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	55.12	5.75	60.87	68.20	-7.33	peak	
2	*	5350.000	44.72	5.75	50.47	54.00	-3.53	AVG	
3		5460.000	45.00	5.53	50.53	68.20	-17.67	peak	


Above 1G (1GHz~18GHz)

Test mode: 11BE80MIMO

Test Channel:106


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11080.000	45.59	8.10	53.69	74.00	-20.31	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	44.48	5.75	50.23	68.20	-17.97	peak	
2		5480.000	59.72	5.53	65.25	68.20	-2.95	peak	
3	*	5480.000	47.87	5.53	53.40	54.00	-0.60	AVG	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11080.000	44.38	8.10	52.48	74.00	-21.52	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	45.34	5.75	51.09	68.20	-17.11	peak	
2		5460.000	54.33	5.53	59.86	68.20	-8.34	peak	
3	*	5480.000	44.86	5.53	50.39	54.00	-3.61	AVG	

Above 1G (1GHz~18GHz)


Test mode: 11BE80MIMO

Test Channel:122

VERTICAL




HORIZONTAL




VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11550.000	44.49	8.15	52.64	74.00	-21.36	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	5650.000	60.85	6.22	67.07	68.20	-1.13	peak	
2		5700.000	80.27	6.50	86.77	105.20	-18.43	peak	
3		5720.000	85.50	6.32	91.82	110.80	-18.98	peak	
4		5725.000	86.55	6.28	92.83	122.20	-29.37	peak	
5		5850.000	79.29	7.29	86.58	122.20	-35.62	peak	
6		5855.000	78.34	7.22	85.56	110.80	-25.24	peak	
7		5875.000	71.51	6.96	78.47	105.20	-26.73	peak	
8		5925.000	53.54	6.96	60.50	68.20	-7.70	peak	


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11550.000	45.01	8.15	53.16	74.00	-20.84	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	5650.000	57.47	6.22	63.69	68.20	-4.51	peak	
2		5700.000	77.83	6.50	84.33	105.20	-20.87	peak	
3		5720.000	81.72	6.32	88.04	110.80	-22.76	peak	
4		5725.000	82.36	6.28	88.64	122.20	-33.56	peak	
5		5850.000	74.77	7.29	82.06	122.20	-40.14	peak	
6		5855.000	74.99	7.22	82.21	110.80	-28.59	peak	
7		5875.000	67.62	6.96	74.58	105.20	-30.62	peak	
8		5925.000	50.15	6.96	57.11	68.20	-11.09	peak	


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10500.000	46.67	8.01	54.68	68.20	-13.52	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	45.70	4.90	50.60	68.20	-17.60	peak	
2		5150.000	59.06	6.54	65.60	68.20	-2.60	peak	
3	*	5150.000	46.74	6.54	53.28	54.00	-0.72	AVG	


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10500.000	47.25	8.01	55.26	68.20	-12.94	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	45.17	4.90	50.07	68.20	-18.13	peak	
2		5150.000	53.68	6.54	60.22	68.20	-7.98	peak	
3	*	5150.000	44.26	6.54	50.80	54.00	-3.20	AVG	


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11140.000	44.44	8.13	52.57	74.00	-21.43	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	44.59	5.75	50.34	68.20	-17.86	peak	
2		5460.000	59.74	5.53	65.27	68.20	-2.93	peak	
3	*	5460.000	47.88	5.53	53.41	54.00	-0.59	AVG	


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11140.000	45.76	8.13	53.89	74.00	-20.11	peak	

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	44.77	5.75	50.52	68.20	-17.68	peak	
2		5460.000	56.07	5.53	61.60	68.20	-6.60	peak	
3	*	5460.000	46.21	5.53	51.74	54.00	-2.26	AVG	

Note: The high frequency, which started from 18GHz to 40GHz, was pre-scanned and the result which was 20dB lower than the limit line was not recorded in this report.

3.3 Spectrum Bandwidth

3.3.1 Limit

FCC Part15, Subpart E (15.407)			
Section	Test Item	Limit	Frequency Range (MHz)
15.407(a)	26 dB Bandwidth	-	5150-5250
	26 dB Bandwidth	-	5250-5350
15.407(e)	26 dB Bandwidth	-	5470-5725
	26 dB Bandwidth	-	5725-5850
	6 dB Bandwidth	Minimum 500 kHz	5725-5850

3.3.2 Test Procedure

Test Method	
●Conducted Measurement	○Radiated Measurement
Test Channels	
●Lowest, Middle and Highest Channel	○ Lowest and Highest Channel
Environmental conditions	
●Normal	○Normal and Extreme
Note:●:Test ○:No Test	

a) The EUT was directly connected to the tonscond test system and antenna output port as show in the block diagram below.

b) the spectrum analyser is set as follow:

For 26 dB Bandwidth


Centre Frequency	The centre frequency of the channel under test
RBW	$\geq 1\% \times \text{Nominal Channel Bandwidth}$
VBW	$\geq 3 \times \text{RBW}$
Frequency span	$2 \times \text{Nominal Channel Bandwidth}$
Detector Mode	Peak
Trace Mode	Max Hold
Sweep Time	Auto Couple

For 6 dB Bandwidth

Centre Frequency	The centre frequency of the channel under test
RBW	100 kHz
VBW	300 kHz
Frequency span	$2 \times \text{Nominal Channel Bandwidth}$
Detector Mode	Peak
Trace Mode	Max Hold
Sweep Time	Auto Couple

- c) Wait for the trace to stabilize then find the peak value of the trace and place the analyser marker on this peak.
- d) Use the -26/-6dB bandwidth function of the spectrum analyser to measure the -26/-6dB Bandwidth of the EUT. This value shall be recorded.
- e) Make sure that the power envelope is sufficiently above the noise floor of the analyser to avoid the noise signals left and right from the power envelope being taken into account by this measurement.

3.3.3 Test Setup



3.3.4 Test Result

26 dB Bandwidth

TestMode	Antenna	Frequency [MHz]	26db EBW [MHz]	FL[MHz]	FH[MHz]	Limit [MHz]	Verdict
11A-CDD	Ant0	5180	21.440	5169.280	5190.720	---	---
11A-CDD	Ant1	5180	21.600	5169.200	5190.800	---	---
11A-CDD	Ant2	5180	21.960	5169.080	5191.040	---	---
11A-CDD	Ant3	5180	21.600	5169.200	5190.800	---	---
11A-CDD	Ant0	5200	21.040	5189.400	5210.440	---	---
11A-CDD	Ant1	5200	22.160	5189.280	5211.440	---	---
11A-CDD	Ant2	5200	21.400	5189.240	5210.640	---	---
11A-CDD	Ant3	5200	21.280	5189.360	5210.640	---	---
11A-CDD	Ant0	5240	21.160	5229.480	5250.640	---	---
11A-CDD	Ant1	5240	21.280	5229.240	5250.520	---	---
11A-CDD	Ant2	5240	21.200	5229.360	5250.560	---	---
11A-CDD	Ant3	5240	21.160	5229.280	5250.440	---	---
11A-CDD	Ant0	5260	21.200	5249.360	5270.560	---	---
11A-CDD	Ant1	5260	21.280	5249.400	5270.680	---	---
11A-CDD	Ant2	5260	21.040	5249.560	5270.600	---	---
11A-CDD	Ant3	5260	20.920	5249.520	5270.440	---	---
11A-CDD	Ant0	5280	21.280	5269.320	5290.600	---	---
11A-CDD	Ant1	5280	21.400	5269.280	5290.680	---	---
11A-CDD	Ant2	5280	21.360	5269.160	5290.520	---	---
11A-CDD	Ant3	5280	21.240	5269.240	5290.480	---	---
11A-CDD	Ant0	5320	21.360	5309.240	5330.600	---	---
11A-CDD	Ant1	5320	22.080	5308.840	5330.920	---	---
11A-CDD	Ant2	5320	21.320	5309.280	5330.600	---	---
11A-CDD	Ant3	5320	21.480	5309.120	5330.600	---	---
11A-CDD	Ant0	5500	21.720	5489.000	5510.720	---	---
11A-CDD	Ant1	5500	21.440	5489.120	5510.560	---	---
11A-CDD	Ant2	5500	21.880	5488.920	5510.800	---	---
11A-CDD	Ant3	5500	21.480	5489.000	5510.480	---	---
11A-CDD	Ant0	5580	21.200	5569.400	5590.600	---	---
11A-CDD	Ant1	5580	21.120	5569.320	5590.440	---	---
11A-CDD	Ant2	5580	21.120	5569.320	5590.440	---	---
11A-CDD	Ant3	5580	21.000	5569.480	5590.480	---	---
11A-CDD	Ant0	5700	20.920	5689.520	5710.440	---	---
11A-CDD	Ant2	5700	21.000	5689.440	5710.440	---	---
11A-CDD	Ant3	5700	21.120	5689.520	5710.640	---	---
11A-CDD	Ant1	5700	21.200	5689.440	5710.640	---	---
11A-CDD	Ant0	5745	21.000	5734.480	5755.480	---	---
11A-CDD	Ant1	5745	21.160	5734.480	5755.640	---	---

11A-CDD	Ant2	5745	21.400	5734.360	5755.760	---	---
11A-CDD	Ant3	5745	21.240	5734.280	5755.520	---	---
11A-CDD	Ant0	5785	21.240	5774.400	5795.640	---	---
11A-CDD	Ant1	5785	21.480	5774.240	5795.720	---	---
11A-CDD	Ant2	5785	21.400	5774.360	5795.760	---	---
11A-CDD	Ant3	5785	21.160	5774.440	5795.600	---	---
11A-CDD	Ant0	5825	21.240	5814.360	5835.600	---	---
11A-CDD	Ant1	5825	21.440	5814.200	5835.640	---	---
11A-CDD	Ant2	5825	21.320	5814.320	5835.640	---	---
11A-CDD	Ant3	5825	21.160	5814.320	5835.480	---	---
11N20MIMO	Ant0	5180	22.560	5168.320	5190.880	---	---
11N20MIMO	Ant1	5180	22.880	5168.120	5191.000	---	---
11N20MIMO	Ant2	5180	23.040	5168.080	5191.120	---	---
11N20MIMO	Ant3	5180	22.480	5168.800	5191.280	---	---
11N20MIMO	Ant0	5200	21.840	5189.000	5210.840	---	---
11N20MIMO	Ant1	5200	22.480	5189.360	5211.840	---	---
11N20MIMO	Ant2	5200	21.800	5189.280	5211.080	---	---
11N20MIMO	Ant3	5200	21.920	5189.160	5211.080	---	---
11N20MIMO	Ant0	5240	22.200	5228.640	5250.840	---	---
11N20MIMO	Ant1	5240	21.520	5229.360	5250.880	---	---
11N20MIMO	Ant2	5240	22.320	5228.920	5251.240	---	---
11N20MIMO	Ant3	5240	21.400	5229.400	5250.800	---	---
11N20MIMO	Ant0	5260	21.600	5249.240	5270.840	---	---
11N20MIMO	Ant1	5260	21.320	5249.320	5270.640	---	---
11N20MIMO	Ant2	5260	21.480	5249.240	5270.720	---	---
11N20MIMO	Ant3	5260	21.640	5249.160	5270.800	---	---
11N20MIMO	Ant0	5280	21.440	5269.240	5290.680	---	---
11N20MIMO	Ant1	5280	21.240	5269.360	5290.600	---	---
11N20MIMO	Ant2	5280	21.320	5269.360	5290.680	---	---
11N20MIMO	Ant3	5280	21.760	5269.080	5290.840	---	---
11N20MIMO	Ant0	5320	23.360	5308.120	5331.480	---	---
11N20MIMO	Ant2	5320	22.560	5308.600	5331.160	---	---
11N20MIMO	Ant3	5320	22.960	5308.000	5330.960	---	---
11N20MIMO	Ant1	5320	23.040	5309.080	5332.120	---	---
11N20MIMO	Ant1	5500	21.640	5489.000	5510.640	---	---
11N20MIMO	Ant3	5500	21.880	5488.960	5510.840	---	---
11N20MIMO	Ant0	5500	21.960	5488.880	5510.840	---	---
11N20MIMO	Ant2	5500	22.480	5488.920	5511.400	---	---
11N20MIMO	Ant0	5580	21.360	5569.200	5590.560	---	---
11N20MIMO	Ant1	5580	21.360	5569.280	5590.640	---	---
11N20MIMO	Ant2	5580	21.200	5569.440	5590.640	---	---
11N20MIMO	Ant3	5580	21.440	5569.320	5590.760	---	---

11N20MIMO	Ant0	5700	21.280	5689.360	5710.640	---	---
11N20MIMO	Ant1	5700	21.560	5689.280	5710.840	---	---
11N20MIMO	Ant2	5700	21.120	5689.480	5710.600	---	---
11N20MIMO	Ant3	5700	21.440	5689.360	5710.800	---	---
11N20MIMO	Ant0	5745	21.400	5734.440	5755.840	---	---
11N20MIMO	Ant1	5745	21.560	5734.280	5755.840	---	---
11N20MIMO	Ant2	5745	21.360	5734.320	5755.680	---	---
11N20MIMO	Ant3	5745	21.400	5734.280	5755.680	---	---
11N20MIMO	Ant0	5785	21.680	5774.080	5795.760	---	---
11N20MIMO	Ant1	5785	21.640	5774.240	5795.880	---	---
11N20MIMO	Ant2	5785	21.520	5774.280	5795.800	---	---
11N20MIMO	Ant3	5785	21.240	5774.480	5795.720	---	---
11N20MIMO	Ant0	5825	21.680	5814.040	5835.720	---	---
11N20MIMO	Ant1	5825	21.560	5814.280	5835.840	---	---
11N20MIMO	Ant2	5825	21.280	5814.400	5835.680	---	---
11N20MIMO	Ant3	5825	21.320	5814.280	5835.600	---	---
11N40MIMO	Ant3	5190	43.520	5167.280	5210.800	---	---
11N40MIMO	Ant1	5190	43.040	5167.760	5210.800	---	---
11N40MIMO	Ant0	5190	44.960	5167.840	5212.800	---	---
11N40MIMO	Ant2	5190	46.240	5164.960	5211.200	---	---
11N40MIMO	Ant0	5230	39.760	5210.080	5249.840	---	---
11N40MIMO	Ant1	5230	39.360	5210.240	5249.600	---	---
11N40MIMO	Ant2	5230	39.840	5210.080	5249.920	---	---
11N40MIMO	Ant3	5230	39.440	5210.320	5249.760	---	---
11N40MIMO	Ant0	5270	39.920	5250.000	5289.920	---	---
11N40MIMO	Ant3	5270	39.920	5250.080	5290.000	---	---
11N40MIMO	Ant1	5270	39.840	5250.080	5289.920	---	---
11N40MIMO	Ant2	5270	39.680	5250.080	5289.760	---	---
11N40MIMO	Ant1	5310	47.600	5283.840	5331.440	---	---
11N40MIMO	Ant0	5310	45.280	5286.800	5332.080	---	---
11N40MIMO	Ant2	5310	45.360	5286.160	5331.520	---	---
11N40MIMO	Ant3	5310	47.520	5285.680	5333.200	---	---
11N40MIMO	Ant1	5510	41.520	5488.640	5530.160	---	---
11N40MIMO	Ant2	5510	43.440	5487.360	5530.800	---	---
11N40MIMO	Ant3	5510	41.920	5489.280	5531.200	---	---
11N40MIMO	Ant0	5510	45.760	5485.280	5531.040	---	---
11N40MIMO	Ant0	5550	39.760	5530.080	5569.840	---	---
11N40MIMO	Ant1	5550	39.680	5530.080	5569.760	---	---
11N40MIMO	Ant2	5550	39.360	5530.320	5569.680	---	---
11N40MIMO	Ant3	5550	39.440	5530.320	5569.760	---	---
11N40MIMO	Ant0	5670	39.840	5650.160	5690.000	---	---
11N40MIMO	Ant1	5670	39.600	5650.160	5689.760	---	---

11N40MIMO	Ant2	5670	39.440	5650.240	5689.680	---	---
11N40MIMO	Ant3	5670	39.680	5650.000	5689.680	---	---
11N40MIMO	Ant0	5755	39.600	5735.320	5774.920	---	---
11N40MIMO	Ant1	5755	39.680	5735.160	5774.840	---	---
11N40MIMO	Ant2	5755	39.600	5735.000	5774.600	---	---
11N40MIMO	Ant3	5755	39.280	5735.320	5774.600	---	---
11N40MIMO	Ant0	5795	39.840	5775.000	5814.840	---	---
11N40MIMO	Ant1	5795	39.360	5775.160	5814.520	---	---
11N40MIMO	Ant2	5795	39.200	5775.400	5814.600	---	---
11N40MIMO	Ant3	5795	39.280	5775.320	5814.600	---	---
11AC20MIMO	Ant0	5180	22.120	5168.920	5191.040	---	---
11AC20MIMO	Ant1	5180	22.000	5168.720	5190.720	---	---
11AC20MIMO	Ant2	5180	22.040	5168.720	5190.760	---	---
11AC20MIMO	Ant3	5180	23.960	5168.040	5192.000	---	---
11AC20MIMO	Ant0	5200	22.640	5189.240	5211.880	---	---
11AC20MIMO	Ant1	5200	21.280	5189.320	5210.600	---	---
11AC20MIMO	Ant2	5200	21.560	5189.160	5210.720	---	---
11AC20MIMO	Ant3	5200	21.600	5189.160	5210.760	---	---
11AC20MIMO	Ant0	5240	21.760	5229.240	5251.000	---	---
11AC20MIMO	Ant1	5240	21.640	5229.200	5250.840	---	---
11AC20MIMO	Ant2	5240	21.760	5229.240	5251.000	---	---
11AC20MIMO	Ant3	5240	21.680	5229.120	5250.800	---	---
11AC20MIMO	Ant0	5260	21.520	5249.120	5270.640	---	---
11AC20MIMO	Ant1	5260	21.480	5249.160	5270.640	---	---
11AC20MIMO	Ant2	5260	21.320	5249.320	5270.640	---	---
11AC20MIMO	Ant3	5260	21.360	5249.320	5270.680	---	---
11AC20MIMO	Ant0	5280	21.680	5269.120	5290.800	---	---
11AC20MIMO	Ant1	5280	21.280	5269.240	5290.520	---	---
11AC20MIMO	Ant2	5280	21.200	5269.400	5290.600	---	---
11AC20MIMO	Ant3	5280	21.320	5269.360	5290.680	---	---
11AC20MIMO	Ant0	5320	22.040	5309.000	5331.040	---	---
11AC20MIMO	Ant1	5320	23.400	5308.720	5332.120	---	---
11AC20MIMO	Ant3	5320	21.760	5309.120	5330.880	---	---
11AC20MIMO	Ant2	5320	23.440	5308.520	5331.960	---	---
11AC20MIMO	Ant0	5500	22.280	5488.560	5510.840	---	---
11AC20MIMO	Ant1	5500	22.440	5488.280	5510.720	---	---
11AC20MIMO	Ant2	5500	23.880	5487.720	5511.600	---	---
11AC20MIMO	Ant3	5500	21.960	5489.040	5511.000	---	---
11AC20MIMO	Ant0	5580	21.360	5569.280	5590.640	---	---
11AC20MIMO	Ant1	5580	21.520	5569.200	5590.720	---	---
11AC20MIMO	Ant2	5580	21.560	5569.160	5590.720	---	---
11AC20MIMO	Ant3	5580	21.480	5569.240	5590.720	---	---

11AC20MIMO	Ant0	5700	21.480	5689.240	5710.720	---	---
11AC20MIMO	Ant1	5700	21.400	5689.360	5710.760	---	---
11AC20MIMO	Ant2	5700	21.320	5689.200	5710.520	---	---
11AC20MIMO	Ant3	5700	21.520	5689.160	5710.680	---	---
11AC20MIMO	Ant0	5745	21.440	5734.280	5755.720	---	---
11AC20MIMO	Ant1	5745	21.240	5734.400	5755.640	---	---
11AC20MIMO	Ant2	5745	21.320	5734.360	5755.680	---	---
11AC20MIMO	Ant3	5745	21.200	5734.360	5755.560	---	---
11AC20MIMO	Ant0	5785	21.560	5774.240	5795.800	---	---
11AC20MIMO	Ant1	5785	25.320	5770.560	5795.880	---	---
11AC20MIMO	Ant2	5785	24.080	5771.800	5795.880	---	---
11AC20MIMO	Ant3	5785	21.920	5773.920	5795.840	---	---
11AC20MIMO	Ant0	5825	21.400	5814.240	5835.640	---	---
11AC20MIMO	Ant1	5825	21.440	5814.120	5835.560	---	---
11AC20MIMO	Ant2	5825	21.520	5814.160	5835.680	---	---
11AC20MIMO	Ant3	5825	21.320	5814.280	5835.600	---	---
11AC40MIMO	Ant1	5190	46.160	5168.160	5214.320	---	---
11AC40MIMO	Ant2	5190	45.440	5168.720	5214.160	---	---
11AC40MIMO	Ant0	5190	45.280	5169.120	5214.400	---	---
11AC40MIMO	Ant3	5190	45.520	5168.480	5214.000	---	---
11AC40MIMO	Ant1	5230	41.840	5209.360	5251.200	---	---
11AC40MIMO	Ant2	5230	40.720	5209.680	5250.400	---	---
11AC40MIMO	Ant3	5230	40.240	5209.680	5249.920	---	---
11AC40MIMO	Ant0	5230	42.800	5209.600	5252.400	---	---
11AC40MIMO	Ant0	5270	40.240	5249.600	5289.840	---	---
11AC40MIMO	Ant1	5270	39.280	5250.240	5289.520	---	---
11AC40MIMO	Ant2	5270	40.160	5249.680	5289.840	---	---
11AC40MIMO	Ant3	5270	40.000	5249.760	5289.760	---	---
11AC40MIMO	Ant3	5310	43.430	5289.040	5332.490	---	---
11AC40MIMO	Ant2	5310	45.600	5288.320	5333.920	---	---
11AC40MIMO	Ant1	5310	43.440	5289.040	5332.480	---	---
11AC40MIMO	Ant0	5310	46.160	5288.000	5334.160	---	---
11AC40MIMO	Ant1	5510	39.840	5489.920	5529.760	---	---
11AC40MIMO	Ant0	5510	46.560	5484.320	5530.880	---	---
11AC40MIMO	Ant2	5510	47.040	5485.120	5532.160	---	---
11AC40MIMO	Ant3	5510	43.200	5487.200	5530.400	---	---
11AC40MIMO	Ant0	5550	40.320	5529.520	5569.840	---	---
11AC40MIMO	Ant1	5550	39.760	5530.160	5569.920	---	---
11AC40MIMO	Ant2	5550	39.600	5530.160	5569.760	---	---
11AC40MIMO	Ant3	5550	40.080	5529.680	5569.760	---	---
11AC40MIMO	Ant0	5670	40.000	5650.000	5690.000	---	---
11AC40MIMO	Ant1	5670	39.760	5650.160	5689.920	---	---

11AC40MIMO	Ant2	5670	39.600	5650.160	5689.760	---	---
11AC40MIMO	Ant3	5670	40.000	5649.840	5689.840	---	---
11AC40MIMO	Ant0	5755	39.840	5735.080	5774.920	---	---
11AC40MIMO	Ant1	5755	39.680	5735.160	5774.840	---	---
11AC40MIMO	Ant2	5755	39.600	5735.160	5774.760	---	---
11AC40MIMO	Ant3	5755	40.000	5734.760	5774.760	---	---
11AC40MIMO	Ant0	5795	40.400	5774.760	5815.160	---	---
11AC40MIMO	Ant1	5795	40.480	5774.840	5815.320	---	---
11AC40MIMO	Ant2	5795	40.480	5774.520	5815.000	---	---
11AC40MIMO	Ant3	5795	39.920	5775.080	5815.000	---	---
11AC80MIMO	Ant0	5210	82.080	5168.560	5250.640	---	---
11AC80MIMO	Ant2	5210	85.600	5168.080	5253.680	---	---
11AC80MIMO	Ant3	5210	84.320	5168.080	5252.400	---	---
11AC80MIMO	Ant1	5210	82.880	5168.880	5251.760	---	---
11AC80MIMO	Ant2	5290	80.960	5249.360	5330.320	---	---
11AC80MIMO	Ant3	5290	87.040	5246.000	5333.040	---	---
11AC80MIMO	Ant0	5290	88.320	5244.400	5332.720	---	---
11AC80MIMO	Ant1	5290	85.760	5247.600	5333.360	---	---
11AC80MIMO	Ant3	5530	85.120	5486.480	5571.600	---	---
11AC80MIMO	Ant1	5530	86.240	5485.200	5571.440	---	---
11AC80MIMO	Ant2	5530	88.320	5484.240	5572.560	---	---
11AC80MIMO	Ant0	5530	88.320	5484.720	5573.040	---	---
11AC80MIMO	Ant0	5610	82.240	5568.560	5650.800	---	---
11AC80MIMO	Ant1	5610	81.920	5569.200	5651.120	---	---
11AC80MIMO	Ant2	5610	81.120	5569.200	5650.320	---	---
11AC80MIMO	Ant3	5610	81.280	5569.200	5650.480	---	---
11AC80MIMO	Ant0	5775	81.920	5733.720	5815.640	---	---
11AC80MIMO	Ant1	5775	80.800	5734.520	5815.320	---	---
11AC80MIMO	Ant2	5775	81.280	5734.040	5815.320	---	---
11AC80MIMO	Ant3	5775	80.800	5734.680	5815.480	---	---
11AC160MIMO	Ant0	5250	163.200	5168.400	5331.600	---	---
11AC160MIMO	Ant1	5250	163.520	5168.400	5331.920	---	---
11AC160MIMO	Ant2	5250	163.200	5168.400	5331.600	---	---
11AC160MIMO	Ant3	5250	163.520	5168.720	5332.240	---	---
11AC160MIMO	Ant0	5250_UNII-1	81.6	5168.400	5250	---	---
11AC160MIMO	Ant1	5250_UNII-1	81.6	5168.400	5250	---	---
11AC160MIMO	Ant2	5250_UNII-1	81.6	5168.400	5250	---	---
11AC160MIMO	Ant3	5250_UNII-1	81.28	5168.720	5250	---	---
11AC160MIMO	Ant0	5250_UNII-2A	81.6	5250	5331.600	---	---
11AC160MIMO	Ant1	5250_UNII-2A	81.92	5250	5331.920	---	---
11AC160MIMO	Ant2	5250_UNII-2A	81.6	5250	5331.600	---	---
11AC160MIMO	Ant3	5250_UNII-2A	82.24	5250	5332.240	---	---

11AC160MIMO	Ant0	5570	164.160	5487.760	5651.920	---	---
11AC160MIMO	Ant1	5570	164.480	5487.760	5652.240	---	---
11AC160MIMO	Ant2	5570	163.520	5488.080	5651.600	---	---
11AC160MIMO	Ant3	5570	163.520	5488.400	5651.920	---	---
11AX20MIMO	Ant0	5180	23.960	5168.440	5192.400	---	---
11AX20MIMO	Ant1	5180	22.560	5168.840	5191.400	---	---
11AX20MIMO	Ant2	5180	22.120	5168.640	5190.760	---	---
11AX20MIMO	Ant3	5180	22.720	5168.600	5191.320	---	---
11AX20MIMO	Ant0	5200	21.640	5189.080	5210.720	---	---
11AX20MIMO	Ant2	5200	21.480	5189.200	5210.680	---	---
11AX20MIMO	Ant3	5200	23.040	5188.080	5211.120	---	---
11AX20MIMO	Ant1	5200	21.600	5189.120	5210.720	---	---
11AX20MIMO	Ant1	5240	21.560	5229.120	5250.680	---	---
11AX20MIMO	Ant2	5240	21.840	5229.000	5250.840	---	---
11AX20MIMO	Ant3	5240	21.760	5229.120	5250.880	---	---
11AX20MIMO	Ant0	5240	23.480	5227.920	5251.400	---	---
11AX20MIMO	Ant0	5260	21.840	5249.120	5270.960	---	---
11AX20MIMO	Ant1	5260	21.480	5249.280	5270.760	---	---
11AX20MIMO	Ant2	5260	21.600	5249.240	5270.840	---	---
11AX20MIMO	Ant3	5260	21.640	5249.000	5270.640	---	---
11AX20MIMO	Ant0	5280	21.320	5269.280	5290.600	---	---
11AX20MIMO	Ant1	5280	21.360	5269.280	5290.640	---	---
11AX20MIMO	Ant2	5280	21.320	5269.200	5290.520	---	---
11AX20MIMO	Ant3	5280	21.400	5269.160	5290.560	---	---
11AX20MIMO	Ant0	5320	22.480	5308.560	5331.040	---	---
11AX20MIMO	Ant3	5320	21.400	5309.280	5330.680	---	---
11AX20MIMO	Ant1	5320	22.440	5308.560	5331.000	---	---
11AX20MIMO	Ant2	5320	21.420	5309.280	5330.700	---	---
11AX20MIMO	Ant1	5500	22.080	5488.880	5510.960	---	---
11AX20MIMO	Ant0	5500	22.200	5489.080	5511.280	---	---
11AX20MIMO	Ant3	5500	22.640	5488.560	5511.200	---	---
11AX20MIMO	Ant2	5500	23.080	5489.080	5512.160	---	---
11AX20MIMO	Ant0	5580	21.520	5569.200	5590.720	---	---
11AX20MIMO	Ant1	5580	21.480	5569.160	5590.640	---	---
11AX20MIMO	Ant2	5580	21.320	5569.320	5590.640	---	---
11AX20MIMO	Ant3	5580	21.360	5569.400	5590.760	---	---
11AX20MIMO	Ant0	5700	21.760	5689.240	5711.000	---	---
11AX20MIMO	Ant1	5700	21.320	5689.320	5710.640	---	---
11AX20MIMO	Ant2	5700	21.400	5689.200	5710.600	---	---
11AX20MIMO	Ant3	5700	21.640	5689.040	5710.680	---	---
11AX20MIMO	Ant0	5745	21.400	5734.240	5755.640	---	---
11AX20MIMO	Ant1	5745	21.360	5734.360	5755.720	---	---

11AX20MIMO	Ant2	5745	21.360	5734.320	5755.680	---	---
11AX20MIMO	Ant3	5745	21.520	5734.280	5755.800	---	---
11AX20MIMO	Ant0	5785	21.600	5774.120	5795.720	---	---
11AX20MIMO	Ant1	5785	21.400	5774.320	5795.720	---	---
11AX20MIMO	Ant2	5785	21.480	5774.280	5795.760	---	---
11AX20MIMO	Ant3	5785	21.280	5774.160	5795.440	---	---
11AX20MIMO	Ant0	5825	21.360	5814.320	5835.680	---	---
11AX20MIMO	Ant1	5825	21.360	5814.440	5835.800	---	---
11AX20MIMO	Ant2	5825	21.640	5814.160	5835.800	---	---
11AX20MIMO	Ant3	5825	21.760	5814.120	5835.880	---	---
11AX40MIMO	Ant0	5190	42.220	5168.480	5210.700	---	---
11AX40MIMO	Ant1	5190	43.260	5168.160	5211.420	---	---
11AX40MIMO	Ant2	5190	42.240	5168.480	5210.720	---	---
11AX40MIMO	Ant3	5190	43.200	5168.160	5211.360	---	---
11AX40MIMO	Ant0	5230	40.560	5209.680	5250.240	---	---
11AX40MIMO	Ant1	5230	40.320	5209.840	5250.160	---	---
11AX40MIMO	Ant2	5230	40.080	5209.920	5250.000	---	---
11AX40MIMO	Ant3	5230	40.000	5210.000	5250.000	---	---
11AX40MIMO	Ant0	5270	40.640	5249.520	5290.160	---	---
11AX40MIMO	Ant1	5270	40.480	5249.600	5290.080	---	---
11AX40MIMO	Ant2	5270	39.920	5250.000	5289.920	---	---
11AX40MIMO	Ant3	5270	39.920	5250.080	5290.000	---	---
11AX40MIMO	Ant0	5310	44.400	5289.040	5333.440	---	---
11AX40MIMO	Ant1	5310	42.000	5288.800	5330.800	---	---
11AX40MIMO	Ant2	5310	41.440	5288.720	5330.160	---	---
11AX40MIMO	Ant3	5310	43.120	5287.920	5331.040	---	---
11AX40MIMO	Ant3	5510	42.160	5489.040	5531.200	---	---
11AX40MIMO	Ant0	5510	47.280	5486.320	5533.600	---	---
11AX40MIMO	Ant1	5510	41.520	5489.040	5530.560	---	---
11AX40MIMO	Ant2	5510	43.360	5488.960	5532.320	---	---
11AX40MIMO	Ant0	5550	40.640	5529.680	5570.320	---	---
11AX40MIMO	Ant1	5550	40.320	5530.000	5570.320	---	---
11AX40MIMO	Ant2	5550	40.400	5529.600	5570.000	---	---
11AX40MIMO	Ant3	5550	40.080	5529.920	5570.000	---	---
11AX40MIMO	Ant0	5670	40.720	5649.680	5690.400	---	---
11AX40MIMO	Ant1	5670	40.000	5650.080	5690.080	---	---
11AX40MIMO	Ant2	5670	39.920	5650.000	5689.920	---	---
11AX40MIMO	Ant3	5670	40.400	5649.920	5690.320	---	---
11AX40MIMO	Ant0	5755	40.560	5734.600	5775.160	---	---
11AX40MIMO	Ant1	5755	40.240	5734.840	5775.080	---	---
11AX40MIMO	Ant2	5755	40.320	5734.920	5775.240	---	---
11AX40MIMO	Ant3	5755	40.480	5734.680	5775.160	---	---

11AX40MIMO	Ant0	5795	40.480	5774.680	5815.160	---	---
11AX40MIMO	Ant1	5795	40.160	5774.760	5814.920	---	---
11AX40MIMO	Ant2	5795	40.080	5774.920	5815.000	---	---
11AX40MIMO	Ant3	5795	40.000	5774.920	5814.920	---	---
11AX80MIMO	Ant0	5210	83.200	5168.240	5251.440	---	---
11AX80MIMO	Ant1	5210	82.240	5169.040	5251.280	---	---
11AX80MIMO	Ant2	5210	83.520	5168.880	5252.400	---	---
11AX80MIMO	Ant3	5210	84.640	5167.280	5251.920	---	---
11AX80MIMO	Ant0	5290	81.760	5249.680	5331.440	---	---
11AX80MIMO	Ant1	5290	83.520	5248.560	5332.080	---	---
11AX80MIMO	Ant2	5290	82.400	5248.240	5330.640	---	---
11AX80MIMO	Ant3	5290	82.240	5249.040	5331.280	---	---
11AX80MIMO	Ant0	5530	82.880	5488.240	5571.120	---	---
11AX80MIMO	Ant1	5530	87.040	5484.240	5571.280	---	---
11AX80MIMO	Ant2	5530	84.160	5487.280	5571.440	---	---
11AX80MIMO	Ant3	5530	80.960	5489.520	5570.480	---	---
11AX80MIMO	Ant0	5610	82.240	5568.720	5650.960	---	---
11AX80MIMO	Ant1	5610	81.280	5569.200	5650.480	---	---
11AX80MIMO	Ant2	5610	81.600	5569.200	5650.800	---	---
11AX80MIMO	Ant3	5610	80.640	5569.360	5650.000	---	---
11AX80MIMO	Ant0	5775	81.600	5734.040	5815.640	---	---
11AX80MIMO	Ant1	5775	81.120	5734.360	5815.480	---	---
11AX80MIMO	Ant2	5775	81.600	5734.200	5815.800	---	---
11AX80MIMO	Ant3	5775	81.760	5734.200	5815.960	---	---
11AX160MIMO	Ant0	5250	164.480	5167.120	5331.600	---	---
11AX160MIMO	Ant1	5250	164.800	5167.760	5332.560	---	---
11AX160MIMO	Ant2	5250	164.160	5167.440	5331.600	---	---
11AX160MIMO	Ant3	5250	164.800	5167.440	5332.240	---	---
11AX160MIMO	Ant0	5250_UNII-1	82.88	5167.120	5250	---	---
11AX160MIMO	Ant1	5250_UNII-1	82.24	5167.760	5250	---	---
11AX160MIMO	Ant2	5250_UNII-1	82.56	5167.440	5250	---	---
11AX160MIMO	Ant3	5250_UNII-1	82.56	5167.440	5250	---	---
11AX160MIMO	Ant0	5250_UNII-2A	81.6	5250	5331.600	---	---
11AX160MIMO	Ant1	5250_UNII-2A	82.56	5250	5332.560	---	---
11AX160MIMO	Ant2	5250_UNII-2A	81.6	5250	5331.600	---	---
11AX160MIMO	Ant3	5250_UNII-2A	82.24	5250	5332.240	---	---
11AX160MIMO	Ant0	5570	163.200	5488.080	5651.280	---	---
11AX160MIMO	Ant1	5570	163.520	5488.080	5651.600	---	---
11AX160MIMO	Ant2	5570	163.520	5488.080	5651.600	---	---
11AX160MIMO	Ant3	5570	162.560	5488.720	5651.280	---	---
11BE20MIMO	Ant3	5180	21.760	5169.240	5191.000	---	---
11BE20MIMO	Ant1	5180	22.120	5169.160	5191.280	---	---

11BE20MIMO	Ant2	5180	23.480	5168.960	5192.440	---	---
11BE20MIMO	Ant0	5180	23.040	5167.840	5190.880	---	---
11BE20MIMO	Ant0	5200	21.600	5189.200	5210.800	---	---
11BE20MIMO	Ant2	5200	21.640	5189.080	5210.720	---	---
11BE20MIMO	Ant3	5200	21.440	5189.120	5210.560	---	---
11BE20MIMO	Ant1	5200	21.080	5189.400	5210.480	---	---
11BE20MIMO	Ant0	5240	21.880	5229.160	5251.040	---	---
11BE20MIMO	Ant1	5240	21.520	5229.200	5250.720	---	---
11BE20MIMO	Ant2	5240	21.280	5229.400	5250.680	---	---
11BE20MIMO	Ant3	5240	21.520	5229.240	5250.760	---	---
11BE20MIMO	Ant0	5260	21.280	5249.280	5270.560	---	---
11BE20MIMO	Ant1	5260	21.720	5249.120	5270.840	---	---
11BE20MIMO	Ant2	5260	21.600	5249.120	5270.720	---	---
11BE20MIMO	Ant3	5260	21.400	5249.400	5270.800	---	---
11BE20MIMO	Ant0	5280	21.480	5269.200	5290.680	---	---
11BE20MIMO	Ant1	5280	21.760	5269.040	5290.800	---	---
11BE20MIMO	Ant2	5280	21.320	5269.240	5290.560	---	---
11BE20MIMO	Ant3	5280	21.800	5269.200	5291.000	---	---
11BE20MIMO	Ant2	5320	22.880	5308.600	5331.480	---	---
11BE20MIMO	Ant1	5320	23.160	5308.200	5331.360	---	---
11BE20MIMO	Ant3	5320	22.320	5308.800	5331.120	---	---
11BE20MIMO	Ant0	5320	22.860	5308.600	5331.460	---	---
11BE20MIMO	Ant1	5500	21.600	5489.160	5510.760	---	---
11BE20MIMO	Ant2	5500	23.040	5488.040	5511.080	---	---
11BE20MIMO	Ant3	5500	23.520	5488.160	5511.680	---	---
11BE20MIMO	Ant0	5500	22.640	5488.120	5510.760	---	---
11BE20MIMO	Ant0	5580	21.760	5569.080	5590.840	---	---
11BE20MIMO	Ant1	5580	21.480	5569.160	5590.640	---	---
11BE20MIMO	Ant2	5580	21.640	5569.160	5590.800	---	---
11BE20MIMO	Ant3	5580	21.360	5569.200	5590.560	---	---
11BE20MIMO	Ant0	5700	21.480	5689.200	5710.680	---	---
11BE20MIMO	Ant1	5700	21.240	5689.320	5710.560	---	---
11BE20MIMO	Ant2	5700	21.720	5689.080	5710.800	---	---
11BE20MIMO	Ant3	5700	21.520	5689.160	5710.680	---	---
11BE20MIMO	Ant0	5745	21.600	5733.960	5755.560	---	---
11BE20MIMO	Ant1	5745	21.400	5734.160	5755.560	---	---
11BE20MIMO	Ant2	5745	21.560	5734.120	5755.680	---	---
11BE20MIMO	Ant3	5745	21.280	5734.320	5755.600	---	---
11BE20MIMO	Ant0	5785	21.440	5774.240	5795.680	---	---
11BE20MIMO	Ant1	5785	21.560	5774.160	5795.720	---	---
11BE20MIMO	Ant2	5785	21.400	5774.200	5795.600	---	---
11BE20MIMO	Ant3	5785	21.360	5774.280	5795.640	---	---

11BE20MIMO	Ant0	5825	21.480	5814.160	5835.640	---	---
11BE20MIMO	Ant1	5825	21.360	5814.240	5835.600	---	---
11BE20MIMO	Ant2	5825	21.600	5814.200	5835.800	---	---
11BE20MIMO	Ant3	5825	21.320	5814.280	5835.600	---	---
11BE40MIMO	Ant3	5190	45.040	5168.160	5213.200	---	---
11BE40MIMO	Ant0	5190	44.400	5167.280	5211.680	---	---
11BE40MIMO	Ant1	5190	43.040	5169.520	5212.560	---	---
11BE40MIMO	Ant2	5190	41.760	5169.040	5210.800	---	---
11BE40MIMO	Ant0	5230	40.480	5209.600	5250.080	---	---
11BE40MIMO	Ant1	5230	40.320	5209.760	5250.080	---	---
11BE40MIMO	Ant2	5230	40.720	5209.440	5250.160	---	---
11BE40MIMO	Ant3	5230	40.400	5209.760	5250.160	---	---
11BE40MIMO	Ant0	5270	40.800	5249.520	5290.320	---	---
11BE40MIMO	Ant1	5270	40.560	5249.600	5290.160	---	---
11BE40MIMO	Ant2	5270	40.400	5249.680	5290.080	---	---
11BE40MIMO	Ant3	5270	40.320	5249.840	5290.160	---	---
11BE40MIMO	Ant0	5310	42.080	5289.120	5331.200	---	---
11BE40MIMO	Ant1	5310	42.880	5288.080	5330.960	---	---
11BE40MIMO	Ant2	5310	44.800	5288.240	5333.040	---	---
11BE40MIMO	Ant3	5310	46.400	5285.120	5331.520	---	---
11BE40MIMO	Ant1	5510	45.520	5487.200	5532.720	---	---
11BE40MIMO	Ant2	5510	44.720	5488.080	5532.800	---	---
11BE40MIMO	Ant0	5510	45.840	5484.800	5530.640	---	---
11BE40MIMO	Ant3	5510	41.200	5489.040	5530.240	---	---
11BE40MIMO	Ant0	5550	40.560	5529.520	5570.080	---	---
11BE40MIMO	Ant1	5550	40.160	5529.840	5570.000	---	---
11BE40MIMO	Ant2	5550	40.560	5529.520	5570.080	---	---
11BE40MIMO	Ant3	5550	40.560	5529.600	5570.160	---	---
11BE40MIMO	Ant0	5670	40.720	5649.520	5690.240	---	---
11BE40MIMO	Ant1	5670	40.480	5649.760	5690.240	---	---
11BE40MIMO	Ant2	5670	40.080	5650.000	5690.080	---	---
11BE40MIMO	Ant3	5670	40.400	5649.680	5690.080	---	---
11BE40MIMO	Ant0	5755	40.640	5734.440	5775.080	---	---
11BE40MIMO	Ant1	5755	40.400	5734.600	5775.000	---	---
11BE40MIMO	Ant2	5755	40.480	5734.680	5775.160	---	---
11BE40MIMO	Ant3	5755	40.640	5734.600	5775.240	---	---
11BE40MIMO	Ant0	5795	40.800	5774.440	5815.240	---	---
11BE40MIMO	Ant1	5795	40.080	5774.840	5814.920	---	---
11BE40MIMO	Ant3	5795	40.160	5774.760	5814.920	---	---
11BE40MIMO	Ant2	5795	40.560	5774.440	5815.000	---	---
11BE80MIMO	Ant1	5210	86.720	5164.880	5251.600	---	---
11BE80MIMO	Ant2	5210	86.720	5164.880	5251.600	---	---

11BE80MIMO	Ant3	5210	88.320	5164.880	5253.200	---	---
11BE80MIMO	Ant0	5210	84.480	5168.720	5253.200	---	---
11BE80MIMO	Ant0	5290	88.000	5244.560	5332.560	---	---
11BE80MIMO	Ant1	5290	86.240	5244.880	5331.120	---	---
11BE80MIMO	Ant2	5290	85.280	5245.680	5330.960	---	---
11BE80MIMO	Ant3	5290	86.400	5244.880	5331.280	---	---
11BE80MIMO	Ant0	5530	89.440	5482.480	5571.920	---	---
11BE80MIMO	Ant1	5530	87.360	5484.560	5571.920	---	---
11BE80MIMO	Ant2	5530	88.320	5484.560	5572.880	---	---
11BE80MIMO	Ant3	5530	86.720	5484.560	5571.280	---	---
11BE80MIMO	Ant0	5610	82.080	5568.880	5650.960	---	---
11BE80MIMO	Ant1	5610	81.120	5569.520	5650.640	---	---
11BE80MIMO	Ant2	5610	81.600	5568.880	5650.480	---	---
11BE80MIMO	Ant3	5610	81.440	5569.200	5650.640	---	---
11BE80MIMO	Ant0	5775	81.920	5733.880	5815.800	---	---
11BE80MIMO	Ant1	5775	80.800	5734.520	5815.320	---	---
11BE80MIMO	Ant2	5775	80.960	5734.360	5815.320	---	---
11BE80MIMO	Ant3	5775	81.440	5734.040	5815.480	---	---
11BE160MIMO	Ant0	5250	163.520	5168.080	5331.600	---	---
11BE160MIMO	Ant1	5250	162.880	5168.720	5331.600	---	---
11BE160MIMO	Ant2	5250	162.560	5168.720	5331.280	---	---
11BE160MIMO	Ant3	5250	163.840	5168.080	5331.920	---	---
11BE160MIMO	Ant0	5250_UNII-1	81.92	5168.080	5250	---	---
11BE160MIMO	Ant1	5250_UNII-1	81.28	5168.720	5250	---	---
11BE160MIMO	Ant2	5250_UNII-1	81.28	5168.720	5250	---	---
11BE160MIMO	Ant3	5250_UNII-1	81.92	5168.080	5250	---	---
11BE160MIMO	Ant0	5250_UNII-2A	81.6	5250	5331.600	---	---
11BE160MIMO	Ant1	5250_UNII-2A	81.6	5250	5331.600	---	---
11BE160MIMO	Ant2	5250_UNII-2A	81.28	5250	5331.280	---	---
11BE160MIMO	Ant3	5250_UNII-2A	81.92	5250	5331.920	---	---
11BE160MIMO	Ant0	5570	162.880	5488.400	5651.280	---	---
11BE160MIMO	Ant1	5570	163.840	5488.080	5651.920	---	---
11BE160MIMO	Ant2	5570	163.520	5488.080	5651.600	---	---
11BE160MIMO	Ant3	5570	162.560	5488.720	5651.280	---	---

Test Graphs

