


6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6785MHz_TX




EUT Y_2TX
Setting 29
01-I-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.56355G	57.62	88.20	-30.58	36.73	3	Horizontal	278	1.80	-	40.25	11.71	31.07				
RMS	13.56988G	46.91	68.20	-21.29	26.04	3	Horizontal	278	1.80	-	40.22	11.72	31.07				

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX


6785MHz_TX

EUT_Y_2TX
Setting 29
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.34786G	54.28	83.54	-29.26	49.88	1	Vertical	266	1.73	-	38.10	15.48	49.18			
AV	20.38524G	42.34	63.54	-21.20	37.97	1	Vertical	266	1.73	-	38.03	15.51	49.17			

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX


6785MHz_TX

EUT_Y_2TX
Setting 29
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.37362G	55.29	83.54	-28.25	50.91	1	Horizontal	240	1.71	-	38.05	15.50	49.17			
AV	20.37264G	42.40	63.54	-21.14	38.02	1	Horizontal	240	1.71	-	38.05	15.50	49.17			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 29
01-I-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9246G	63.03	88.20	-25.17	55.43	3	Vertical	216	1.80	-	32.40	7.64	32.44			
RMS	5.9246G	52.63	68.20	-15.57	45.03	3	Vertical	216	1.80	-	32.40	7.64	32.44			
PK	6.2494G	117.29	Inf	-Inf	108.91	3	Vertical	216	1.80	-	33.00	7.79	32.41			
RMS	6.2018G	106.09	Inf	-Inf	97.98	3	Vertical	216	1.80	-	32.81	7.72	32.42			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 29
01-I-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9008G	61.70	88.20	-26.50	54.11	3	Horizontal	32	1.80	-	32.40	7.63	32.44			
RMS	5.8994G	51.45	68.20	-16.75	43.86	3	Horizontal	32	1.80	-	32.40	7.63	32.44			
PK	6.171G	106.58	Inf	-Inf	98.55	3	Horizontal	32	1.80	-	32.74	7.71	32.42			
RMS	6.1822G	96.06	Inf	-Inf	88.00	3	Horizontal	32	1.80	-	32.76	7.72	32.42			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6185MHz_TX




EUT Y_2TX
Setting 29
01-I-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36187G	57.06	74.00	-16.94	39.20	3	Vertical	159	1.51	-	38.88	11.26	32.28			
AV	12.38203G	45.19	54.00	-8.81	27.33	3	Vertical	159	1.51	-	38.84	11.27	32.25			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 29
01-I-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38272G	57.12	74.00	-16.88	39.27	3	Horizontal	265	2.62	-	38.83	11.27	32.25			
AV	12.38371G	45.10	54.00	-8.90	27.25	3	Horizontal	265	2.62	-	38.83	11.27	32.25			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX


6185MHz_TX

EUT_Y_2TX
Setting 29
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79745G	50.80	83.54	-32.74	47.22	1	Vertical	334	1.96	-	37.80	15.26	49.48			
AV	18.79275G	39.19	63.54	-24.35	35.61	1	Vertical	334	1.96	-	37.80	15.26	49.48			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX


6185MHz_TX

EUT_Y_2TX
Setting 29
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.7958G	52.21	83.54	-31.33	48.63	1	Horizontal	280	1.80	-	37.80	15.26	49.48			
AV	18.7938G	40.27	63.54	-23.27	36.69	1	Horizontal	280	1.80	-	37.80	15.26	49.48			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 29
01-I-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68586G	56.59	74.00	-17.41	38.30	3	Vertical	93	1.80	-	38.80	11.38	31.89			
AV	12.67515G	44.96	54.00	-9.04	26.68	3	Vertical	93	1.80	-	38.80	11.38	31.90			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX


6345MHz_TX

EUT_Y_2TX
Setting 29
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.68985G	57.10	74.00	-16.90	38.81	3	Horizontal	249	2.52	-	38.80	11.38	31.89			
AV	12.68106G	44.63	54.00	-9.37	26.35	3	Horizontal	249	2.52	-	38.80	11.38	31.90			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX


6345MHz_TX

EUT_Y_2TX
Setting 29
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03318G	48.83	83.54	-34.71	45.04	1	Vertical	325	1.89	-	37.90	15.25	49.36			
AV	19.03394G	37.44	63.54	-26.10	33.65	1	Vertical	325	1.89	-	37.90	15.25	49.36			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX


6345MHz_TX

EUT_Y_2TX
Setting 29
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.0368G	51.34	83.54	-32.20	47.56	1	Horizontal	275	1.87	-	37.90	15.25	49.37			
AV	19.03729G	39.50	63.54	-24.04	35.72	1	Horizontal	275	1.87	-	37.90	15.25	49.37			

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 29
01-I-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.31812G	56.85	74.00	-17.15	36.96	3	Vertical	226	2.54	-	39.51	11.62	31.24			
AV	13.32985G	44.82	54.00	-9.18	24.83	3	Vertical	226	2.54	-	39.58	11.63	31.22			

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 29
01-I-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33021G	56.76	74.00	-17.24	36.77	3	Horizontal	278	1.80	-	39.58	11.63	31.22			
AV	13.32976G	45.85	54.00	-8.15	25.86	3	Horizontal	278	1.80	-	39.58	11.63	31.22			

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX


6665MHz_TX

EUT_Y_2TX
Setting 29
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99458G	48.58	83.54	-34.96	44.85	1	Vertical	333	1.51	-	37.80	15.20	49.27			
AV	19.99284G	36.97	63.54	-26.57	33.25	1	Vertical	333	1.51	-	37.80	15.20	49.28			

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX


6665MHz_TX

EUT_Y_2TX
Setting 29
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99727G	51.50	83.54	-32.04	47.77	1	Horizontal	343	1.63	-	37.80	15.20	49.27			
AV	19.99271G	38.97	63.54	-24.57	35.25	1	Horizontal	343	1.63	-	37.80	15.20	49.28			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
Setting 29
01-I-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9194G	67.14	88.20	-21.06	59.54	3	Vertical	39	1.80	-	32.40	7.64	32.44			
RMS	5.9242G	57.82	68.20	-10.38	50.22	3	Vertical	39	1.80	-	32.40	7.64	32.44			
PK	6.2858G	113.73	Inf	-Inf	105.30	3	Vertical	39	1.80	-	33.00	7.84	32.41			
RMS	6.281G	103.08	Inf	-Inf	94.66	3	Vertical	39	1.80	-	33.00	7.83	32.41			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
Setting 29
01-I-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9146G	61.85	88.20	-26.35	54.25	3	Horizontal	37	1.80	-	32.40	7.64	32.44			
RMS	5.9242G	52.08	68.20	-16.12	44.48	3	Horizontal	37	1.80	-	32.40	7.64	32.44			
PK	6.209G	102.54	Inf	-Inf	94.38	3	Horizontal	37	1.80	-	32.84	7.73	32.41			
RMS	6.2842G	92.63	Inf	-Inf	84.21	3	Horizontal	37	1.80	-	33.00	7.83	32.41			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX


6265MHz_TX

EUT_Y_2TX
Setting 29
01-I-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.52748G	57.01	74.00	-16.99	39.24	3	Vertical	151	1.78	-	38.50	11.32	32.05			
AV	12.53249G	45.09	54.00	-8.91	27.32	3	Vertical	151	1.78	-	38.50	11.32	32.05			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX


6265MHz_TX

EUT_Y_2TX
Setting 29
01-I-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.51623G	58.14	74.00	-15.86	40.38	3	Horizontal	68	1.80	-	38.50	11.32	32.06			
AV	12.53891G	45.31	54.00	-8.69	27.53	3	Horizontal	68	1.80	-	38.50	11.32	32.04			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX


6265MHz_TX

EUT_Y_2TX
Setting 29
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.79525G	50.20	83.54	-33.34	46.62	1	Vertical	320	1.35	-	37.80	15.26	49.48			
AV	18.79294G	38.19	63.54	-25.35	34.61	1	Vertical	320	1.35	-	37.80	15.26	49.48			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6265MHz_TX

EUT_Y_2TX
Setting 29
01-I-J-8


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.79377G	50.54	83.54	-33.00	46.96	1	Horizontal	320	1.51	-	37.80	15.26	49.48			
AV	18.79269G	38.19	63.54	-25.35	34.61	1	Horizontal	320	1.51	-	37.80	15.26	49.48			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6115MHz_TX

16/08/2024




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

16/08/2024




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

16/08/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

16/08/2024



6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

16/08/2024

CF (Hz)
6.695G


Span (Hz)
100M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.686227G	13.08	6.6713G	-12.65	-6.98	-5.67	1
6.702648G	13.22	6.721925G	-13.95	-6.79	-7.16	2

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

16/08/2024

CF (Hz)
6.855G


Span (Hz)
100M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.862148G	12.50	6.882275G	-18.37	-7.67	-10.70	1
6.853375G	12.40	6.830375G	-15.17	-7.62	-7.55	2

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6125MHz_TX

16/08/2024

CF (Hz)
6.125G


Span (Hz)
200M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.128599G	13.55	6.1756G	-14.68	-6.46	-8.22	1
6.109554G	12.60	6.17835G	-15.58	-7.20	-8.38	2

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

16/08/2024

CF (Hz)
6.205G


Span (Hz)
200M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.209249G	12.40	6.25465G	-14.62	-7.64	-6.98	1
6.218797G	12.88	6.24965G	-12.58	-7.20	-5.38	2

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

16/08/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

16/08/2024



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

16/08/2024

CF (Hz)
6.685G


Span (Hz)
200M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.687799G	13.52	6.7367G	-16.21	-6.54	-9.67	1
6.690449G	12.98	6.7381G	-13.87	-7.06	-6.81	2

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

16/08/2024

CF (Hz)
6.845G


Span (Hz)
200M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.849199G	12.47	6.79465G	-14.66	-7.60	-7.06	1
6.835352G	12.65	6.79875G	-14.05	-7.37	-6.68	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6145MHz_TX

16/08/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

16/08/2024



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

16/08/2024

CF (Hz)
6.385G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.36251G	8.91	6.4768G	-19.89	-11.11	-8.78	1
6.40969G	7.87	6.3099G	-20.38	-15.40	-4.98	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

16/08/2024

CF (Hz)
6.625G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6189G	12.63	6.5217G	-14.44	-7.41	-7.03	1
6.58891G	12.03	6.5155G	-15.82	-7.99	-7.83	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

16/08/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

16/08/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

16/08/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

16/08/2024




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

16/08/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.58922G	4.67	6.3578G	-39.90	-35.33	-4.57	1
6.59242G	4.65	6.4062G	-37.18	-35.35	-1.83	2

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6265MHz_TX

16/08/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.259G	8.71	6.6546G	-19.15	-12.77	-6.38	1
6.2786G	8.15	6.6546G	-21.69	-14.92	-6.77	2

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6115MHz_TX

16/08/2024

CF (Hz)
6.115G


Span (Hz)
100M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.120074G	13.39	6.141875G	-17.72	-6.64	-11.08	1
6.106677G	12.49	6.14265G	-16.51	-7.60	-8.91	2

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6195MHz_TX

16/08/2024

CF (Hz)
6.195G


Span (Hz)
100M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.187577G	12.40	6.220775G	-15.61	-7.60	-8.01	1
6.202773G	12.90	6.2199G	-15.83	-7.11	-8.72	2

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6415MHz_TX

16/08/2024




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6535MHz_TX

16/08/2024




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6695MHz_TX

16/08/2024




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6855MHz_TX

16/08/2024




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6125MHz_TX

16/08/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.136797G	13.57	6.17435G	-13.63	-6.50	-7.13	1
6.127849G	12.45	6.17725G	-14.42	-7.57	-6.85	2

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6205MHz_TX

16/08/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.223295G	12.36	6.2556G	-15.05	-7.67	-7.38	1
6.214998G	13.04	6.25335G	-15.02	-7.12	-7.90	2


5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6405MHz_TX

16/08/2024

CF (Hz)
6.405G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.401401G	8.48	6.4762G	-33.32	-31.52	-1.80	1
6.386755G	8.19	6.4698G	-34.48	-31.81	-2.67	2


6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6565MHz_TX

16/08/2024

CF (Hz)
6.565G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.570799G	13.60	6.61855G	-16.76	-6.46	-10.30	1
6.575047G	13.03	6.51025G	-15.97	-7.02	-8.95	2

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6685MHz_TX

16/08/2024




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6845MHz_TX

16/08/2024




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6145MHz_TX

16/08/2024




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6225MHz_TX

16/08/2024



5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6385MHz_TX

16/08/2024

CF (Hz)
6.385G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.395G	8.60	6.4547G	-15.71	-11.61	-4.10	1
6.36471G	8.02	6.5239G	-33.62	-31.55	-2.07	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6625MHz_TX

16/08/2024

CF (Hz)
6.625G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6313G	12.87	6.5188G	-15.91	-7.16	-8.75	1
6.59711G	12.06	6.7325G	-14.43	-8.06	-6.37	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6705MHz_TX

16/08/2024




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6785MHz_TX

16/08/2024




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6185MHz_TX

16/08/2024




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6345MHz_TX

16/08/2024



6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6665MHz_TX

16/08/2024

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.59882G	4.90	6.3536G	-39.98	-35.10	-4.88	1
6.59922G	4.79	6.4058G	-37.04	-35.21	-1.83	2

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6265MHz_TX

16/08/2024

CF (Hz)
6.265G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2562G	8.68	6.6486G	-19.10	-12.59	-6.51	1
6.2802G	8.41	6.6582G	-22.51	-14.55	-7.96	2