


Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	20.050	16.700
116	5580	20.090	16.600
140	5700	20.150	16.700

CH100




Date: 10.MAR.2025 19:54:31

CH116
26 dB Bandwidth




Date: 10.MAR.2025 19:55:40

CH140




Date: 10.MAR.2025 19:56:47


99 % Occupied Bandwidth



Date: 10.MAR.2025 19:53:48



Date: 10.MAR.2025 19:54:55




Date: 10.MAR.2025 19:56:03

Test Mode	UNII-2C_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	20.550	17.700
116	5580	20.550	17.700
140	5700	20.389	17.700

CH100




Date: 10.MAR.2025 20:03:26

CH116
26 dB Bandwidth




Date: 10.MAR.2025 20:04:41

CH140




Date: 10.MAR.2025 20:05:49


99 % Occupied Bandwidth



Date: 10.MAR.2025 20:02:44



Date: 10.MAR.2025 20:03:58




Date: 10.MAR.2025 20:05:04

Test Mode	UNII-2C_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	39.990	36.400
110	5550	40.100	36.400
134	5670	40.300	36.400

CH102




Date: 10.MAR.2025 21:03:14

CH110
26 dB Bandwidth




Date: 10.MAR.2025 21:05:47

CH134




Date: 10.MAR.2025 21:07:09


99 % Occupied Bandwidth



Date: 10.MAR.2025 21:02:29



Date: 10.MAR.2025 21:05:01




Date: 10.MAR.2025 21:06:24

Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	80.800	75.200
122	5610	80.800	75.200

CH106




Date: 10.MAR.2025 21:19:01

CH122
26 dB Bandwidth




Date: 10.MAR.2025 21:20:34

99 % Occupied Bandwidth



Date: 10.MAR.2025 21:19:09




Date: 10.MAR.2025 21:19:43

Test Mode	UNII-2C_TX AX(HE20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	25.090	19.000
116	5580	24.490	19.100
140	5700	24.450	19.100

CH100




Date: 10.MAR.2025 20:20:47

CH116
26 dB Bandwidth




Date: 10.MAR.2025 20:22:25

CH140




Date: 10.MAR.2025 20:23:58


99 % Occupied Bandwidth



Date: 10.MAR.2025 20:20:03



Date: 10.MAR.2025 20:21:22




Date: 10.MAR.2025 20:22:51

Test Mode	UNII-2C_TX AX(HE40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	39.300	37.600
110	5550	39.600	37.800
134	5670	39.600	37.600

CH102




Date: 10.MAR.2025 20:47:04

CH110
26 dB Bandwidth




Date: 10.MAR.2025 20:48:22

CH134




Date: 10.MAR.2025 20:49:31


99 % Occupied Bandwidth



Date: 10.MAR.2025 20:46:19



Date: 10.MAR.2025 20:47:38




Date: 10.MAR.2025 20:48:47

Test Mode	UNII-2C_TX AX(HE80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	81.000	76.800
122	5610	81.000	76.800

CH106




Date: 10.MAR.2025 21:37:02

CH122
26 dB Bandwidth




Date: 10.MAR.2025 21:38:48

99 % Occupied Bandwidth



Date: 10.MAR.2025 21:36:08



Date: 10.MAR.2025 21:38:05

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	19.51	0.18	19.69	23.98	0.2500	Complies
60	5300	19.49	0.18	19.67	23.98	0.2500	Complies
64	5320	19.58	0.18	19.76	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.55	0.18	18.73	23.98	0.2500	Complies
60	5300	18.56	0.18	18.74	23.98	0.2500	Complies
64	5320	18.60	0.18	18.78	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	22.25	23.98	0.2500	Complies
60	5300	22.24	23.98	0.2500	Complies
64	5320	22.31	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.49	0.19	18.68	23.98	0.2500	Complies
60	5300	18.51	0.19	18.70	23.98	0.2500	Complies
64	5320	18.53	0.19	18.72	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	19.44	0.19	19.63	23.98	0.2500	Complies
60	5300	19.52	0.19	19.71	23.98	0.2500	Complies
64	5320	19.61	0.19	19.80	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	22.19	23.98	0.2500	Complies
60	5300	22.25	23.98	0.2500	Complies
64	5320	22.31	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.73	0.37	19.10	23.98	0.2500	Complies
62	5310	18.43	0.37	18.80	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.43	0.37	19.80	23.98	0.2500	Complies
62	5310	19.36	0.37	19.73	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	22.47	23.98	0.2500	Complies
62	5310	22.30	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	18.83	0.72	19.55	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	19.23	0.72	19.95	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	22.76	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.59	0.25	18.84	23.98	0.2500	Complies
60	5300	18.49	0.25	18.74	23.98	0.2500	Complies
64	5320	18.51	0.25	18.76	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	19.38	0.25	19.63	23.98	0.2500	Complies
60	5300	19.51	0.25	19.76	23.98	0.2500	Complies
64	5320	19.55	0.25	19.80	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	22.26	23.98	0.2500	Complies
60	5300	22.29	23.98	0.2500	Complies
64	5320	22.32	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.77	0.46	19.23	23.98	0.2500	Complies
62	5310	18.51	0.46	18.97	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.44	0.46	19.90	23.98	0.2500	Complies
62	5310	19.35	0.46	19.81	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	22.59	23.98	0.2500	Complies
62	5310	22.42	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	19.26	0.80	20.06	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	18.69	0.80	19.49	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	22.79	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.25	0.18	19.43	23.98	0.2500	Complies
116	5580	19.61	0.18	19.79	23.98	0.2500	Complies
140	5700	19.20	0.18	19.38	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.41	0.18	19.59	23.98	0.2500	Complies
116	5580	18.54	0.18	18.72	23.98	0.2500	Complies
140	5700	19.37	0.18	19.55	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	22.52	23.98	0.2500	Complies
116	5580	22.30	23.98	0.2500	Complies
140	5700	22.48	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.36	0.19	19.55	23.98	0.2500	Complies
116	5580	18.59	0.19	18.78	23.98	0.2500	Complies
140	5700	19.40	0.19	19.59	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.23	0.19	19.42	23.98	0.2500	Complies
116	5580	19.44	0.19	19.63	23.98	0.2500	Complies
140	5700	19.13	0.19	19.32	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	22.50	23.98	0.2500	Complies
116	5580	22.24	23.98	0.2500	Complies
140	5700	22.47	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.72	0.37	19.09	23.98	0.2500	Complies
110	5550	18.81	0.37	19.18	23.98	0.2500	Complies
134	5670	18.82	0.37	19.19	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	19.21	0.37	19.58	23.98	0.2500	Complies
110	5550	19.23	0.37	19.60	23.98	0.2500	Complies
134	5670	19.24	0.37	19.61	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	22.35	23.98	0.2500	Complies
110	5550	22.40	23.98	0.2500	Complies
134	5670	22.41	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	18.84	0.72	19.56	23.98	0.2500	Complies
122	5610	18.69	0.72	19.41	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	19.21	0.72	19.93	23.98	0.2500	Complies
122	5610	19.36	0.72	20.08	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	22.75	23.98	0.2500	Complies
122	5610	22.76	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.42	0.25	19.67	23.98	0.2500	Complies
116	5580	18.62	0.25	18.87	23.98	0.2500	Complies
140	5700	19.36	0.25	19.61	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.21	0.25	19.46	23.98	0.2500	Complies
116	5580	19.39	0.25	19.64	23.98	0.2500	Complies
140	5700	19.16	0.25	19.41	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	22.57	23.98	0.2500	Complies
116	5580	22.28	23.98	0.2500	Complies
140	5700	22.52	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.76	0.46	19.22	23.98	0.2500	Complies
110	5550	18.72	0.46	19.18	23.98	0.2500	Complies
134	5670	18.77	0.46	19.23	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	19.23	0.46	19.69	23.98	0.2500	Complies
110	5550	19.20	0.46	19.66	23.98	0.2500	Complies
134	5670	19.15	0.46	19.61	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	22.47	23.98	0.2500	Complies
110	5550	22.44	23.98	0.2500	Complies
134	5670	22.43	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	19.11	0.80	19.91	23.98	0.2500	Complies
122	5610	19.43	0.80	20.23	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	19.26	0.80	20.06	23.98	0.2500	Complies
122	5610	18.81	0.80	19.61	23.98	0.2500	Complies


Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	22.99	23.98	0.2500	Complies
122	5610	22.94	23.98	0.2500	Complies

APPENDIX G - POWER SPECTRAL DENSITY


Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.96	0.18	6.14	11.00	Complies
60	5300	5.90	0.18	6.08	11.00	Complies
64	5320	5.88	0.18	6.06	11.00	Complies



Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.99	0.18	7.17	11.00	Complies
60	5300	7.03	0.18	7.21	11.00	Complies
64	5320	7.08	0.18	7.26	11.00	Complies




Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	9.70	11.00	Complies
60	5300	9.69	11.00	Complies
64	5320	9.71	11.00	Complies


Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.75	0.19	5.94	11.00	Complies
60	5300	5.74	0.19	5.93	11.00	Complies
64	5320	5.78	0.19	5.97	11.00	Complies



Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.63	0.19	6.82	11.00	Complies
60	5300	6.60	0.19	6.79	11.00	Complies
64	5320	6.67	0.19	6.86	11.00	Complies




Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	9.41	11.00	Complies
60	5300	9.39	11.00	Complies
64	5320	9.45	11.00	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	2.94	0.37	3.31	11.00	Complies
62	5310	2.57	0.37	2.94	11.00	Complies

CH54



Date: 10.MAR.2025 20:50:54

CH62




Date: 10.MAR.2025 20:51:33

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.14	0.37	4.51	11.00	Complies
62	5310	4.12	0.37	4.49	11.00	Complies

CH54



Date: 10.MAR.2025 20:54:44

CH62




Date: 10.MAR.2025 20:55:22

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	6.96	11.00	Complies
62	5310	6.79	11.00	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.56	0.72	1.28	11.00	Complies



Date: 10.MAR.2025 21:10:07

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	1.36	0.72	2.08	11.00	Complies




Date: 10.MAR.2025 21:13:04

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	4.70	11.00	Complies


Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.70	0.25	5.95	11.00	Complies
60	5300	5.66	0.25	5.91	11.00	Complies
64	5320	5.73	0.25	5.98	11.00	Complies



Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.75	0.25	7.00	11.00	Complies
60	5300	6.61	0.25	6.86	11.00	Complies
64	5320	6.65	0.25	6.90	11.00	Complies




Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	9.51	11.00	Complies
60	5300	9.42	11.00	Complies
64	5320	9.47	11.00	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.72	0.46	2.18	11.00	Complies
62	5310	1.47	0.46	1.93	11.00	Complies




Date: 12.MAR.2025 20:30:57




Date: 12.MAR.2025 20:31:50

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.85	0.46	5.31	11.00	Complies
62	5310	4.44	0.46	4.90	11.00	Complies



Date: 12.MAR.2025 20:46:39




Date: 12.MAR.2025 20:46:24

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	7.03	11.00	Complies
62	5310	6.67	11.00	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.61	0.80	1.41	11.00	Complies



Date: 10.MAR.2025 21:33:32

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	1.79	0.80	2.59	11.00	Complies




Date: 10.MAR.2025 21:30:35

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	5.05	11.00	Complies


Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.86	0.18	7.04	11.00	Complies
116	5580	6.11	0.18	6.29	11.00	Complies
140	5700	7.06	0.18	7.24	11.00	Complies



Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.61	0.18	7.79	11.00	Complies
116	5580	6.93	0.18	7.11	11.00	Complies
140	5700	7.65	0.18	7.83	11.00	Complies




Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	10.44	11.00	Complies
116	5580	9.73	11.00	Complies
140	5700	10.56	11.00	Complies


Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.69	0.19	6.88	11.00	Complies
116	5580	5.70	0.19	5.89	11.00	Complies
140	5700	6.83	0.19	7.02	11.00	Complies



Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.19	0.19	7.38	11.00	Complies
116	5580	6.65	0.19	6.84	11.00	Complies
140	5700	7.32	0.19	7.51	11.00	Complies




Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	10.15	11.00	Complies
116	5580	9.40	11.00	Complies
140	5700	10.28	11.00	Complies


Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	3.74	0.37	4.11	11.00	Complies
110	5550	3.78	0.37	4.15	11.00	Complies
134	5670	3.50	0.37	3.87	11.00	Complies



Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	4.80	0.37	5.17	11.00	Complies
110	5550	4.46	0.37	4.83	11.00	Complies
134	5670	4.42	0.37	4.79	11.00	Complies




Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	7.68	11.00	Complies
110	5550	7.51	11.00	Complies
134	5670	7.36	11.00	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	1.37	0.72	2.09	11.00	Complies
122	5610	0.86	0.72	1.58	11.00	Complies

CH106



Date: 10.MAR.2025 21:10:47

CH122




Date: 10.MAR.2025 21:11:23

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	1.95	0.72	2.67	11.00	Complies
122	5610	1.72	0.72	2.44	11.00	Complies

CH106



Date: 10.MAR.2025 21:13:57

CH122




Date: 10.MAR.2025 21:15:07

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	5.40	11.00	Complies
122	5610	5.04	11.00	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.65	0.25	6.90	11.00	Complies
116	5580	6.16	0.25	6.41	11.00	Complies
140	5700	6.60	0.25	6.85	11.00	Complies



Date: 10.MAR.2025 20:08:55




Date: 10.MAR.2025 20:09:28




Date: 10.MAR.2025 20:10:23

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.21	0.25	7.46	11.00	Complies
116	5580	6.56	0.25	6.81	11.00	Complies
140	5700	7.06	0.25	7.31	11.00	Complies



Date: 10.MAR.2025 20:13:53



Date: 10.MAR.2025 20:14:27




Date: 10.MAR.2025 20:15:00

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	10.20	11.00	Complies
116	5580	9.62	11.00	Complies
140	5700	10.09	11.00	Complies


Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	3.84	0.46	4.30	11.00	Complies
110	5550	3.59	0.46	4.05	11.00	Complies
134	5670	3.47	0.46	3.93	11.00	Complies



Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	5.17	0.46	5.63	11.00	Complies
110	5550	5.02	0.46	5.48	11.00	Complies
134	5670	4.86	0.46	5.32	11.00	Complies




Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	8.03	11.00	Complies
110	5550	7.83	11.00	Complies
134	5670	7.69	11.00	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	1.87	0.80	2.67	11.00	Complies
122	5610	1.17	0.80	1.97	11.00	Complies

CH106



Date: 10.MAR.2025 21:16:00

CH122




Date: 10.MAR.2025 21:17:59

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	2.24	0.80	3.04	11.00	Complies
122	5610	2.03	0.80	2.83	11.00	Complies

CH106



Date: 10.MAR.2025 21:11:21

CH122



Date: 10.MAR.2025 21:11:54

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	5.87	11.00	Complies
122	5610	5.43	11.00	Complies

End of Test Report