


Test Mode	UNII-1_TX AC(VHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	40.399	36.600
46	5230	44.790	37.000

CH38




Date: 31.OCT.2024 15:42:25

CH46
26 dB Bandwidth




Date: 31.OCT.2024 15:43:37

99 % Occupied Bandwidth



Date: 31.OCT.2024 15:41:49




Date: 31.OCT.2024 15:42:35

Test Mode	UNII-1_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	80.806	75.600

CH42 26 dB Bandwidth



Date: 31.OCT.2024 15:51:09

99 % Occupied Bandwidth




Date: 31.OCT.2024 15:50:06

Test Mode	UNII-1_TX AX(HE20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	34.950	19.300
40	5200	33.450	19.400
48	5240	21.700	19.000

CH36




Date: 31.OCT.2024 15:56:22

CH40
26 dB Bandwidth




Date: 31.OCT.2024 15:57:02

CH48




Date: 31.OCT.2024 15:57:45


99 % Occupied Bandwidth



Date: 31.OCT.2024 15:55:42



Date: 31.OCT.2024 15:56:33




Date: 31.OCT.2024 15:57:11

Test Mode	UNII-1_TX AX(HE40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	39.700	38.000
46	5230	50.998	38.000

CH38




Date: 31.OCT.2024 16:11:44

CH46
26 dB Bandwidth




Date: 31.OCT.2024 16:13:03

99 % Occupied Bandwidth



Date: 31.OCT.2024 16:11:06




Date: 31.OCT.2024 16:12:31

Test Mode	UNII-1_TX AX(HE80) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	84.792	76.800

CH42 26 dB Bandwidth



Date: 31.OCT.2024 16:20:48

99 % Occupied Bandwidth




Date: 31.OCT.2024 16:20:03

Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	20.350	17.000
60	5300	20.190	16.900
64	5320	20.309	17.000

CH52




Date: 31.OCT.2024 15:16:58

CH60
26 dB Bandwidth




Date: 31.OCT.2024 15:17:57

CH64




Date: 31.OCT.2024 15:19:14


99 % Occupied Bandwidth



Date: 31.OCT.2024 15:16:22



Date: 31.OCT.2024 15:17:21




Date: 31.OCT.2024 15:18:38

Test Mode	UNII-2A_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	20.750	17.900
60	5300	20.690	17.900
64	5320	20.650	18.000

CH52




Date: 31.OCT.2024 15:28:33

CH60
26 dB Bandwidth




Date: 31.OCT.2024 15:29:18

CH64




Date: 31.OCT.2024 15:33:13


99 % Occupied Bandwidth



Date: 31.OCT.2024 15:27:58



Date: 31.OCT.2024 15:28:42




Date: 31.OCT.2024 15:32:17

Test Mode	UNII-2A_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	80.800	75.600

CH58 26 dB Bandwidth



Date: 31.OCT.2024 15:52:22

99 % Occupied Bandwidth




Date: 31.OCT.2024 15:51:36

Test Mode	UNII-2A_TX AX(HE20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	27.550	19.200
60	5300	27.350	19.200
64	5320	23.850	19.200

CH52




Date: 31.OCT.2024 15:58:24

CH60
26 dB Bandwidth




Date: 31.OCT.2024 15:59:07

CH64




Date: 31.OCT.2024 16:00:44


99 % Occupied Bandwidth



Date: 31.OCT.2024 15:57:56



Date: 31.OCT.2024 15:58:33




Date: 31.OCT.2024 15:59:42

Test Mode	UNII-2A_TX AX(HE40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	39.500	38.000
62	5310	39.700	38.000

CH54




Date: 31.OCT.2024 16:13:57

CH62
26 dB Bandwidth




Date: 31.OCT.2024 16:15:23

99 % Occupied Bandwidth



Date: 31.OCT.2024 16:13:20




Date: 31.OCT.2024 16:14:47

Test Mode	UNII-2A_TX AX(HE80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	81.000	77.200

CH58 26 dB Bandwidth



Date: 31.OCT.2024 16:21:42

99 % Occupied Bandwidth




Date: 31.OCT.2024 16:20:56


Test Mode	UNII-2C_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	20.550	17.000
116	5580	20.550	16.900
140	5700	20.350	17.000


CH100






CH116
26 dB Bandwidth



CH140




99 % Occupied Bandwidth



Test Mode	UNII-2C_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	20.700	17.900
116	5580	20.690	17.900
140	5700	20.899	18.000

CH100




Date: 31.OCT.2024 15:14:34

CH116
26 dB Bandwidth




Date: 31.OCT.2024 15:15:18

CH140




Date: 31.OCT.2024 15:16:02


99 % Occupied Bandwidth



Date: 31.OCT.2024 15:13:58



Date: 31.OCT.2024 15:14:42




Date: 31.OCT.2024 15:15:27

Test Mode	UNII-2C_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	40.400	36.400
110	5550	40.300	36.400
134	5670	40.300	36.800

CH102




Date: 31.OCT.2024 15:45:59

CH110
26 dB Bandwidth




Date: 31.OCT.2024 15:46:44

CH134




Date: 31.OCT.2024 15:47:31


99 % Occupied Bandwidth



Date: 31.OCT.2024 15:45:22



Date: 31.OCT.2024 15:46:09




Date: 31.OCT.2024 15:46:55

Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	80.800	75.200
122	5610	81.000	75.600

CH106




Date: 31.OCT.2024 15:53:36

CH122
26 dB Bandwidth




Date: 31.OCT.2024 15:54:35

99 % Occupied Bandwidth



Date: 31.OCT.2024 15:52:52




Date: 31.OCT.2024 15:53:48

Test Mode	UNII-2C_TX AX(HE20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	23.800	19.200
116	5580	23.499	19.200
140	5700	24.700	19.400

CH100




Date: 31.OCT.2024 16:01:47

CH116
26 dB Bandwidth




Date: 31.OCT.2024 16:04:17

CH140




Date: 31.OCT.2024 16:07:04


99 % Occupied Bandwidth



Date: 31.OCT.2024 16:00:56



Date: 31.OCT.2024 16:01:55




Date: 31.OCT.2024 16:05:03

Test Mode	UNII-2C_TX AX(HE40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	39.800	38.000
110	5550	39.400	37.800
134	5670	39.609	38.000

CH102




Date: 31.OCT.2024 16:16:16

CH110
26 dB Bandwidth




Date: 31.OCT.2024 16:17:16

CH134




Date: 31.OCT.2024 16:18:02


99 % Occupied Bandwidth



Date: 31.OCT.2024 16:15:40



Date: 31.OCT.2024 16:16:38




Date: 31.OCT.2024 16:17:25

Test Mode	UNII-2C_TX AX(HE80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	81.000	76.800
122	5610	81.000	77.600

CH106




Date: 31.OCT.2024 16:22:59

CH122
26 dB Bandwidth




Date: 31.OCT.2024 16:23:58

99 % Occupied Bandwidth



Date: 31.OCT.2024 16:22:14




Date: 31.OCT.2024 16:23:12

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	15.699	17.100	0.5	Complies
157	5785	15.790	17.200	0.5	Complies
165	5825	15.190	17.000	0.5	Complies

CH149




Date: 31.OCT.2024 15:23:06

CH157
6 dB Bandwidth




Date: 31.OCT.2024 15:24:37

CH165




Date: 31.OCT.2024 15:25:29


99 % Occupied Bandwidth



Date: 31.OCT.2024 15:22:24



Date: 31.OCT.2024 15:23:57




Date: 31.OCT.2024 15:24:47


Test Mode	UNII-3_TX AC(VHT20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	15.698	18.500	0.5	Complies
157	5785	17.650	18.500	0.5	Complies
165	5825	17.650	18.400	0.5	Complies


CH149






CH157
6 dB Bandwidth



CH165




99 % Occupied Bandwidth



Test Mode	UNII-3_TX AC(VHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	33.900	37.400	0.5	Complies
159	5795	34.190	37.600	0.5	Complies

CH151




Date: 31.OCT.2024 15:48:20

CH159
6 dB Bandwidth




Date: 31.OCT.2024 15:49:57

99 % Occupied Bandwidth



Date: 31.OCT.2024 15:47:40




Date: 31.OCT.2024 15:48:40

Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	74.200	76.800	0.5	Complies

CH155 6 dB Bandwidth



Date: 31.OCT.2024 16:31:44

99 % Occupied Bandwidth




Date: 31.OCT.2024 15:54:45

Test Mode	UNII-3_TX AX(HE20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	18.690	19.500	0.5	Complies
157	5785	18.789	19.400	0.5	Complies
165	5825	19.000	19.400	0.5	Complies

CH149




Date: 31.OCT.2024 16:08:25

CH157
6 dB Bandwidth




Date: 31.OCT.2024 16:09:23

CH165




Date: 31.OCT.2024 16:10:08


99 % Occupied Bandwidth



Date: 31.OCT.2024 16:07:47



Date: 31.OCT.2024 16:08:46




Date: 31.OCT.2024 16:09:31

Test Mode	UNII-3_TX AX(HE40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	32.598	38.200	0.5	Complies
159	5795	35.400	38.200	0.5	Complies

CH151




Date: 31.OCT.2024 16:19:00

CH159
6 dB Bandwidth




Date: 31.OCT.2024 16:19:51

99 % Occupied Bandwidth



Date: 31.OCT.2024 16:18:15




Date: 31.OCT.2024 16:19:12

Test Mode	UNII-3_TX AX(HE80) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	71.400	78.000	0.5	Complies

CH155 6 dB Bandwidth



Date: 31.OCT.2024 16:26:50

99 % Occupied Bandwidth



Date: 31.OCT.2024 16:26:02

APPENDIX F - MAXIMUM OUTPUT POWER

Non Beamforming

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.19	0.60	19.79	30.00	1.0000	Complies
40	5200	20.33	0.60	20.93	30.00	1.0000	Complies
48	5240	19.69	0.60	20.29	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.96	0.60	19.56	30.00	1.0000	Complies
40	5200	20.13	0.60	20.73	30.00	1.0000	Complies
48	5240	19.87	0.60	20.47	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.69	30.00	1.0000	Complies
40	5200	23.84	30.00	1.0000	Complies
48	5240	23.39	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.51	0.61	20.12	30.00	1.0000	Complies
40	5200	20.14	0.61	20.75	30.00	1.0000	Complies
48	5240	19.94	0.61	20.55	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.99	0.61	19.60	30.00	1.0000	Complies
40	5200	19.68	0.61	20.29	30.00	1.0000	Complies
48	5240	19.88	0.61	20.49	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.88	30.00	1.0000	Complies
40	5200	23.54	30.00	1.0000	Complies
48	5240	23.53	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.18	0.66	18.84	30.00	1.0000	Complies
46	5230	19.68	0.66	20.34	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.02	0.66	18.68	30.00	1.0000	Complies
46	5230	19.55	0.66	20.21	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.77	30.00	1.0000	Complies
46	5230	23.29	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	17.89	0.69	18.58	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	17.69	0.69	18.38	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.49	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.15	0.44	19.59	30.00	1.0000	Complies
40	5200	20.24	0.44	20.68	30.00	1.0000	Complies
48	5240	19.59	0.44	20.03	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.92	0.44	19.36	30.00	1.0000	Complies
40	5200	20.09	0.44	20.53	30.00	1.0000	Complies
48	5240	19.75	0.44	20.19	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.48	30.00	1.0000	Complies
40	5200	23.61	30.00	1.0000	Complies
48	5240	23.12	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.32	0.78	19.10	30.00	1.0000	Complies
46	5230	19.71	0.78	20.49	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.01	0.78	18.79	30.00	1.0000	Complies
46	5230	19.93	0.78	20.71	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.96	30.00	1.0000	Complies
46	5230	23.61	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	17.46	0.81	18.27	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	17.03	0.81	17.84	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.07	30.00	1.0000	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.65	0.60	18.25	23.98	0.2500	Complies
60	5300	18.05	0.60	18.65	23.98	0.2500	Complies
64	5320	18.25	0.60	18.85	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.78	0.60	18.38	23.98	0.2500	Complies
60	5300	17.82	0.60	18.42	23.98	0.2500	Complies
64	5320	17.76	0.60	18.36	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.33	23.98	0.2500	Complies
60	5300	21.55	23.98	0.2500	Complies
64	5320	21.62	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.95	0.61	18.56	23.98	0.2500	Complies
60	5300	18.37	0.61	18.98	23.98	0.2500	Complies
64	5320	18.62	0.61	19.23	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.86	0.61	18.47	23.98	0.2500	Complies
60	5300	18.06	0.61	18.67	23.98	0.2500	Complies
64	5320	17.95	0.61	18.56	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.52	23.98	0.2500	Complies
60	5300	21.84	23.98	0.2500	Complies
64	5320	21.92	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.61	0.66	18.27	23.98	0.2500	Complies
62	5310	18.14	0.66	18.80	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.49	0.66	18.15	23.98	0.2500	Complies
62	5310	17.42	0.66	18.08	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	21.22	23.98	0.2500	Complies
62	5310	21.47	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.87	0.69	18.56	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	18.04	0.69	18.73	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	21.65	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.51	0.44	17.95	23.98	0.2500	Complies
60	5300	18.04	0.44	18.48	23.98	0.2500	Complies
64	5320	18.35	0.44	18.79	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.76	0.44	18.20	23.98	0.2500	Complies
60	5300	17.94	0.44	18.38	23.98	0.2500	Complies
64	5320	17.94	0.44	18.38	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.09	23.98	0.2500	Complies
60	5300	21.44	23.98	0.2500	Complies
64	5320	21.60	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.65	0.78	18.43	23.98	0.2500	Complies
62	5310	18.22	0.78	19.00	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.87	0.78	18.65	23.98	0.2500	Complies
62	5310	18.09	0.78	18.87	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	21.55	23.98	0.2500	Complies
62	5310	21.94	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	18.01	0.81	18.82	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.79	0.81	18.60	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	21.72	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.92	0.60	18.52	23.98	0.2500	Complies
116	5580	17.66	0.60	18.26	23.98	0.2500	Complies
140	5700	17.84	0.60	18.44	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.93	0.60	18.53	23.98	0.2500	Complies
116	5580	17.75	0.60	18.35	23.98	0.2500	Complies
140	5700	17.92	0.60	18.52	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	21.54	23.98	0.2500	Complies
116	5580	21.32	23.98	0.2500	Complies
140	5700	21.49	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.17	0.61	18.78	23.98	0.2500	Complies
116	5580	18.37	0.61	18.98	23.98	0.2500	Complies
140	5700	18.23	0.61	18.84	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.64	0.61	18.25	23.98	0.2500	Complies
116	5580	18.08	0.61	18.69	23.98	0.2500	Complies
140	5700	17.88	0.61	18.49	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	21.53	23.98	0.2500	Complies
116	5580	21.85	23.98	0.2500	Complies
140	5700	21.68	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.47	0.66	19.13	23.98	0.2500	Complies
110	5550	18.06	0.66	18.72	23.98	0.2500	Complies
134	5670	18.28	0.66	18.94	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.91	0.66	18.57	23.98	0.2500	Complies
110	5550	18.03	0.66	18.69	23.98	0.2500	Complies
134	5670	18.05	0.66	18.71	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	21.87	23.98	0.2500	Complies
110	5550	21.72	23.98	0.2500	Complies
134	5670	21.84	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	18.02	0.69	18.71	23.98	0.2500	Complies
122	5610	17.66	0.69	18.35	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.95	0.69	18.64	23.98	0.2500	Complies
122	5610	17.71	0.69	18.40	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	21.68	23.98	0.2500	Complies
122	5610	21.38	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.93	0.44	18.37	23.98	0.2500	Complies
116	5580	17.64	0.44	18.08	23.98	0.2500	Complies
140	5700	17.89	0.44	18.33	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.74	0.44	18.18	23.98	0.2500	Complies
116	5580	17.75	0.44	18.19	23.98	0.2500	Complies
140	5700	18.02	0.44	18.46	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	21.28	23.98	0.2500	Complies
116	5580	21.14	23.98	0.2500	Complies
140	5700	21.40	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.04	0.78	18.82	23.98	0.2500	Complies
110	5550	17.71	0.78	18.49	23.98	0.2500	Complies
134	5670	17.91	0.78	18.69	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.86	0.78	18.64	23.98	0.2500	Complies
110	5550	17.88	0.78	18.66	23.98	0.2500	Complies
134	5670	17.98	0.78	18.76	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	21.74	23.98	0.2500	Complies
110	5550	21.58	23.98	0.2500	Complies
134	5670	21.73	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	18.16	0.81	18.97	23.98	0.2500	Complies
122	5610	17.81	0.81	18.62	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.85	0.81	18.66	23.98	0.2500	Complies
122	5610	17.73	0.81	18.54	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	21.83	23.98	0.2500	Complies
122	5610	21.59	23.98	0.2500	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.26	0.60	18.86	30.00	1.0000	Complies
157	5785	18.75	0.60	19.35	30.00	1.0000	Complies
165	5825	17.88	0.60	18.48	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.69	0.60	19.29	30.00	1.0000	Complies
157	5785	19.26	0.60	19.86	30.00	1.0000	Complies
165	5825	17.92	0.60	18.52	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.09	30.00	1.0000	Complies
157	5785	22.62	30.00	1.0000	Complies
165	5825	21.51	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.58	0.61	19.19	30.00	1.0000	Complies
157	5785	18.17	0.61	18.78	30.00	1.0000	Complies
165	5825	18.15	0.61	18.76	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.89	0.61	19.50	30.00	1.0000	Complies
157	5785	18.55	0.61	19.16	30.00	1.0000	Complies
165	5825	17.89	0.61	18.50	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.36	30.00	1.0000	Complies
157	5785	21.98	30.00	1.0000	Complies
165	5825	21.64	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.19	0.66	20.85	30.00	1.0000	Complies
159	5795	20.13	0.66	20.79	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.11	0.66	20.77	30.00	1.0000	Complies
159	5795	20.06	0.66	20.72	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.82	30.00	1.0000	Complies
159	5795	23.77	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.78	0.69	20.47	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.95	0.69	20.64	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.56	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.87	0.44	19.31	30.00	1.0000	Complies
157	5785	18.45	0.44	18.89	30.00	1.0000	Complies
165	5825	17.44	0.44	17.88	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.08	0.44	19.52	30.00	1.0000	Complies
157	5785	18.71	0.44	19.15	30.00	1.0000	Complies
165	5825	17.29	0.44	17.73	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.42	30.00	1.0000	Complies
157	5785	22.03	30.00	1.0000	Complies
165	5825	20.81	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.25	0.78	20.03	30.00	1.0000	Complies
159	5795	19.37	0.78	20.15	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.74	0.78	20.52	30.00	1.0000	Complies
159	5795	19.66	0.78	20.44	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.29	30.00	1.0000	Complies
159	5795	23.31	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.86	0.81	20.67	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.04	0.81	20.85	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.77	30.00	1.0000	Complies

Note: Output power = Measure result + Cable loss

Beamforming

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.14	0.61	19.75	30.00	1.0000	Complies
40	5200	19.56	0.61	20.17	30.00	1.0000	Complies
48	5240	19.58	0.61	20.19	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.62	0.61	19.23	30.00	1.0000	Complies
40	5200	19.10	0.61	19.71	30.00	1.0000	Complies
48	5240	19.52	0.61	20.13	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.51	30.00	1.0000	Complies
40	5200	22.96	30.00	1.0000	Complies
48	5240	23.17	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.68	0.66	18.34	30.00	1.0000	Complies
46	5230	19.21	0.66	19.87	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.52	0.66	18.18	30.00	1.0000	Complies
46	5230	19.08	0.66	19.74	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.27	30.00	1.0000	Complies
46	5230	22.82	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	17.42	0.69	18.11	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	17.22	0.69	17.91	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.02	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.60	0.44	19.04	30.00	1.0000	Complies
40	5200	19.72	0.44	20.16	30.00	1.0000	Complies
48	5240	19.22	0.44	19.66	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.37	0.44	18.81	30.00	1.0000	Complies
40	5200	19.57	0.44	20.01	30.00	1.0000	Complies
48	5240	19.38	0.44	19.82	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.93	30.00	1.0000	Complies
40	5200	23.09	30.00	1.0000	Complies
48	5240	22.75	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.86	0.78	18.64	30.00	1.0000	Complies
46	5230	19.32	0.78	20.10	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.55	0.78	18.33	30.00	1.0000	Complies
46	5230	19.54	0.78	20.32	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.50	30.00	1.0000	Complies
46	5230	23.22	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.96	0.81	17.77	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.53	0.81	17.34	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.57	30.00	1.0000	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.55	0.61	18.16	23.98	0.2500	Complies
60	5300	17.89	0.61	18.50	23.98	0.2500	Complies
64	5320	18.22	0.61	18.83	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.46	0.61	18.07	23.98	0.2500	Complies
60	5300	17.58	0.61	18.19	23.98	0.2500	Complies
64	5320	17.55	0.61	18.16	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.12	23.98	0.2500	Complies
60	5300	21.36	23.98	0.2500	Complies
64	5320	21.52	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.25	0.66	17.91	23.98	0.2500	Complies
62	5310	17.76	0.66	18.42	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.13	0.66	17.79	23.98	0.2500	Complies
62	5310	17.04	0.66	17.70	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.86	23.98	0.2500	Complies
62	5310	21.09	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.42	0.69	18.11	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.59	0.69	18.28	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	21.20	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.97	0.44	17.41	23.98	0.2500	Complies
60	5300	17.47	0.44	17.91	23.98	0.2500	Complies
64	5320	17.81	0.44	18.25	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.22	0.44	17.66	23.98	0.2500	Complies
60	5300	17.37	0.44	17.81	23.98	0.2500	Complies
64	5320	17.40	0.44	17.84	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.55	23.98	0.2500	Complies
60	5300	20.87	23.98	0.2500	Complies
64	5320	21.06	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.15	0.78	17.93	23.98	0.2500	Complies
62	5310	17.66	0.78	18.44	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.37	0.78	18.15	23.98	0.2500	Complies
62	5310	17.53	0.78	18.31	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	21.05	23.98	0.2500	Complies
62	5310	21.38	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.59	0.81	18.40	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.37	0.81	18.18	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	21.30	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.71	0.61	18.32	23.98	0.2500	Complies
116	5580	17.90	0.61	18.51	23.98	0.2500	Complies
140	5700	17.71	0.61	18.32	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.18	0.61	17.79	23.98	0.2500	Complies
116	5580	17.61	0.61	18.22	23.98	0.2500	Complies
140	5700	17.36	0.61	17.97	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	21.07	23.98	0.2500	Complies
116	5580	21.38	23.98	0.2500	Complies
140	5700	21.16	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.94	0.66	18.60	23.98	0.2500	Complies
110	5550	17.66	0.66	18.32	23.98	0.2500	Complies
134	5670	17.90	0.66	18.56	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.38	0.66	18.04	23.98	0.2500	Complies
110	5550	17.63	0.66	18.29	23.98	0.2500	Complies
134	5670	17.67	0.66	18.33	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	21.34	23.98	0.2500	Complies
110	5550	21.32	23.98	0.2500	Complies
134	5670	21.46	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.56	0.69	18.25	23.98	0.2500	Complies
122	5610	17.14	0.69	17.83	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.49	0.69	18.18	23.98	0.2500	Complies
122	5610	17.19	0.69	17.88	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	21.22	23.98	0.2500	Complies
122	5610	20.86	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.43	0.44	17.87	23.98	0.2500	Complies
116	5580	17.08	0.44	17.52	23.98	0.2500	Complies
140	5700	17.40	0.44	17.84	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.24	0.44	17.68	23.98	0.2500	Complies
116	5580	17.19	0.44	17.63	23.98	0.2500	Complies
140	5700	17.53	0.44	17.97	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.78	23.98	0.2500	Complies
116	5580	20.58	23.98	0.2500	Complies
140	5700	20.91	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.65	0.78	18.43	23.98	0.2500	Complies
110	5550	17.19	0.78	17.97	23.98	0.2500	Complies
134	5670	17.42	0.78	18.20	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.47	0.78	18.25	23.98	0.2500	Complies
110	5550	17.36	0.78	18.14	23.98	0.2500	Complies
134	5670	17.49	0.78	18.27	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	21.35	23.98	0.2500	Complies
110	5550	21.06	23.98	0.2500	Complies
134	5670	21.24	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.63	0.81	18.44	23.98	0.2500	Complies
122	5610	17.33	0.81	18.14	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.32	0.81	18.13	23.98	0.2500	Complies
122	5610	17.25	0.81	18.06	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	21.30	23.98	0.2500	Complies
122	5610	21.11	23.98	0.2500	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.06	0.61	18.67	30.00	1.0000	Complies
157	5785	17.66	0.61	18.27	30.00	1.0000	Complies
165	5825	17.74	0.61	18.35	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.37	0.61	18.98	30.00	1.0000	Complies
157	5785	18.04	0.61	18.65	30.00	1.0000	Complies
165	5825	17.48	0.61	18.09	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.84	30.00	1.0000	Complies
157	5785	21.47	30.00	1.0000	Complies
165	5825	21.23	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.73	0.66	20.39	30.00	1.0000	Complies
159	5795	19.61	0.66	20.27	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.65	0.66	20.31	30.00	1.0000	Complies
159	5795	19.54	0.66	20.20	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.36	30.00	1.0000	Complies
159	5795	23.25	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.29	0.69	19.98	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.46	0.69	20.15	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.07	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.37	0.44	18.81	30.00	1.0000	Complies
157	5785	17.91	0.44	18.35	30.00	1.0000	Complies
165	5825	17.07	0.44	17.51	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.58	0.44	19.02	30.00	1.0000	Complies
157	5785	18.17	0.44	18.61	30.00	1.0000	Complies
165	5825	16.92	0.44	17.36	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.92	30.00	1.0000	Complies
157	5785	21.49	30.00	1.0000	Complies
165	5825	20.44	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.86	0.78	19.64	30.00	1.0000	Complies
159	5795	18.97	0.78	19.75	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.35	0.78	20.13	30.00	1.0000	Complies
159	5795	19.26	0.78	20.04	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.90	30.00	1.0000	Complies
159	5795	22.91	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.40	0.81	20.21	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.58	0.81	20.39	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.31	30.00	1.0000	Complies

Note: Output power = Measure result + Cable loss

APPENDIX G - POWER SPECTRAL DENSITY