


Test Mode	UNII-3_AC(VHT20) Mode	Polarization	Vertical
Test Frequency	5745 MHz	Test Date	2025/2/19



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5649.0000	45.66	12.94	58.60	68.20	-9.60	Peak	
2	5668.6000	44.12	12.98	57.10	82.00	-24.90	Peak	
3	5720.6000	50.45	13.09	63.54	112.17	-48.63	Peak	
4	5723.0000	52.60	13.09	65.69	117.64	-51.95	Peak	
5	5746.6000	97.61	13.14	110.75	122.20	-11.45	Peak	No Limit
6	5746.6000	88.54	13.14	101.68	122.20	-20.52	AVG	No Limit
7	5851.8000	44.35	13.36	57.71	118.09	-60.38	Peak	
8	5865.4000	44.33	13.39	57.72	107.89	-50.17	Peak	
9	5881.8000	45.22	13.42	58.64	100.15	-41.51	Peak	
10	5936.2000	43.98	13.54	57.52	68.20	-10.68	Peak	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_AC(VHT20) Mode	Polarization	Vertical
Test Frequency	5745 MHz	Test Date	2025/2/20

120 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11490.0000	43.04	5.33	48.37	74.00	-25.63	Peak	
2 *	11490.0000	32.44	5.33	37.77	54.00	-16.23	AVG	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_AC(VHT20) Mode	Polarization	Horizontal
Test Frequency	5745 MHz	Test Date	2025/2/20

120 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11490.0000	42.54	5.33	47.87	74.00	-26.13	Peak	
2 *	11490.0000	31.34	5.33	36.67	54.00	-17.33	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_AC(VHT20) Mode	Polarization	Vertical
Test Frequency	5785 MHz	Test Date	2025/2/20

120 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11574.0000	47.39	5.30	52.69	74.00	-21.31	Peak	
2 *	11574.0000	36.29	5.30	41.59	54.00	-12.41	AVG	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_AC(VHT20) Mode	Polarization	Horizontal
Test Frequency	5785 MHz	Test Date	2025/2/20

120 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11557.0000	46.16	5.31	51.47	74.00	-22.53	Peak	
2 *	11557.0000	36.46	5.31	41.77	54.00	-12.23	AVG	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_AC(VHT20) Mode	Polarization	Vertical
Test Frequency	5825 MHz	Test Date	2025/2/19

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5628.2000	44.38	12.90	57.28	68.20	-10.92	Peak	
2	5661.0000	45.18	12.96	58.14	76.37	-18.23	Peak	
3	5717.0000	44.82	13.08	57.90	109.96	-52.06	Peak	
4	5724.2000	44.26	13.10	57.36	120.38	-63.02	Peak	
5	5823.8000	96.10	13.30	109.40	122.20	-12.80	Peak	No Limit
6	5823.8000	86.41	13.30	99.71	122.20	-22.49	AVG	No Limit
7	5850.2000	54.13	13.36	67.49	121.74	-54.25	Peak	
8	5854.6000	51.14	13.37	64.51	111.71	-47.20	Peak	
9	5893.4000	44.64	13.45	58.09	91.55	-33.46	Peak	
10 *	6019.4000	45.40	13.76	59.16	68.20	-9.04	Peak	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_AC(VHT20) Mode	Polarization	Vertical
Test Frequency	5825 MHz	Test Date	2025/2/20

120 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11659.0000	46.71	5.26	51.97	74.00	-22.03	Peak	
2 *	11659.0000	36.11	5.26	41.37	54.00	-12.63	AVG	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_AC(VHT20) Mode	Polarization	Horizontal
Test Frequency	5825 MHz	Test Date	2025/2/20

120 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11642.0000	47.72	5.27	52.99	74.00	-21.01	Peak	
2 *	11642.0000	36.32	5.27	41.59	54.00	-12.41	AVG	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_AC(VHT40) Mode	Polarization	Vertical
Test Frequency	5755 MHz	Test Date	2025/2/19



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5559.8000	44.40	12.75	57.15	68.20	-11.05	Peak	
2	5695.8000	45.67	13.04	58.71	102.10	-43.39	Peak	
3	5717.4000	53.71	13.08	66.79	110.07	-43.28	Peak	
4	5725.0000	57.52	13.10	70.62	122.20	-51.58	Peak	
5	5757.0000	91.63	13.16	104.79	122.20	-17.41	Peak	No Limit
6	5757.0000	81.98	13.16	95.14	122.20	-27.06	AVG	No Limit
7	5852.2000	43.16	13.36	56.52	117.18	-60.66	Peak	
8	5856.6000	43.96	13.37	57.33	110.35	-53.02	Peak	
9	5881.8000	44.42	13.42	57.84	100.15	-42.31	Peak	
10 *	5938.6000	43.73	13.54	57.27	68.20	-10.93	Peak	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_AC(VHT40) Mode	Polarization	Vertical
Test Frequency	5755 MHz	Test Date	2025/2/21

120 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11510.0000	42.91	5.33	48.24	74.00	-25.76	Peak	
2 *	11510.0000	29.40	5.33	34.73	54.00	-19.27	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_AC(VHT40) Mode	Polarization	Horizontal
Test Frequency	5755 MHz	Test Date	2025/2/21

120 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11510.0000	42.24	5.33	47.57	74.00	-26.43	Peak	
2 *	11510.0000	29.49	5.33	34.82	54.00	-19.18	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_AC(VHT40) Mode	Polarization	Vertical
Test Frequency	5795 MHz	Test Date	2025/2/19



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5633.4000	44.84	12.91	57.75	68.20	-10.45	Peak	
2	5663.0000	45.05	12.97	58.02	77.85	-19.83	Peak	
3	5706.2000	45.35	13.06	58.41	106.94	-48.53	Peak	
4	5724.6000	48.17	13.10	61.27	121.29	-60.02	Peak	
5	5797.4000	97.39	13.25	110.64	122.20	-11.56	Peak	No Limit
6	5797.4000	87.83	13.25	101.08	122.20	-21.12	AVG	No Limit
7	5850.2000	50.50	13.36	63.86	121.74	-57.88	Peak	
8	5855.4000	48.20	13.37	61.57	110.69	-49.12	Peak	
9	5919.8000	44.30	13.50	57.80	72.03	-14.23	Peak	
10 *	5978.2000	44.25	13.62	57.87	68.20	-10.33	Peak	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_AC(VHT40) Mode	Polarization	Vertical
Test Frequency	5795 MHz	Test Date	2025/2/21


120 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11590.0000	42.87	5.29	48.16	74.00	-25.84	Peak	
2 *	11590.0000	29.88	5.29	35.17	54.00	-18.83	AVG	

REMARKS:


- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

120 dBuV/m

No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	11590.0000	43.05	5.29	48.34	74.00	-25.66	Peak	
2 *	11590.0000	29.13	5.29	34.42	54.00	-19.58	AVG	

(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_AC(VHT80) Mode	Polarization	Vertical
Test Frequency	5775 MHz	Test Date	2025/2/20



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5631.4000	45.50	12.90	58.40	68.20	-9.80	Peak	
2	5685.4000	58.55	13.02	71.57	94.43	-22.86	Peak	
3	5717.4000	62.00	13.08	75.08	110.07	-34.99	Peak	
4	5722.6000	65.17	13.09	78.26	116.73	-38.47	Peak	
5	5754.6000	96.12	13.16	109.28	122.20	-12.92	Peak	No Limit
6	5754.6000	85.65	13.16	98.81	122.20	-23.39	AVG	No Limit
7	5849.8000	58.27	13.36	71.63	122.20	-50.57	Peak	
8	5867.4000	57.11	13.39	70.50	107.33	-36.83	Peak	
9	5877.8000	52.28	13.42	65.70	103.12	-37.42	Peak	
10 *	5931.8000	47.62	13.53	61.15	68.20	-7.05	Peak	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_AC(VHT80) Mode	Polarization	Vertical
Test Frequency	5775 MHz	Test Date	2025/2/21

120 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11550.0000	42.80	5.31	48.11	74.00	-25.89	Peak	
2 *	11550.0000	29.58	5.31	34.89	54.00	-19.11	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_AC(VHT80) Mode	Polarization	Horizontal
Test Frequency	5775 MHz	Test Date	2025/2/21

120 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11550.0000	43.40	5.31	48.71	74.00	-25.29	Peak	
2 *	11550.0000	29.45	5.31	34.76	54.00	-19.24	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_AX(HE20) Mode	Polarization	Vertical
Test Frequency	5745 MHz	Test Date	2025/2/20

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5629.0000	44.51	12.90	57.41	68.20	-10.79	Peak	
2	5673.0000	44.87	12.99	57.86	85.26	-27.40	Peak	
3	5716.6000	46.46	13.08	59.54	109.85	-50.31	Peak	
4	5724.6000	57.18	13.10	70.28	121.29	-51.01	Peak	
5	5738.6000	98.57	13.13	111.70	122.20	-10.50	Peak	No Limit
6	5738.6000	86.18	13.13	99.31	122.20	-22.89	AVG	No Limit
7	5852.2000	43.37	13.36	56.73	117.18	-60.45	Peak	
8	5858.6000	45.10	13.38	58.48	109.79	-51.31	Peak	
9	5877.8000	44.28	13.42	57.70	103.12	-45.42	Peak	
10 *	5939.0000	44.33	13.54	57.87	68.20	-10.33	Peak	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_AX(HE20) Mode	Polarization	Vertical
Test Frequency	5745 MHz	Test Date	2025/2/21

120 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11490.0000	44.29	5.33	49.62	74.00	-24.38	Peak	
2 *	11490.0000	34.20	5.33	39.53	54.00	-14.47	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_AX(HE20) Mode	Polarization	Horizontal
Test Frequency	5745 MHz	Test Date	2025/2/21

120 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11490.0000	43.83	5.33	49.16	74.00	-24.84	Peak	
2 *	11490.0000	34.63	5.33	39.96	54.00	-14.04	AVG	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_AX(HE20) Mode	Polarization	Vertical
Test Frequency	5785 MHz	Test Date	2025/2/21

120 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11570.0000	47.53	5.30	52.83	74.00	-21.17	Peak	
2 *	11570.0000	36.46	5.30	41.76	54.00	-12.24	AVG	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_AX(HE20) Mode	Polarization	Horizontal
Test Frequency	5785 MHz	Test Date	2025/2/21

120 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11570.0000	48.69	5.30	53.99	74.00	-20.01	Peak	
2 *	11570.0000	36.90	5.30	42.20	54.00	-11.80	AVG	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_AX(HE20) Mode	Polarization	Vertical
Test Frequency	5825 MHz	Test Date	2025/2/20



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5629.0000	44.25	12.90	57.15	68.20	-11.05	Peak	
2	5688.6000	45.16	13.02	58.18	96.79	-38.61	Peak	
3	5708.6000	44.05	13.06	57.11	107.61	-50.50	Peak	
4	5723.1330	43.61	13.09	56.70	117.94	-61.24	Peak	
5	5819.0000	93.65	13.29	106.94	122.20	-15.26	Peak	No Limit
6	5819.0000	81.77	13.29	95.06	122.20	-27.14	AVG	No Limit
7	5850.6000	46.85	13.36	60.21	120.83	-60.62	Peak	
8	5856.6000	44.53	13.37	57.90	110.35	-52.45	Peak	
9	5907.4000	44.19	13.48	57.67	81.19	-23.52	Peak	
10 *	6006.6000	44.33	13.70	58.03	68.20	-10.17	Peak	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_AX(HE20) Mode	Polarization	Vertical
Test Frequency	5825 MHz	Test Date	2025/2/21

120 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11650.0000	46.41	5.26	51.67	74.00	-22.33	Peak	
2 *	11650.0000	37.33	5.26	42.59	54.00	-11.41	AVG	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_AX(HE20) Mode	Polarization	Horizontal
Test Frequency	5825 MHz	Test Date	2025/2/21

120 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11650.0000	48.49	5.26	53.75	74.00	-20.25	Peak	
2 *	11650.0000	38.00	5.26	43.26	54.00	-10.74	AVG	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_AX(HE40) Mode	Polarization	Vertical
Test Frequency	5755 MHz	Test Date	2025/2/20



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5614.2000	43.90	12.87	56.77	68.20	-11.43	Peak	
2	5697.8000	46.15	13.04	59.19	103.58	-44.39	Peak	
3	5715.8000	55.87	13.08	68.95	109.63	-40.68	Peak	
4	5720.6000	56.65	13.09	69.74	112.17	-42.43	Peak	
5	5757.8000	96.84	13.17	110.01	122.20	-12.19	Peak	No Limit
6	5757.8000	84.92	13.17	98.09	122.20	-24.11	AVG	No Limit
7	5849.8000	43.93	13.36	57.29	122.20	-64.91	Peak	
8	5869.0000	44.23	13.40	57.63	106.88	-49.25	Peak	
9	5901.0000	44.36	13.46	57.82	85.92	-28.10	Peak	
10 *	5953.4000	44.01	13.57	57.58	68.20	-10.62	Peak	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_AX(HE40) Mode	Polarization	Vertical
Test Frequency	5755 MHz	Test Date	2025/2/21

120 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11510.0000	43.35	5.33	48.68	74.00	-25.32	Peak	
2 *	11510.0000	30.23	5.33	35.56	54.00	-18.44	AVG	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_AX(HE40) Mode	Polarization	Horizontal
Test Frequency	5755 MHz	Test Date	2025/2/21

120 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11510.0000	43.05	5.33	48.38	74.00	-25.62	Peak	
2 *	11510.0000	30.36	5.33	35.69	54.00	-18.31	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_AX(HE40) Mode	Polarization	Vertical
Test Frequency	5795 MHz	Test Date	2025/2/20



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5632.6000	44.31	12.91	57.22	68.20	-10.98	Peak	
2	5674.6000	45.67	12.99	58.66	86.44	-27.78	Peak	
3	5712.2000	44.67	13.07	57.74	108.62	-50.88	Peak	
4	5720.6000	44.48	13.09	57.57	112.17	-54.60	Peak	
5	5797.8000	96.24	13.25	109.49	122.20	-12.71	Peak	No Limit
6	5797.8000	84.70	13.25	97.95	122.20	-24.25	AVG	No Limit
7	5851.8000	48.57	13.36	61.93	118.09	-56.16	Peak	
8	5855.4000	46.22	13.37	59.59	110.69	-51.10	Peak	
9	5879.8000	45.03	13.42	58.45	101.63	-43.18	Peak	
10 *	5948.6000	44.77	13.56	58.33	68.20	-9.87	Peak	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_AX(HE40) Mode	Polarization	Vertical
Test Frequency	5795 MHz	Test Date	2025/2/21

120 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11590.0000	43.59	5.29	48.88	74.00	-25.12	Peak	
2 *	11590.0000	30.45	5.29	35.74	54.00	-18.26	AVG	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_AX(HE40) Mode	Polarization	Horizontal
Test Frequency	5795 MHz	Test Date	2025/2/21

120 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11590.0000	43.27	5.29	48.56	74.00	-25.44	Peak	
2 *	11590.0000	30.12	5.29	35.41	54.00	-18.59	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_AX(HE80) Mode	Polarization	Vertical
Test Frequency	5775 MHz	Test Date	2025/2/20



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5646.2000	44.66	12.93	57.59	68.20	-10.61	Peak	
2	5698.2000	52.59	13.04	65.63	103.87	-38.24	Peak	
3	5719.4000	53.06	13.09	66.15	110.63	-44.48	Peak	
4	5723.0000	54.22	13.09	67.31	117.64	-50.33	Peak	
5	5745.0000	93.52	13.14	106.66	122.20	-15.54	Peak	No Limit
6	5745.0000	82.48	13.14	95.62	122.20	-26.58	AVG	No Limit
7	5851.4000	50.37	13.36	63.73	119.01	-55.28	Peak	
8	5860.6000	51.91	13.38	65.29	109.23	-43.94	Peak	
9	5876.6000	47.16	13.41	60.57	104.01	-43.44	Peak	
10 *	5946.2000	44.61	13.56	58.17	68.20	-10.03	Peak	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_AX(HE80) Mode	Polarization	Vertical
Test Frequency	5775 MHz	Test Date	2025/2/21

120 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11550.0000	42.59	5.31	47.90	74.00	-26.10	Peak	
2 *	11550.0000	30.49	5.31	35.80	54.00	-18.20	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_AX(HE80) Mode	Polarization	Horizontal
Test Frequency	5775 MHz	Test Date	2025/2/21

120 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11550.0000	43.13	5.31	48.44	74.00	-25.56	Peak	
2 *	11550.0000	30.92	5.31	36.23	54.00	-17.77	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Straddle Channel:

Test Mode	UNII-2C_A Mode	Polarization	Vertical
Test Frequency	5720 MHz	Test Date	2025/2/19




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5718.400	97.55	13.08	110.63	74.00	36.63	peak	No Limit
2	X	5718.400	88.73	13.08	101.81	74.00	27.81	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_A Mode	Polarization	Vertical
Test Frequency	5720 MHz	Test Date	2025/2/20




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11440.00	42.46	5.31	47.77	74.00	-26.23	peak	
2	*	11440.00	32.55	5.31	37.86	54.00	-16.14	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_A Mode	Polarization	Horizontal
Test Frequency	5720 MHz	Test Date	2025/2/20




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11440.00	42.78	5.31	48.09	74.00	-25.91	peak	
2	*	11440.00	31.28	5.31	36.59	54.00	-17.41	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_AC(VHT20) Mode	Polarization	Vertical
Test Frequency	5720 MHz	Test Date	2025/2/19




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5718.800	99.44	13.08	112.52	74.00	38.52	peak	No Limit
2	X	5718.800	89.12	13.08	102.20	74.00	28.20	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_AC(VHT20) Mode	Polarization	Vertical
Test Frequency	5720 MHz	Test Date	2025/2/20




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11440.00	43.92	5.31	49.23	74.00	-24.77	peak	
2	*	11440.00	33.62	5.31	38.93	54.00	-15.07	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_AC(VHT20) Mode	Polarization	Horizontal
Test Frequency	5720 MHz	Test Date	2025/2/20




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11440.00	43.04	5.31	48.35	74.00	-25.65	peak	
2	*	11440.00	33.24	5.31	38.55	54.00	-15.45	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_AC(VHT40) Mode	Polarization	Vertical
Test Frequency	5710 MHz	Test Date	2025/2/19




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5707.200	96.53	13.06	109.59	74.00	35.59	peak	No Limit
2	X	5707.200	86.85	13.06	99.91	74.00	25.91	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_AC(VHT40) Mode	Polarization	Vertical
Test Frequency	5710 MHz	Test Date	2025/2/21




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11420.00	42.60	5.30	47.90	74.00	-26.10	peak	
2	*	11420.00	29.38	5.30	34.68	54.00	-19.32	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_AC(VHT40) Mode	Polarization	Horizontal
Test Frequency	5710 MHz	Test Date	2025/2/21




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11420.00	41.67	5.30	46.97	74.00	-27.03	peak	
2	*	11420.00	29.47	5.30	34.77	54.00	-19.23	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_AC(VHT80) Mode	Polarization	Vertical
Test Frequency	5690 MHz	Test Date	2025/2/19




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5669.600	91.85	12.98	104.83	74.00	30.83	peak	No Limit
2	X	5669.600	81.55	12.98	94.53	74.00	20.53	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_AC(VHT80) Mode	Polarization	Vertical
Test Frequency	5690 MHz	Test Date	2025/2/21




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11380.00	42.15	5.26	47.41	74.00	-26.59	peak	
2	*	11380.00	29.30	5.26	34.56	54.00	-19.44	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_AC(VHT80) Mode	Polarization	Horizontal
Test Frequency	5690 MHz	Test Date	2025/2/21




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11380.00	42.88	5.26	48.14	74.00	-25.86	peak	
2	*	11380.00	29.51	5.26	34.77	54.00	-19.23	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_AX(HE20) Mode	Polarization	Vertical
Test Frequency	5720 MHz	Test Date	2025/2/20




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5722.400	98.28	13.09	111.37	74.00	37.37	peak	No Limit
2	X	5722.400	84.68	13.09	97.77	74.00	23.77	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_AX(HE20) Mode	Polarization	Vertical
Test Frequency	5720 MHz	Test Date	2025/2/21




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11440.00	45.15	5.31	50.46	74.00	-23.54	peak	
2	*	11440.00	35.35	5.31	40.66	54.00	-13.34	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_AX(HE20) Mode	Polarization	Horizontal
Test Frequency	5720 MHz	Test Date	2025/2/21




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11440.00	43.08	5.31	48.39	74.00	-25.61	peak	
2	*	11440.00	35.45	5.31	40.76	54.00	-13.24	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_AX(HE40) Mode	Polarization	Vertical
Test Frequency	5710 MHz	Test Date	2025/2/20




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5713.200	96.36	13.07	109.43	74.00	35.43	peak	No Limit
2	X	5713.200	84.56	13.07	97.63	74.00	23.63	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_AX(HE40) Mode	Polarization	Vertical
Test Frequency	5710 MHz	Test Date	2025/2/21




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11420.00	42.25	5.30	47.55	74.00	-26.45	peak	
2	*	11420.00	30.50	5.30	35.80	54.00	-18.20	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_AX(HE40) Mode	Polarization	Horizontal
Test Frequency	5710 MHz	Test Date	2025/2/21




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11420.00	42.80	5.30	48.10	74.00	-25.90	peak	
2	*	11420.00	30.45	5.30	35.75	54.00	-18.25	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_AX(HE80) Mode	Polarization	Vertical
Test Frequency	5690 MHz	Test Date	2025/2/20




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5676.400	94.48	13.00	107.48	74.00	33.48	peak	No Limit
2	X	5676.400	84.31	13.00	97.31	74.00	23.31	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_AX(HE80) Mode	Polarization	Vertical
Test Frequency	5690 MHz	Test Date	2025/2/21




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11380.00	41.78	5.26	47.04	74.00	-26.96	peak	
2	*	11380.00	30.37	5.26	35.63	54.00	-18.37	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_AX(HE80) Mode	Polarization	Horizontal
Test Frequency	5690 MHz	Test Date	2025/2/21




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11380.00	42.37	5.26	47.63	74.00	-26.37	peak	
2	*	11380.00	30.48	5.26	35.74	54.00	-18.26	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-1_AX(HE40) Mode	Polarization	Vertical
Test Frequency	5230 MHz	Test Date	2025/2/21




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		20720.00	45.14	-9.03	36.11	74.00	-37.89	peak	
2	*	20720.00	33.30	-9.03	24.27	54.00	-29.73	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-1_AX(HE40) Mode	Polarization	Horizontal
Test Frequency	5230 MHz	Test Date	2025/2/21



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		20720.00	44.57	-9.03	35.54	74.00	-38.46	peak	
2	*	20720.00	33.44	-9.03	24.41	54.00	-29.59	AVG	

REMARKS:


- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

APPENDIX D - BANDWIDTH

Test Mode	UNII-1_A Mode
-----------	---------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	23.187	17.200
40	5200	23.289	17.200
48	5240	22.988	17.300

CH36




Date: 25.FEB.2025 17:10:14

CH40
26 dB Bandwidth




Date: 25.FEB.2025 17:12:11

CH48




Date: 25.FEB.2025 17:14:35


99 % Occupied Bandwidth



Date: 25.FEB.2025 17:09:49



Date: 25.FEB.2025 17:11:46




Date: 25.FEB.2025 17:14:09

Test Mode	UNII-1_AC(VHT20) Mode
-----------	-----------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	24.087	18.200
40	5200	24.189	18.200
48	5240	23.799	18.300

CH36




Date: 25.FEB.2025 17:32:31

CH40
26 dB Bandwidth




Date: 25.FEB.2025 17:33:27

CH48




Date: 25.FEB.2025 17:35:09


99 % Occupied Bandwidth



Date: 25.FEB.2025 17:32:06



Date: 25.FEB.2025 17:33:12




Date: 25.FEB.2025 17:34:39

Test Mode	UNII-1_AC(VHT40) Mode
-----------	-----------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	43.790	37.400
46	5230	43.790	37.600

CH38




Date: 4.MAR.2025 13:39:02

CH46
26 dB Bandwidth




Date: 4.MAR.2025 13:41:09

99 % Occupied Bandwidth



Date: 4.MAR.2025 13:39:29




Date: 4.MAR.2025 13:40:31

Test Mode	UNII-1_AC(VHT80) Mode
-----------	-----------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	87.590	76.000

CH42 26 dB Bandwidth



Date: 4.NAR.2025 14:25:44

99 % Occupied Bandwidth




Date: 4.NAR.2025 14:24:45

Test Mode	UNII-1_AX(HE20) Mode
-----------	----------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	23.790	19.200
40	5200	23.689	19.200
48	5240	23.649	19.200

CH36




Date: 4.MAR.2025 14:56:37

CH40
26 dB Bandwidth




Date: 4.MAR.2025 14:58:04

CH48




Date: 4.MAR.2025 15:00:09


99 % Occupied Bandwidth



Date: 4.MAR.2025 14:56:12



Date: 4.MAR.2025 14:57:39




Date: 4.MAR.2025 14:59:44

Test Mode	UNII-1_AX(HE40) Mode
-----------	----------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	42.200	38.600
46	5230	42.590	38.400

CH38




Date: 4.MAR.2025 15:34:46

CH46
26 dB Bandwidth




Date: 4.MAR.2025 15:39:43

99 % Occupied Bandwidth



Date: 4.MAR.2025 15:34:09




Date: 4.MAR.2025 15:39:06

Test Mode	UNII-1_AX(HE80) Mode
-----------	----------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	81.400	77.600

CH42 26 dB Bandwidth



Date: 4.MAR.2025 16:17:31

99 % Occupied Bandwidth




Date: 4.MAR.2025 16:16:56


Test Mode	UNII-2A_A Mode
-----------	----------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	22.886	17.200
60	5300	26.588	17.300
64	5320	28.098	17.500


CH52






CH60
26 dB Bandwidth



CH64




99 % Occupied Bandwidth



Test Mode	UNII-2A_AC(VHT20) Mode
-----------	------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	25.990	18.300
60	5300	27.690	18.400
64	5320	27.789	18.500

CH52




Date: 25.FEB.2025 17:36:31

CH60
26 dB Bandwidth




Date: 25.FEB.2025 17:38:02

CH64




Date: 25.FEB.2025 17:39:18


99 % Occupied Bandwidth



Date: 25.FEB.2025 17:36:08



Date: 25.FEB.2025 17:37:40




Date: 25.FEB.2025 17:38:56

Test Mode	UNII-2A_AC(VHT80) Mode
-----------	------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	114.790	76.800

CH58 26 dB Bandwidth



Date: 4.MAR.2025 14:28:16

99 % Occupied Bandwidth




Date: 4.MAR.2025 14:27:08

Test Mode	UNII-2A_AX(HE20) Mode
-----------	-----------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	23.690	19.200
60	5300	24.388	19.200
64	5320	26.350	19.300

CH52




Date: 4.MAR.2025 15:03:56

CH60
26 dB Bandwidth




Date: 4.MAR.2025 15:05:19

CH64




Date: 4.MAR.2025 15:13:56


99 % Occupied Bandwidth



Date: 4.MAR.2025 15:03:32



Date: 4.MAR.2025 15:04:54




Date: 4.MAR.2025 15:13:33

Test Mode	UNII-2A_AX(HE40) Mode
-----------	-----------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	42.999	38.400
62	5310	46.190	38.400

CH54




Date: 4.MAR.2025 15:41:30

CH62
26 dB Bandwidth




Date: 4.MAR.2025 15:44:41

99 % Occupied Bandwidth



Date: 4.MAR.2025 15:40:46




Date: 4.MAR.2025 15:44:07

Test Mode	UNII-2A_AX(HE80) Mode
-----------	-----------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	81.800	77.600

CH58 26 dB Bandwidth



Date: 4.MAR.2025 16:19:20


99 % Occupied Bandwidth



Date: 4.MAR.2025 16:18:54


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	30.190	17.600
116	5580	35.590	18.700
140	5700	33.989	17.900
144	5720	33.090	17.800

CH140




Date: 25-FEB-2025 17:22:53

99 % Occupied Bandwidth




Date: 25-FEB-2025 17:22:32

CH144 26 dB Bandwidth



Date: 4.MAR.2025 16:37:29

99 % Occupied Bandwidth




Date: 4.MAR.2025 16:37:07

Test Mode	UNII-2C_AC(VHT20) Mode
-----------	------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	28.097	18.500
116	5580	35.196	19.100
140	5700	33.989	19.200
144	5720	29.588	18.700

CH100




Date: 25.FEB.2025 17:40:37

CH116
26 dB Bandwidth




Date: 25.FEB.2025 17:41:38

CH140




Date: 25.FEB.2025 17:42:40


99 % Occupied Bandwidth



Date: 25.FEB.2025 17:40:37



Date: 25.FEB.2025 17:41:38



Date: 25.FEB.2025 17:42:17