

Date: 4.MAR.2025 16:41:15

Ref 20 dBm Act 30 dB SWT 20 ns Marker 1 [F1] -0.37 dBm 5.72489566 GHz

OSW 115.00000000 dB VSWR 1.00000000 Temp 1 [F1] GHz

5.710400500 GHz Temp 2 [F1] GHz

5.729300500 GHz


Center 5.72 GHz 5 MHz/ Span 50 MHz

Date: 4.MAR.2025 16:40:51

Test Mode	UNII-2C_AC(VHT40) Mode
-----------	------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	56.400	40.200
110	5550	54.398	42.200
134	5670	53.590	41.000
142	5710	46.199	38.600

CH102




Date: 4.MAR.2025 14:05:29

CH110
26 dB Bandwidth




Date: 4.MAR.2025 14:16:57

CH134




Date: 4.MAR.2025 14:11:41


99 % Occupied Bandwidth



Date: 4.MAR.2025 13:47:05




Date: 4.MAR.2025 13:48:25




Date: 4.MAR.2025 13:49:40

CH142 26 dB Bandwidth



Date: 4.MAR.2025 16:57:00

99 % Occupied Bandwidth




Date: 4.MAR.2025 16:45:11

Test Mode	UNII-2C_AC(VHT80) Mode
-----------	------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	155.186	83.600
122	5610	175.586	85.600
138	5690	170.400	78.800

CH106




Date: 4.MAR.2025 14:31:43

CH122
26 dB Bandwidth




Date: 4.MAR.2025 14:34:08

CH138




Date: 4.MAR.2025 16:49:01


99 % Occupied Bandwidth



Date: 4.MAR.2025 14:31:16



Date: 4.MAR.2025 14:33:30




Date: 4.MAR.2025 16:48:16

Test Mode	UNII-2C_AX(HE20) Mode
-----------	-----------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	36.090	19.600
116	5580	36.999	20.200
140	5700	35.750	19.600
144	5720	28.290	19.400

CH100




Date: 4.MAR.2025 15:15:10

CH116
26 dB Bandwidth




Date: 4.MAR.2025 15:16:15

CH140




Date: 4.MAR.2025 15:24:38


99 % Occupied Bandwidth



Date: 4.MAR.2025 15:14:52




Date: 4.MAR.2025 15:15:58




Date: 4.MAR.2025 15:24:20

CH144 26 dB Bandwidth



Date: 4.MAR.2025 17:00:30

99 % Occupied Bandwidth




Date: 4.MAR.2025 17:00:08

Test Mode	UNII-2C_AX(HE40) Mode
-----------	-----------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	55.599	39.200
110	5550	54.797	39.800
134	5670	52.790	39.800
142	5710	52.608	39.400

CH102




Date: 4.MAR.2025 15:50:16

CH110
26 dB Bandwidth




Date: 4.MAR.2025 16:03:34

CH134




Date: 4.MAR.2025 16:08:36


99 % Occupied Bandwidth



Date: 4.MAR.2025 15:45:54




Date: 4.MAR.2025 15:58:52




Date: 4.MAR.2025 16:08:04

CH142 26 dB Bandwidth



Date: 4.MAR.2025 17:12:27

99 % Occupied Bandwidth




Date: 4.MAR.2025 17:02:59

Test Mode	UNII-2C_AX(HE80) Mode
-----------	-----------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	122.392	78.000
122	5610	143.592	78.800
138	5690	132.390	78.400

CH106




Date: 4.MAR.2025 16:21:57

CH122
26 dB Bandwidth




Date: 4.MAR.2025 16:26:25

CH138




Date: 4.MAR.2025 17:14:30


99 % Occupied Bandwidth



Date: 4.MAR.2025 16:21:15



Date: 4.MAR.2025 16:25:15




Date: 4.MAR.2025 17:13:40

Test Mode	UNII-3_A Mode
-----------	---------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	16.350	17.700	0.5	Complies
157	5785	16.189	17.900	0.5	Complies
165	5825	16.350	17.800	0.5	Complies

CH149




Date: 25.FEB.2025 17:24:31

CH157
6 dB Bandwidth




Date: 25.FEB.2025 17:25:52

CH165




Date: 25.FEB.2025 17:27:01


99 % Occupied Bandwidth



Date: 25.FEB.2025 17:24:33



Date: 25.FEB.2025 17:25:24




Date: 25.FEB.2025 17:26:33

Test Mode	UNII-3_AC(VHT20) Mode
-----------	-----------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	17.399	18.800	0.5	Complies
157	5785	17.650	18.800	0.5	Complies
165	5825	17.650	18.600	0.5	Complies

CH149




Date: 25.FEB.2025 17:44:56

CH157
6 dB Bandwidth




Date: 25.FEB.2025 17:46:18

CH165




Date: 25.FEB.2025 18:00:12


99 % Occupied Bandwidth



Date: 25.FEB.2025 17:44:28



Date: 25.FEB.2025 17:45:51




Date: 25.FEB.2025 17:59:42

Test Mode	UNII-3_AC(VHT40) Mode
-----------	-----------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	36.409	38.400	0.5	Complies
159	5795	36.500	37.800	0.5	Complies

CH151




Date: 4.MAR.2025 13:52:43

CH159
6 dB Bandwidth




Date: 4.MAR.2025 13:56:04

99 % Occupied Bandwidth



Date: 4.MAR.2025 13:52:06




Date: 4.MAR.2025 13:55:26

Test Mode	UNII-3_AC(VHT80) Mode
-----------	-----------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	75.800	77.200	0.5	Complies

CH155 6 dB Bandwidth



Date: 4.MAR.2025 14:44:39

99 % Occupied Bandwidth




Date: 4.MAR.2025 14:43:58

Test Mode	UNII-3_AX(HE20) Mode
-----------	----------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	18.790	19.400	0.5	Complies
157	5785	18.800	19.400	0.5	Complies
165	5825	19.050	19.400	0.5	Complies

CH149




Date: 4.MAR.2025 15:25:59

CH157
6 dB Bandwidth




Date: 4.MAR.2025 15:29:06

CH165




Date: 4.MAR.2025 15:30:22


99 % Occupied Bandwidth



Date: 4.MAR.2025 15:25:32



Date: 4.MAR.2025 15:28:39




Date: 4.MAR.2025 15:29:56

Test Mode	UNII-3_AX(HE40) Mode
-----------	----------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	37.800	39.000	0.5	Complies
159	5795	38.300	38.800	0.5	Complies

CH151




Date: 4.MAR.2025 16:09:37

CH159
6 dB Bandwidth




Date: 4.MAR.2025 16:11:32

99 % Occupied Bandwidth



Date: 4.MAR.2025 16:09:00




Date: 4.MAR.2025 16:10:53

Test Mode	UNII-3_AX(HE80) Mode
-----------	----------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	76.390	77.600	0.5	Complies

CH155 6 dB Bandwidth



Date: 4.MAR.2025 16:31:21

99 % Occupied Bandwidth



Date: 4.MAR.2025 16:30:43

APPENDIX E - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_A Mode_Ant. 1
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	11.83	1.14	12.97	30.00	1.0000	Complies
40	5200	11.71	1.14	12.85	30.00	1.0000	Complies
48	5240	11.67	1.14	12.81	30.00	1.0000	Complies

Test Mode	UNII-1_A Mode_Ant. 2
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	11.69	1.14	12.83	30.00	1.0000	Complies
40	5200	11.67	1.14	12.81	30.00	1.0000	Complies
48	5240	11.30	1.14	12.44	30.00	1.0000	Complies

Test Mode	UNII-1_A Mode_Total
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.92	30.00	1.0000	Complies
40	5200	15.84	30.00	1.0000	Complies
48	5240	15.64	30.00	1.0000	Complies

Test Mode	UNII-1_AC(VHT20) Mode_Ant. 1
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	10.66	1.29	11.95	30.00	1.0000	Complies
40	5200	10.89	1.29	12.18	30.00	1.0000	Complies
48	5240	10.77	1.29	12.06	30.00	1.0000	Complies

Test Mode	UNII-1_AC(VHT20) Mode_Ant. 2
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	9.70	1.29	10.99	30.00	1.0000	Complies
40	5200	10.07	1.29	11.36	30.00	1.0000	Complies
48	5240	9.90	1.29	11.19	30.00	1.0000	Complies

Test Mode	UNII-1_AC(VHT20) Mode_Total
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.50	30.00	1.0000	Complies
40	5200	14.80	30.00	1.0000	Complies
48	5240	14.65	30.00	1.0000	Complies

Test Mode	UNII-1_AC(VHT40) Mode_Ant. 1
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	12.27	0.81	13.08	30.00	1.0000	Complies
46	5230	12.18	0.81	12.99	30.00	1.0000	Complies

Test Mode	UNII-1_AC(VHT40) Mode_Ant. 2
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	12.05	0.81	12.86	30.00	1.0000	Complies
46	5230	12.07	0.81	12.88	30.00	1.0000	Complies

Test Mode	UNII-1_AC(VHT40) Mode_Total
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.98	30.00	1.0000	Complies
46	5230	15.94	30.00	1.0000	Complies

Test Mode	UNII-1_AC(VHT80) Mode_Ant. 1
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	11.57	1.63	13.20	30.00	1.0000	Complies

Test Mode	UNII-1_AC(VHT80) Mode_Ant. 2
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	11.02	1.63	12.65	30.00	1.0000	Complies

Test Mode	UNII-1_AC(VHT80) Mode_Total
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.94	30.00	1.0000	Complies

Test Mode	UNII-1_AX(HE20) Mode_Ant. 1
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	11.22	1.50	12.72	30.00	1.0000	Complies
40	5200	11.34	1.50	12.84	30.00	1.0000	Complies
48	5240	11.73	1.50	13.23	30.00	1.0000	Complies

Test Mode	UNII-1_AX(HE20) Mode_Ant. 2
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	10.45	1.50	11.95	30.00	1.0000	Complies
40	5200	10.50	1.50	12.00	30.00	1.0000	Complies
48	5240	10.73	1.50	12.23	30.00	1.0000	Complies

Test Mode	UNII-1_AX(HE20) Mode_Total
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.37	30.00	1.0000	Complies
40	5200	15.46	30.00	1.0000	Complies
48	5240	15.77	30.00	1.0000	Complies

Test Mode	UNII-1_AX(HE40) Mode_Ant. 1
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	11.38	1.58	12.96	30.00	1.0000	Complies
46	5230	11.79	1.58	13.37	30.00	1.0000	Complies

Test Mode	UNII-1_AX(HE40) Mode_Ant. 2
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	10.93	1.58	12.51	30.00	1.0000	Complies
46	5230	11.60	1.58	13.18	30.00	1.0000	Complies

Test Mode	UNII-1_AX(HE40) Mode_Total
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.75	30.00	1.0000	Complies
46	5230	16.28	30.00	1.0000	Complies

Test Mode	UNII-1_AX(HE80) Mode_Ant. 1
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	10.99	1.71	12.70	30.00	1.0000	Complies

Test Mode	UNII-1_AX(HE80) Mode_Ant. 2
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	10.64	1.71	12.35	30.00	1.0000	Complies

Test Mode	UNII-1_AX(HE80) Mode_Total
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.54	30.00	1.0000	Complies

Test Mode	UNII-2A_A Mode_Ant. 1
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.69	1.14	12.83	23.98	0.2500	Complies
60	5300	11.99	1.14	13.13	23.98	0.2500	Complies
64	5320	11.91	1.14	13.05	23.98	0.2500	Complies

Test Mode	UNII-2A_A Mode_Ant. 2
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.19	1.14	12.33	23.98	0.2500	Complies
60	5300	11.26	1.14	12.40	23.98	0.2500	Complies
64	5320	11.40	1.14	12.54	23.98	0.2500	Complies

Test Mode	UNII-2A_A Mode_Total
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.60	23.98	0.2500	Complies
60	5300	15.79	23.98	0.2500	Complies
64	5320	15.82	23.98	0.2500	Complies

Test Mode	UNII-2A_AC(VHT20) Mode_Ant. 1
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	10.69	1.29	11.98	23.98	0.2500	Complies
60	5300	10.39	1.29	11.68	23.98	0.2500	Complies
64	5320	10.52	1.29	11.81	23.98	0.2500	Complies

Test Mode	UNII-2A_AC(VHT20) Mode_Ant. 2
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	9.74	1.29	11.03	23.98	0.2500	Complies
60	5300	9.94	1.29	11.23	23.98	0.2500	Complies
64	5320	9.72	1.29	11.01	23.98	0.2500	Complies

Test Mode	UNII-2A_AC(VHT20) Mode_Total
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.54	23.98	0.2500	Complies
60	5300	14.47	23.98	0.2500	Complies
64	5320	14.44	23.98	0.2500	Complies

Test Mode	UNII-2A_AC(VHT40) Mode_Ant. 1
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	12.39	0.81	13.20	23.98	0.2500	Complies
62	5310	12.02	0.81	12.83	23.98	0.2500	Complies

Test Mode	UNII-2A_AC(VHT40) Mode_Ant. 2
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	11.67	0.81	12.48	23.98	0.2500	Complies
62	5310	11.74	0.81	12.55	23.98	0.2500	Complies

Test Mode	UNII-2A_AC(VHT40) Mode_Total
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.86	23.98	0.2500	Complies
62	5310	15.70	23.98	0.2500	Complies

Test Mode	UNII-2A_AC(VHT80) Mode_Ant. 1
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	11.06	1.63	12.69	23.98	0.2500	Complies

Test Mode	UNII-2A_AC(VHT80) Mode_Ant. 2
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	10.28	1.63	11.91	23.98	0.2500	Complies

Test Mode	UNII-2A_AC(VHT80) Mode_Total
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.33	23.98	0.2500	Complies

Test Mode	UNII-2A_AX(HE20) Mode_Ant. 1
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.76	1.50	13.26	23.98	0.2500	Complies
60	5300	11.57	1.50	13.07	23.98	0.2500	Complies
64	5320	11.68	1.50	13.18	23.98	0.2500	Complies

Test Mode	UNII-2A_AX(HE20) Mode_Ant. 2
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.37	1.50	12.87	23.98	0.2500	Complies
60	5300	11.09	1.50	12.59	23.98	0.2500	Complies
64	5320	11.00	1.50	12.50	23.98	0.2500	Complies

Test Mode	UNII-2A_AX(HE20) Mode_Total
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.08	23.98	0.2500	Complies
60	5300	15.85	23.98	0.2500	Complies
64	5320	15.87	23.98	0.2500	Complies

Test Mode	UNII-2A_AX(HE40) Mode_Ant. 1
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	11.49	1.58	13.07	23.98	0.2500	Complies
62	5310	11.67	1.58	13.25	23.98	0.2500	Complies

Test Mode	UNII-2A_AX(HE40) Mode_Ant. 2
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	11.01	1.58	12.59	23.98	0.2500	Complies
62	5310	11.03	1.58	12.61	23.98	0.2500	Complies

Test Mode	UNII-2A_AX(HE40) Mode_Total
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.84	23.98	0.2500	Complies
62	5310	15.95	23.98	0.2500	Complies

Test Mode	UNII-2A_AX(HE80) Mode_Ant. 1
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	11.44	1.71	13.15	23.98	0.2500	Complies

Test Mode	UNII-2A_AX(HE80) Mode_Ant. 2
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	10.60	1.71	12.31	23.98	0.2500	Complies

Test Mode	UNII-2A_AX(HE80) Mode_Total
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.76	23.98	0.2500	Complies

Test Mode	UNII-2C_A Mode_Ant. 1
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.64	1.14	11.78	23.98	0.2500	Complies
116	5580	10.78	1.14	11.92	23.98	0.2500	Complies
140	5700	10.42	1.14	11.56	23.98	0.2500	Complies
144	5720	10.57	1.14	11.71	23.98	0.2500	Complies

Test Mode	UNII-2C_A Mode_Ant. 2
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.41	1.14	11.55	23.98	0.2500	Complies
116	5580	10.48	1.14	11.62	23.98	0.2500	Complies
140	5700	9.92	1.14	11.06	23.98	0.2500	Complies
144	5720	10.06	1.14	11.20	23.98	0.2500	Complies

Test Mode	UNII-2C_A Mode_Total
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.68	23.98	0.2500	Complies
116	5580	14.79	23.98	0.2500	Complies
140	5700	14.33	23.98	0.2500	Complies
144	5720	14.47	23.98	0.2500	Complies

Test Mode	UNII-2C_AC(VHT20) Mode_Ant. 1
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.13	1.29	11.42	23.98	0.2500	Complies
116	5580	10.23	1.29	11.52	23.98	0.2500	Complies
140	5700	10.42	1.29	11.71	23.98	0.2500	Complies
144	5720	10.27	1.29	11.56	23.98	0.2500	Complies

Test Mode	UNII-2C_AC(VHT20) Mode_Ant. 2
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.07	1.29	11.36	23.98	0.2500	Complies
116	5580	9.85	1.29	11.14	23.98	0.2500	Complies
140	5700	9.44	1.29	10.73	23.98	0.2500	Complies
144	5720	9.61	1.29	10.90	23.98	0.2500	Complies

Test Mode	UNII-2C_AC(VHT20) Mode_Total
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.40	23.98	0.2500	Complies
116	5580	14.34	23.98	0.2500	Complies
140	5700	14.25	23.98	0.2500	Complies
144	5720	14.25	23.98	0.2500	Complies

Test Mode	UNII-2C_AC(VHT40) Mode_Ant. 1
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.69	0.81	11.50	23.98	0.2500	Complies
110	5550	10.42	0.81	11.23	23.98	0.2500	Complies
134	5670	11.17	0.81	11.98	23.98	0.2500	Complies
142	5710	10.85	0.81	11.66	23.98	0.2500	Complies

Test Mode	UNII-2C_AC(VHT40) Mode_Ant. 2
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	9.91	0.81	10.72	23.98	0.2500	Complies
110	5550	9.72	0.81	10.53	23.98	0.2500	Complies
134	5670	10.25	0.81	11.06	23.98	0.2500	Complies
142	5710	10.72	0.81	11.53	23.98	0.2500	Complies

Test Mode	UNII-2C_AC(VHT40) Mode_Total
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.14	23.98	0.2500	Complies
110	5550	13.90	23.98	0.2500	Complies
134	5670	14.55	23.98	0.2500	Complies
142	5710	14.61	23.98	0.2500	Complies

Test Mode	UNII-2C_AC(VHT80) Mode_Ant. 1
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	9.92	1.63	11.55	23.98	0.2500	Complies
122	5610	10.05	1.63	11.68	23.98	0.2500	Complies
138	5690	10.02	1.63	11.65	23.98	0.2500	Complies

Test Mode	UNII-2C_AC(VHT80) Mode_Ant. 2
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	9.37	1.63	11.00	23.98	0.2500	Complies
122	5610	9.42	1.63	11.05	23.98	0.2500	Complies
138	5690	9.32	1.63	10.95	23.98	0.2500	Complies

Test Mode	UNII-2C_AC(VHT80) Mode_Total
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.29	23.98	0.2500	Complies
122	5610	14.38	23.98	0.2500	Complies
138	5690	14.32	23.98	0.2500	Complies

Test Mode	UNII-2C_AX(HE20) Mode_Ant. 1
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.98	1.50	12.48	23.98	0.2500	Complies
116	5580	10.62	1.50	12.12	23.98	0.2500	Complies
140	5700	10.74	1.50	12.24	23.98	0.2500	Complies
144	5720	10.27	1.50	11.77	23.98	0.2500	Complies

Test Mode	UNII-2C_AX(HE20) Mode_Ant. 2
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.59	1.50	12.09	23.98	0.2500	Complies
116	5580	10.11	1.50	11.61	23.98	0.2500	Complies
140	5700	10.34	1.50	11.84	23.98	0.2500	Complies
144	5720	9.84	1.50	11.34	23.98	0.2500	Complies

Test Mode	UNII-2C_AX(HE20) Mode_Total
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.30	23.98	0.2500	Complies
116	5580	14.89	23.98	0.2500	Complies
140	5700	15.06	23.98	0.2500	Complies
144	5720	14.57	23.98	0.2500	Complies

Test Mode	UNII-2C_AX(HE40) Mode_Ant. 1
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.03	1.58	11.61	23.98	0.2500	Complies
110	5550	10.22	1.58	11.80	23.98	0.2500	Complies
134	5670	9.87	1.58	11.45	23.98	0.2500	Complies
142	5710	9.96	1.58	11.54	23.98	0.2500	Complies

Test Mode	UNII-2C_AX(HE40) Mode_Ant. 2
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	9.51	1.58	11.09	23.98	0.2500	Complies
110	5550	9.29	1.58	10.87	23.98	0.2500	Complies
134	5670	8.98	1.58	10.56	23.98	0.2500	Complies
142	5710	9.07	1.58	10.65	23.98	0.2500	Complies

Test Mode	UNII-2C_AX(HE40) Mode_Total
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.36	23.98	0.2500	Complies
110	5550	14.37	23.98	0.2500	Complies
134	5670	14.03	23.98	0.2500	Complies
142	5710	14.12	23.98	0.2500	Complies

Test Mode	UNII-2C_AX(HE80) Mode_Ant. 1
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	10.03	1.71	11.74	23.98	0.2500	Complies
122	5610	9.81	1.71	11.52	23.98	0.2500	Complies
138	5690	10.06	1.71	11.77	23.98	0.2500	Complies

Test Mode	UNII-2C_AX(HE80) Mode_Ant. 2
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	9.13	1.71	10.84	23.98	0.2500	Complies
122	5610	9.03	1.71	10.74	23.98	0.2500	Complies
138	5690	9.80	1.71	11.51	23.98	0.2500	Complies

Test Mode	UNII-2C_AX(HE80) Mode_Total
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.33	23.98	0.2500	Complies
122	5610	14.16	23.98	0.2500	Complies
138	5690	14.65	23.98	0.2500	Complies

Test Mode	UNII-3_A Mode_Ant. 1
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	10.09	1.14	11.23	30.00	1.0000	Complies
157	5785	9.89	1.14	11.03	30.00	1.0000	Complies
165	5825	10.17	1.14	11.31	30.00	1.0000	Complies

Test Mode	UNII-3_A Mode_Ant. 2
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	9.83	1.14	10.97	30.00	1.0000	Complies
157	5785	9.72	1.14	10.86	30.00	1.0000	Complies
165	5825	9.25	1.14	10.39	30.00	1.0000	Complies

Test Mode	UNII-3_A Mode_Total
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.12	30.00	1.0000	Complies
157	5785	13.96	30.00	1.0000	Complies
165	5825	13.89	30.00	1.0000	Complies

Test Mode	UNII-3_AC(VHT20) Mode_Ant. 1
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	10.34	1.29	11.63	30.00	1.0000	Complies
157	5785	9.98	1.29	11.27	30.00	1.0000	Complies
165	5825	9.86	1.29	11.15	30.00	1.0000	Complies

Test Mode	UNII-3_AC(VHT20) Mode_Ant. 2
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	10.02	1.29	11.31	30.00	1.0000	Complies
157	5785	9.67	1.29	10.96	30.00	1.0000	Complies
165	5825	9.52	1.29	10.81	30.00	1.0000	Complies

Test Mode	UNII-3_AC(VHT20) Mode_Total
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.48	30.00	1.0000	Complies
157	5785	14.12	30.00	1.0000	Complies
165	5825	13.99	30.00	1.0000	Complies

Test Mode	UNII-3_AC(VHT40) Mode_Ant. 1
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	10.72	0.81	11.53	30.00	1.0000	Complies
159	5795	11.07	0.81	11.88	30.00	1.0000	Complies

Test Mode	UNII-3_AC(VHT40) Mode_Ant. 2
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	10.71	0.81	11.52	30.00	1.0000	Complies
159	5795	10.14	0.81	10.95	30.00	1.0000	Complies

Test Mode	UNII-3_AC(VHT40) Mode_Total
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	14.53	30.00	1.0000	Complies
159	5795	14.45	30.00	1.0000	Complies

Test Mode	UNII-3_AC(VHT80) Mode_Ant. 1
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	9.87	1.63	11.50	30.00	1.0000	Complies

Test Mode	UNII-3_AC(VHT80) Mode_Ant. 2
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	9.61	1.63	11.24	30.00	1.0000	Complies

Test Mode	UNII-3_AC(VHT80) Mode_Total
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	14.38	30.00	1.0000	Complies

Test Mode	UNII-3_AX(HE20) Mode_Ant. 1
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	10.22	1.50	11.72	30.00	1.0000	Complies
157	5785	9.77	1.50	11.27	30.00	1.0000	Complies
165	5825	10.19	1.50	11.69	30.00	1.0000	Complies

Test Mode	UNII-3_AX(HE20) Mode_Ant. 2
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	9.26	1.50	10.76	30.00	1.0000	Complies
157	5785	8.98	1.50	10.48	30.00	1.0000	Complies
165	5825	9.69	1.50	11.19	30.00	1.0000	Complies

Test Mode	UNII-3_AX(HE20) Mode_Total
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.28	30.00	1.0000	Complies
157	5785	13.91	30.00	1.0000	Complies
165	5825	14.46	30.00	1.0000	Complies

Test Mode	UNII-3_AX(HE40) Mode_Ant. 1
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	10.12	1.58	11.70	30.00	1.0000	Complies
159	5795	10.17	1.58	11.75	30.00	1.0000	Complies

Test Mode	UNII-3_AX(HE40) Mode_Ant. 2
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	9.57	1.58	11.15	30.00	1.0000	Complies
159	5795	9.66	1.58	11.24	30.00	1.0000	Complies

Test Mode	UNII-3_AX(HE40) Mode_Total
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	14.44	30.00	1.0000	Complies
159	5795	14.51	30.00	1.0000	Complies

Test Mode	UNII-3_AX(HE80) Mode_Ant. 1
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	9.76	1.71	11.47	30.00	1.0000	Complies

Test Mode	UNII-3_AX(HE80) Mode_Ant. 2
Test Date	2025/4/1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	9.52	1.71	11.23	30.00	1.0000	Complies

Test Mode	UNII-3_AX(HE80) Mode_Total
Test Date	2025/4/1


Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	14.36	30.00	1.0000	Complies

Note: Output power = Measure result + Cable loss

APPENDIX F - POWER SPECTRAL DENSITY


Test Mode UNII-1_A Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-1.52	1.14	-0.38	17.00	Complies
40	5200	-7.27	1.14	-6.13	17.00	Complies
48	5240	-1.76	1.14	-0.62	17.00	Complies



Test Mode UNII-1_A Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-2.35	1.14	-1.21	17.00	Complies
40	5200	-6.90	1.14	-5.76	17.00	Complies
48	5240	-2.51	1.14	-1.37	17.00	Complies




Test Mode	UNII-1_A Mode_Total
-----------	---------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	2.24	17.00	Complies
40	5200	-2.93	17.00	Complies
48	5240	2.04	17.00	Complies


Test Mode	UNII-1_AC(VHT20) Mode_Ant. 1
-----------	------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-1.89	1.29	-0.60	17.00	Complies
40	5200	-8.47	1.29	-7.18	17.00	Complies
48	5240	-1.66	1.29	-0.37	17.00	Complies



Test Mode	UNII-1_AC(VHT20) Mode_Ant. 2
-----------	------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-0.31	1.29	0.98	17.00	Complies
40	5200	-8.33	1.29	-7.04	17.00	Complies
48	5240	-2.23	1.29	-0.94	17.00	Complies




Test Mode	UNII-1_AC(VHT20) Mode_Total
-----------	-----------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	3.27	17.00	Complies
40	5200	-4.10	17.00	Complies
48	5240	2.36	17.00	Complies

Test Mode	UNII-1_AC(VHT40) Mode_Ant. 1
-----------	------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-5.96	0.81	-5.15	17.00	Complies
46	5230	-4.48	0.81	-3.67	17.00	Complies

CH38



Date: 4.MAR.2025 13:39:23

CH46




Date: 4.MAR.2025 13:41:30

Test Mode	UNII-1_AC(VHT40) Mode_Ant. 2
-----------	------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-6.13	0.81	-5.32	17.00	Complies
46	5230	-5.20	0.81	-4.39	17.00	Complies

CH38



Date: 4.MAR.2025 19:17:25

CH46




Date: 4.MAR.2025 19:18:38

Test Mode	UNII-1_AC(VHT40) Mode_Total
-----------	-----------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-2.23	17.00	Complies
46	5230	-1.01	17.00	Complies

Test Mode	UNII-1_AC(VHT80) Mode_Ant. 1
-----------	------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-8.88	1.63	-7.25	17.00	Complies



Date: 4.MAR.2025 14:26:06

Test Mode	UNII-1_AC(VHT80) Mode_Ant. 2
-----------	------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-8.78	1.63	-7.15	17.00	Complies




Date: 4.MAR.2025 19:30:06

Test Mode	UNII-1_AC(VHT80) Mode_Total
-----------	-----------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-4.19	17.00	Complies


Test Mode	UNII-1_AX(HE20) Mode_Ant. 1
-----------	-----------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-3.04	1.50	-1.54	17.00	Complies
40	5200	-8.52	1.50	-7.02	17.00	Complies
48	5240	-9.70	1.50	-8.20	17.00	Complies



Test Mode	UNII-1_AX(HE20) Mode_Ant. 2
-----------	-----------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-3.22	1.50	-1.72	17.00	Complies
40	5200	-10.16	1.50	-8.66	17.00	Complies
48	5240	-10.03	1.50	-8.53	17.00	Complies




Test Mode	UNII-1_AX(HE20) Mode_Total
-----------	----------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	1.39	17.00	Complies
40	5200	-4.75	17.00	Complies
48	5240	-5.35	17.00	Complies

Test Mode	UNII-1_AX(HE40) Mode_Ant. 1
-----------	-----------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-6.60	1.58	-5.02	17.00	Complies
46	5230	-5.91	1.58	-4.33	17.00	Complies

CH38



Date: 4.MAR.2025 15:35:08

CH46




Date: 4.MAR.2025 15:40:06

Test Mode	UNII-1_AX(HE40) Mode_Ant. 2
-----------	-----------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-6.59	1.58	-5.01	17.00	Complies
46	5230	-5.72	1.58	-4.14	17.00	Complies

CH38



Date: 4.MAR.2025 19:55:48

CH46




Date: 4.MAR.2025 19:59:00

Test Mode	UNII-1_AX(HE40) Mode_Total
-----------	----------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-2.01	17.00	Complies
46	5230	-1.23	17.00	Complies


Test Mode	UNII-1_AX(HE80) Mode_Ant. 1
-----------	-----------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-9.52	1.71	-7.81	17.00	Complies



Test Mode	UNII-1_AX(HE80) Mode_Ant. 2
-----------	-----------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-9.11	1.71	-7.40	17.00	Complies



Test Mode	UNII-1_AX(HE80) Mode_Total
-----------	----------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-4.59	17.00	Complies