


SPECTA GL33Antenna Datasheet

SPECT Antenna Datasheet

1、 Basic Specifications

No.	Specification	Descriptions	Notes	
1	Antenna Name	<u>SPECT GL33 SDR Ant</u>		
2	Brand	<u>SPECTA</u>		
3	Operation Frequency	<u>2.4~2.483GHz;</u> <u>5.725~5.85GHz</u>		
4	Connector Type	Ipex-1		
5	Impedance	50ohm		
6	Gain	1.5dBi@2.4~2.483GHz sdr 3 dbi@5.2GHz sdr 3dBi@5.725~5.875GHz sdr		
7	Efficiency	≥50% SDR		
8	VSWR	≤2.5		
9	Polarization type	Linear		
10	3dB Beamwidth	Omnidirectional horizon		
11	Weight			
12	Antenna type	PCB		
13	Manufacturer	Shenzhen ZTX Communication Technology Co., LTD.		
14	Manufacturer address	No.34 Shilong Road, Bao'an District, Shenzhen, Guangdong Province.		

2、 Antenna Return Loss/VSWR



3、 Antenna Gain

3.1 sdr :


Frequency	Efficiency	Gain(dBi)
2400MHz	50%	1.4
2410MHz	47%	1.2
2420MHz	46%	1.5
2450MHz	48%	1.5
2470MHz	48%	1
2483MHz	47%	1.4

Frequency	Efficiency	Gain(dBi)
5150MHz	63%	2.3
5200MHz	62%	3.0
5725MHz	49%	2.6
5775MHz	54%	2.8
5800MHz	53%	2.9


5825MHz	51%	2.4
5850MHz	60%	3.0

4、 Radiation Pattern


4.1.1 sdr antenna 2.4G radiation patter



4.1.2 sdr antenna 5.2G radiation pattern



4.1.3 sdr antenna 5.8G radiation pattern



5、 Structure drawing

