

RF Test Data for 2.4G WiFi (Conducted Measurements)


General Description of EUT	
Product Name:	smart bird feeder
Test Model:	MBC01
Sample ID:	RW-C-202308-0031-4-2#
Environmental Conditions	
Temperature:	23.8℃
Relative Humidity:	48%
Test Voltage:	DC 3.7V
Test Engineer:	Li Ying Jing
Note: For a more detailed features description, please refer to the report TBR-C-202308-0031-66 The report only show the worst case data.	

1. Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	b	2412	Ant1	99.82	0.01	0.06
NVNT	b	2437	Ant1	99.88	0.01	0.06
NVNT	b	2462	Ant1	99.82	0.01	0.06
NVNT	g	2412	Ant1	98.56	0.06	0.37
NVNT	g	2437	Ant1	98.56	0.06	0.37
NVNT	g	2462	Ant1	98.56	0.06	0.37
NVNT	n(HT20)	2412	Ant1	98.83	0.05	0.39
NVNT	n(HT20)	2437	Ant1	98.45	0.07	0.39
NVNT	n(HT20)	2462	Ant1	98.83	0.05	0.39

Test Graphs


Duty Cycle NVNT b 2412MHz Ant1




Duty Cycle NVNT b 2437MHz Ant1




Duty Cycle NVNT b 2462MHz Ant1




Duty Cycle NVNT g 2412MHz Ant1




Duty Cycle NVNT g 2437MHz Ant1




Duty Cycle NVNT g 2462MHz Ant1




Duty Cycle NVNT n(HT20) 2412MHz Ant1



Duty Cycle NVNT n(HT20) 2437MHz Ant1





2. Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	b	2412	Ant1	14.604	30	Pass
NVNT	b	2437	Ant1	14.863	30	Pass
NVNT	b	2462	Ant1	14.447	30	Pass
NVNT	g	2412	Ant1	11.565	30	Pass
NVNT	g	2437	Ant1	11.678	30	Pass
NVNT	g	2462	Ant1	11.608	30	Pass
NVNT	n(HT20)	2412	Ant1	10.413	30	Pass
NVNT	n(HT20)	2437	Ant1	10.730	30	Pass
NVNT	n(HT20)	2462	Ant1	10.386	30	Pass

3. -6dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	b	2412	Ant1	10.09	0.5	Pass
NVNT	b	2437	Ant1	10.03	0.5	Pass
NVNT	b	2462	Ant1	10.05	0.5	Pass
NVNT	g	2412	Ant1	16.39	0.5	Pass
NVNT	g	2437	Ant1	16.39	0.5	Pass
NVNT	g	2462	Ant1	16.39	0.5	Pass
NVNT	n(HT20)	2412	Ant1	17.58	0.5	Pass
NVNT	n(HT20)	2437	Ant1	17.59	0.5	Pass
NVNT	n(HT20)	2462	Ant1	17.59	0.5	Pass

Test Graphs


-6dB Bandwidth NVNT b 2412MHz Ant1




-6dB Bandwidth NVNT b 2437MHz Ant1




-6dB Bandwidth NVNT b 2462MHz Ant1




-6dB Bandwidth NVNT g 2412MHz Ant1




-6dB Bandwidth NVNT g 2437MHz Ant1




-6dB Bandwidth NVNT g 2462MHz Ant1




-6dB Bandwidth NVNT n(HT20) 2412MHz Ant1



-6dB Bandwidth NVNT n(HT20) 2437MHz Ant1






4. Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	b	2412	Ant1	13.079
NVNT	b	2437	Ant1	13.111
NVNT	b	2462	Ant1	13.120
NVNT	g	2412	Ant1	16.486
NVNT	g	2437	Ant1	16.484
NVNT	g	2462	Ant1	16.517
NVNT	n(HT20)	2412	Ant1	17.607
NVNT	n(HT20)	2437	Ant1	17.613
NVNT	n(HT20)	2462	Ant1	17.621

Test Graphs


OBW NVNT b 2412MHz Ant1




OBW NVNT b 2437MHz Ant1




OBW NVNT b 2462MHz Ant1




OBW NVNT g 2412MHz Ant1




OBW NVNT g 2437MHz Ant1




OBW NVNT g 2462MHz Ant1




OBW NVNT n(HT20) 2412MHz Ant1



OBW NVNT n(HT20) 2437MHz Ant1






5. Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
NVNT	b	2412	Ant1	-9.126	8	Pass
NVNT	b	2437	Ant1	-8.739	8	Pass
NVNT	b	2462	Ant1	-8.537	8	Pass
NVNT	g	2412	Ant1	-13.109	8	Pass
NVNT	g	2437	Ant1	-12.759	8	Pass
NVNT	g	2462	Ant1	-12.314	8	Pass
NVNT	n(HT20)	2412	Ant1	-13.515	8	Pass
NVNT	n(HT20)	2437	Ant1	-13.477	8	Pass
NVNT	n(HT20)	2462	Ant1	-14.862	8	Pass

Test Graphs

PSD NVNT b 2412MHz Ant1




PSD NVNT b 2437MHz Ant1




PSD NVNT b 2462MHz Ant1




PSD NVNT g 2412MHz Ant1




PSD NVNT g 2437MHz Ant1




PSD NVNT g 2462MHz Ant1




PSD NVNT n(HT20) 2412MHz Ant1



PSD NVNT n(HT20) 2437MHz Ant1






6. Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-54.80	-20	Pass
NVNT	b	2462	Ant1	-53.99	-20	Pass
NVNT	g	2412	Ant1	-47.33	-20	Pass
NVNT	g	2462	Ant1	-49.25	-20	Pass
NVNT	n(HT20)	2412	Ant1	-48.01	-20	Pass
NVNT	n(HT20)	2462	Ant1	-50.10	-20	Pass

Test Graphs

Band Edge NVNT b 2412MHz Ant1 Ref




Band Edge NVNT b 2412MHz Ant1 Emission




Band Edge NVNT b 2462MHz Ant1 Ref




Band Edge NVNT b 2462MHz Ant1 Emission




Band Edge NVNT g 2412MHz Ant1 Ref



Band Edge NVNT g 2412MHz Ant1 Emission




Band Edge NVNT g 2462MHz Ant1 Ref




Band Edge NVNT g 2462MHz Ant1 Emission




Band Edge NVNT n(HT20) 2412MHz Ant1 Ref




Band Edge NVNT n(HT20) 2412MHz Ant1 Emission



Band Edge NVNT n(HT20) 2462MHz Ant1 Ref



Band Edge NVNT n(HT20) 2462MHz Ant1 Emission




7. Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-47.02	-20	Pass
NVNT	b	2437	Ant1	-46.46	-20	Pass
NVNT	b	2462	Ant1	-46.60	-20	Pass
NVNT	g	2412	Ant1	-39.64	-20	Pass
NVNT	g	2437	Ant1	-40.55	-20	Pass
NVNT	g	2462	Ant1	-41.36	-20	Pass
NVNT	n(HT20)	2412	Ant1	-40.65	-20	Pass
NVNT	n(HT20)	2437	Ant1	-41.14	-20	Pass
NVNT	n(HT20)	2462	Ant1	-39.32	-20	Pass

Test Graphs


Tx. Spurious NVNT b 2412MHz Ant1 Ref




Tx. Spurious NVNT b 2412MHz Ant1 Emission




Tx. Spurious NVNT b 2437MHz Ant1 Ref




Tx. Spurious NVNT b 2437MHz Ant1 Emission




Tx. Spurious NVNT b 2462MHz Ant1 Ref




Tx. Spurious NVNT b 2462MHz Ant1 Emission




Tx. Spurious NVNT g 2412MHz Ant1 Ref




Tx. Spurious NVNT g 2412MHz Ant1 Emission




Tx. Spurious NVNT g 2437MHz Ant1 Ref




Tx. Spurious NVNT g 2437MHz Ant1 Emission




Tx. Spurious NVNT g 2462MHz Ant1 Ref




Tx. Spurious NVNT g 2462MHz Ant1 Emission




Tx. Spurious NVNT n(HT20) 2412MHz Ant1 Ref




Tx. Spurious NVNT n(HT20) 2412MHz Ant1 Emission




Tx. Spurious NVNT n(HT20) 2437MHz Ant1 Ref




Tx. Spurious NVNT n(HT20) 2437MHz Ant1 Emission



Tx. Spurious NVNT n(HT20) 2462MHz Ant1 Ref



Tx. Spurious NVNT n(HT20) 2462MHz Ant1 Emission




8. Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	b	2412	Ant1	2310	-44.54	4.18	54.9	Peak	74	Pass
NVNT	b	2412	Ant1	2310	-53.82	4.18	45.62	Average	54	Pass
NVNT	b	2412	Ant1	2383.359	-35.29	4.18	64.15	Peak	74	Pass
NVNT	b	2412	Ant1	2385.231	-46.81	4.18	52.63	Average	54	Pass
NVNT	b	2412	Ant1	2390	-37.84	4.18	61.6	Peak	74	Pass
NVNT	b	2412	Ant1	2390	-47.08	4.18	52.36	Average	54	Pass
NVNT	b	2462	Ant1	2483.5	-39.28	4.18	60.16	Peak	74	Pass
NVNT	b	2462	Ant1	2483.5	-48.38	4.18	51.06	Average	54	Pass
NVNT	b	2462	Ant1	2491.785	-36.09	4.18	63.35	Peak	74	Pass
NVNT	b	2462	Ant1	2487.015	-47.9	4.18	51.54	Average	54	Pass
NVNT	b	2462	Ant1	2500	-38.92	4.18	60.52	Peak	74	Pass
NVNT	b	2462	Ant1	2500	-48.84	4.18	50.6	Average	54	Pass
NVNT	g	2412	Ant1	2310	-45.39	4.18	54.05	Peak	74	Pass
NVNT	g	2412	Ant1	2310	-53.95	4.18	45.49	Average	54	Pass
NVNT	g	2412	Ant1	2388.741	-32.37	4.18	67.07	Peak	74	Pass
NVNT	g	2412	Ant1	2389.911	-45.73	4.18	53.71	Average	54	Pass
NVNT	g	2412	Ant1	2390	-34.26	4.18	65.18	Peak	74	Pass
NVNT	g	2412	Ant1	2390	-45.63	4.18	53.81	Average	54	Pass
NVNT	g	2462	Ant1	2483.5	-37.15	4.18	62.29	Peak	74	Pass
NVNT	g	2462	Ant1	2483.5	-47.72	4.18	51.72	Average	54	Pass
NVNT	g	2462	Ant1	2483.782	-35.46	4.18	63.98	Peak	74	Pass
NVNT	g	2462	Ant1	2483.57	-47.71	4.18	51.73	Average	54	Pass
NVNT	g	2462	Ant1	2500	-42.99	4.18	56.45	Peak	74	Pass
NVNT	g	2462	Ant1	2500	-51.58	4.18	47.86	Average	54	Pass
NVNT	n(HT20)	2412	Ant1	2310	-44.49	4.18	54.95	Peak	74	Pass
NVNT	n(HT20)	2412	Ant1	2310	-53.97	4.18	45.47	Average	54	Pass
NVNT	n(HT20)	2412	Ant1	2387.337	-32.78	4.18	66.66	Peak	74	Pass
NVNT	n(HT20)	2412	Ant1	2389.911	-46.21	4.18	53.23	Average	54	Pass
NVNT	n(HT20)	2412	Ant1	2390	-33.78	4.18	65.66	Peak	74	Pass
NVNT	n(HT20)	2412	Ant1	2390	-46.15	4.18	53.29	Average	54	Pass
NVNT	n(HT20)	2462	Ant1	2483.5	-38.63	4.18	60.81	Peak	74	Pass
NVNT	n(HT20)	2462	Ant1	2483.5	-48.37	4.18	51.07	Average	54	Pass
NVNT	n(HT20)	2462	Ant1	2484.259	-35.73	4.18	63.71	Peak	74	Pass
NVNT	n(HT20)	2462	Ant1	2483.517	-48.37	4.18	51.07	Average	54	Pass
NVNT	n(HT20)	2462	Ant1	2500	-41.61	4.18	57.83	Peak	74	Pass
NVNT	n(HT20)	2462	Ant1	2500	-51.93	4.18	47.51	Average	54	Pass

Test Graphs

Restrict Band NVNT b 2412MHz Ant1 Peak




Restrict Band NVNT b 2412MHz Ant1 Average




Restrict Band NVNT b 2462MHz Ant1 Peak




Restrict Band NVNT b 2462MHz Ant1 Average



Restrict Band NVNT g 2412MHz Ant1 Peak



Restrict Band NVNT g 2412MHz Ant1 Average




Restrict Band NVNT g 2462MHz Ant1 Peak




Restrict Band NVNT g 2462MHz Ant1 Average



Restrict Band NVNT n(HT20) 2412MHz Ant1 Peak



Restrict Band NVNT n(HT20) 2412MHz Ant1 Average



Restrict Band NVNT n(HT20) 2462MHz Ant1 Peak



Restrict Band NVNT n(HT20) 2462MHz Ant1 Average



-----END OF THE REPORT-----