

1. Effective (Isotropic) Radiated Power Output Data

1.1 PCS1900_EIRP

1.1.1 Test Result

Band: PCS1900								
ENV	Mode		Frequency (MHz)	Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
	Network	Subset				Result	Limit	
NTNV	GSM	GSM	1850.2	24.37	0.00	24.37	<=33.01	Pass
			1880	25.86	0.00	25.86	<=33.01	Pass
			1909.8	28.28	0.00	28.28	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

2. Frequency Stability

2.1 PCS1900

2.1.1 Test Result

Band: PCS1900							
Network	Frequency (MHz)	Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
					Result	Limit	
GSM	1850.2	20	3.27	10.977	0.0059	-2.5 to 2.5	Pass
			3.85	10.622	0.0057	-2.5 to 2.5	Pass
			4.43	3.390	0.0018	-2.5 to 2.5	Pass
		-30	3.85	2.518	0.0014	-2.5 to 2.5	Pass
		-20	3.85	11.429	0.0062	-2.5 to 2.5	Pass
		-10	3.85	2.744	0.0015	-2.5 to 2.5	Pass
		0	3.85	11.881	0.0064	-2.5 to 2.5	Pass
		10	3.85	3.293	0.0018	-2.5 to 2.5	Pass
		30	3.85	10.428	0.0056	-2.5 to 2.5	Pass
		40	3.85	4.681	0.0025	-2.5 to 2.5	Pass
		50	3.85	-1.743	-0.0009	-2.5 to 2.5	Pass
	1880	20	3.27	-5.941	-0.0032	-2.5 to 2.5	Pass
			3.85	-0.129	-0.0001	-2.5 to 2.5	Pass
			4.43	-3.874	-0.0021	-2.5 to 2.5	Pass
		-30	3.85	-2.389	-0.0013	-2.5 to 2.5	Pass
		-20	3.85	1.033	0.0005	-2.5 to 2.5	Pass
		-10	3.85	2.518	0.0013	-2.5 to 2.5	Pass
		0	3.85	-7.103	-0.0038	-2.5 to 2.5	Pass
		10	3.85	2.131	0.0011	-2.5 to 2.5	Pass

		30	3.85	0.484	0.0003	-2.5 to 2.5	Pass
		40	3.85	-6.005	-0.0032	-2.5 to 2.5	Pass
		50	3.85	-2.615	-0.0014	-2.5 to 2.5	Pass
	1909.8	20	3.27	-6.941	-0.0036	-2.5 to 2.5	Pass
			3.85	-2.647	-0.0014	-2.5 to 2.5	Pass
			4.43	-2.389	-0.0013	-2.5 to 2.5	Pass
		-30	3.85	-11.591	-0.0061	-2.5 to 2.5	Pass
		-20	3.85	-4.714	-0.0025	-2.5 to 2.5	Pass
		-10	3.85	8.427	0.0044	-2.5 to 2.5	Pass
		0	3.85	-0.775	-0.0004	-2.5 to 2.5	Pass
		10	3.85	-5.521	-0.0029	-2.5 to 2.5	Pass
		30	3.85	-4.100	-0.0021	-2.5 to 2.5	Pass
		40	3.85	-7.813	-0.0041	-2.5 to 2.5	Pass
		50	3.85	-5.876	-0.0031	-2.5 to 2.5	Pass


3. Modulation Characteristics

3.1 PCS1900

3.1.1 Test Result

Band: PCS1900						
ENV	Mode		Frequency (MHz)	Modulation Characteristics		Verdict
	Network	Subset		Result	Limit	
NTNV	GSM	GSM	1880	Refer To Test Graph		Pass

3.1.2 Test Graph




4. 99% & 26dB Bandwidth


4.1 PCS1900_OBW

4.1.1 Test Result

Band: PCS1900					
ENV	Mode		Frequency (MHz)	99% Occupied Bandwidth (MHz)	Verdict
	Network	Subset		Result	
NTNV	GSM	GSM	1850.2	0.251	Pass
			1880	0.249	Pass
			1909.8	0.243	Pass

4.1.2 Test Graph







4.2 PCS1900_XDB

4.2.1 Test Result

Band: PCS1900					
ENV	Mode		Frequency (MHz)	26dB Bandwidth (MHz)	Verdict
	Network	Subset		Result	
NTNV	GSM	GSM	1850.2	0.310	Pass
			1880	0.322	Pass
			1909.8	0.314	Pass

4.2.2 Test Graph






5. Peak-Average Ratio

5.1 PCS1900


5.1.1 Test Result

Band: PCS1900						
ENV	Mode		Frequency (MHz)	Peak-Average Ratio (dB)		Verdict
	Network	Subset		Result	Limit	
NTNV	GSM	GSM	1850.2	9.30	<=13	Pass
			1880	9.50	<=13	Pass
			1909.8	9.46	<=13	Pass

5.1.2 Test Graph



PCS1900_GSM_HCH_1909.8MHz_GSM_NTNV




6. Spurious Emission

6.1 PCS1900


6.1.1 Test Result

Band: PCS1900						
ENV	Mode		Frequency (MHz)	Spurious Emission		Verdict
	Network	Subset		Result	Limit	
NTNV	GSM	GSM	1850.2	Refer To Test Graph		Pass
			1880	Refer To Test Graph		Pass
			1909.8	Refer To Test Graph		Pass


6.1.2 Test Graph




PCS1900_GSM_LCH_1850.2MHz_GSM_NTNV




PCS1900_GSM_MCH_1880MHz_GSM_NTNV




PCS1900_GSM_MCH_1880MHz_GSM_NTNV




PCS1900_GSM_HCH_1909.8MHz_GSM_NTNV



PCS1900_GSM_HCH_1909.8MHz_GSM_NTNV



PCS1900_GSM_HCH_1909.8MHz_GSM_NTNV



7. Form731

7.1 Form731_Power

7.1.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
PCS1900	0.2	1850.2	1909.8	0.6730	0.0064	ppm	251KGXW	24E	28.28

7.2 Form731_EIRP

7.2.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
PCS1900	0.2	1850.2	1909.8	0.6730	0.0064	ppm	251KGXW	24E	28.28