



深圳市众成通讯科技有限公司

Shenzhen Zhongcheng Communication Technology Co., Ltd.

Room 108, Innovation Valley, Shengtianlong Company, No. 16, Lane 3, Liuxian 2nd Road,
District 71, Xingdong Community, Xin'an Sub-district, Bao'an District, Shenzhen City

Antenna Approval Sheet

For

K802Project


Customer		Project	K802
Band	WiFi 2.4GHZ		
ZC PN	HA033-CA-93		
Version	R:A	Data	2024-5-10

RF		ME	
Checked By			
Confirmed By			
Cust Confirm			



1. Summary of the DUT

Antenna Picture



2. Electrical Specification:

Antenna types	Built-in WIFI Antenna
Frequency	2400-2500 MHz
Impedance	50 Ω
VSWR	< 2.0
Peak Gain	2.4GHZ 1.73dbi
Antenna Material	FPC+同轴线
Connector Type	0.81 MHF-2-Plug



3. Test Condition

3.1	测试项目	测试设备和型号	备注
无源测试	1. Antenna Gain 2. S.W.R 3. Return Loss 4. Radiation Pattern	1. Network analyzer (R&S ZVL6) 2. Network analyzer (HP 8753D)	


4. RF Performance

4.1 Passive parameters


Freq. (MHz)	2400	2410	2420	2430	2440	2450	2460	2470	2480	2490	2500
Gain (dBi)	0.58	0.66	1.1	1.02	1.17	1.59	0.72	0.08	0.72	1.19	1.73

4.2 S Parameter

Frequency (MHz)	2400	2450	2480
Return Loss (dB)	-20.58	-22.74	-15.39
VSWR	1.63	1.28	1.81




4.3 Radiation Pattern




Passive -Freq2400.00MHZ

Gain:0.58(dBi)



Passive -Freq2450.00MHZ

Gain: 1.59(dBi)



Passive -Freq2500.00MHZ

Gain: 1.73(dBi)



5. ME Drawing for the antenna

