



CORE HEALTH & FITNESS VIRTUAL BIKE

OWNER'S MANUAL



CONTACT SUPPORT NOW



TABLE OF CONTENTS



IMPORTANT SAFETY INSTRUCTIONS.....	3
IMPORTANT LABEL LOCATIONS	5
PRODUCT SPECIFICATIONS	5
ASSEMBLY	9
REQUIRED TOOLS	9
ASSEMBLY PARTS	10
PROCEDURE	11
CONSOLE	23
CONSOLE FEATURES	23
USING THE CONSOLE	25
<i>RIDE SUMMARY</i>	27
<i>CONNECTING A DEVICE</i>	28
<i>CONNECTING TO ENTERTAINMENT</i>	31
<i>SCREEN SHARING</i>	31
LOGIN EXPERIENCE	32
FCC INFORMATION	33
INDUSTRY CANADA INFORMATION	34
MAINTENANCE MODE	35
<i>CONSOLE INFORMATION & SOFTWARE UPDATES</i>	36
<i>GENERAL SETTINGS</i>	37
<i>APPS</i>	39
<i>GENERAL SETTINGS</i>	41
<i>CONNECTING TO BLUETOOTH</i>	42
<i>CONNECTING TO WIFI</i>	43
<i>TESTING THE FAN</i>	43
<i>TESTING THE HDMI CONNECTION</i>	43
GEAR CALIBRATION	44
POWERMETER CALIBRATION	46
ERROR LIST	47
MAINTENANCE	51
TOOLS	51
REPLACEMENT PARTS	54
SUPPORT & SERVICE	73

WARNING!



Before using this product, it is essential to read the ENTIRE Owner's Manual and ALL installation instructions. The Owner's Manual describes equipment operation and instructs members on how to use correctly and safely.

Read all warnings posted on the machine.



Health related injuries may result from incorrect or excessive use of exercise equipment. Core Health & Fitness strongly recommends you to encourage your members to discuss their health program or fitness regimen with a health care professional, especially if you or they have not exercised for several years, are over 35, or have known health conditions.

WARNING: to reduce the risk of serious injury to persons using this equipment, read and follow all of these warnings:

The clear safety area recommendations are accurate as of the time of this manual publication, Core Health & Fitness strongly recommends that you review the latest applicable standards from:

ASTM standards for Stationary Training Equipment (<https://www.astm.org/>) and ISO standards for Stationary Training Equipment (<https://www.iso.org>)




Fig. 1 Required Clearance

1. Assemble and operate the machine on a solid level surface. Position the machine with a minimum of 23.6 inches (0.6 meters) of clearance on at least one side and 23.6 inches (0.6 meters) either behind or in front of the exercise bicycle.

Leave a minimum of 19.7 inches (0.5 meters) between two adjacent units. These dimensions are the recommended minimum distances.

The actual area for access and passage shall be the responsibility of the facility and should take into account this training envelope, Americans with Disabilities Act Accessibility Guidelines (ADAAG) requirements and any required local codes or regulations (www.access-board.gov/ada).

2. This equipment is designed for use in a commercial gymnasium or health club. To ensure the proper use of the equipment in a safe manner, all users of the equipment should read this manual before using the machine. This machine should be made a part of your club training program in order that the equipment is used by your members in a safe manner as intended. In addition to instructing the club members in the proper use of the equipment, the club member should obtain a complete physical examination from their health care provider before beginning any exercise program.
3. The safety and integrity of this machine can only be maintained when the equipment is regularly examined for damage and wear and repaired. It is the sole responsibility of the owner of this equipment to ensure that regular maintenance is performed. Worn or damaged parts must be replaced immediately or the equipment removed from service until the repair is made.
4. Do not exceed the maximum allowable user weight limit of:
 - 350 lbs. (159 kg.)

5. It is the purchaser's sole responsibility to properly instruct its end users and supervising personnel as to the proper operating procedures of all Startrac equipment.
6. Care should be used when mounting or dismounting the equipment. Before mounting or dismounting, move the pedal on the mounting or dismounting side to its lowest position and bring the machine to a complete stop.
7. Keep the top surface of the pedals clean and dry.
8. This unit is not equipped with a free-wheel. Pedal speed should be reduced in a controlled manner.
9. When adjusting any seat, slider, pop-pin or any other type of adjuster, make certain that the adjusting pin is fully engaged in the hole to avoid injury. If any of the adjustment devices are left projecting, they could interfere with the user's movement.
10. This machine is not intended to be used by children. It is not intended to be used by persons with reduced physical, sensory, or mental capabilities or lack of experience and knowledge, unless given instruction and under the personal supervision concerning use of the machine by a person responsible for their safety. Do not leave children unsupervised around the machine.
11. Wear proper exercise clothing and athletic shoes during a workout. Avoid wearing loose clothing. Tie back long hair and keep towels away from the moving parts. Face forward at all times and never attempt to turn around while the machine is moving.
12. Obtain a medical exam before beginning any exercise program. If at any time during exercise you feel faint, dizzy, or experience pain, stop and consult your physician. Use the value calculated or measured by the console for reference purposes only.
13.  **WARNING:** There is risk of explosion if the battery is replaced with an incorrect type. Dispose of used batteries according to the manufacturer's instructions.
14. Use only replacement components supplied by Startrac. Substitutes are forbidden and will void all warranties.
15.  **DANGER:** Pedals that have not been tested and qualified by Startrac should never be used on Startrac bikes. Unqualified pedals can lead to pedal failure and serious injury to the rider.
16.  **WARNING:** Do not open the generator chain guard unless instructed.
17.  **WARNING:** Heart rate monitoring systems may be inaccurate. Over-exercising may result in serious injury or death. If you feel faint stop exercising immediately.

SAVE THESE INSTRUCTIONS

IMPORTANT LABEL LOCATIONS

This page shows the location of the warning labels and communication stickers placed on the equipment as part of the manufacturing process. It is critical that owners maintain the integrity and placement of these stickers. If you find any stickers missing or damaged the replacement numbers are shown on the support site and following pages. See Support and Service to order replacements.




Fig. 2 Important Label Locations



PRODUCT SPECIFICATIONS

SKU: 9-7555-8VB

Desc: Virtual Bike

Unit Weight		Width		Length		Height		Max User Weight	
176	lbs	20.7	in	44.4	in	59.7	in	350	lbs
79.8	kg	53	cm	113	cm	152	cm	159	kg

 050-5821 STICKER, SEAT POST, PLACEMENT, RIGHT, UGC	 050-5822 STICKER, SEAT POST, PLACEMENT, LEFT, UGC	 050-5823 STICKER, HBAR POST, PLACEMENT, RIGHT, UGC	 050-5824 STICKER, HBAR POST, PLACEMENT, LEFT, UGC	 050-5825 STICKER, FORE/AFT, SEAT SLIDER, RIGHT, UGC	 050-5826 STICKER, FORE/AFT, SEAT SLIDER, LEFT, UGC
---	--	---	--	--	---

 050-5735 LABEL, DO NOT LOOSEN, ZX BIKES	 050-5724 LABEL, PEDAL BOLT TORQUE	 050-5892 LABEL, WARNING, MEDICAL, VIRTUAL BIKE
---	---	--

⚠ WARNING



Read the Owner's Manual and follow all proper instruction prior to use. **IMPROPER USE OF THIS MACHINE CAN RESULT IN SERIOUS INJURY.**

1. As with all exercise equipment or programs, consult a physician prior to use and stop if you feel faint, dizzy or exhausted.
2. This equipment should only be used in a supervised environment.
3. This appliance is not intended for use by persons with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety. Keep children under the age of 13 away from this machine.
4. Inspect machine prior to use. Immediately report worn, loose or damaged equipment to the instructor and refrain from using the bike.
5. Keep body and clothing free and clear of all moving parts.
6. Ensure all adjustment and locking features are properly secured before using bike.
7. Always ride in control. Stop in a controlled manner as flywheel momentum will keep pedals turning.
9. Replace label if damaged, illegible or removed.

050-5828 Rev A

050-5828
LABEL, WARNING, ENGLISH, UGC

⚠ ATTENTION!



Lisez le manuel du propriétaire et suivez toutes les directives appropriées avant d'utiliser cet appareil. **UNE UTILISATION INCORRECTE DE CET APPAREIL PEUT CAUSER DES BLESSURES GRAVES.**

1. Comme avec tout équipement ou programme de sport, consultez un médecin avant d'utiliser l'appareil et arrêtez-vous si vous vous sentez faible, étourdi ou épuisé.
2. Cet équipement ne doit être utilisé que dans un environnement supervisé.
3. Cet équipement n'est pas destiné aux personnes ayant des habiletés physiques, sensorielles ou mentales faibles ou des personnes non expérimentées, à moins qu'elles l'utilisent sous la supervision d'une personne responsable de leur sécurité ou qu'elles aient reçu de cette personne des directives sur l'utilisation de l'appareil. Gardez cette machine hors de portée des enfants de moins de 13 ans.
4. Inspectez l'appareil avant de l'utiliser. Signalez immédiatement tout équipement ayant des signes d'usure, de desserrement de pièces ou de dommages à l'instructeur et évitez d'utiliser le vélo dans cet état.
5. Gardez les parties de votre corps et vos vêtements éloignés de toutes les pièces mobiles.
6. Assurez-vous que toutes les fonctions de réglage et de verrouillage sont correctement sécurisées avant d'utiliser le vélo.
7. Pédalez toujours avec prudence. Arrêtez toujours avec prudence car le mouvement du volant-moteur fait que les pédales continuent de tourner après l'arrêt du vélo.
9. Remplacez l'étiquette si elle est endommagée, illisible ou enlevée.

050-5829 Rev A

050-5829
LABEL, WARNING, FRENCH, UNIVERSAL CYCLE



050-5827
STICKER, FORE/AFT, HBAR SLIDER, UGC



050-5893
DECAL, FORK, VIRTUAL BIKE

BIKE OPERATIONS

Adjusting the Handlebar or Seat Slider

1. Raise the slider cam lever (handlebar) or seat cam lever (seat) to adjust slider.
2. Adjust slider to desired position.
3. Return lever to original position to lock. Ensure cam lever is secure before using the unit.



Basic Console Instructions

1. If screen saver is active, pedal or touch screen to activate main menu.
2. From main menu, select from a variety of workout options using the graphical interface and following the prompts on screen.
3. Track and save your workout data by tapping to pair your Apple Watch or Samsung Galaxy Watch on the icon at the bottom right corner of the display

Adjusting Seat Post or Handlebar Post height with Locking Pop Pin

1. Turn pop-pin counterclockwise and pull to loosen.
2. While having the pop-pin pulled out, adjust the seat or handlebar tube to desired height.

⚠ WARNING: Do not lift the Seatpost or Handlebar posts above the STOP mark on the tube.

3. Release pop-pin and turn clockwise to lock. Tighten pop-pin until post is secure without wobble.

Emergency Stop

1. To stop press down on the emergency stop handle.

Adjusting the Resistance

1. Turn clockwise to add resistance.
2. Turn counter-clockwise to reduce resistance.

REQUIRED TOOLS




Fig. 3 9-7555 Shown¹

Required Tools:

- Torque Wrench
- 4mm, 5mm Allen Keys
- 4mm, 5mm, 8mm, 13mm Allen Socket
- 13mm Open-Ended Wrench
- #2 Phillips Screwdriver

Parts Included In the Box²:

#	PN	Description
A	727-0144	KIT, CONSOLE, VIRTUAL, BIKE
B	727-0260	VIRTUAL BIKE NECK WELDMENT
C	700-0541-XX	VIRTUAL BIKE NECK COVER
D	718-6328	ASSY, SET, PEDALS, S5/S7
E	020-7431-XX	POWER SUPPLY, 90-260VAC/12VDC 5A MIN
F	740-3156	ADAPTER, CORD LINE, NEMA 5-15
G	740-9020	ADAPTER, CORD LINE, NEMA 6-15
H	220-0270	ADAPTER, CORD LINE, CEE 7/7
I	220-0271	VIRTUAL BIKE, BLISTER PACK 1

#	PN	Description
J	220-0272	ASSEMBLY MANUAL, STAR TRAC, VIRTUAL BIKE
K	712-4022	OWNERS MANUAL, STAR TRAC, VIRTUAL BIKE
L	740-9537-XX	ASSY, FOOT, FRONT, NEXT GEN BIKE
M	740-9556-XX	WELDMENT, CROSS BEAM, REAR
N	727-0276	WELDMENT, POST, SEAT, UGC
O	727-0275	WELDMENT, SLIDER, SEAT, UPPER, UGC
P	727-0260	ASSY, HBAR V2, VIRTUAL BIKE
Q	050-5903	CARTON, UGC CORE H&F
R	9-7555-XXXXP0	STAR TRAC, VIRTUAL BIKE BASE

¹ Item A (Console) ships in a separate box.

² For a complete list of replacement parts see the online Owner's Manual or through CoreConnect on **page 73**

ASSEMBLY PARTS




Fig. 4 Assembly Parts - Print this page to compare.

#	PN	Description
A	110-3178	SCREW, M6x25, BHC, HK, AS, B0
B	110-3484	SCREW, M5x0.8, 10mm, BHC, HK, SS, B0
C	110-3507	SCREW, M6x1.0, 30mm, FHM, HK, SS
D	110-3996	SCREW, M5x0.8, 20MM, BHC, HE, SS
E	110-4081	SCREW, M8x1.25, 30mm, HHC, AS, ZC, FL, Gr-10.9
F	110-4332	SCREW, M8x1.25, 18mm, HHC, HE, AS, ZP, SF, NP, Grd-10.9
G	110-4343	SCREW, M2.9, 10mm L, PHTF, PH, SS, 18.8 STAINLESS
H	140-3837	CABLE CLIP, ADHESIVE, BLACK
I	580-0307	BATTERY, AA SIZE, 1.5V
J	718-6110	STOPPER, F/A, HBAR, ACPU
K	727-0253	CAP, LOWER, BAR SLIDER V2.2
L	740-8145	BOLT, CRANKARM, M8
M	740-8247	THREADED PLATE, FEET, BLADE
N	740-8607	CALIBRATION TOOL, ZERO POINT, ACPP

PROCEDURE

To watch this procedure

QR.COREHANDF.COM/VBINSTALL



PACKAGING REMOVAL:

Unit is heavy and requires two people for assembly.

Carefully remove all packaging materials that wrap the equipment.

DO NOT USE A KNIFE OR BOX CUTTER AS YOU MAY DAMAGE THE EQUIPMENT.

At this time remove any sub-components from the pallet and set aside for later assembly. Once all packaging has been removed, lay all parts out in a clean open area to prepare for assembly. Should any component not be present or if you have any operational questions, please refer to **SUPPORT & SERVICE**

After assembly, a complete visual inspection, and test of the features and functions of the assembled unit must be made prior to use.




Fig. 5

1. Tip the bike forward or rotate to slide threaded foot plates 740-8247 into the frame.
Note: Use a blanket or foam casing from the box to tilt the bike onto to avoid damage.
2. Use a 13mm open-ended wrench to secure the rear stabilizer 740-9550-XX to the frame with 2 M8 x 18mm flange bolts 110-4332.
3. Use a torque wrench with a 13mm allen socket to torque the flange bolts to 37 ft-lb (50 N-m)
4. Return bike to standing then install the Seat Post 727-0194-XX into the bike frame by loosening pin 718-6145

5. Loosen the seat slider tension lever, then tip bike backwards.

Note: Use a blanket or foam casing from the box to tilt the bike onto to avoid damage.

6. Use a 13mm open-ended wrench to secure the front stabilizer 740-9537-XX to the frame with 2 M8 x 18mm flange bolts 110-4332.




Fig. 6

7. Use a torque wrench with a 13mm allen socket to torque the flange bolts to 37 ft-lb (50 N-m).
8. Return the bike to standing.
9. Loosen the seat slider tension lever, then slide the seat assembly onto the seat post.




Fig. 7

- 10.** Install the right pedal into the right crank arm, then hand-thread the M8 pedal bolt through the crank arm and into the pedal.

- 11.** Use a torque wrench with an 8mm allen socket to torque the pedal bolt to 37 ft-lb (50 N-m).




Fig. 8

- 12.** Install the left pedal into the left crank arm, then hand-thread the M8 pedal bolt through the crank arm and into the pedal.

- 13.** Use a torque wrench with an 8mm allen socket to torque the pedal bolt to 37 ft-lb (50 N-m).




Fig. 9