


Antenna Information

Manufacturer	Shenzhen Panlong Communication Technology Co., Ltd.
Antenna Type	Onboard antenna
Antenna Model	FPC antenna
Antenna Part Number	3.30.S61Z.001
Antenna Frequency Range	2400-2500MHz
Manufacturer Address	201, 2nd Floor, Baisifu Maker, No. 8 North Second Lane, Shiyan Liguang Water Plant, Bao'an District, Shenzhen City
Antenna Peak Gain	-0.28dB
Antenna Dimension (LxHxW)	17.39*9.4mm

Antenna Photo





With Ruler]






Antenna Bottom View [With Ruler]

Antenna Pattern/Gain Measurement data/Table:

Frequency	Efficiency	Efficiency . dB	Gain . dB
2400	26%	-5.79	-0.28
2410	25%	-6.00	-0.68
2420	25%	-6.03	-0.69
2430	25%	-6.02	-0.63
2440	25%	-5.95	-0.62
2450	26%	-5.80	-0.46
2460	28%	-5.51	-0.39
2470	26%	-5.79	-0.28
2480	25%	-6.00	-0.68
2490	24%	-6.26	-0.31
2500	25%	-6.00	-0.38

1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State

► Tr2 S11 SWR 1.000 / Ref 1.000
Tr2 S11 Log Mag 10.00dB / Ref 0.000dB



Recall State

State01

State02

State03

State04

State05

State06

State07

State08

Autorec

File Dialog...

Return

