





EXHIBIT 2 - EUT EXTERNAL PHOTOGRAPHS

EUT View 1	 A photograph of an orange electronic component, likely a connector or plug, positioned next to a black metric ruler. The component is rectangular with a small circular hole on its left side and a logo consisting of a stylized 'S' inside a circle. The ruler shows measurements in millimeters, with the component's width being approximately 25 mm. The background is a light blue textured surface.
EUT View 2	 A photograph of the same orange electronic component from a different perspective, showing its top and side. The component has a rectangular shape with a small notch on its top edge. It is placed next to a black metric ruler for scale. The ruler shows measurements in millimeters, with the component's length being approximately 25 mm. The background is a light blue textured surface.

EUT View 3	 A side view of an orange electronic component. It has a circular base and a protruding arm with a small circular feature at its end. The component is placed on a blue textured surface next to a black millimeter ruler. The ruler shows measurements in millimeters, with the component's width being approximately 20 mm.
EUT View 4	 A top-down view of the orange electronic component. It is rectangular with a small circular feature on the top surface. The component is placed on a blue textured surface next to a black millimeter ruler. The ruler shows measurements in millimeters, with the component's length being approximately 20 mm and its width being approximately 10 mm.

EUT View 5	 A side view of an orange electronic component. It has a small, thin protrusion on the left side. The component is positioned next to a black ruler with white markings. The ruler shows measurements in millimeters (0 to 100) and centimeters (0 to 10). The background is a light blue textured surface.
EUT View 6	 A top-down view of the orange electronic component. It shows a rectangular body with a hinged lid that is open, revealing internal components including a coiled spring. The component is placed next to a black ruler with white markings. The ruler shows measurements in millimeters (0 to 100) and centimeters (0 to 10). The background is a light blue textured surface.