


Remote Control Instruction Manual

Model: FSHW-2G4-TX-1



Function

Power Button: Click to turn the product on or off. Turn off the product to enter standby mode.

Comfort mode: Range for 50-86°F (10-30°C), the default value is 86°F(30°C).

ECO mode: Range for 50-86°F (10-30°C), the default value is 86°F(30°C).

Boost mode: Range for 50-86°F (10-30°C), the default value is 86°F(30°C).

Number increase: Click to increase the temperature set point.

Number decrease: Click to decrease the temperature set point.

Child lock function: The lock function can also be turned on and off in standby mode.

Light-off function: Click to turn on or turn off the indicator light.

Timer function: Click to increase the countdown hours. Set to 0 hours to turn off the function.

Power level button: Light up one light for level 1(750W), light up tow lights for level 2(1500W).

FCC Warning:

Warning: Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

ISED Warning:

This device contains license-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's license-exempt RSS(s). Operation is subject to the following two conditions:


1. This device may not cause interference.
2. This device must accept any interference, including interference that may cause undesired operation of the device.

Cet appareil contient un ou des émetteurs/récepteurs exempts de licence qui sont conformes au(x) RSS exempts de licence d'Innovation, Science et Développement économique Canada. Le fonctionnement est soumis aux deux conditions suivantes :

1. Cet appareil ne doit pas causer d'interférences.
2. Cet appareil doit accepter toute interférence, y compris les interférences qui peuvent causer un fonctionnement non désiré de l'appareil.

Remote Control Instruction Manual

Model: FSHW-2G4-TX-2



- ① ON/OFF Button
- ② Temperature control
- ③ Eco mode
- ④ Boost mode
- ⑤ Comfort mode
- ⑥ Child-lock function
- ⑦ Light-off function
- ⑧ Power level button
- ⑨ Timer function

Function

ON/OFF Button: Click to turn the product on or off. Turn off the product to enter standby mode.

Temperature control: Click “+” to increase the temperature set point; Click “-” to decrease the temperature set point.

ECO mode: Range for 50-86°F (10-30°C), the default value is 86°F(30°C).

Boost mode: Range for 50-86°F (10-30°C), the default value is 86°F(30°C).

Comfort mode: Range for 50-86°F (10-30°C), the default value is 86°F(30°C).

Child lock function: The lock function can also be turned on and off in standby mode.

Light-off function: Click to turn on or turn off the indicator light.

Power level button: Light up one light for level 1(750W), light up tow lights for level 2(1500W).

Timer function: Click to increase the countdown hours. Set to 0 hours to turn off the function.

FCC Warning:

Warning: Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

ISED Warning:

This device contains license-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's license-exempt RSS(s). Operation is subject to the following two conditions:

1. This device may not cause interference.
2. This device must accept any interference, including interference that may cause undesired operation of the device.

Cet appareil contient un ou des émetteurs/récepteurs exempts de licence qui sont conformes au(x) RSS exempts de licence d'Innovation, Science et Développement économique Canada. Le fonctionnement est soumis aux deux conditions suivantes :

1. Cet appareil ne doit pas causer d'interférences.
2. Cet appareil doit accepter toute interférence, y compris les interférences qui peuvent causer un fonctionnement non désiré de l'appareil.