



TEST REPORT

Appendix A: DTS Bandwidth

Test Mode	Antenna	Frequency[MHz]	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	Ant1	2402	0.656	2401.660	2402.316	0.5	PASS
BLE_1M	Ant1	2440	0.672	2439.652	2440.324	0.5	PASS
BLE_1M	Ant1	2480	0.668	2479.656	2480.324	0.5	PASS

The test plots as follows:







Appendix B: Maximum conducted output power

Test Mode	Antenna	Frequency[MHz]	Conducted Peak Power[dBm]	Conducted Limit[dBm]	EIRP[dBm]	EIRP Limit[dBm]	Verdict
BLE_1M	Ant1	2402	9.13	≤30	15.03	≤36	PASS
BLE_1M	Ant1	2440	8.51	≤30	14.41	≤36	PASS
BLE_1M	Ant1	2480	8.40	≤30	14.30	≤36	PASS

TEST REPORT

The test plots as follows:







Appendix C: Maximum power spectral density

Test Mode	Antenna	Frequency[MHz]	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
BLE_1M	Ant1	2402	-6.63	≤8.00	PASS
BLE_1M	Ant1	2440	-7.09	≤8.00	PASS
BLE_1M	Ant1	2480	-7.29	≤8.00	PASS

TEST REPORT

The test plots as follows:







Appendix D: Occupied Channel Bandwidth

Test Mode	Antenna	Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE 1M	Ant1	2402	1.0322	2401.4841	2402.5163	---	---
BLE 1M	Ant1	2440	1.0297	2439.4861	2440.5158	---	---
BLE 1M	Ant1	2480	1.0240	2479.4851	2480.5091	---	---

TEST REPORT

The test plots as follows:






Appendix E: Band edge measurements

Test Mode	Antenna	ChName	Frequency[MHz]	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant1	Low	2402	8.31	-44.61	≤-11.69	PASS
BLE_1M	Ant1	High	2480	7.24	-48.33	≤-12.76	PASS

TEST REPORT

The test plots as follows:





Appendix F: Conducted Spurious Emission

Test Mode	Antenna	Frequency[MHz]	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant1	2402	0~Reference	6.66	6.66	---	PASS
BLE_1M	Ant1	2402	30~1000	6.66	-47.38	≤-13.34	PASS
BLE_1M	Ant1	2402	1000~26500	6.66	-37.79	≤-13.34	PASS
BLE_1M	Ant1	2440	0~Reference	6.53	6.53	---	PASS
BLE_1M	Ant1	2440	30~1000	6.53	-48.19	≤-13.47	PASS
BLE_1M	Ant1	2440	1000~26500	6.53	-38.52	≤-13.47	PASS
BLE_1M	Ant1	2480	0~Reference	6.66	6.66	---	PASS
BLE_1M	Ant1	2480	30~1000	6.66	-47.95	≤-13.34	PASS
BLE_1M	Ant1	2480	1000~26500	6.66	-38.57	≤-13.34	PASS

TEST REPORT

The test plots as follows:







BLE_1M-Ant1-2440-0-Reference-PASS



BLE_1M-Ant1-2440-30-1000-PASS




BLE_1M-Ant1-2440-1000~26500-PASS




BLE_1M-Ant1-2480-0~Reference-PASS



BLE_1M-Ant1-2480-30-1000-PASS



BLE_1M-Ant1-2480-1000-26500-PASS



Appendix G: Duty Cycle

Test Mode	Antenna	Frequency[MHz]	ON Time [ms]	Period [ms]	Duty Cycle [%]	Duty Cycle Factor[dB]
BLE_1M	Ant1	2402	0.39	0.62	62.90	2.01
BLE_1M	Ant1	2440	0.39	0.62	62.90	2.01
BLE_1M	Ant1	2480	0.39	0.62	62.90	2.01

The test plots as follows:

