



11.5. APPENDIX E: MAXIMUM POWER SPECTRAL DENSITY LEVEL


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
NVNT	b	2412	Ant1	-5.22	≤8	Pass
NVNT	b	2412	Ant2	-10.09	≤8	Pass
NVNT	b	2437	Ant1	-8.39	≤8	Pass
NVNT	b	2437	Ant2	-10.28	≤8	Pass
NVNT	b	2462	Ant1	-6.11	≤8	Pass
NVNT	b	2462	Ant2	-10.69	≤8	Pass
NVNT	g	2412	Ant1	-18.36	≤8	Pass
NVNT	g	2412	Ant2	-18.93	≤8	Pass
NVNT	g	2437	Ant1	-18.05	≤8	Pass
NVNT	g	2437	Ant2	-18.43	≤8	Pass
NVNT	g	2462	Ant1	-17.81	≤8	Pass
NVNT	g	2462	Ant2	-18.81	≤8	Pass
NVNT	n20	2412	Ant1	-21.92	≤8	Pass
NVNT	n20	2412	Ant2	-23.43	≤8	Pass
NVNT	n20	2412	Sum	-19.6	≤8	Pass
NVNT	n20	2437	Ant1	-21.78	≤8	Pass
NVNT	n20	2437	Ant2	-22.99	≤8	Pass
NVNT	n20	2437	Sum	-19.33	≤8	Pass
NVNT	n20	2462	Ant1	-21.11	≤8	Pass
NVNT	n20	2462	Ant2	-24.07	≤8	Pass
NVNT	n20	2462	Sum	-19.33	≤8	Pass
NVNT	n40	2422	Ant1	-26.62	≤8	Pass
NVNT	n40	2422	Ant2	-26.13	≤8	Pass
NVNT	n40	2422	Sum	-23.36	≤8	Pass
NVNT	n40	2437	Ant1	-26.35	≤8	Pass
NVNT	n40	2437	Ant2	-26.54	≤8	Pass
NVNT	n40	2437	Sum	-23.43	≤8	Pass
NVNT	n40	2452	Ant1	-25.92	≤8	Pass
NVNT	n40	2452	Ant2	-26.04	≤8	Pass
NVNT	n40	2452	Sum	-22.97	≤8	Pass




































11.6. APPENDIX F: BAND EDGE


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-42.74	-20	Pass
NVNT	b	2412	Ant2	-45.66	-20	Pass
NVNT	b	2462	Ant1	-55.35	-20	Pass
NVNT	b	2462	Ant2	-55.75	-20	Pass
NVNT	g	2412	Ant1	-39.65	-20	Pass
NVNT	g	2412	Ant2	-41.16	-20	Pass
NVNT	g	2462	Ant1	-49.04	-20	Pass
NVNT	g	2462	Ant2	-50.5	-20	Pass
NVNT	n20	2412	Ant1	-40.11	-20	Pass
NVNT	n20	2412	Ant2	-39.96	-20	Pass
NVNT	n20	2462	Ant1	-46.3	-20	Pass
NVNT	n20	2462	Ant2	-45.29	-20	Pass
NVNT	n40	2422	Ant1	-42.09	-20	Pass
NVNT	n40	2422	Ant2	-42.6	-20	Pass
NVNT	n40	2452	Ant1	-44.33	-20	Pass
NVNT	n40	2452	Ant2	-43.38	-20	Pass












































11.7. APPENDIX G: CONDUCTED RF SPURIOUS EMISSION

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-49.88	-20	Pass
NVNT	b	2412	Ant2	-52.95	-20	Pass
NVNT	b	2437	Ant1	-49.47	-20	Pass
NVNT	b	2437	Ant2	-53.16	-20	Pass
NVNT	b	2462	Ant1	-47.29	-20	Pass
NVNT	b	2462	Ant2	-53.55	-20	Pass
NVNT	g	2412	Ant1	-45.29	-20	Pass
NVNT	g	2412	Ant2	-46.16	-20	Pass
NVNT	g	2437	Ant1	-46.7	-20	Pass
NVNT	g	2437	Ant2	-46.58	-20	Pass
NVNT	g	2462	Ant1	-46.52	-20	Pass
NVNT	g	2462	Ant2	-46.48	-20	Pass
NVNT	n20	2412	Ant1	-44.31	-20	Pass
NVNT	n20	2412	Ant2	-42.74	-20	Pass
NVNT	n20	2437	Ant1	-45.26	-20	Pass
NVNT	n20	2437	Ant2	-44.25	-20	Pass
NVNT	n20	2462	Ant1	-44.46	-20	Pass
NVNT	n20	2462	Ant2	-42.97	-20	Pass
NVNT	n40	2422	Ant1	-42.79	-20	Pass
NVNT	n40	2422	Ant2	-40.42	-20	Pass
NVNT	n40	2437	Ant1	-43.06	-20	Pass
NVNT	n40	2437	Ant2	-42.84	-20	Pass
NVNT	n40	2452	Ant1	-42.4	-20	Pass
NVNT	n40	2452	Ant2	-42.1	-20	Pass

