



802.11ac80\_5530MHz



ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 20:10:12


802.11ac80\_5610MHz



ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 20:11:54


5725-5850MHz

802.11ac80\_5690MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 20:14:09

802.11a\_5745MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 18:53:39

802.11a\_5785MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 18:57:51

802.11a\_5825MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 19:01:34

802.11ac20\_5745MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 19:46:35

802.11ac20\_5785MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 19:49:27

802.11ac20\_5825MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 19:51:44

802.11ac40\_5755MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 20:05:05

802.11ac40\_5795MHz



ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 20:06:16

802.11ac80\_5775MHz



ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 20:15:54

**99% Occupied Bandwidth****Test Information:**

|                    |             |                     |              |
|--------------------|-------------|---------------------|--------------|
| <b>Sample No.:</b> | 34GQ-2      | <b>Test Date:</b>   | 2025/06/29   |
| <b>Test Site:</b>  | RF          | <b>Test Mode:</b>   | Transmitting |
| <b>Tester:</b>     | Cheeb Huang | <b>Test Result:</b> | Pass         |

**Environmental Conditions:**

|                              |      |                                       |    |                                |       |
|------------------------------|------|---------------------------------------|----|--------------------------------|-------|
| <b>Temperature:<br/>(°C)</b> | 25.7 | <b>Relative<br/>Humidity:<br/>(%)</b> | 53 | <b>ATM Pressure:<br/>(kPa)</b> | 100.2 |
|------------------------------|------|---------------------------------------|----|--------------------------------|-------|

**Test Data:****5150-5250MHz**

| Mode       | Test Frequency (MHz) | 99% OBW (MHz) |
|------------|----------------------|---------------|
| 802.11a    | 5180                 | 16.500        |
|            | 5200                 | 16.550        |
|            | 5240                 | 16.550        |
| 802.11ac20 | 5180                 | 17.600        |
|            | 5200                 | 17.600        |
|            | 5240                 | 17.600        |
| 802.11ac40 | 5190                 | 36.300        |
|            | 5230                 | 36.300        |
| 802.11ac80 | 5210                 | <b>75.600</b> |

**Note:**

The 99% Occupied Bandwidth have not fall into the band 5250-5350MHz, please refer to the test plots of 99% Occupied Bandwidth.

**5250-5350MHz**

| Mode       | Test Frequency (MHz) | 99% OBW (MHz) |
|------------|----------------------|---------------|
| 802.11a    | 5260                 | 16.450        |
|            | 5280                 | 16.500        |
|            | 5320                 | 16.450        |
| 802.11ac20 | 5260                 | 17.650        |
|            | 5280                 | 17.600        |
|            | 5320                 | 17.600        |
| 802.11ac40 | 5270                 | 36.300        |
|            | 5310                 | 36.200        |
| 802.11ac80 | 5290                 | <b>75.600</b> |

**5470-5725MHz**

| Mode       | Test Frequency (MHz) | 99% OBW (MHz) |
|------------|----------------------|---------------|
| 802.11a    | 5500                 | 16.450        |
|            | 5580                 | 16.500        |
|            | 5700                 | 16.550        |
|            | 5720                 | 16.550        |
| 802.11ac20 | 5500                 | 17.550        |
|            | 5580                 | 17.600        |
|            | 5700                 | 17.600        |
|            | 5720                 | 17.600        |
| 802.11ac40 | 5510                 | 36.100        |
|            | 5550                 | 36.200        |
|            | 5670                 | 36.300        |
|            | 5710                 | 36.300        |
| 802.11ac80 | 5530                 | 75.600        |
|            | 5610                 | <b>75.800</b> |
|            | 5690                 | <b>75.800</b> |

**5725-5850MHz**


| Mode       | Test Frequency (MHz) | 99% OBW (MHz) |
|------------|----------------------|---------------|
| 802.11a    | 5745                 | 16.550        |
|            | 5785                 | 16.550        |
|            | 5825                 | 16.550        |
| 802.11ac20 | 5745                 | 17.600        |
|            | 5785                 | 17.650        |
|            | 5825                 | 17.650        |
| 802.11ac40 | 5755                 | 36.400        |
|            | 5795                 | 36.400        |
| 802.11ac80 | 5775                 | <b>76</b>     |

**Note:**

The 99% Occupied Bandwidth have not fall into the band 5470-5725MHz, please refer to the test plots of 99% Occupied Bandwidth.


5150-5250MHz

802.11a\_5180MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 17:33:17

802.11a\_5200MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 17:35:40

802.11a\_5240MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 17:38:36

802.11ac20\_5180MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 17:41:54

802.11ac20\_5200MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 17:45:41

802.11ac20\_5240MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 17:48:20

802.11ac40\_5190MHz



ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 17:50:31


802.11ac40\_5230MHz



ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 17:52:43


5250-5350MHz

802.11ac80\_5210MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 17:54:48

802.11a\_5260MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 18:03:29

802.11a\_5280MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 18:09:17

802.11a\_5320MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 18:11:56

802.11ac20\_5260MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 19:17:49

802.11ac20\_5280MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 19:20:28

802.11ac20\_5320MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 19:23:55

802.11ac40\_5270MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 19:55:45

802.11ac40\_5310MHz



ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 19:57:37


802.11ac80\_5290MHz



ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 20:09:01


5470-5725MHz

802.11a\_5500MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 19:06:07

802.11a\_5580MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 19:08:46

802.11a\_5700MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 19:11:21

802.11a\_5720MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 19:13:47

802.11ac20\_5500MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 19:27:01

802.11ac20\_5580MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 19:30:12

802.11ac20\_5700MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 19:34:19

802.11ac20\_5720MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 19:37:18

802.11ac40\_5510MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 19:58:56

802.11ac40\_5550MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 20:00:31

802.11ac40\_5670MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 20:02:17

802.11ac40\_5710MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 20:03:55

802.11ac80\_5530MHz



ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 20:10:36


802.11ac80\_5610MHz



ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 20:12:17


5725-5850MHz

802.11ac80\_5690MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 20:14:32

802.11a\_5745MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 18:54:32

802.11a\_5785MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 18:58:52

802.11a\_5825MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 19:02:14

802.11ac20\_5745MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 19:47:24

802.11ac20\_5785MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 19:50:23

802.11ac20\_5825MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 19:52:20

802.11ac40\_5755MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 20:05:21

802.11ac40\_5795MHz



ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 20:06:33

802.11ac80\_5775MHz



ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 20:16:18

Maximum Conducted Output Power

Test Information:

|             |             |              |              |
|-------------|-------------|--------------|--------------|
| Sample No.: | 34GQ-2      | Test Date:   | 2025/06/29   |
| Test Site:  | RF          | Test Mode:   | Transmitting |
| Tester:     | Cheeb Huang | Test Result: | Pass         |

Environmental Conditions:

|                      |      |                              |    |                        |       |
|----------------------|------|------------------------------|----|------------------------|-------|
| Temperature:<br>(°C) | 25.7 | Relative<br>Humidity:<br>(%) | 53 | ATM Pressure:<br>(kPa) | 100.2 |
|----------------------|------|------------------------------|----|------------------------|-------|

**Test Data:****5150-5250MHz**

| Mode       | Test Frequency (MHz) | Average Output Power(dBm) | Limit (dBm) | Verdict |
|------------|----------------------|---------------------------|-------------|---------|
| 802.11a    | 5180                 | 6.42                      | 24          | Pass    |
|            | 5200                 | 6.47                      | 24          | Pass    |
|            | 5240                 | 6.69                      | 24          | Pass    |
| 802.11ac20 | 5180                 | 6.45                      | 24          | Pass    |
|            | 5200                 | 6.44                      | 24          | Pass    |
|            | 5240                 | 6.52                      | 24          | Pass    |
| 802.11ac40 | 5190                 | 6.54                      | 24          | Pass    |
|            | 5230                 | 6.63                      | 24          | Pass    |
| 802.11ac80 | 5210                 | <b>6.75</b>               | 24          | Pass    |

**5250-5350MHz**

| Mode       | Test Frequency (MHz) | Average Output Power(dBm) | Limit (dBm) | Verdict |
|------------|----------------------|---------------------------|-------------|---------|
| 802.11a    | 5260                 | 6.82                      | 24          | Pass    |
|            | 5280                 | 7.04                      | 24          | Pass    |
|            | 5320                 | 7.51                      | 24          | Pass    |
| 802.11ac20 | 5260                 | 7.25                      | 24          | Pass    |
|            | 5280                 | 7.45                      | 24          | Pass    |
|            | 5320                 | <b>7.79</b>               | 24          | Pass    |
| 802.11ac40 | 5270                 | 7.27                      | 24          | Pass    |
|            | 5310                 | 7.75                      | 24          | Pass    |
| 802.11ac80 | 5290                 | 7.47                      | 24          | Pass    |

**5470-5725MHz**

| Mode       | Test Frequency (MHz) | Average Output Power(dBm) | Limit (dBm) | Verdict |
|------------|----------------------|---------------------------|-------------|---------|
| 802.11a    | 5500                 | 7.36                      | 24          | Pass    |
|            | 5580                 | 6.69                      | 24          | Pass    |
|            | 5700                 | 5.45                      | 24          | Pass    |
|            | 5720                 | 4.9                       | 24          | Pass    |
| 802.11ac20 | 5500                 | 7.31                      | 24          | Pass    |
|            | 5580                 | 6.41                      | 24          | Pass    |
|            | 5700                 | 5.46                      | 24          | Pass    |
|            | 5720                 | 4.63                      | 24          | Pass    |
| 802.11ac40 | 5510                 | 7.22                      | 24          | Pass    |
|            | 5550                 | 6.79                      | 24          | Pass    |
|            | 5670                 | 5.34                      | 24          | Pass    |
|            | 5710                 | 5.17                      | 24          | Pass    |
| 802.11ac80 | 5530                 | 6.98                      | 24          | Pass    |
|            | 5610                 | 6.01                      | 24          | Pass    |
|            | 5690                 | 5.25                      | 24          | Pass    |

**5725-5850MHz**

| Mode       | Test Frequency (MHz) | Average Output Power(dBm) | Limit (dBm) | Verdict |
|------------|----------------------|---------------------------|-------------|---------|
| 802.11a    | 5745                 | 5.63                      | 30          | Pass    |
|            | 5785                 | 5.54                      | 30          | Pass    |
|            | 5825                 | 5.52                      | 30          | Pass    |
| 802.11ac20 | 5745                 | 5.45                      | 30          | Pass    |
|            | 5785                 | 5.42                      | 30          | Pass    |
|            | 5825                 | 5.33                      | 30          | Pass    |
| 802.11ac40 | 5755                 | 5.3                       | 30          | Pass    |
|            | 5795                 | 5.29                      | 30          | Pass    |
| 802.11ac80 | 5775                 | 5.26                      | 30          | Pass    |

Power Spectral Density

Test Information:

|             |             |              |              |
|-------------|-------------|--------------|--------------|
| Sample No.: | 34GQ-2      | Test Date:   | 2025/06/29   |
| Test Site:  | RF          | Test Mode:   | Transmitting |
| Tester:     | Cheeb Huang | Test Result: | Pass         |

Environmental Conditions:

|                      |      |                              |    |                        |       |
|----------------------|------|------------------------------|----|------------------------|-------|
| Temperature:<br>(°C) | 25.7 | Relative<br>Humidity:<br>(%) | 53 | ATM Pressure:<br>(kPa) | 100.2 |
|----------------------|------|------------------------------|----|------------------------|-------|

**Test Data:****5150-5250MHz**

| Mode       | Test Frequency (MHz) | Reading (dBm/MHz) | Duty Cycle Factor(dB) | Result (dBm/MHz) | Limit (dBm/MHz) | Verdict |
|------------|----------------------|-------------------|-----------------------|------------------|-----------------|---------|
| 802.11a    | 5180                 | -3.74             | 0.14                  | -3.60            | 11              | Pass    |
|            | 5200                 | -3.64             | 0.14                  | -3.50            | 11              | Pass    |
|            | 5240                 | -3.48             | 0.14                  | <b>-3.34</b>     | 11              | Pass    |
| 802.11ac20 | 5180                 | -4.04             | 0.14                  | -3.90            | 11              | Pass    |
|            | 5200                 | -4.06             | 0.14                  | -3.92            | 11              | Pass    |
|            | 5240                 | -3.61             | 0.14                  | -3.47            | 11              | Pass    |
| 802.11ac40 | 5190                 | -6.91             | 0.28                  | -6.63            | 11              | Pass    |
|            | 5230                 | -6.89             | 0.28                  | -6.61            | 11              | Pass    |
| 802.11ac80 | 5210                 | -10.02            | 0.55                  | -9.47            | 11              | Pass    |

**5250-5350MHz**

| Mode       | Test Frequency (MHz) | Reading (dBm/MHz) | Duty Cycle Factor(dB) | Result (dBm/MHz) | Limit (dBm/MHz) | Verdict |
|------------|----------------------|-------------------|-----------------------|------------------|-----------------|---------|
| 802.11a    | 5260                 | -3.21             | 0.14                  | -3.07            | 11              | Pass    |
|            | 5280                 | -3.08             | 0.14                  | -2.94            | 11              | Pass    |
|            | 5320                 | -2.55             | 0.14                  | <b>-2.41</b>     | 11              | Pass    |
| 802.11ac20 | 5260                 | -3.12             | 0.14                  | -2.98            | 11              | Pass    |
|            | 5280                 | -2.87             | 0.14                  | -2.73            | 11              | Pass    |
|            | 5320                 | -2.67             | 0.14                  | -2.53            | 11              | Pass    |
| 802.11ac40 | 5270                 | -6.14             | 0.28                  | -5.86            | 11              | Pass    |
|            | 5310                 | -5.59             | 0.28                  | -5.31            | 11              | Pass    |
| 802.11ac80 | 5290                 | -9.34             | 0.55                  | -8.79            | 11              | Pass    |

**5470-5725MHz**

| Mode       | Test Frequency (MHz) | Reading (dBm/MHz) | Duty Cycle Factor(dB) | Result (dBm/MHz) | Limit (dBm/MHz) | Verdict |
|------------|----------------------|-------------------|-----------------------|------------------|-----------------|---------|
| 802.11a    | 5500                 | -2.71             | 0.14                  | <b>-2.57</b>     | 11              | Pass    |
|            | 5580                 | -3.36             | 0.14                  | -3.22            | 11              | Pass    |
|            | 5700                 | -4.59             | 0.14                  | -4.45            | 11              | Pass    |
|            | 5720                 | -4.77             | 0.14                  | -4.63            | 11              | Pass    |
| 802.11ac20 | 5500                 | -2.87             | 0.14                  | -2.73            | 11              | Pass    |
|            | 5580                 | -3.93             | 0.14                  | -3.79            | 11              | Pass    |
|            | 5700                 | -4.91             | 0.14                  | -4.77            | 11              | Pass    |
|            | 5720                 | -4.96             | 0.14                  | -4.82            | 11              | Pass    |
| 802.11ac40 | 5510                 | -6.19             | 0.28                  | -5.91            | 11              | Pass    |
|            | 5550                 | -6.52             | 0.28                  | -6.24            | 11              | Pass    |
|            | 5670                 | -8.02             | 0.28                  | -7.74            | 11              | Pass    |
|            | 5710                 | -8.07             | 0.28                  | -7.79            | 11              | Pass    |
| 802.11ac80 | 5530                 | -9.86             | 0.55                  | -9.31            | 11              | Pass    |
|            | 5610                 | -10.87            | 0.55                  | -10.32           | 11              | Pass    |
|            | 5690                 | -11.46            | 0.55                  | -10.91           | 11              | Pass    |


**5725-5850MHz**

| Mode       | Test Frequency (MHz) | Reading (dBm/500kHz) | Duty Cycle Factor(dB) | Result (dBm/500kHz) | Limit (dBm/500kHz) | Verdict |
|------------|----------------------|----------------------|-----------------------|---------------------|--------------------|---------|
| 802.11a    | 5745                 | -7.17                | 0.14                  | <b>-7.03</b>        | 30                 | Pass    |
|            | 5785                 | -7.20                | 0.14                  | -7.06               | 30                 | Pass    |
|            | 5825                 | -7.60                | 0.14                  | -7.46               | 30                 | Pass    |
| 802.11ac20 | 5745                 | -7.88                | 0.14                  | -7.74               | 30                 | Pass    |
|            | 5785                 | -7.65                | 0.14                  | -7.51               | 30                 | Pass    |
|            | 5825                 | -7.84                | 0.14                  | -7.70               | 30                 | Pass    |
| 802.11ac40 | 5755                 | -11.06               | 0.28                  | -10.78              | 30                 | Pass    |
|            | 5795                 | -11.00               | 0.28                  | -10.72              | 30                 | Pass    |
| 802.11ac80 | 5775                 | -14.66               | 0.55                  | -14.11              | 30                 | Pass    |

**Result = Reading + Duty Cycle Factor**


5150-5250MHz

802.11a\_5180MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 17:33:42

802.11a\_5200MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 17:36:18

802.11a\_5240MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 17:39:01

802.11ac20\_5180MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 17:42:18

802.11ac20\_5200MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 17:46:04

802.11ac20\_5240MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 17:48:43

802.11ac40\_5190MHz



ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 17:50:58


802.11ac40\_5230MHz



ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 17:53:07


5250-5350MHz

802.11ac80\_5210MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 17:55:13

802.11a\_5260MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 18:03:53

802.11a\_5280MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 18:09:41

802.11a\_5320MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 18:12:20

802.11ac20\_5260MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 19:18:19

802.11ac20\_5280MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 19:20:54

802.11ac20\_5320MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 19:24:23

802.11ac40\_5270MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 19:56:02

802.11ac40\_5310MHz



ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 19:57:55


802.11ac80\_5290MHz



ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 20:09:21


5470-5725MHz

802.11a\_5500MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 19:06:37

802.11a\_5580MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 19:09:11

802.11a\_5700MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 19:11:46

802.11a\_5720MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 19:14:29

802.11ac20\_5500MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 19:27:28

802.11ac20\_5580MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 19:30:38

802.11ac20\_5700MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 19:34:46

802.11ac20\_5720MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 19:38:10

802.11ac40\_5510MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 19:59:13

802.11ac40\_5550MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 20:00:48

802.11ac40\_5670MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 20:02:35

802.11ac40\_5710MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 20:04:26

802.11ac80\_5530MHz



ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 20:10:55


802.11ac80\_5610MHz



ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 20:12:35


5725-5850MHz

802.11ac80\_5690MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 20:15:04

802.11a\_5745MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 18:54:56

802.11a\_5785MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 18:59:18

802.11a\_5825MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 19:02:39

802.11ac20\_5745MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 19:47:40

802.11ac20\_5785MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 19:50:39

802.11ac20\_5825MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 19:52:36

802.11ac40\_5755MHz




ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 20:05:40

802.11ac40\_5795MHz



ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 20:06:51

802.11ac80\_5775MHz



ProjectNo.:2501U64129E-RF Tester:Cheeb Huang  
Date: 29.JUN.2025 20:16:38

**Duty Cycle****Test Information:**

|                    |             |                     |              |
|--------------------|-------------|---------------------|--------------|
| <b>Sample No.:</b> | 34GQ-2      | <b>Test Date:</b>   | 2025/06/29   |
| <b>Test Site:</b>  | RF          | <b>Test Mode:</b>   | Transmitting |
| <b>Tester:</b>     | Cheeb Huang | <b>Test Result:</b> | Pass         |

**Environmental Conditions:**


|                              |      |                                       |    |                                |       |
|------------------------------|------|---------------------------------------|----|--------------------------------|-------|
| <b>Temperature:<br/>(°C)</b> | 25.7 | <b>Relative<br/>Humidity:<br/>(%)</b> | 53 | <b>ATM Pressure:<br/>(kPa)</b> | 100.2 |
|------------------------------|------|---------------------------------------|----|--------------------------------|-------|

**Test Data:**


| Mode       | Test Frequency (MHz) | Ton (ms) | Ton+Toff (ms) | Duty Cycle (%) | Duty Cycle Factor(dB) | 1/Ton (Hz) | VBW Setting (kHz) |
|------------|----------------------|----------|---------------|----------------|-----------------------|------------|-------------------|
| 802.11a    | 5200                 | 1.378    | 1.424         | 96.77          | 0.14                  | 726        | 1                 |
| 802.11ac20 | 5200                 | 1.296    | 1.340         | 96.72          | 0.14                  | 772        | 1                 |
| 802.11ac40 | 5190                 | 0.652    | 0.696         | 93.68          | 0.28                  | 1534       | 2                 |
| 802.11ac80 | 5210                 | 0.324    | 0.368         | 88.04          | 0.55                  | 3086       | 5                 |

$$\text{Duty Cycle} = \text{Ton}/(\text{Ton}+\text{Toff}) \times 100\%$$


802.11a\_5200MHz




802.11ac20\_5200MHz



802.11ac40\_5190MHz



802.11ac80\_5210MHz



## **RF EXPOSURE EVALUATION**

---

### **Applicable Standard**

FCC§1.1310 and §2.1093.

### **Test Result**

Compliant, please refer to the SAR report: 2501U64129E-SAA.

## **EUT PHOTOGRAPHS**

---

Please refer to the attachment 2501U64129E-RF External photo and 2501U64129E-RF Internal photo.

## TEST SETUP PHOTOGRAPHS

Please refer to the attachment 2501U64129E-RF-00B Test Setup photo.

\*\*\*\*\* **END OF REPORT** \*\*\*\*\*