

|                                                        |                                          |
|--------------------------------------------------------|------------------------------------------|
| <b>Case No. :</b> <u>CTA24071501903</u>                |                                          |
| <b>Ambient Condition:</b> <u>21</u> °C, <u>54</u> %RH, |                                          |
| <b>Test Date:</b> <u>2024.6.20-2024.8.12</u>           | <b>Test Engineer:</b> <u>Lushan Kong</u> |

## Appendix C.1: DTS Bandwidth

### Test Result

| TestMode  | Antenna | Frequency[MHz] | DTS BW [MHz] | FL[MHz]  | FH[MHz]  | Limit[MHz] | Verdict |
|-----------|---------|----------------|--------------|----------|----------|------------|---------|
| 11B       | Ant2    | 2412           | 9.600        | 2407.400 | 2417.000 | 0.5        | PASS    |
|           |         | 2437           | 9.560        | 2432.480 | 2442.040 | 0.5        | PASS    |
|           |         | 2462           | 10.040       | 2456.960 | 2467.000 | 0.5        | PASS    |
| 11G       | Ant2    | 2412           | 16.320       | 2403.840 | 2420.160 | 0.5        | PASS    |
|           |         | 2437           | 16.320       | 2428.840 | 2445.160 | 0.5        | PASS    |
|           |         | 2462           | 16.360       | 2453.800 | 2470.160 | 0.5        | PASS    |
| 11N20SISO | Ant2    | 2412           | 17.520       | 2403.240 | 2420.760 | 0.5        | PASS    |
|           |         | 2437           | 17.320       | 2428.480 | 2445.800 | 0.5        | PASS    |
|           |         | 2462           | 17.320       | 2453.440 | 2470.760 | 0.5        | PASS    |
| 11N40SISO | Ant2    | 2422           | 36.000       | 2404.080 | 2440.080 | 0.5        | PASS    |
|           |         | 2437           | 35.600       | 2419.240 | 2454.840 | 0.5        | PASS    |
|           |         | 2452           | 35.760       | 2434.080 | 2469.840 | 0.5        | PASS    |

## Test Graphs

11B\_Ant2\_2412




11B\_Ant2\_2437




11B\_Ant2\_2462




11G\_Ant2\_2412




11G\_Ant2\_2437



## 11G\_Ant2\_2462




## 11N20SISO\_Ant2\_2412




## 11N20SISO\_Ant2\_2437






## 11N40SISO\_Ant2\_2437



## 11N40SISO\_Ant2\_2452




## Appendix C.2: Occupied Channel Bandwidth

### Test Result

| TestMode  | Antenna | Channel<br>Frequency[MHz] | OCB<br>[MHz] | FL[MHz]   | FH[MHz]   | Limit[MHz] | Verdict |
|-----------|---------|---------------------------|--------------|-----------|-----------|------------|---------|
| 11B       | Ant2    | 2412                      | 15.210       | 2404.3954 | 2419.6054 | ---        | ---     |
|           |         | 2437                      | 15.139       | 2429.4713 | 2444.6103 | ---        | ---     |
|           |         | 2462                      | 15.144       | 2454.4155 | 2469.5595 | ---        | ---     |
| 11G       | Ant2    | 2412                      | 17.252       | 2403.3278 | 2420.5798 | ---        | ---     |
|           |         | 2437                      | 17.240       | 2428.4147 | 2445.6547 | ---        | ---     |
|           |         | 2462                      | 17.166       | 2453.3618 | 2470.5278 | ---        | ---     |
| 11N20SISO | Ant2    | 2412                      | 18.081       | 2402.9454 | 2421.0264 | ---        | ---     |
|           |         | 2437                      | 18.083       | 2427.9802 | 2446.0632 | ---        | ---     |
|           |         | 2462                      | 18.127       | 2452.9682 | 2471.0952 | ---        | ---     |
| 11N40SISO | Ant2    | 2422                      | 36.539       | 2403.8081 | 2440.3471 | ---        | ---     |
|           |         | 2437                      | 36.650       | 2418.8257 | 2455.4757 | ---        | ---     |
|           |         | 2452                      | 36.510       | 2433.7570 | 2470.2670 | ---        | ---     |

## Test Graphs

11B\_Ant2\_2412




11B\_Ant2\_2437



11B\_Ant2\_2462







## 11G\_Ant2\_2462




## 11N20SISO\_Ant2\_2412




## 11N20SISO\_Ant2\_2437




11N20SISO\_Ant2\_2462




11N40SISO\_Ant2\_2422



## 11N40SISO\_Ant2\_2437



## 11N40SISO\_Ant2\_2452



## Appendix C.3: Maximum conducted output power

### Test Result -CHP

| Test Mode | Antenna | Frequency[MHz] | Peak power [dBm] | Limit [dBm] | Verdict |
|-----------|---------|----------------|------------------|-------------|---------|
| 11B       | Ant2    | 2412           | 17.22            | ≤30.00      | PASS    |
|           |         | 2437           | 18.19            | ≤30.00      | PASS    |
|           |         | 2462           | 18.65            | ≤30.00      | PASS    |
| 11G       | Ant2    | 2412           | 20.72            | ≤30.00      | PASS    |
|           |         | 2437           | 21.82            | ≤30.00      | PASS    |
|           |         | 2462           | 20.22            | ≤30.00      | PASS    |
| 11N20SISO | Ant2    | 2412           | 18.67            | ≤30.00      | PASS    |
|           |         | 2437           | 19.82            | ≤30.00      | PASS    |
|           |         | 2462           | 20.26            | ≤30.00      | PASS    |
| 11N40SISO | Ant2    | 2422           | 19.40            | ≤30.00      | PASS    |
|           |         | 2437           | 20.02            | ≤30.00      | PASS    |
|           |         | 2452           | 20.33            | ≤30.00      | PASS    |



## Appendix C.4: Maximum power spectral density

### Test Result

| TestMode  | Antenna | Frequency[MHz] | Result[dBm/3-100kHz] | Limit[dBm/3kHz] | Verdict |
|-----------|---------|----------------|----------------------|-----------------|---------|
| 11B       | Ant2    | 2412           | -9.54                | ≤8.00           | PASS    |
|           |         | 2437           | -7.84                | ≤8.00           | PASS    |
|           |         | 2462           | -7.31                | ≤8.00           | PASS    |
| 11G       | Ant2    | 2412           | -12.47               | ≤8.00           | PASS    |
|           |         | 2437           | -10.95               | ≤8.00           | PASS    |
|           |         | 2462           | -12.20               | ≤8.00           | PASS    |
| 11N20SISO | Ant2    | 2412           | -13.63               | ≤8.00           | PASS    |
|           |         | 2437           | -13.06               | ≤8.00           | PASS    |
|           |         | 2462           | -12.85               | ≤8.00           | PASS    |
| 11N40SISO | Ant2    | 2422           | -16.15               | ≤8.00           | PASS    |
|           |         | 2437           | -14.90               | ≤8.00           | PASS    |
|           |         | 2452           | -15.87               | ≤8.00           | PASS    |

## Test Graphs

11B\_Ant2\_2412




11B\_Ant2\_2437




11B\_Ant2\_2462




11G\_Ant2\_2412




11G\_Ant2\_2437




11G\_Ant2\_2462




11N20SISO\_Ant2\_2412




11N20SISO\_Ant2\_2437



11N20SISO\_Ant2\_2462




11N40SISO\_Ant2\_2422





11N40SISO\_Ant2\_2437



11N40SISO\_Ant2\_2452




## Appendix C.5: Band edge measurements

### Test Result


| TestMode  | Antenna | ChName | Frequency[MHz] | RefLevel[dBm] | Result[dBm] | Limit[dBm]    | Verdict |
|-----------|---------|--------|----------------|---------------|-------------|---------------|---------|
| 11B       | Ant2    | Low    | 2412           | 4.72          | -36.68      | $\leq -15.28$ | PASS    |
|           |         | High   | 2462           | 6.20          | -49         | $\leq -13.8$  | PASS    |
| 11G       | Ant2    | Low    | 2412           | 2.61          | -28.36      | $\leq -17.39$ | PASS    |
|           |         | High   | 2462           | 1.89          | -45.93      | $\leq -18.11$ | PASS    |
| 11N20SISO | Ant2    | Low    | 2412           | 0.63          | -33.44      | $\leq -19.37$ | PASS    |
|           |         | High   | 2462           | 2.16          | -44.37      | $\leq -17.84$ | PASS    |
| 11N40SISO | Ant2    | Low    | 2422           | -2.11         | -35.08      | $\leq -22.11$ | PASS    |
|           |         | High   | 2452           | -0.70         | -40.52      | $\leq -20.7$  | PASS    |

## Test Graphs


11B\_Ant2\_Low\_2412




11B\_Ant2\_High\_2462



11G\_Ant2\_Low\_2412



## 11N20SISO\_Ant2\_High\_2462



## 11N40SISO\_Ant2\_Low\_2422



## 11N40SISO\_Ant2\_High\_2452







## Appendix C.6: Conducted Spurious Emission

### Test Result


| TestMode  | Antenna | Frequency[MHz] | FreqRange [Mhz] | RefLevel [dBm] | Result [dBm] | Limit [dBm]   | Verdict |
|-----------|---------|----------------|-----------------|----------------|--------------|---------------|---------|
| 11B       | Ant2    | 2412           | Reference       | 3.93           | 3.93         | ---           | PASS    |
|           |         |                | 30~1000         | 3.93           | -60.96       | $\leq -16.07$ | PASS    |
|           |         |                | 1000~26500      | 3.93           | -47.58       | $\leq -16.07$ | PASS    |
|           |         | 2437           | Reference       | 4.63           | 4.63         | ---           | PASS    |
|           |         |                | 30~1000         | 4.63           | -47.77       | $\leq -15.37$ | PASS    |
|           |         |                | 1000~26500      | 4.63           | -47.5        | $\leq -15.37$ | PASS    |
|           |         | 2462           | Reference       | 5.24           | 5.24         | ---           | PASS    |
|           |         |                | 30~1000         | 5.24           | -52.78       | $\leq -14.76$ | PASS    |
|           |         |                | 1000~26500      | 5.24           | -47.72       | $\leq -14.76$ | PASS    |
| 11G       | Ant2    | 2412           | Reference       | -0.97          | -0.97        | ---           | PASS    |
|           |         |                | 30~1000         | -0.97          | -60.5        | $\leq -20.97$ | PASS    |
|           |         |                | 1000~26500      | -0.97          | -47.65       | $\leq -20.97$ | PASS    |
|           |         | 2437           | Reference       | 3.81           | 3.81         | ---           | PASS    |
|           |         |                | 30~1000         | 3.81           | -60.44       | $\leq -16.19$ | PASS    |
|           |         |                | 1000~26500      | 3.81           | -47.43       | $\leq -16.19$ | PASS    |
|           |         | 2462           | Reference       | -1.03          | -1.03        | ---           | PASS    |
|           |         |                | 30~1000         | -1.03          | -60.46       | $\leq -21.03$ | PASS    |
|           |         |                | 1000~26500      | -1.03          | -47.98       | $\leq -21.03$ | PASS    |
| 11N20SISO | Ant2    | 2412           | Reference       | -1.11          | -1.11        | ---           | PASS    |
|           |         |                | 30~1000         | -1.11          | -60.28       | $\leq -21.11$ | PASS    |
|           |         |                | 1000~26500      | -1.11          | -48.17       | $\leq -21.11$ | PASS    |
|           |         | 2437           | Reference       | 0.66           | 0.66         | ---           | PASS    |
|           |         |                | 30~1000         | 0.66           | -60.91       | $\leq -19.34$ | PASS    |
|           |         |                | 1000~26500      | 0.66           | -47.34       | $\leq -19.34$ | PASS    |
|           |         | 2462           | Reference       | 0.51           | 0.51         | ---           | PASS    |
|           |         |                | 30~1000         | 0.51           | -60.76       | $\leq -19.49$ | PASS    |
|           |         |                | 1000~26500      | 0.51           | -47.2        | $\leq -19.49$ | PASS    |
| 11N40SISO | Ant2    | 2422           | Reference       | -1.53          | -1.53        | ---           | PASS    |
|           |         |                | 30~1000         | -1.53          | -60.38       | $\leq -21.53$ | PASS    |
|           |         |                | 1000~26500      | -1.53          | -43.54       | $\leq -21.53$ | PASS    |
|           |         | 2437           | Reference       | -0.48          | -0.48        | ---           | PASS    |
|           |         |                | 30~1000         | -0.48          | -60.78       | $\leq -20.48$ | PASS    |
|           |         |                | 1000~26500      | -0.48          | -47.79       | $\leq -20.48$ | PASS    |
|           |         | 2452           | Reference       | -6.50          | -6.50        | ---           | PASS    |
|           |         |                | 30~1000         | -6.50          | -60.7        | $\leq -26.5$  | PASS    |
|           |         |                | 1000~26500      | -6.50          | -48.44       | $\leq -26.5$  | PASS    |

## Test Graphs





## 11B\_Ant2\_2437\_1000~26500




## 11B\_Ant2\_2462\_0~Reference




## 11B\_Ant2\_2462\_30~1000






## 11G\_Ant2\_2412\_30~1000




## 11G\_Ant2\_2412\_1000~26500




## 11G\_Ant2\_2437\_0~Reference



## 11G\_Ant2\_2462\_0~Reference




## 11G\_Ant2\_2462\_30~1000



## 11G\_Ant2\_2462\_1000~26500









## 11N20SISO\_Ant2\_2412\_1000~26500




## 11N20SISO\_Ant2\_2437\_0~Reference



## 11N20SISO\_Ant2\_2437\_30~1000




11N20SISO\_Ant2\_2437\_1000~26500



11N20SISO\_Ant2\_2462\_0~Reference




## 11N20SISO\_Ant2\_2462\_30~1000



## 11N20SISO\_Ant2\_2462\_1000~26500



## 11N40SISO\_Ant2\_2422\_0~Reference






## 11N40SISO\_Ant2\_2437\_0~Reference



## 11N40SISO\_Ant2\_2437\_30~1000



## 11N40SISO\_Ant2\_2437\_1000~26500



Keysight Spectrum Analyzer - Swept SA

10:14:48 PM Jun 25, 2024

Center Freq 2.45200000 GHz

Ref Offset 9.05 dB

Ref 29.05 dBm

10 dB/div

Log

19.1

9.05

0.95

-11.0

-21.0

-31.0

-41.0

-51.0

-61.0

Mkr1 2.463 28 GHz

-6.501 dBm

Center 2.45200 GHz

#Res BW 100 kHz

#VBW 300 kHz

Span 60.00 MHz

Sweep 5.800 ms (1001 pts)

Auto Tune

Center Freq 2.45200000 GHz

Start Freq 2.422000000 GHz

Stop Freq 2.482000000 GHz

CF Step 6.000000 MHz

Man

Freq Offset 0 Hz

MSG STATUS

Keysight Spectrum Analyzer - Swept SA

ALL SENSE INT 10:14:54 PM Jun 25, 2024

Center Freq 515.000000 MHz

PWD: Fast Trg: Free Run #Avg Type: RMS Avg/Hold: 30/30

IFGain: Low #Atten: 20 dB

TRACE 1 2 x 4.5

TYPE M WWWWWW

DET P P P P P P

Frequency

Auto Tune

Center Freq 515.000000 MHz

Start Freq 30.000000 MHz

Stop Freq 1.000000000 GHz

CF Stop 97.000000 MHz

Auto Man

Freq Offset 0 Hz

10 dB/div Log

Ref Offset 9.05 dB

Ref 15.00 dBm

Mkr1 858.99 MHz -60.699 dBm

Start 0.0300 GHz


#Res BW 100 kHz

#VBW 300 kHz

Sweep 94.00 ms (30001 pts)

Stop 1.0000 GHz

MSG STATUS



## Appendix C.7: Emissions in Restricted Bands

### Test Result


| TestMode  | Antenna | ChName | Frequency [MHz] | Detector | Freq [MHz] | Result [dBm] | Limit [dBm] | Result [dBuV/m] | Limit [dBuV/m] | Verdict |
|-----------|---------|--------|-----------------|----------|------------|--------------|-------------|-----------------|----------------|---------|
| 11B       | Ant2    | Low    | 2412            | AV       | 2310.000   | -49.38       | ≤-41.20     | 45.82           | ≤54            | PASS    |
|           |         |        |                 | AV       | 2386.190   | -48.37       | ≤-41.20     | 46.83           | ≤54            | PASS    |
|           |         |        |                 | AV       | 2390.000   | -48.4        | ≤-41.20     | 46.80           | ≤54            | PASS    |
|           |         |        |                 | Peak     | 2310.000   | -46.57       | ≤-21.20     | 48.63           | ≤74            | PASS    |
|           |         |        |                 | Peak     | 2377.870   | -39.6        | ≤-21.20     | 55.60           | ≤74            | PASS    |
|           |         |        |                 | Peak     | 2390.000   | -46.49       | ≤-21.20     | 48.71           | ≤74            | PASS    |
|           |         | High   | 2462            | AV       | 2483.500   | -48.17       | ≤-41.20     | 47.03           | ≤54            | PASS    |
|           |         |        |                 | AV       | 2487.850   | -48.11       | ≤-41.20     | 47.09           | ≤54            | PASS    |
|           |         |        |                 | AV       | 2500.000   | -48.52       | ≤-41.20     | 46.68           | ≤54            | PASS    |
|           |         |        |                 | Peak     | 2483.500   | -46.66       | ≤-21.20     | 48.54           | ≤74            | PASS    |
|           |         |        |                 | Peak     | 2484.000   | -39.82       | ≤-21.20     | 55.38           | ≤74            | PASS    |
|           |         |        |                 | Peak     | 2500.000   | -43.82       | ≤-21.20     | 51.38           | ≤74            | PASS    |
| 11G       | Ant2    | Low    | 2412            | AV       | 2310.000   | -49.4        | ≤-41.20     | 45.80           | ≤54            | PASS    |
|           |         |        |                 | AV       | 2389.960   | -43.05       | ≤-41.20     | 52.15           | ≤54            | PASS    |
|           |         |        |                 | AV       | 2390.000   | -43.05       | ≤-41.20     | 52.15           | ≤54            | PASS    |
|           |         |        |                 | Peak     | 2310.000   | -45.08       | ≤-21.20     | 50.12           | ≤74            | PASS    |
|           |         |        |                 | Peak     | 2386.190   | -37.06       | ≤-21.20     | 58.14           | ≤74            | PASS    |
|           |         |        |                 | Peak     | 2390.000   | -41.8        | ≤-21.20     | 53.40           | ≤74            | PASS    |
|           |         | High   | 2462            | AV       | 2483.500   | -44.42       | ≤-41.20     | 50.78           | ≤54            | PASS    |
|           |         |        |                 | AV       | 2483.560   | -44.53       | ≤-41.20     | 50.67           | ≤54            | PASS    |
|           |         |        |                 | AV       | 2500.000   | -48.57       | ≤-41.20     | 46.63           | ≤54            | PASS    |
|           |         |        |                 | Peak     | 2483.500   | -45.57       | ≤-21.20     | 49.63           | ≤74            | PASS    |
|           |         |        |                 | Peak     | 2485.210   | -36.9        | ≤-21.20     | 58.30           | ≤74            | PASS    |
|           |         |        |                 | Peak     | 2500.000   | -44.3        | ≤-21.20     | 50.90           | ≤74            | PASS    |
| 11N20SISO | Ant2    | Low    | 2412            | AV       | 2310.000   | -49.44       | ≤-41.20     | 45.76           | ≤54            | PASS    |
|           |         |        |                 | AV       | 2389.960   | -43.59       | ≤-41.20     | 51.61           | ≤54            | PASS    |
|           |         |        |                 | AV       | 2390.000   | -43.59       | ≤-41.20     | 51.61           | ≤54            | PASS    |
|           |         |        |                 | Peak     | 2310.000   | -49.03       | ≤-21.20     | 46.17           | ≤74            | PASS    |
|           |         |        |                 | Peak     | 2389.960   | -37.24       | ≤-21.20     | 57.96           | ≤74            | PASS    |
|           |         |        |                 | Peak     | 2390.000   | -37.24       | ≤-21.20     | 57.96           | ≤74            | PASS    |
|           |         | High   | 2462            | AV       | 2483.500   | -43.79       | ≤-41.20     | 51.41           | ≤54            | PASS    |
|           |         |        |                 | AV       | 2483.560   | -43.84       | ≤-41.20     | 51.36           | ≤54            | PASS    |
|           |         |        |                 | AV       | 2500.000   | -48.53       | ≤-41.20     | 46.67           | ≤54            | PASS    |
|           |         |        |                 | Peak     | 2483.500   | -37.33       | ≤-21.20     | 57.87           | ≤74            | PASS    |
|           |         |        |                 | Peak     | 2483.670   | -34.89       | ≤-21.20     | 60.31           | ≤74            | PASS    |

|               |      |      |      |      |          |        |               |       |           |      |
|---------------|------|------|------|------|----------|--------|---------------|-------|-----------|------|
|               |      |      |      | Peak | 2500.000 | -43.55 | $\leq -21.20$ | 51.65 | $\leq 74$ | PASS |
| 11N40SIS<br>O | Ant2 | Low  | 2422 | AV   | 2310.000 | -49.41 | $\leq -41.20$ | 45.79 | $\leq 54$ | PASS |
|               |      |      |      | AV   | 2389.700 | -46.24 | $\leq -41.20$ | 48.96 | $\leq 54$ | PASS |
|               |      |      |      | AV   | 2390.000 | -46.27 | $\leq -41.20$ | 48.93 | $\leq 54$ | PASS |
|               |      |      |      | Peak | 2310.000 | -43.05 | $\leq -21.20$ | 52.15 | $\leq 74$ | PASS |
|               |      |      |      | Peak | 2384.630 | -36.92 | $\leq -21.20$ | 58.28 | $\leq 74$ | PASS |
|               |      |      |      | Peak | 2390.000 | -42.78 | $\leq -21.20$ | 52.42 | $\leq 74$ | PASS |
|               |      | High | 2452 | AV   | 2483.500 | -48.19 | $\leq -41.20$ | 47.01 | $\leq 54$ | PASS |
|               |      |      |      | AV   | 2483.890 | -48.2  | $\leq -41.20$ | 47.00 | $\leq 54$ | PASS |
|               |      |      |      | AV   | 2500.000 | -48.54 | $\leq -41.20$ | 46.66 | $\leq 54$ | PASS |
|               |      |      |      | Peak | 2483.500 | -47.22 | $\leq -21.20$ | 47.98 | $\leq 74$ | PASS |
|               |      |      |      | Peak | 2492.910 | -40.4  | $\leq -21.20$ | 54.80 | $\leq 74$ | PASS |
|               |      |      |      | Peak | 2500.000 | -45.4  | $\leq -21.20$ | 49.80 | $\leq 74$ | PASS |


## Note:

1. The Antenna Gain is compensated in the graph.
2. The Duty Cycle Factor and RBW Factor is compensated in the graph.
3. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.


Test Graphs









11B\_Ant2\_High\_2462\_Peak




11G\_Ant2\_Low\_2412\_AV




## 11G\_Ant2\_Low\_2412\_Peak



## 11G\_Ant2\_High\_2462\_AV




## 11G\_Ant2\_High\_2462\_Peak





## 11N20SISO\_Ant2\_High\_2462\_AV



## 11N20SISO\_Ant2\_High\_2462\_Peak



## 11N40SISO\_Ant2\_Low\_2422\_AV

