


























































Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	7.52	0.29	7.81	24	Pass
NVNT	a	5200	Ant1	7.58	0.36	7.94	24	Pass
NVNT	a	5240	Ant1	8.51	0.3	8.81	24	Pass
NVNT	a	5260	Ant1	7.95	0.36	8.31	24	Pass
NVNT	a	5300	Ant1	7.69	0.3	7.99	24	Pass
NVNT	a	5320	Ant1	7.81	0.36	8.17	24	Pass
NVNT	a	5500	Ant1	9.19	0.39	9.58	24	Pass
NVNT	a	5580	Ant1	9.43	0.37	9.8	24	Pass
NVNT	a	5700	Ant1	7.11	0.39	7.5	24	Pass
NVNT	a	5745	Ant1	5.96	0.3	6.26	30	Pass
NVNT	a	5785	Ant1	6.28	0.37	6.65	30	Pass
NVNT	a	5825	Ant1	7.14	0.3	7.44	30	Pass
NVNT	a	5180	Ant2	9.37	0.34	9.71	24	Pass
NVNT	a	5200	Ant2	9.73	0.39	10.12	24	Pass
NVNT	a	5240	Ant2	9.84	0.36	10.2	24	Pass
NVNT	a	5260	Ant2	9.51	0.37	9.88	24	Pass
NVNT	a	5300	Ant2	8.71	0.37	9.08	24	Pass
NVNT	a	5320	Ant2	9.03	0.36	9.39	24	Pass
NVNT	a	5500	Ant2	10.22	0.3	10.52	24	Pass
NVNT	a	5580	Ant2	11.25	0.3	11.55	24	Pass
NVNT	a	5700	Ant2	13.24	0.32	13.56	24	Pass
NVNT	a	5745	Ant2	11.76	0.36	12.12	30	Pass
NVNT	a	5785	Ant2	12.48	0.36	12.84	30	Pass
NVNT	a	5825	Ant2	12.69	0.3	12.99	30	Pass
NVNT	n20	5180	Ant1	5.82	0.27	6.09	24	Pass
NVNT	n20	5200	Ant1	6.03	0.29	6.32	24	Pass
NVNT	n20	5240	Ant1	6.39	0.31	6.7	24	Pass
NVNT	n20	5260	Ant1	6.07	0.29	6.36	24	Pass
NVNT	n20	5300	Ant1	5.87	0.27	6.14	24	Pass
NVNT	n20	5320	Ant1	6.07	0.29	6.36	24	Pass
NVNT	n20	5500	Ant1	7.76	0.29	8.05	24	Pass
NVNT	n20	5580	Ant1	7.91	0.33	8.24	24	Pass
NVNT	n20	5700	Ant1	5.92	0.34	6.26	24	Pass
NVNT	n20	5745	Ant1	4.78	0.32	5.1	30	Pass
NVNT	n20	5785	Ant1	5.26	0.27	5.53	30	Pass
NVNT	n20	5825	Ant1	5.8	0.27	6.07	30	Pass
NVNT	n20	5180	Ant2	7.86	0.33	8.19	24	Pass
NVNT	n20	5200	Ant2	8.4	0.35	8.75	24	Pass
NVNT	n20	5240	Ant2	8.37	0.35	8.72	24	Pass
NVNT	n20	5260	Ant2	8.09	0.31	8.4	24	Pass
NVNT	n20	5300	Ant2	7.28	0.36	7.64	24	Pass
NVNT	n20	5320	Ant2	7.24	0.36	7.6	24	Pass
NVNT	n20	5500	Ant2	8.73	0.36	9.09	24	Pass
NVNT	n20	5580	Ant2	9.79	0.4	10.19	24	Pass
NVNT	n20	5700	Ant2	11.52	0.35	11.87	24	Pass
NVNT	n20	5745	Ant2	10.72	0.36	11.08	30	Pass
NVNT	n20	5785	Ant2	11.04	0.35	11.39	30	Pass
NVNT	n20	5825	Ant2	11.4	0.31	11.71	30	Pass
NVNT	n20	5180	Ant1	1.12	0.38	1.5	21.69	Pass
NVNT	n20	5180	Ant2	3.37	0.38	3.75	21.69	Pass
NVNT	n20	5180	MIMO	5.4	0.38	5.78	21.69	Pass



NVNT	n20	5200	Ant1	1.54	0.4	1.94	21.69	Pass
NVNT	n20	5200	Ant2	3.36	0.4	3.76	21.69	Pass
NVNT	n20	5200	MIMO	5.55	0.4	5.95	21.69	Pass
NVNT	n20	5240	Ant1	1.95	0.38	2.33	21.69	Pass
NVNT	n20	5240	Ant2	3.37	0.38	3.75	21.69	Pass
NVNT	n20	5240	MIMO	5.73	0.38	6.11	21.69	Pass
NVNT	n20	5260	Ant1	3.2	0.38	3.58	21.69	Pass
NVNT	n20	5260	Ant2	5.51	0.38	5.89	21.69	Pass
NVNT	n20	5260	MIMO	7.52	0.38	7.9	21.69	Pass
NVNT	n20	5300	Ant1	3.34	0.4	3.74	21.69	Pass
NVNT	n20	5300	Ant2	4.78	0.4	5.18	21.69	Pass
NVNT	n20	5300	MIMO	7.13	0.4	7.53	21.69	Pass
NVNT	n20	5320	Ant1	3.76	0.33	4.09	21.69	Pass
NVNT	n20	5320	Ant2	4.71	0.33	5.04	21.69	Pass
NVNT	n20	5320	MIMO	7.27	0.33	7.6	21.69	Pass
NVNT	n20	5500	Ant1	5.17	0.38	5.55	21.69	Pass
NVNT	n20	5500	Ant2	6.43	0.38	6.81	21.69	Pass
NVNT	n20	5500	MIMO	8.86	0.38	9.24	21.69	Pass
NVNT	n20	5580	Ant1	5.04	0.36	5.4	21.69	Pass
NVNT	n20	5580	Ant2	7.51	0.36	7.87	21.69	Pass
NVNT	n20	5580	MIMO	9.46	0.36	9.82	21.69	Pass
NVNT	n20	5700	Ant1	3.52	0.31	3.83	21.69	Pass
NVNT	n20	5700	Ant2	8.9	0.31	9.21	21.69	Pass
NVNT	n20	5700	MIMO	10.01	0.31	10.32	21.69	Pass
NVNT	n20	5745	Ant1	2.61	0.33	2.94	27.69	Pass
NVNT	n20	5745	Ant2	7.94	0.33	8.27	27.69	Pass
NVNT	n20	5745	MIMO	9.06	0.33	9.39	27.69	Pass
NVNT	n20	5785	Ant1	2.8	0.36	3.16	27.69	Pass
NVNT	n20	5785	Ant2	8.55	0.36	8.91	27.69	Pass
NVNT	n20	5785	MIMO	9.57	0.36	9.93	27.69	Pass
NVNT	n20	5825	Ant1	3.6	0.4	4	27.69	Pass
NVNT	n20	5825	Ant2	8.72	0.4	9.12	27.69	Pass
NVNT	n20	5825	MIMO	9.88	0.4	10.28	27.69	Pass
NVNT	n40	5190	Ant1	5.41	0.64	6.05	24	Pass
NVNT	n40	5230	Ant1	6.01	0.59	6.6	24	Pass
NVNT	n40	5270	Ant1	5.67	0.6	6.27	24	Pass
NVNT	n40	5310	Ant1	5.54	0.64	6.18	24	Pass
NVNT	n40	5510	Ant1	7.31	0.75	8.06	24	Pass
NVNT	n40	5550	Ant1	7.8	0.64	8.44	24	Pass
NVNT	n40	5670	Ant1	4.9	0.53	5.43	24	Pass
NVNT	n40	5755	Ant1	4.34	0.57	4.91	30	Pass
NVNT	n40	5795	Ant1	4.72	0.71	5.43	30	Pass
NVNT	n40	5190	Ant2	7.86	0.85	8.71	24	Pass
NVNT	n40	5230	Ant2	8.12	0.85	8.97	24	Pass
NVNT	n40	5270	Ant2	7.19	0.78	7.97	24	Pass
NVNT	n40	5310	Ant2	6.92	0.78	7.7	24	Pass
NVNT	n40	5510	Ant2	7.91	0.78	8.69	24	Pass
NVNT	n40	5550	Ant2	8.33	0.75	9.08	24	Pass
NVNT	n40	5670	Ant2	10.81	0.78	11.59	24	Pass
NVNT	n40	5755	Ant2	10.31	0.75	11.06	30	Pass
NVNT	n40	5795	Ant2	10.8	0.71	11.51	30	Pass
NVNT	n40	5190	Ant1	1.46	0.78	2.24	21.69	Pass
NVNT	n40	5190	Ant2	3.41	0.78	4.19	21.69	Pass
NVNT	n40	5190	MIMO	5.55	0.78	6.33	21.69	Pass
NVNT	n40	5230	Ant1	1.13	0.71	1.84	21.69	Pass
NVNT	n40	5230	Ant2	3.45	0.71	4.16	21.69	Pass



NVNT	n40	5230	MIMO	5.45	0.71	6.16	21.69	Pass
NVNT	n40	5270	Ant1	2.96	0.75	3.71	21.69	Pass
NVNT	n40	5270	Ant2	5.04	0.75	5.79	21.69	Pass
NVNT	n40	5270	MIMO	7.13	0.75	7.88	21.69	Pass
NVNT	n40	5310	Ant1	3.11	0.75	3.86	21.69	Pass
NVNT	n40	5310	Ant2	4.47	0.75	5.22	21.69	Pass
NVNT	n40	5310	MIMO	6.85	0.75	7.6	21.69	Pass
NVNT	n40	5510	Ant1	4.23	0.71	4.94	21.69	Pass
NVNT	n40	5510	Ant2	6.12	0.71	6.83	21.69	Pass
NVNT	n40	5510	MIMO	8.29	0.71	9	21.69	Pass
NVNT	n40	5550	Ant1	5.13	0.78	5.91	21.69	Pass
NVNT	n40	5550	Ant2	6.81	0.78	7.59	21.69	Pass
NVNT	n40	5550	MIMO	9.06	0.78	9.84	21.69	Pass
NVNT	n40	5670	Ant1	2.87	0.78	3.65	21.69	Pass
NVNT	n40	5670	Ant2	8.53	0.78	9.31	21.69	Pass
NVNT	n40	5670	MIMO	9.57	0.78	10.35	21.69	Pass
NVNT	n40	5755	Ant1	2.48	0.75	3.23	27.69	Pass
NVNT	n40	5755	Ant2	8.06	0.75	8.81	27.69	Pass
NVNT	n40	5755	MIMO	9.12	0.75	9.87	27.69	Pass
NVNT	n40	5795	Ant1	2.63	0.78	3.41	27.69	Pass
NVNT	n40	5795	Ant2	8.44	0.78	9.22	27.69	Pass
NVNT	n40	5795	MIMO	9.45	0.78	10.23	27.69	Pass
NVNT	ac20	5180	Ant1	5.89	0.47	6.36	24	Pass
NVNT	ac20	5200	Ant1	6.1	0.5	6.6	24	Pass
NVNT	ac20	5240	Ant1	6.31	0.43	6.74	24	Pass
NVNT	ac20	5260	Ant1	6.07	0.43	6.5	24	Pass
NVNT	ac20	5300	Ant1	5.93	0.43	6.36	24	Pass
NVNT	ac20	5320	Ant1	5.81	0.48	6.29	24	Pass
NVNT	ac20	5500	Ant1	7.51	0.45	7.96	24	Pass
NVNT	ac20	5580	Ant1	7.31	0.5	7.81	24	Pass
NVNT	ac20	5700	Ant1	5.42	0.48	5.9	24	Pass
NVNT	ac20	5745	Ant1	4.66	0.45	5.11	30	Pass
NVNT	ac20	5785	Ant1	5.33	0.43	5.76	30	Pass
NVNT	ac20	5825	Ant1	5.77	0.48	6.25	30	Pass
NVNT	ac20	5180	Ant2	8.12	0.3	8.42	24	Pass
NVNT	ac20	5200	Ant2	8.19	0.36	8.55	24	Pass
NVNT	ac20	5240	Ant2	8.27	0.36	8.63	24	Pass
NVNT	ac20	5260	Ant2	7.81	0.34	8.15	24	Pass
NVNT	ac20	5300	Ant2	6.85	0.28	7.13	24	Pass
NVNT	ac20	5320	Ant2	7.13	0.34	7.47	24	Pass
NVNT	ac20	5500	Ant2	8.43	0.32	8.75	24	Pass
NVNT	ac20	5580	Ant2	9.39	0.36	9.75	24	Pass
NVNT	ac20	5700	Ant2	11.49	0.39	11.88	24	Pass
NVNT	ac20	5745	Ant2	10.57	0.28	10.85	30	Pass
NVNT	ac20	5785	Ant2	10.83	0.32	11.15	30	Pass
NVNT	ac20	5825	Ant2	11.09	0.37	11.46	30	Pass
NVNT	ac20	5180	Ant1	9.3	0.43	9.73	21.69	Pass
NVNT	ac20	5180	Ant2	4.05	0.43	4.48	21.69	Pass
NVNT	ac20	5180	MIMO	10.43	0.43	10.86	21.69	Pass
NVNT	ac20	5200	Ant1	9.17	0.41	9.58	21.69	Pass
NVNT	ac20	5200	Ant2	5.23	0.41	5.64	21.69	Pass
NVNT	ac20	5200	MIMO	10.64	0.41	11.05	21.69	Pass
NVNT	ac20	5240	Ant1	9.47	0.41	9.88	21.69	Pass
NVNT	ac20	5240	Ant2	6.58	0.41	6.99	21.69	Pass
NVNT	ac20	5240	MIMO	11.27	0.41	11.68	21.69	Pass
NVNT	ac20	5260	Ant1	9.17	0.45	9.62	21.69	Pass



NVNT	ac20	5260	Ant2	6.99	0.45	7.44	21.69	Pass
NVNT	ac20	5260	MIMO	11.23	0.45	11.68	21.69	Pass
NVNT	ac20	5300	Ant1	8.5	0.47	8.97	21.69	Pass
NVNT	ac20	5300	Ant2	7.2	0.47	7.67	21.69	Pass
NVNT	ac20	5300	MIMO	10.91	0.47	11.38	21.69	Pass
NVNT	ac20	5320	Ant1	8.37	0.41	8.78	21.69	Pass
NVNT	ac20	5320	Ant2	7.24	0.41	7.65	21.69	Pass
NVNT	ac20	5320	MIMO	10.85	0.41	11.26	21.69	Pass
NVNT	ac20	5500	Ant1	7.91	0.47	8.38	21.69	Pass
NVNT	ac20	5500	Ant2	6.22	0.47	6.69	21.69	Pass
NVNT	ac20	5500	MIMO	10.16	0.47	10.63	21.69	Pass
NVNT	ac20	5580	Ant1	9.92	0.39	10.31	21.69	Pass
NVNT	ac20	5580	Ant2	7.12	0.39	7.51	21.69	Pass
NVNT	ac20	5580	MIMO	11.75	0.39	12.14	21.69	Pass
NVNT	ac20	5700	Ant1	11	0.39	11.39	21.69	Pass
NVNT	ac20	5700	Ant2	8.77	0.39	9.16	21.69	Pass
NVNT	ac20	5700	MIMO	13.04	0.39	13.43	21.69	Pass
NVNT	ac20	5745	Ant1	8.55	0.3	8.85	27.69	Pass
NVNT	ac20	5745	Ant2	4.44	0.3	4.74	27.69	Pass
NVNT	ac20	5745	MIMO	9.97	0.3	10.27	27.69	Pass
NVNT	ac20	5785	Ant1	8.95	0.34	9.29	27.69	Pass
NVNT	ac20	5785	Ant2	5.43	0.34	5.77	27.69	Pass
NVNT	ac20	5785	MIMO	10.55	0.34	10.89	27.69	Pass
NVNT	ac20	5825	Ant1	9.72	0.37	10.09	27.69	Pass
NVNT	ac20	5825	Ant2	6.85	0.37	7.22	27.69	Pass
NVNT	ac20	5825	MIMO	11.53	0.37	11.9	27.69	Pass
NVNT	ac40	5190	Ant1	5.58	0.69	6.27	24	Pass
NVNT	ac40	5230	Ant1	5.87	0.76	6.63	24	Pass
NVNT	ac40	5270	Ant1	5.51	0.76	6.27	24	Pass
NVNT	ac40	5310	Ant1	5.3	0.73	6.03	24	Pass
NVNT	ac40	5510	Ant1	7.18	0.8	7.98	24	Pass
NVNT	ac40	5550	Ant1	7.18	0.83	8.01	24	Pass
NVNT	ac40	5670	Ant1	4.79	0.8	5.59	24	Pass
NVNT	ac40	5755	Ant1	4.01	0.8	4.81	30	Pass
NVNT	ac40	5795	Ant1	4.61	0.83	5.44	30	Pass
NVNT	ac40	5190	Ant2	7.61	0.87	8.48	24	Pass
NVNT	ac40	5230	Ant2	7.81	0.83	8.64	24	Pass
NVNT	ac40	5270	Ant2	7.04	0.87	7.91	24	Pass
NVNT	ac40	5310	Ant2	6.82	0.87	7.69	24	Pass
NVNT	ac40	5510	Ant2	7.88	0.8	8.68	24	Pass
NVNT	ac40	5550	Ant2	8.89	0.83	9.72	24	Pass
NVNT	ac40	5670	Ant2	10.84	0.8	11.64	24	Pass
NVNT	ac40	5755	Ant2	10.05	0.87	10.92	30	Pass
NVNT	ac40	5795	Ant2	10.45	0.87	11.32	30	Pass
NVNT	ac40	5190	Ant1	9.34	1.03	10.37	21.69	Pass
NVNT	ac40	5190	Ant2	3.91	1.03	4.94	21.69	Pass
NVNT	ac40	5190	MIMO	10.43	1.03	11.46	21.69	Pass
NVNT	ac40	5230	Ant1	8.84	1.03	9.87	21.69	Pass
NVNT	ac40	5230	Ant2	5.72	1.03	6.75	21.69	Pass
NVNT	ac40	5230	MIMO	10.56	1.03	11.59	21.69	Pass
NVNT	ac40	5270	Ant1	8.64	1.03	9.67	21.69	Pass
NVNT	ac40	5270	Ant2	6.6	1.03	7.63	21.69	Pass
NVNT	ac40	5270	MIMO	10.75	1.03	11.78	21.69	Pass
NVNT	ac40	5310	Ant1	8.04	0.9	8.94	21.69	Pass
NVNT	ac40	5310	Ant2	6.73	0.9	7.63	21.69	Pass
NVNT	ac40	5310	MIMO	10.44	0.9	11.34	21.69	Pass



NVNT	ac40	5510	Ant1	7.16	0.97	8.13	21.69	Pass
NVNT	ac40	5510	Ant2	5.57	0.97	6.54	21.69	Pass
NVNT	ac40	5510	MIMO	9.45	0.97	10.42	21.69	Pass
NVNT	ac40	5550	Ant1	8.51	1.03	9.54	21.69	Pass
NVNT	ac40	5550	Ant2	5.97	1.03	7	21.69	Pass
NVNT	ac40	5550	MIMO	10.43	1.03	11.46	21.69	Pass
NVNT	ac40	5670	Ant1	9.69	0.9	10.59	21.69	Pass
NVNT	ac40	5670	Ant2	7.09	0.9	7.99	21.69	Pass
NVNT	ac40	5670	MIMO	11.59	0.9	12.49	21.69	Pass
NVNT	ac40	5755	Ant1	9.81	1	10.81	27.69	Pass
NVNT	ac40	5755	Ant2	7.34	1	8.34	27.69	Pass
NVNT	ac40	5755	MIMO	11.76	1	12.76	27.69	Pass
NVNT	ac40	5795	Ant1	10.79	0.97	11.76	27.69	Pass
NVNT	ac40	5795	Ant2	8.86	0.97	9.83	27.69	Pass
NVNT	ac40	5795	MIMO	12.94	0.97	13.91	27.69	Pass
NVNT	ac80	5210	Ant1	5.18	1.75	6.93	24	Pass
NVNT	ac80	5290	Ant1	4.5	1.75	6.25	24	Pass
NVNT	ac80	5530	Ant1	6.64	1.63	8.27	24	Pass
NVNT	ac80	5610	Ant1	5.36	1.81	7.17	24	Pass
NVNT	ac80	5775	Ant1	4.02	1.75	5.77	30	Pass
NVNT	ac80	5210	Ant2	6.98	1.75	8.73	24	Pass
NVNT	ac80	5290	Ant2	6.24	1.74	7.98	24	Pass
NVNT	ac80	5530	Ant2	7.77	1.8	9.57	24	Pass
NVNT	ac80	5610	Ant2	8.45	1.75	10.2	24	Pass
NVNT	ac80	5775	Ant2	10.13	1.8	11.93	30	Pass
NVNT	ac80	5210	Ant1	2.26	1.33	3.59	24	Pass
NVNT	ac80	5210	Ant2	3.44	1.33	4.77	24	Pass
NVNT	ac80	5210	MIMO	5.9	1.33	7.23	24	Pass
NVNT	ac80	5290	Ant1	3.51	1.39	4.9	24	Pass
NVNT	ac80	5290	Ant2	5.02	1.39	6.41	24	Pass
NVNT	ac80	5290	MIMO	7.34	1.39	8.73	24	Pass
NVNT	ac80	5530	Ant1	4.52	1.39	5.91	24	Pass
NVNT	ac80	5530	Ant2	6.78	1.39	8.17	24	Pass
NVNT	ac80	5530	MIMO	8.81	1.39	10.2	24	Pass
NVNT	ac80	5610	Ant1	4.09	1.33	5.42	24	Pass
NVNT	ac80	5610	Ant2	7.16	1.33	8.49	24	Pass
NVNT	ac80	5610	MIMO	8.9	1.33	10.23	24	Pass
NVNT	ac80	5775	Ant1	2.98	1.33	4.31	30	Pass
NVNT	ac80	5775	Ant2	8.89	1.33	10.22	30	Pass
NVNT	ac80	5775	MIMO	9.88	1.33	11.21	30	Pass



-26dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant1	18.561	Pass
NVNT	a	5200	Ant1	18.43	Pass
NVNT	a	5240	Ant1	18.275	Pass
NVNT	a	5260	Ant1	18.398	Pass
NVNT	a	5300	Ant1	18.448	Pass
NVNT	a	5320	Ant1	18.451	Pass
NVNT	a	5500	Ant1	18.351	Pass
NVNT	a	5580	Ant1	18.505	Pass
NVNT	a	5700	Ant1	18.144	Pass
NVNT	a	5180	Ant2	18.636	Pass
NVNT	a	5200	Ant2	18.541	Pass
NVNT	a	5240	Ant2	18.541	Pass
NVNT	a	5260	Ant2	18.479	Pass
NVNT	a	5300	Ant2	18.534	Pass
NVNT	a	5320	Ant2	18.513	Pass
NVNT	a	5500	Ant2	18.462	Pass
NVNT	a	5580	Ant2	18.559	Pass
NVNT	a	5700	Ant2	18.289	Pass
NVNT	n20	5180	Ant1	19.465	Pass
NVNT	n20	5200	Ant1	19.357	Pass
NVNT	n20	5240	Ant1	19.361	Pass
NVNT	n20	5260	Ant1	19.338	Pass
NVNT	n20	5300	Ant1	19.344	Pass
NVNT	n20	5320	Ant1	19.22	Pass
NVNT	n20	5500	Ant1	19.238	Pass
NVNT	n20	5580	Ant1	19.257	Pass
NVNT	n20	5700	Ant1	19.231	Pass
NVNT	n20	5180	Ant2	19.467	Pass
NVNT	n20	5200	Ant2	19.473	Pass
NVNT	n20	5240	Ant2	19.304	Pass
NVNT	n20	5260	Ant2	19.271	Pass
NVNT	n20	5300	Ant2	19.362	Pass
NVNT	n20	5320	Ant2	19.306	Pass
NVNT	n20	5500	Ant2	19.303	Pass
NVNT	n20	5580	Ant2	19.2	Pass
NVNT	n20	5700	Ant2	19.142	Pass
NVNT	n40	5190	Ant1	39.097	Pass
NVNT	n40	5230	Ant1	39.371	Pass
NVNT	n40	5270	Ant1	39.01	Pass
NVNT	n40	5310	Ant1	39.384	Pass
NVNT	n40	5510	Ant1	39.478	Pass
NVNT	n40	5550	Ant1	39.093	Pass
NVNT	n40	5670	Ant1	39.004	Pass
NVNT	n40	5190	Ant2	39.143	Pass
NVNT	n40	5230	Ant2	39.172	Pass
NVNT	n40	5270	Ant2	39.131	Pass
NVNT	n40	5310	Ant2	39.168	Pass
NVNT	n40	5510	Ant2	39.101	Pass
NVNT	n40	5550	Ant2	39.016	Pass
NVNT	n40	5670	Ant2	38.966	Pass
NVNT	ac20	5180	Ant1	19.5	Pass
NVNT	ac20	5200	Ant1	19.375	Pass
NVNT	ac20	5240	Ant1	19.34	Pass



NVNT	ac20	5260	Ant1	19.389	Pass
NVNT	ac20	5300	Ant1	19.362	Pass
NVNT	ac20	5320	Ant1	19.353	Pass
NVNT	ac20	5500	Ant1	19.391	Pass
NVNT	ac20	5580	Ant1	19.399	Pass
NVNT	ac20	5700	Ant1	19.089	Pass
NVNT	ac20	5180	Ant2	19.41	Pass
NVNT	ac20	5200	Ant2	19.255	Pass
NVNT	ac20	5240	Ant2	19.365	Pass
NVNT	ac20	5260	Ant2	19.373	Pass
NVNT	ac20	5300	Ant2	19.486	Pass
NVNT	ac20	5320	Ant2	19.308	Pass
NVNT	ac20	5500	Ant2	19.324	Pass
NVNT	ac20	5580	Ant2	19.434	Pass
NVNT	ac20	5700	Ant2	19.233	Pass
NVNT	ac40	5190	Ant1	38.994	Pass
NVNT	ac40	5230	Ant1	39.12	Pass
NVNT	ac40	5270	Ant1	39.103	Pass
NVNT	ac40	5310	Ant1	39.22	Pass
NVNT	ac40	5510	Ant1	39.092	Pass
NVNT	ac40	5550	Ant1	38.986	Pass
NVNT	ac40	5670	Ant1	38.835	Pass
NVNT	ac40	5190	Ant2	39.243	Pass
NVNT	ac40	5230	Ant2	39.443	Pass
NVNT	ac40	5270	Ant2	39.209	Pass
NVNT	ac40	5310	Ant2	39.113	Pass
NVNT	ac40	5510	Ant2	39.39	Pass
NVNT	ac40	5550	Ant2	39.149	Pass
NVNT	ac40	5670	Ant2	39.02	Pass
NVNT	ac80	5210	Ant1	82.136	Pass
NVNT	ac80	5290	Ant1	81.761	Pass
NVNT	ac80	5530	Ant1	81.724	Pass
NVNT	ac80	5610	Ant1	81.812	Pass
NVNT	ac80	5210	Ant2	82.489	Pass
NVNT	ac80	5290	Ant2	82.625	Pass
NVNT	ac80	5530	Ant2	81.845	Pass
NVNT	ac80	5610	Ant2	82.117	Pass



Test Graphs

-26dB Bandwidth NVNT a 5180MHz Ant1






-26dB Bandwidth NVNT a 5200MHz Ant1






-26dB Bandwidth NVNT a 5240MHz Ant1
















-26dB Bandwidth NVNT n20 5180MHz Ant1



-26dB Bandwidth NVNT n20 5200MHz Ant1



-26dB Bandwidth NVNT n20 5240MHz Ant1





-26dB Bandwidth NVNT n20 5260MHz Ant1



-26dB Bandwidth NVNT n20 5300MHz Ant1



-26dB Bandwidth NVNT n20 5320MHz Ant1





-26dB Bandwidth NVNT n20 5500MHz Ant1



-26dB Bandwidth NVNT n20 5580MHz Ant1



-26dB Bandwidth NVNT n20 5700MHz Ant1





-26dB Bandwidth NVNT n20 5180MHz Ant2



-26dB Bandwidth NVNT n20 5200MHz Ant2



-26dB Bandwidth NVNT n20 5240MHz Ant2





-26dB Bandwidth NVNT n20 5260MHz Ant2



-26dB Bandwidth NVNT n20 5300MHz Ant2



-26dB Bandwidth NVNT n20 5320MHz Ant2





-26dB Bandwidth NVNT n20 5500MHz Ant2



-26dB Bandwidth NVNT n20 5580MHz Ant2



-26dB Bandwidth NVNT n20 5700MHz Ant2





-26dB Bandwidth NVNT n40 5190MHz Ant1



-26dB Bandwidth NVNT n40 5230MHz Ant1



-26dB Bandwidth NVNT n40 5270MHz Ant1





-26dB Bandwidth NVNT n40 5310MHz Ant1



-26dB Bandwidth NVNT n40 5510MHz Ant1



-26dB Bandwidth NVNT n40 5550MHz Ant1





-26dB Bandwidth NVNT n40 5670MHz Ant1



-26dB Bandwidth NVNT n40 5190MHz Ant2



-26dB Bandwidth NVNT n40 5230MHz Ant2

