





























































Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	Ant1	-2.96	0.29	-2.67	11	Pass
NVNT	a	5200	Ant1	-2.62	0.36	-2.26	11	Pass
NVNT	a	5240	Ant1	-1.28	0.3	-0.98	11	Pass
NVNT	a	5260	Ant1	-2.18	0.36	-1.82	11	Pass
NVNT	a	5300	Ant1	-1.99	0.3	-1.69	11	Pass
NVNT	a	5320	Ant1	-1.88	0.36	-1.52	11	Pass
NVNT	a	5500	Ant1	0.08	0.39	0.47	11	Pass
NVNT	a	5580	Ant1	0.2	0.37	0.57	11	Pass
NVNT	a	5700	Ant1	-2.21	0.39	-1.82	11	Pass
NVNT	a	5180	Ant2	-0.49	0.34	-0.15	11	Pass
NVNT	a	5200	Ant2	-0.25	0.39	0.14	11	Pass
NVNT	a	5240	Ant2	-0.26	0.36	0.1	11	Pass
NVNT	a	5260	Ant2	-0.64	0.37	-0.27	11	Pass
NVNT	a	5300	Ant2	-1.02	0.37	-0.65	11	Pass
NVNT	a	5320	Ant2	-0.89	0.36	-0.53	11	Pass
NVNT	a	5500	Ant2	0.92	0.3	1.22	11	Pass
NVNT	a	5580	Ant2	1.6	0.3	1.9	11	Pass
NVNT	a	5700	Ant2	3.69	0.32	4.01	11	Pass
NVNT	n20	5180	Ant1	-4.6	0.27	-4.33	11	Pass
NVNT	n20	5200	Ant1	-4.06	0.29	-3.77	11	Pass
NVNT	n20	5240	Ant1	-3.81	0.31	-3.5	11	Pass
NVNT	n20	5260	Ant1	-4.03	0.29	-3.74	11	Pass
NVNT	n20	5300	Ant1	-4.01	0.27	-3.74	11	Pass
NVNT	n20	5320	Ant1	-3.81	0.29	-3.52	11	Pass
NVNT	n20	5500	Ant1	-1.78	0.29	-1.49	11	Pass
NVNT	n20	5580	Ant1	-1.58	0.33	-1.25	11	Pass
NVNT	n20	5700	Ant1	-3.68	0.34	-3.34	11	Pass
NVNT	n20	5180	Ant2	-2.4	0.33	-2.07	11	Pass
NVNT	n20	5200	Ant2	-1.83	0.35	-1.48	11	Pass
NVNT	n20	5240	Ant2	-1.98	0.35	-1.63	11	Pass
NVNT	n20	5260	Ant2	-2.21	0.31	-1.9	11	Pass
NVNT	n20	5300	Ant2	-2.92	0.36	-2.56	11	Pass
NVNT	n20	5320	Ant2	-2.62	0.36	-2.26	11	Pass
NVNT	n20	5500	Ant2	-0.51	0.36	-0.15	11	Pass
NVNT	n20	5580	Ant2	-0.02	0.4	0.38	11	Pass
NVNT	n20	5700	Ant2	1.97	0.35	2.32	11	Pass
NVNT	n20	5180	Ant1	-9.39	0.38	-9.01	8.69	Pass
NVNT	n20	5180	Ant2	-6.93	0.38	-6.55	8.69	Pass
NVNT	n20	5180	MIMO	-4.98	0.38	-4.6	8.69	Pass
NVNT	n20	5200	Ant1	-8.85	0.4	-8.45	8.69	Pass
NVNT	n20	5200	Ant2	-6.73	0.4	-6.33	8.69	Pass
NVNT	n20	5200	MIMO	-4.65	0.4	-4.25	8.69	Pass
NVNT	n20	5240	Ant1	-8.21	0.38	-7.83	8.69	Pass
NVNT	n20	5240	Ant2	-6.96	0.38	-6.58	8.69	Pass
NVNT	n20	5240	MIMO	-4.53	0.38	-4.15	8.69	Pass
NVNT	n20	5260	Ant1	-7.01	0.38	-6.63	8.69	Pass
NVNT	n20	5260	Ant2	-4.81	0.38	-4.43	8.69	Pass
NVNT	n20	5260	MIMO	-2.76	0.38	-2.38	8.69	Pass
NVNT	n20	5300	Ant1	-6.54	0.4	-6.14	8.69	Pass
NVNT	n20	5300	Ant2	-5.32	0.4	-4.92	8.69	Pass
NVNT	n20	5300	MIMO	-2.88	0.4	-2.48	8.69	Pass



NVNT	n20	5320	Ant1	-6.21	0.33	-5.88	8.69	Pass
NVNT	n20	5320	Ant2	-5.54	0.33	-5.21	8.69	Pass
NVNT	n20	5320	MIMO	-2.85	0.33	-2.52	8.69	Pass
NVNT	n20	5500	Ant1	-4.45	0.38	-4.07	8.69	Pass
NVNT	n20	5500	Ant2	-3.27	0.38	-2.89	8.69	Pass
NVNT	n20	5500	MIMO	-0.81	0.38	-0.43	8.69	Pass
NVNT	n20	5580	Ant1	-4.9	0.36	-4.54	8.69	Pass
NVNT	n20	5580	Ant2	-2.22	0.36	-1.86	8.69	Pass
NVNT	n20	5580	MIMO	-0.35	0.36	0.01	8.69	Pass
NVNT	n20	5700	Ant1	-6.56	0.31	-6.25	8.69	Pass
NVNT	n20	5700	Ant2	-1.25	0.31	-0.94	8.69	Pass
NVNT	n20	5700	MIMO	-0.13	0.31	0.18	8.69	Pass
NVNT	n40	5190	Ant1	-7.25	0.64	-6.61	11	Pass
NVNT	n40	5230	Ant1	-7.28	0.59	-6.69	11	Pass
NVNT	n40	5270	Ant1	-7.26	0.6	-6.66	11	Pass
NVNT	n40	5310	Ant1	-7.85	0.64	-7.21	11	Pass
NVNT	n40	5510	Ant1	-5.74	0.75	-4.99	11	Pass
NVNT	n40	5550	Ant1	-5.56	0.64	-4.92	11	Pass
NVNT	n40	5670	Ant1	-7.77	0.53	-7.24	11	Pass
NVNT	n40	5190	Ant2	-4.68	0.85	-3.83	11	Pass
NVNT	n40	5230	Ant2	-4.91	0.85	-4.06	11	Pass
NVNT	n40	5270	Ant2	-5.61	0.78	-4.83	11	Pass
NVNT	n40	5310	Ant2	-6.07	0.78	-5.29	11	Pass
NVNT	n40	5510	Ant2	-5.13	0.78	-4.35	11	Pass
NVNT	n40	5550	Ant2	-4.14	0.75	-3.39	11	Pass
NVNT	n40	5670	Ant2	-2.17	0.78	-1.39	11	Pass
NVNT	n40	5190	Ant1	-11.63	0.78	-10.85	8.69	Pass
NVNT	n40	5190	Ant2	-9.68	0.78	-8.9	8.69	Pass
NVNT	n40	5190	MIMO	-7.54	0.78	-6.76	8.69	Pass
NVNT	n40	5230	Ant1	-3.62	0.71	-2.91	8.69	Pass
NVNT	n40	5230	Ant2	-6.59	0.71	-5.88	8.69	Pass
NVNT	n40	5230	MIMO	-1.85	0.71	-1.14	8.69	Pass
NVNT	n40	5270	Ant1	-9.96	0.75	-9.21	8.69	Pass
NVNT	n40	5270	Ant2	-8.04	0.75	-7.29	8.69	Pass
NVNT	n40	5270	MIMO	-5.88	0.75	-5.13	8.69	Pass
NVNT	n40	5310	Ant1	-9.68	0.75	-8.93	8.69	Pass
NVNT	n40	5310	Ant2	-8.7	0.75	-7.95	8.69	Pass
NVNT	n40	5310	MIMO	-6.15	0.75	-5.4	8.69	Pass
NVNT	n40	5510	Ant1	-7.9	0.71	-7.19	8.69	Pass
NVNT	n40	5510	Ant2	-7.09	0.71	-6.38	8.69	Pass
NVNT	n40	5510	MIMO	-4.47	0.71	-3.76	8.69	Pass
NVNT	n40	5550	Ant1	-7.87	0.78	-7.09	8.69	Pass
NVNT	n40	5550	Ant2	-6.54	0.78	-5.76	8.69	Pass
NVNT	n40	5550	MIMO	-4.14	0.78	-3.36	8.69	Pass
NVNT	n40	5670	Ant1	-9.25	0.78	-8.47	8.69	Pass
NVNT	n40	5670	Ant2	-3.63	0.78	-2.85	8.69	Pass
NVNT	n40	5670	MIMO	-2.58	0.78	-1.8	8.69	Pass
NVNT	ac20	5180	Ant1	-4.24	0.47	-3.77	11	Pass
NVNT	ac20	5200	Ant1	-4.14	0.5	-3.64	11	Pass
NVNT	ac20	5240	Ant1	-3.81	0.43	-3.38	11	Pass
NVNT	ac20	5260	Ant1	-4.37	0.43	-3.94	11	Pass
NVNT	ac20	5300	Ant1	-4.09	0.43	-3.66	11	Pass
NVNT	ac20	5320	Ant1	-4.24	0.48	-3.76	11	Pass
NVNT	ac20	5500	Ant1	-1.86	0.45	-1.41	11	Pass
NVNT	ac20	5580	Ant1	-1.97	0.5	-1.47	11	Pass
NVNT	ac20	5700	Ant1	-4.11	0.48	-3.63	11	Pass



NVNT	ac20	5180	Ant2	-2.11	0.3	-1.81	11	Pass
NVNT	ac20	5200	Ant2	-1.85	0.36	-1.49	11	Pass
NVNT	ac20	5240	Ant2	-1.82	0.36	-1.46	11	Pass
NVNT	ac20	5260	Ant2	-2.05	0.34	-1.71	11	Pass
NVNT	ac20	5300	Ant2	-3.1	0.28	-2.82	11	Pass
NVNT	ac20	5320	Ant2	-2.47	0.34	-2.13	11	Pass
NVNT	ac20	5500	Ant2	-0.66	0.32	-0.34	11	Pass
NVNT	ac20	5580	Ant2	-0.31	0.36	0.05	11	Pass
NVNT	ac20	5700	Ant2	1.48	0.39	1.87	11	Pass
NVNT	ac20	5180	Ant1	-0.91	0.43	-0.48	8.69	Pass
NVNT	ac20	5180	Ant2	-6.27	0.43	-5.84	8.69	Pass
NVNT	ac20	5180	MIMO	0.2	0.43	0.63	8.69	Pass
NVNT	ac20	5200	Ant1	-1.07	0.41	-0.66	8.69	Pass
NVNT	ac20	5200	Ant2	-4.7	0.41	-4.29	8.69	Pass
NVNT	ac20	5200	MIMO	0.49	0.41	0.9	8.69	Pass
NVNT	ac20	5240	Ant1	-0.59	0.41	-0.18	8.69	Pass
NVNT	ac20	5240	Ant2	-3.43	0.41	-3.02	8.69	Pass
NVNT	ac20	5240	MIMO	1.23	0.41	1.64	8.69	Pass
NVNT	ac20	5260	Ant1	-0.67	0.45	-0.22	8.69	Pass
NVNT	ac20	5260	Ant2	-2.91	0.45	-2.46	8.69	Pass
NVNT	ac20	5260	MIMO	1.36	0.45	1.81	8.69	Pass
NVNT	ac20	5300	Ant1	-1.19	0.47	-0.72	8.69	Pass
NVNT	ac20	5300	Ant2	-2.62	0.47	-2.15	8.69	Pass
NVNT	ac20	5300	MIMO	1.16	0.47	1.63	8.69	Pass
NVNT	ac20	5320	Ant1	-1.4	0.41	-0.99	8.69	Pass
NVNT	ac20	5320	Ant2	-2.58	0.41	-2.17	8.69	Pass
NVNT	ac20	5320	MIMO	1.06	0.41	1.47	8.69	Pass
NVNT	ac20	5500	Ant1	-1.36	0.47	-0.89	8.69	Pass
NVNT	ac20	5500	Ant2	-3.13	0.47	-2.66	8.69	Pass
NVNT	ac20	5500	MIMO	0.85	0.47	1.32	8.69	Pass
NVNT	ac20	5580	Ant1	0.15	0.39	0.54	8.69	Pass
NVNT	ac20	5580	Ant2	-2.5	0.39	-2.11	8.69	Pass
NVNT	ac20	5580	MIMO	2.03	0.39	2.42	8.69	Pass
NVNT	ac20	5700	Ant1	1.78	0.39	2.17	8.69	Pass
NVNT	ac20	5700	Ant2	-1.18	0.39	-0.79	8.69	Pass
NVNT	ac20	5700	MIMO	3.56	0.39	3.95	8.69	Pass
NVNT	ac40	5190	Ant1	-7.57	0.69	-6.88	11	Pass
NVNT	ac40	5230	Ant1	-7.59	0.76	-6.83	11	Pass
NVNT	ac40	5270	Ant1	-7.35	0.76	-6.59	11	Pass
NVNT	ac40	5310	Ant1	-7.45	0.73	-6.72	11	Pass
NVNT	ac40	5510	Ant1	-6.16	0.8	-5.36	11	Pass
NVNT	ac40	5550	Ant1	-5.98	0.83	-5.15	11	Pass
NVNT	ac40	5670	Ant1	-7.11	0.8	-6.31	11	Pass
NVNT	ac40	5190	Ant2	-5.62	0.87	-4.75	11	Pass
NVNT	ac40	5230	Ant2	-4.93	0.83	-4.1	11	Pass
NVNT	ac40	5270	Ant2	-5.84	0.87	-4.97	11	Pass
NVNT	ac40	5310	Ant2	-5.98	0.87	-5.11	11	Pass
NVNT	ac40	5510	Ant2	-5.15	0.8	-4.35	11	Pass
NVNT	ac40	5550	Ant2	-4.44	0.83	-3.61	11	Pass
NVNT	ac40	5670	Ant2	-1.45	0.8	-0.65	11	Pass
NVNT	ac40	5190	Ant1	-3.68	1.03	-2.65	8.69	Pass
NVNT	ac40	5190	Ant2	-9.02	1.03	-7.99	8.69	Pass
NVNT	ac40	5190	MIMO	-2.57	1.03	-1.54	8.69	Pass
NVNT	ac40	5230	Ant1	-4.04	1.03	-3.01	8.69	Pass
NVNT	ac40	5230	Ant2	-6.92	1.03	-5.89	8.69	Pass
NVNT	ac40	5230	MIMO	-2.24	1.03	-1.21	8.69	Pass





NVNT	ac40	5270	Ant1	-4.22	1.03	-3.19	8.69	Pass
NVNT	ac40	5270	Ant2	-6.08	1.03	-5.05	8.69	Pass
NVNT	ac40	5270	MIMO	-2.04	1.03	-1.01	8.69	Pass
NVNT	ac40	5310	Ant1	-4.48	0.9	-3.58	8.69	Pass
NVNT	ac40	5310	Ant2	-6.2	0.9	-5.3	8.69	Pass
NVNT	ac40	5310	MIMO	-2.25	0.9	-1.35	8.69	Pass
NVNT	ac40	5510	Ant1	-6	0.97	-5.03	8.69	Pass
NVNT	ac40	5510	Ant2	-7.58	0.97	-6.61	8.69	Pass
NVNT	ac40	5510	MIMO	-3.71	0.97	-2.74	8.69	Pass
NVNT	ac40	5550	Ant1	-4.72	1.03	-3.69	8.69	Pass
NVNT	ac40	5550	Ant2	-6.88	1.03	-5.85	8.69	Pass
NVNT	ac40	5550	MIMO	-2.66	1.03	-1.63	8.69	Pass
NVNT	ac40	5670	Ant1	-2.54	0.9	-1.64	8.69	Pass
NVNT	ac40	5670	Ant2	-4.98	0.9	-4.08	8.69	Pass
NVNT	ac40	5670	MIMO	-0.58	0.9	0.32	8.69	Pass
NVNT	ac80	5210	Ant1	-11.39	1.75	-9.64	11	Pass
NVNT	ac80	5290	Ant1	-11.85	1.75	-10.1	11	Pass
NVNT	ac80	5530	Ant1	-9.59	1.63	-7.96	11	Pass
NVNT	ac80	5610	Ant1	-11.3	1.81	-9.49	11	Pass
NVNT	ac80	5210	Ant2	-9.81	1.75	-8.06	11	Pass
NVNT	ac80	5290	Ant2	-10.49	1.74	-8.75	11	Pass
NVNT	ac80	5530	Ant2	-8.74	1.8	-6.94	11	Pass
NVNT	ac80	5610	Ant2	-8.2	1.75	-6.45	11	Pass
NVNT	ac80	5210	Ant1	-12.48	1.33	-11.15	8.69	Pass
NVNT	ac80	5210	Ant2	-13.37	1.33	-12.04	8.69	Pass
NVNT	ac80	5210	MIMO	-9.89	1.33	-8.56	8.69	Pass
NVNT	ac80	5290	Ant1	-12.32	1.39	-10.93	8.69	Pass
NVNT	ac80	5290	Ant2	-11.86	1.39	-10.47	8.69	Pass
NVNT	ac80	5290	MIMO	-9.07	1.39	-7.68	8.69	Pass
NVNT	ac80	5530	Ant1	-10.96	1.39	-9.57	8.69	Pass
NVNT	ac80	5530	Ant2	-9.41	1.39	-8.02	8.69	Pass
NVNT	ac80	5530	MIMO	-7.11	1.39	-5.72	8.69	Pass
NVNT	ac80	5610	Ant1	-12.84	1.33	-11.51	8.69	Pass
NVNT	ac80	5610	Ant2	-9.48	1.33	-8.15	8.69	Pass
NVNT	ac80	5610	MIMO	-7.83	1.33	-6.5	8.69	Pass


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm /510kHz)	Conducted PSD (dBm /500kHz)	Duty Factor (dB)	Total PSD (dBm/500kHz)	Limit (dBm /500kHz)	Verdict
NVNT	a	5745	Ant1	-7.11	-7.20	0.3	-6.90	30	Pass
NVNT	a	5785	Ant1	-6.47	-6.56	0.37	-6.19	30	Pass
NVNT	a	5825	Ant1	-5.29	-5.38	0.3	-5.08	30	Pass
NVNT	a	5745	Ant2	-1.26	-1.35	0.36	-0.99	30	Pass
NVNT	a	5785	Ant2	-0.17	-0.26	0.36	0.10	30	Pass
NVNT	a	5825	Ant2	-0.11	-0.20	0.3	0.10	30	Pass
NVNT	n20	5745	Ant1	-8.36	-8.45	0.32	-8.13	30	Pass
NVNT	n20	5785	Ant1	-8.21	-8.30	0.27	-8.03	30	Pass
NVNT	n20	5825	Ant1	-7.35	-7.44	0.27	-7.17	30	Pass
NVNT	n20	5745	Ant2	-2.13	-2.22	0.36	-1.86	30	Pass
NVNT	n20	5785	Ant2	-1.84	-1.93	0.35	-1.58	30	Pass
NVNT	n20	5825	Ant2	-1.82	-1.91	0.31	-1.60	30	Pass
NVNT	n20	5745	Ant1	-10.86	-10.95	0.33	-10.62	27.69	Pass
NVNT	n20	5745	Ant2	-5.75	-5.84	0.33	-5.51	27.69	Pass
NVNT	n20	5745	MIMO	-4.58	-4.67	0.33	-4.34	27.69	Pass
NVNT	n20	5785	Ant1	-10.35	-10.44	0.36	-10.08	27.69	Pass



NVNT	n20	5785	Ant2	-4.7	-4.79	0.36	-4.43	27.69	Pass
NVNT	n20	5785	MIMO	-3.65	-3.74	0.36	-3.38	27.69	Pass
NVNT	n20	5825	Ant1	-9.23	-9.32	0.4	-8.92	27.69	Pass
NVNT	n20	5825	Ant2	-4.54	-4.63	0.4	-4.23	27.69	Pass
NVNT	n20	5825	MIMO	-3.27	-3.36	0.4	-2.96	27.69	Pass
NVNT	n40	5755	Ant1	-11.8	-11.89	0.57	-11.32	30	Pass
NVNT	n40	5795	Ant1	-11.15	-11.24	0.71	-10.53	30	Pass
NVNT	n40	5755	Ant2	-5.99	-6.08	0.75	-5.33	30	Pass
NVNT	n40	5795	Ant2	-5.14	-5.23	0.71	-4.52	30	Pass
NVNT	n40	5755	Ant1	-13.47	-13.56	0.75	-12.81	27.69	Pass
NVNT	n40	5755	Ant2	-8.1	-8.19	0.75	-7.44	27.69	Pass
NVNT	n40	5755	MIMO	-6.99	-7.08	0.75	-6.33	27.69	Pass
NVNT	n40	5795	Ant1	-13.27	-13.36	0.78	-12.58	27.69	Pass
NVNT	n40	5795	Ant2	-7.37	-7.46	0.78	-6.68	27.69	Pass
NVNT	n40	5795	MIMO	-6.38	-6.47	0.78	-5.69	27.69	Pass
NVNT	ac20	5745	Ant1	-8.39	-8.48	0.45	-8.03	30	Pass
NVNT	ac20	5785	Ant1	-7.55	-7.64	0.43	-7.21	30	Pass
NVNT	ac20	5825	Ant1	-7.35	-7.44	0.48	-6.96	30	Pass
NVNT	ac20	5745	Ant2	-2.8	-2.89	0.28	-2.61	30	Pass
NVNT	ac20	5785	Ant2	-2.4	-2.49	0.32	-2.17	30	Pass
NVNT	ac20	5825	Ant2	-2.12	-2.21	0.37	-1.84	30	Pass
NVNT	ac20	5745	Ant1	-4.33	-4.42	0.3	-4.12	27.69	Pass
NVNT	ac20	5745	Ant2	-8.84	-8.93	0.3	-8.63	27.69	Pass
NVNT	ac20	5745	MIMO	-3.01	-3.10	0.3	-2.80	27.69	Pass
NVNT	ac20	5785	Ant1	-4.48	-4.57	0.34	-4.23	27.69	Pass
NVNT	ac20	5785	Ant2	-8.32	-8.41	0.34	-8.07	27.69	Pass
NVNT	ac20	5785	MIMO	-2.98	-3.07	0.34	-2.73	27.69	Pass
NVNT	ac20	5825	Ant1	-3.55	-3.64	0.37	-3.27	27.69	Pass
NVNT	ac20	5825	Ant2	-6.27	-6.36	0.37	-5.99	27.69	Pass
NVNT	ac20	5825	MIMO	-1.69	-1.78	0.37	-1.41	27.69	Pass
NVNT	ac40	5755	Ant1	-11.98	-12.07	0.8	-11.27	30	Pass
NVNT	ac40	5795	Ant1	-11.38	-11.47	0.83	-10.64	30	Pass
NVNT	ac40	5755	Ant2	-5.99	-6.08	0.87	-5.21	30	Pass
NVNT	ac40	5795	Ant2	-5.49	-5.58	0.87	-4.71	30	Pass
NVNT	ac40	5755	Ant1	-5.8	-5.89	1	-4.89	27.69	Pass
NVNT	ac40	5755	Ant2	-8.24	-8.33	1	-7.33	27.69	Pass
NVNT	ac40	5755	MIMO	-3.84	-3.93	1	-2.93	27.69	Pass
NVNT	ac40	5795	Ant1	-5.04	-5.13	0.97	-4.16	27.69	Pass
NVNT	ac40	5795	Ant2	-7.03	-7.12	0.97	-6.15	27.69	Pass
NVNT	ac40	5795	MIMO	-2.91	-3.00	0.97	-2.03	27.69	Pass
NVNT	ac80	5775	Ant1	-15.64	-15.73	1.75	-13.98	30	Pass
NVNT	ac80	5775	Ant2	-9.29	-9.38	1.8	-7.58	30	Pass
NVNT	ac80	5775	Ant1	-16.78	-16.87	1.33	-15.54	27.69	Pass
NVNT	ac80	5775	Ant2	-10.54	-10.63	1.33	-9.30	27.69	Pass
NVNT	ac80	5775	MIMO	-9.61	-9.70	1.33	-8.37	27.69	Pass









PSD NVNT a 5180MHz Ant2



PSD NVNT a 5200MHz Ant2



PSD NVNT a 5240MHz Ant2





PSD NVNT a 5260MHz Ant2



PSD NVNT a 5300MHz Ant2



PSD NVNT a 5320MHz Ant2



