



1-7GHz_Vertical_5GWiFi_Band4_AX20_5825MHz



Condition : Vertical
Project No. : 2501T58468E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5825

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6326.416	-3.45	56.42	52.97	68.20	-15.23 Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band4_AX20_5825MHz



Condition : Horizontal
Project No. : 2501T58468E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.43	53.56	56.99	74.00	-17.01	Peak
2	17983.500	13.11	48.07	61.18	74.00	-12.82	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band4_AX20_5825MHz



Condition : Horizontal
Project No. : 2501T58468E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5825

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11650.000	3.43	39.39	42.82	54.00	-11.18	Average
2 17995.880	13.18	34.14	47.32	54.00	-6.68	Average


7-18GHz_Vertical_Peak_5GWiFi_Band4_AX20_5825MHz



Condition : Vertical
Project No. : 2501T58468E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5825

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11650.000	3.43	53.02	56.45	74.00	-17.55 Peak
2 17958.740	12.99	47.89	60.88	74.00	-13.12 Peak


7-18GHz_Vertical_Average_5GWiFi_Band4_AX20_5825MHz



Condition : Vertical
Project No. : 2501T58468E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5825

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11650.000	3.43	39.15	42.58	54.00	-11.42	Average
2 17995.880	13.18	34.04	47.22	54.00	-6.78	Average


1-7GHz_Horizontal_5GWiFi_Band4_AX40_5795MHz



Condition : Horizontal
Project No. : 2501T58468E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6449.431	-2.88	56.24	53.36	68.20	-14.84	Peak


1-7GHz_Vertical_5GWiFi_Band4_AX40_5795MHz



Condition : Vertical
Project No. : 2501T58468E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5795

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6436.680	-2.87	55.84	52.97	68.20	-15.23 Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band4_AX40_5795MHz



Condition : Horizontal
Project No. : 2501T58468E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5795

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11590.000	3.21	53.24	56.45	74.00	-17.55	Peak
2 17997.250	13.19	47.95	61.14	74.00	-12.86	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band4_AX40_5795MHz



Condition : Horizontal
Project No. : 2501T58468E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5795

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11590.000	3.21	39.03	42.24	54.00	-11.76	Average
2 17995.880	13.18	34.15	47.33	54.00	-6.67	Average


7-18GHz_Vertical_Peak_5GWiFi_Band4_AX40_5795MHz



Condition : Vertical
Project No. : 2501T58468E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5795

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11590.000	3.21	52.68	55.89	74.00	-18.11 Peak
2 17933.990	12.88	47.77	60.65	74.00	-13.35 Peak

7-18GHz_Vertical_Average_5GWiFi_Band4_AX40_5795MHz




Condition : Vertical
Project No. : 2501T58468E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5795

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11590.000	3.21	38.79	42.00	54.00	-12.00	Average
2 17998.630	13.19	34.08	47.27	54.00	-6.73	Average

18-40GHz (Only Listed with the worst harmonic margin test plot):


18-40GHz_Horizontal_5GWi-Fi_Band1_A_5180MHz



Condition : Horizontal
Project No. : 2501T58468E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A-5180

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 39774.470	22.27	36.64	58.91	80.00	-21.09	peak

18-40GHz_Vertical_5GWi-Fi_Band1_A_5180MHz



Condition : Vertical
Project No. : 2501T58468E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A-5180

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 39524.190	22.21	36.47	58.68	80.00	-21.32 Peak

RF Conducted data**Emission Bandwidth****Test Information:**

Sample No.:	32PB-7	Test Date:	2025/06/13
Test Site:	RF	Test Mode:	Transmitting
Tester:	Brian Li	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	25	Relative Humidity: (%)	55	ATM Pressure: (kPa)	101
------------------------------	----	---------------------------------------	----	--------------------------------	-----

Test Data:**26dB Emission Bandwidth
5150-5250MHz**


Mode	Test Frequency (MHz)	Result (MHz)
802.11a	5180	22.192
	5200	22.936
	5240	22.168
802.11ac20	5180	22.547
	5200	22.881
	5240	22.489
802.11ac40	5190	41.341
	5230	41.141
802.11ax20_RU_Full	5180	22.675
	5200	22.838
	5240	22.859
802.11ax40_RU_Full	5190	41.441
	5230	40.941

**6dB Emission Bandwidth
5725-5850MHz**


Mode	Test Frequency (MHz)	Result (MHz)	Limit (MHz)	Verdict
802.11a	5745	16.467	0.5	Pass
	5785	16.617	0.5	Pass
	5825	16.667	0.5	Pass
802.11ac20	5745	17.718	0.5	Pass
	5785	17.718	0.5	Pass
	5825	17.668	0.5	Pass
802.11ac40	5755	36.537	0.5	Pass
	5795	36.537	0.5	Pass
802.11ax20_RU_Full	5745	19.069	0.5	Pass
	5785	19.119	0.5	Pass
	5825	19.169	0.5	Pass
802.11ax40_RU_Full	5755	38.238	0.5	Pass
	5795	38.338	0.5	Pass

5150-5250MHz


802.11a_5180MHz




802.11a_5200MHz




802.11a_5240MHz




802.11ac20_5180MHz




802.11ac20_5200MHz



802.11ac20_5240MHz




802.11ac40_5190MHz




ProjectNo.:2501T58468E-RF Tester:Brian Li
Date: 13.JUN.2025 22:05:44

802.11ac40_5230MHz




ProjectNo.:2501T58468E-RF Tester:Brian Li
Date: 13.JUN.2025 22:06:28

802.11ax20_5180MHz_RU_Full




ProjectNo.:2501T58468E-RF Tester:Brian Li
Date: 13.JUN.2025 22:07:34

802.11ax20_5200MHz_RU_Full




ProjectNo.:2501T58468E-RF Tester:Brian Li
Date: 13.JUN.2025 22:09:27

802.11ax20_5240MHz_RU_Full



ProjectNo.:2501T58468E-RF Tester:Brian Li
Date: 13.JUN.2025 22:10:20


802.11ax40_5190MHz_RU_Full



ProjectNo.:2501T58468E-RF Tester:Brian Li
Date: 13.JUN.2025 22:11:16


5725-5850MHz

802.11ax40_5230MHz_RU_Full




ProjectNo.:2501T58468E-RF Tester:Brian LI
Date: 13.JUN.2025 22:11:51

802.11a_5745MHz




ProjectNo.:2501T58468E-RF Tester:Brian LI
Date: 13.JUN.2025 22:12:40

802.11a_5785MHz




ProjectNo.:2501T58468E-RF Tester:Brian LI
Date: 13.JUN.2025 22:13:35

802.11a_5825MHz




ProjectNo.:2501T58468E-RF Tester:Brian LI
Date: 13.JUN.2025 22:14:30

802.11ac20_5745MHz




ProjectNo.:2501T58468E-RF Tester:Brian LI
Date: 13.JUN.2025 22:15:32

802.11ac20_5785MHz




ProjectNo.:2501T58468E-RF Tester:Brian LI
Date: 13.JUN.2025 22:16:54

802.11ac20_5825MHz




ProjectNo.:2501T58468E-RF Tester:Brian Li
Date: 13.JUN.2025 22:17:48

802.11ac40_5755MHz




ProjectNo.:2501T58468E-RF Tester:Brian Li
Date: 13.JUN.2025 22:20:07

802.11ac40_5795MHz




ProjectNo.:2501T58468E-RF Tester:Brian Li
Date: 13.JUN.2025 22:21:07

802.11ax20_5745MHz_RU_Full




ProjectNo.:2501T58468E-RF Tester:Brian Li
Date: 13.JUN.2025 22:22:14

802.11ax20_5785MHz_RU_Full




ProjectNo.:2501T58468E-RF Tester:Brian Li
Date: 13.JUN.2025 22:23:12

802.11ax20_5825MHz_RU_Full




ProjectNo.:2501T58468E-RF Tester:Brian Li
Date: 13.JUN.2025 22:24:09

802.11ax40_5755MHz_RU_Full



ProjectNo.:2501T58468E-RF Tester:Brian Li
Date: 13.JUN.2025 22:25:01

802.11ax40_5795MHz_RU_Full



ProjectNo.:2501T58468E-RF Tester:Brian Li
Date: 13.JUN.2025 22:25:46

99% Occupied Bandwidth**Test Information:**

Sample No.:	32PB-7	Test Date:	2025/06/13
Test Site:	RF	Test Mode:	Transmitting
Tester:	Brian Li	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	25	Relative Humidity: (%)	55	ATM Pressure: (kPa)	101
-----------------------------	----	----------------------------------	----	-------------------------------	-----

Test Data:**5150-5250MHz**

Mode	Test Frequency (MHz)	99% OBW (MHz)
802.11a	5180	17
	5200	16.950
	5240	17.050
802.11ac20	5180	18
	5200	18
	5240	18
802.11ac40	5190	36.800
	5230	36.800
802.11ax20_RU_Full	5180	19.200
	5200	19.200
	5240	19.200
802.11ax40_RU_Full	5190	38
	5230	38.100

Note:

The 99% Occupied Bandwidth have not fall into the band 5250-5350MHz, please refer to the test plots of 99% Occupied Bandwidth.

5725-5850MHz


Mode	Test Frequency (MHz)	99% OBW (MHz)
802.11a	5745	17.550
	5785	17.500
	5825	17.200
802.11ac20	5745	18.550
	5785	18.400
	5825	18.100
802.11ac40	5755	37.100
	5795	37
802.11ax20_RU_Full	5745	19.450
	5785	19.300
	5825	19.200
802.11ax40_RU_Full	5755	38.200
	5795	38.100

Note:

The 99% Occupied Bandwidth have not fall into the band 5470-5725MHz, please refer to the test plots of 99% Occupied Bandwidth.


5150-5250MHz

802.11a_5180MHz




ProjectNo.:2501T58468E-RF Tester:Brian LI
Date: 13.JUN.2025 21:57:43

802.11a_5200MHz




ProjectNo.:2501T58468E-RF Tester:Brian LI
Date: 13.JUN.2025 21:58:33

802.11a_5240MHz




ProjectNo.:2501T58468E-RF Tester:Brian LI
Date: 13.JUN.2025 21:59:23

802.11ac20_5180MHz




ProjectNo.:2501T58468E-RF Tester:Brian LI
Date: 13.JUN.2025 22:03:16

802.11ac20_5200MHz




ProjectNo.:2501T58468E-RF Tester:Brian LI
Date: 13.JUN.2025 22:04:24

802.11ac20_5240MHz




ProjectNo.:2501T58468E-RF Tester:Brian LI
Date: 13.JUN.2025 22:05:16

802.11ac40_5190MHz




ProjectNo.:2501T58468E-RF Tester:Brian Li
Date: 13.JUN.2025 22:05:52

802.11ac40_5230MHz




ProjectNo.:2501T58468E-RF Tester:Brian Li
Date: 13.JUN.2025 22:06:44

802.11ax20_5180MHz_RU_Full




ProjectNo.:2501T58468E-RF Tester:Brian Li
Date: 13.JUN.2025 22:07:48

802.11ax20_5200MHz_RU_Full




ProjectNo.:2501T58468E-RF Tester:Brian Li
Date: 13.JUN.2025 22:09:40

802.11ax20_5240MHz_RU_Full









ProjectNo.:2501T58468E-RF Tester:Brian Li
Date: 13.JUN.2025 22:10:33

802.11ax40_5190MHz_RU_Full




ProjectNo.:2501T58468E-RF Tester:Brian Li
Date: 13.JUN.2025 22:11:24

5725-5850MHz




802.11ac20_5825MHz




ProjectNo.:2501T58468E-RF Tester:Brian Li
 Date: 13.JUN.2025 22:18:02

802.11ac40_5755MHz




ProjectNo.:2501T58468E-RF Tester:Brian Li
 Date: 13.JUN.2025 22:20:16

802.11ac40_5795MHz




ProjectNo.:2501T58468E-RF Tester:Brian Li
 Date: 13.JUN.2025 22:21:16

802.11ax20_5745MHz_RU_Full




ProjectNo.:2501T58468E-RF Tester:Brian Li
 Date: 13.JUN.2025 22:22:29

802.11ax20_5785MHz_RU_Full




ProjectNo.:2501T58468E-RF Tester:Brian Li
 Date: 13.JUN.2025 22:23:30

802.11ax20_5825MHz_RU_Full




ProjectNo.:2501T58468E-RF Tester:Brian Li
 Date: 13.JUN.2025 22:24:23

802.11ax40_5755MHz_RU_Full



ProjectNo.:2501T58468E-RF Tester:Brian Li
Date: 13.JUN.2025 22:25:10

802.11ax40_5795MHz_RU_Full



ProjectNo.:2501T58468E-RF Tester:Brian Li
Date: 13.JUN.2025 22:25:55

Maximum Conducted Output Power**Test Information:**

Sample No.:	32PB-7	Test Date:	2025/06/13
Test Site:	RF	Test Mode:	Transmitting
Tester:	Brian Li	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	25	Relative Humidity: (%)	55	ATM Pressure: (kPa)	101
-----------------------------	----	----------------------------------	----	-------------------------------	-----

Test Data:**5150-5250MHz**

Mode	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11a	5180	12.99	24	Pass
	5200	12.99	24	Pass
	5240	13.59	24	Pass
802.11ac20	5180	13.15	24	Pass
	5200	13.04	24	Pass
	5240	13.67	24	Pass
802.11ac40	5190	11.12	24	Pass
	5230	11.59	24	Pass
802.11ax20_RU_Full	5180	13.12	24	Pass
	5200	13.36	24	Pass
	5240	13.60	24	Pass
802.11ax40_RU_Full	5190	10.95	24	Pass
	5230	11.80	24	Pass

5725-5850MHz

Mode	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11a	5745	15.92	30	Pass
	5785	15.88	30	Pass
	5825	15.14	30	Pass
802.11ac20	5745	16.13	30	Pass
	5785	15.88	30	Pass
	5825	15.04	30	Pass
802.11ac40	5755	14.70	30	Pass
	5795	14.11	30	Pass
802.11ax20_RU_Full	5745	16.04	30	Pass
	5785	16.12	30	Pass
	5825	15.10	30	Pass
802.11ax40_RU_Full	5755	14.88	30	Pass
	5795	14.38	30	Pass

Power Spectral Density**Test Information:**

Sample No.:	32PB-7	Test Date:	2025/06/13
Test Site:	RF	Test Mode:	Transmitting
Tester:	Brian Li	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	25	Relative Humidity: (%)	55	ATM Pressure: (kPa)	101
-----------------------------	----	----------------------------------	----	-------------------------------	-----

Test Data:**5150-5250MHz**

Mode	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	5180	-0.63	0.12	-0.51	11	Pass
	5200	-0.27	0.12	-0.15	11	Pass
	5240	-0.19	0.12	-0.07	11	Pass
802.11ac20	5180	-1.00	0.12	-0.88	11	Pass
	5200	-0.85	0.12	-0.73	11	Pass
	5240	-0.41	0.12	-0.29	11	Pass
802.11ac40	5190	-5.57	0.12	-5.45	11	Pass
	5230	-5.69	0.12	-5.57	11	Pass
802.11ax20_RU_Full	5180	-1.62	0.15	-1.47	11	Pass
	5200	-1.26	0.15	-1.11	11	Pass
	5240	-0.70	0.15	-0.55	11	Pass
802.11ax40_RU_Full	5190	-6.26	0.14	-6.12	11	Pass
	5230	-5.84	0.14	-5.70	11	Pass


5725-5850MHz

Mode	Test Frequency (MHz)	Reading (dBm/500kHz)	Duty Cycle Factor(dB)	Result (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
802.11a	5745	-0.64	0.11	-0.53	30	Pass
	5785	-0.43	0.11	-0.32	30	Pass
	5825	-1.27	0.11	-1.16	30	Pass
802.11ac20	5745	-1.03	0.12	-0.91	30	Pass
	5785	-0.87	0.12	-0.75	30	Pass
	5825	-1.48	0.12	-1.36	30	Pass
802.11ac40	5755	-5.22	0.12	-5.10	30	Pass
	5795	-5.53	0.12	-5.41	30	Pass
802.11ax20_RU_Full	5745	-1.68	0.15	-1.53	30	Pass
	5785	-1.52	0.15	-1.37	30	Pass
	5825	-1.83	0.15	-1.68	30	Pass
802.11ax40_RU_Full	5755	-5.70	0.14	-5.56	30	Pass
	5795	-6.13	0.14	-5.99	30	Pass

Result = Reading + Duty Cycle Factor


5150-5250MHz

802.11a_5180MHz




ProjectNo.:2501T58468E-RF Tester:Brian LI
Date: 13.JUN.2025 21:57:58

802.11a_5200MHz




ProjectNo.:2501T58468E-RF Tester:Brian LI
Date: 13.JUN.2025 21:58:49

802.11a_5240MHz




ProjectNo.:2501T58468E-RF Tester:Brian LI
Date: 13.JUN.2025 21:59:38

802.11ac20_5180MHz




ProjectNo.:2501T58468E-RF Tester:Brian LI
Date: 13.JUN.2025 22:03:32

802.11ac20_5200MHz




ProjectNo.:2501T58468E-RF Tester:Brian LI
Date: 13.JUN.2025 22:04:39

802.11ac20_5240MHz




ProjectNo.:2501T58468E-RF Tester:Brian LI
Date: 13.JUN.2025 22:05:32

802.11ac40_5190MHz




ProjectNo.:2501T58468E-RF Tester:Brian Li
Date: 13.JUN.2025 22:06:10

802.11ac40_5230MHz




ProjectNo.:2501T58468E-RF Tester:Brian Li
Date: 13.JUN.2025 22:07:00

802.11ax20_5180MHz_RU_Full




ProjectNo.:2501T58468E-RF Tester:Brian Li
Date: 13.JUN.2025 22:08:03

802.11ax20_5200MHz_RU_Full




ProjectNo.:2501T58468E-RF Tester:Brian Li
Date: 13.JUN.2025 22:09:56

802.11ax20_5240MHz_RU_Full



ProjectNo.:2501T58468E-RF Tester:Brian Li
Date: 13.JUN.2025 22:10:50


802.11ax40_5190MHz_RU_Full



ProjectNo.:2501T58468E-RF Tester:Brian Li
Date: 13.JUN.2025 22:11:40


5725-5850MHz

802.11ax40_5230MHz_RU_Full




ProjectNo.:2501T58468E-RF Tester:Brian LI
Date: 13.JUN.2025 22:12:16

802.11a_5745MHz




ProjectNo.:2501T58468E-RF Tester:Brian LI
Date: 13.JUN.2025 22:13:12

802.11a_5785MHz




ProjectNo.:2501T58468E-RF Tester:Brian LI
Date: 13.JUN.2025 22:14:13

802.11a_5825MHz




ProjectNo.:2501T58468E-RF Tester:Brian LI
Date: 13.JUN.2025 22:15:08

802.11ac20_5745MHz




ProjectNo.:2501T58468E-RF Tester:Brian LI
Date: 13.JUN.2025 22:16:06

802.11ac20_5785MHz




ProjectNo.:2501T58468E-RF Tester:Brian LI
Date: 13.JUN.2025 22:17:27

802.11ac20_5825MHz




ProjectNo.:2501T58468E-RF Tester:Brian Li
Date: 13.JUN.2025 22:18:21

802.11ac40_5755MHz




ProjectNo.:2501T58468E-RF Tester:Brian Li
Date: 13.JUN.2025 22:20:48

802.11ac40_5795MHz




ProjectNo.:2501T58468E-RF Tester:Brian Li
Date: 13.JUN.2025 22:21:35

802.11ax20_5745MHz_RU_Full




ProjectNo.:2501T58468E-RF Tester:Brian Li
Date: 13.JUN.2025 22:22:47

802.11ax20_5785MHz_RU_Full




ProjectNo.:2501T58468E-RF Tester:Brian Li
Date: 13.JUN.2025 22:23:49

802.11ax20_5825MHz_RU_Full




ProjectNo.:2501T58468E-RF Tester:Brian Li
Date: 13.JUN.2025 22:24:44

802.11ax40_5755MHz_RU_Full



ProjectNo.:2501T58468E-RF Tester:Brian Li
Date: 13.JUN.2025 22:25:20

802.11ax40_5795MHz_RU_Full



ProjectNo.:2501T58468E-RF Tester:Brian Li
Date: 13.JUN.2025 22:26:13

Duty Cycle**Test Information:**

Sample No.:	32PB-7	Test Date:	2025/07/01
Test Site:	RF	Test Mode:	Transmitting
Tester:	Brian Li	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	25	Relative Humidity: (%)	55	ATM Pressure: (kPa)	101
-----------------------------	----	----------------------------------	----	-------------------------------	-----

Test Data:**5150-5250MHz**


Mode	Test Frequency (MHz)	Ton (ms)	Ton+Toff (ms)	Duty Cycle (%)	Duty Cycle Factor(dB)	1/Ton (Hz)	VBW Setting (kHz)
802.11a	5200	5.479	5.629	97.34	0.12	183	0.200
802.11ac20	5200	5.374	5.521	97.34	0.12	186	0.200
802.11ac40	5190	5.160	5.309	97.19	0.12	194	0.200
802.11ax20_RU_Full	5200	4.654	4.813	96.70	0.15	215	0.300
802.11ax40_RU_Full	5190	4.632	4.779	96.92	0.14	216	0.300

5725-5850MHz


Mode	Test Frequency (MHz)	Ton (ms)	Ton+Toff (ms)	Duty Cycle (%)	Duty Cycle Factor(dB)	1/Ton (Hz)	VBW Setting (kHz)
802.11a	5785	5.482	5.629	97.39	0.11	182	0.200
802.11ac20	5785	5.377	5.526	97.30	0.12	186	0.200
802.11ac40	5755	5.160	5.309	97.19	0.12	194	0.200
802.11ax20_RU_Full	5785	4.654	4.813	96.70	0.15	215	0.300
802.11ax40_RU_Full	5755	4.632	4.781	96.88	0.14	216	0.300

$$\text{Duty Cycle} = \text{Ton}/(\text{Ton}+\text{Toff}) \times 100\%$$


5150-5250MHz




ProjectNo.:2501T58468E-RF Tester:Brian Li
Date: 1.JUL.2025 22:38:02




ProjectNo.:2501T58468E-RF Tester:Brian Li
Date: 1.JUL.2025 22:39:05



ProjectNo.:2501T58468E-RF Tester:Brian Li
Date: 1.JUL.2025 22:40:43




ProjectNo.:2501T58468E-RF Tester:Brian Li
Date: 1.JUL.2025 22:41:45



ProjectNo.:2501T58468E-RF Tester:Brian Li
Date: 1.JUL.2025 22:42:59

5725-5850MHz



ProjectNo.:2501T58468E-RF Tester:Brian Li
Date: 1.JUL.2025 22:46:16

RF EXPOSURE EVALUATION

Applicable Standard

FCC§1.1310 and §2.1093.

Test Result

Compliant, please refer to the SAR report: 2501T58468E-SA.

EUT PHOTOGRAPHS

Please refer to the attachment 2501T58468E-RF External photo and 2501T58468E-RF Internal photo.

TEST SETUP PHOTOGRAPHS

Please refer to the attachment 2501T58468E-RF-00B Test Setup photo.

***** **END OF REPORT** *****