

REM-EMIESS24B231TMS-01Av0

MPE test report

According to the standard: CFR 47 FCC PART 15

Equipment under test: XGCS8901201 RFID compact station

FCC ID: 2BCVYXGCS89

Company: TMSS FRANCE

Distribution: Mr CORAZZA (Company: TMSS FRANCE)

Number of pages: 6 with 1 appendix

Ed.	Date	Modified	Technical Verification and Quality Approval	
		Page(s)	Name and Function	Visa
0	5-Sep-24	Creation	S. LOUIS, Radio Technician	

Duplication of this document is only permitted for an integral photographic facsimile. It includes the number of pages referenced here above.

This document is the result of testing a specimen or a sample of the product submitted. It does not imply an assessment of the conformity of the whole manufactured products of the tested sample.

Information in italics are declared by the manufacturer/customer and are under his responsibility



WRITTEN BY:

DESIGNATION OF PRODUCT:	XGCS8901201 RFID compac	t station		
Serial number (S/N):	None			
Reference / model (P/N):	XGCS8901201			
Software version:	3.9			
MANUFACTURER:	TMSS FRANCE			
COMPANY SUBMITTING THE PRODUCT:				
Company:	TMSS FRANCE			
Address:	BLD SALVADOR ALLENDE ZONE INDUSTRIELLE N°3 16340 L'ISLE D' ESPAGNAC FRANCE			
Responsible:	Mr CORAZZA			
Person(s) present during the tests:	1			
DATE(S) OF TEST:	From 10-Apr-24 to 15-Apr-24			
TESTING LOCATION:	EMITECH ANGERS laboratory at JUIGNE SUR LOIRE (49) FRANCE FCC Accredited under US-EU MRA Designation Number: FR0009 Test Firm Registration Number: 873677			
TESTED BY:	B. VOVARD	VISA:	B. Jouard	

B. VOVARD



CONTENTS

	TITLE	PAGE
1.	INTRODUCTION	4
2.	PRODUCT DESCRIPTION	4
3.	NORMATIVE REFERENCE	5
4.	RF EXPOSURE	6

REVISIONS HISTORY

Revision	Date	Modified	Modifications	
		pages		
0	16-Apr-24	1	Creation	



1. INTRODUCTION

This report presents the results of radio test carried out on the following radio equipment: **XGCS8901201 RFID compact station**, in accordance with normative reference.

The device under test integrates a RFID Radio part.

2. PRODUCT DESCRIPTION

Category of equipment (ISED): I

Class: B

Utilization: Industrial (but tested with B class limits)

Antenna type and gain: Integrated antenna (unknown gain)

Number of channels: 1

Channel spacing: Not concerned

Modulation: ASK

Power source: 24Vdc Input

Power level, frequency range and channels characteristics are not user adjustable.

The details pictures of the product and the circuit boards are joined with this file.



3. NORMATIVE REFERENCE

The standards and testing methods related throughout this report are those listed below.

They are applied on the whole test report even though the extensions (version, date and amendment) are not repeated.

CFR 47 (2024) Radio Frequency Devices

ANSI C63.10 2013

Procedures for ComplianceTesting of Unlicensed Wireless Devices.

447498 D04 Interim General

RF Exposure Pocedures and Equipment Authorization Policies for Mobile and

RF Exposure Guidance v01 Portable Devices



4. RF EXPOSURE

In accordance with KDB 447498 D04 Interim General RF Exposure Guidance v01, paragraph 1.4.2:

Maximum measured power = $49.78 \text{ dB}\mu\text{V/m} = 0.0010277 \text{ mW}$ at 13.56 MHz with P = $(E\times d)^2$ / $(30\times Gp)$ with d = 10 m and Gp = 1

PSD= EIRP/ $(4*\pi*R^2)$

 \Rightarrow 0.0010277/(4* π *(20 cm)²)= 0.000000204 mW/cm² (limit = 0.978 mW/cm²)

The equipment fulfils the requirements on power density for general population/uncontrolled exposure and therefore fulfils the requirements of 47 CFR §1.1310.