


Stair light remote control manual

This product is powered by 2 AA batteries and needs to be used with the stair light controller. It needs to be paired and bound with the stair light controller before using. One stair light controller can only be paired with one remote control. You can re-bind the remote control, but only the last bound remote control will be able to control it. Previous bound remote controls will be unpaired.

Stair light controller binding remote control operation method:
Within 10 seconds after the controller is powered on, press the switch button in the middle of the remote control 6 times continuously. When you see that the remote control can control the stair lights to turn on and off completely, it indicates that the binding is successful. Please note that the binding process must be done within 10 seconds after the controller is powered on.

Remote control button function



Note: If the ambient light detection sensor is not connected to the controller, setting the evening and evening buttons will be invalid, and it will default to working all day at this time

§ 15.19 Labelling requirements.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

§ 15.21 Information to user.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

§ 15.105 Information to the user.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.