



Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR230900172702

Page: 1 of 8

1 Cover Page

RF MPE REPORT

Application No.: KSCR2309001727AT
FCC ID: 2BD4BK021092
Applicant: PROSE Technologies, LLC
Address of Applicant: 550 Clark Drive ,Mount Olive, NJ 07828
Manufacturer: PROSE Technologies, LLC
Address of Manufacturer: 550 Clark Drive ,Mount Olive, NJ 07828
Factory: 1.ROSE Technologies (Suzhou) Co., Ltd.
2.PROSE Technologies India Pvt. Ltd.
Address of Factory: 1.No. 6, Shen'an Road, Dianshanhu, Kunshan, Jiangsu, China
2.Block A, Horizon Industrial Park, Off MIDC Phase II, Chakan,Pune-410501,India
Equipment Under Test (EUT):
EUT Name: LPA Unit
Model No.: LPA2-46-N41N77-64F-10, LPA2-XX-N41N77-XX-XX ♣
♣ Please refer to page 2 of this report which indicates which model was actually tested and which were electrically identical.
Trade mark: PROSE
Standard(s) : FCC Rules 47 CFR §2.1091
KDB447498 D01 General RF Exposure Guidance v06
Date of Receipt: 2023-09-25
Date of Test: 2023-12-15 to 2024-01-10
Date of Issue: 2024-04-15

Test Result:	Pass*
---------------------	--------------

* In the configuration tested, the EUT complied with the standards specified above.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Member of the SGS Group (SGS SA)


Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR230900172702

Page: 2 of 8

Model difference:



1. LPA2: blade Low Noise and High-power Amplifier Unit, second generation.
2. XX: transmission power level, unit dBm; The value ranges from 33 to 46.
3. N41N77: represents 3GPP operating band, the Repeater contain N41 \N77;
4. XX: represents the ANT port connector type; example, 64F, NF, etc.
5. XX: represents customer code, example, 01HW, 10, 11NA. etc.

*Except that the power level, connector type and customer code deviation, are identical with the original product as follows: the same appearance and same EMC and safety characteristics.

Declaration of EUT Family Grouping:

There are series models mentioned in this report and they are the Identical in electrical and electronic characters. Only the model LPA2-46-N41N77-64F-10 was tested since their differences were the model number and appearance.



Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR230900172702

Page: 3 of 8

Revision Record			
Version	Description	Date	Remark
00	Original	2024-04-15	/

Authorized for issue by:			
Tested By			
		Cloud Peng/Project Engineer	
Approved By			
		Terry Hou /Reviewer	



Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR230900172702

Page: 4 of 8

2 Contents

	Page
1 Cover Page	1
2 Contents	4
3 General Information.....	5
3.1 General Description of E.U.T.	5
3.2 Technical Specifications.....	5
3.3 Test Location.....	6
3.4 Test Facility	6
4 Test Standards and Limits.....	7
4.1 FCC Radiofrequency radiation exposure limits:.....	7
5 Measurement and Calculation.....	8
5.1 Maximum transmit power	8
5.2 MPE Calculation.....	8

3 General Information

3.1 General Description of E.U.T.

Power supply:	DC -48V $\pm$ 10% @Max 6.5Amps
---------------	--------------------------------

3.2 Technical Specifications

Frequency Band:	5G NR N41:2496MHz to 2690MHz 5G NR N77:3450MHz to 3550MHz
Antenna Type:	External antenna
Antenna Gain:	15 dBi for 2496MHz to 2690MHz (Provided by manufacturer) 15 dBi for 3450MHz to 3550MHz (Provided by manufacturer)
Modulation Type:	5G NR: CP-OFDM: QPSK, 16QAM, 64QAM, 256QAM
MIMO:	SISO
Temperature Range:	-40°C to 55°C

Note:

The antenna gain value is provided by the customer. The test lab will not be responsible for wrong test result due to incorrect information about antenna gain values.

Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR230900172702

Page: 6 of 8

3.3 Test Location

All tests were performed at:

Compliance Certification Services (Kunshan) Inc.

No.10 Weiye Rd, Innovation park, Eco&Tec, Development Zone, Kunshan City, Jiangsu, China.

Tel: +86 512 5735 5888 Fax: +86 512 5737 0818

No tests were sub-contracted.

Note:

- 1.SGS is not responsible for wrong test results due to incorrect information (e.g., max. internal working frequency, antenna gain, cable loss, etc) is provided by the applicant. (If applicable).
- 2.SGS is not responsible for the authenticity, integrity and the validity of the conclusion based on results of the data provided by applicant. (If applicable).
3. Sample source: sent by customer.

3.4 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

- **A2LA**

Compliance Certification Services (Kunshan) Inc. is accredited by the American Association for Laboratory Accreditation (A2LA). Certificate No. 2541.01.

- **FCC**

Compliance Certification Services (Kunshan) Inc. has been recognized as an accredited testing laboratory. Designation Number: CN1172.

- **ISED**

Compliance Certification Services (Kunshan) Inc. has been recognized by Innovation, Science and Economic Development Canada (ISED) as an accredited testing laboratory. Company Number: 2324E

- **VCCI**

The 3m and 10m Semi-anechoic chamber and Shielded Room of Compliance Certification Services (Kunshan) Inc. has been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: R-20134, R-11600, C-11707, T-11499, G-10216 respectively.



Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR230900172702

Page: 7 of 8

4 Test Standards and Limits

4.1 FCC Radiofrequency radiation exposure limits:

According to§1.1310, the limit for general population/uncontrolled exposures

Frequency range (MHz)	Electric field strength (V/m)	Magnetic field strength (A/m)	Power density (mW/cm ²)	Averaging time (minutes)
Limits for General Population/Uncontrolled Exposure				
0.3-1.34	614	1.63	*(100)	30
1.34-30	824/f	2.19/f	*(180/f ²)	30
30-300	27.5	0.073	0.2	30
300-1500	/	/	f/1500	30
1500-100,000	/	/	1.0	30

5 Measurement and Calculation

5.1 Maximum transmit power

The Power Data is based on the RF Test Report KSCR230900172701

5.2 MPE Calculation

According to the formula $S = P \cdot G / 4\pi R^2$, we can calculate S which is MPE.

Note:

1) P (mW)

2) R = distance to the center of radiation of antenna (in centimeter)

Test Mode	Frequency Band (MHz)	Max E.I.R.P	Turn up E.I.R.P	Operation Distance	Power Density	Limit of Power Density	Ratio (Power Density/Limit)	Result
		(dBm)	(dBm)	R(cm)	(mW/cm ²)	S(mW/cm ²)		
5G NR	2496 ~ 2690	60.21	61	450	0.4947	1	0.4947	Pass
5G NR	3450~ 3550	60.65	61	450	0.4947	1	0.4947	Pass

Simultaneous transmission:

Test Mode	Wireless Configure	Tune Up EIRP (dBm)	Power Density S at R = 450 cm (mW/cm ²)	Limit of Power Density S(mW/cm ²)	Ratio (Power Density/Limit)	Limit
5G NR	2496 ~ 2690	61	0.4947	1	0.9895	1
5G NR	3450~ 3550	61	0.4947	1		

Note:

(1) The EUT can support four band simultaneous transmitted.

According to the KDB447498 section 7.2 determine the device is exclusion from SAR test.

--End of the Report--