



Annex for BLE

Test Report No.: CTL2312127041-WF02

TABLE OF CONTENTS

1. Bandwidth.....	2
1.1 OBW.....	2
1.1.1 Test Result	2
1.2 6dB BW	6
1.2.1 Test Result	6
2. Maximum Conducted Output Power	10
2.1 Power	10
2.1.1 Test Result	10
3. Maximum Power Spectral Density	14
3.1 PSD	14
3.1.1 Test Result	14
4. Unwanted Emissions In Non-restricted Frequency Bands.....	18
4.1 Ref.....	18
4.1.1 Test Result	18
4.2 CSE	22
4.2.1 Test Result	22

1. Bandwidth


1.1 OBW

1.1.1 Test Result


Mode	TX Type	Frequency (MHz)	ANT	99% Occupied Bandwidth (MHz)		Verdict
				Result	Limit	
1M	SISO	2402	1	1.022	/	Pass
		2440	1	1.022	/	Pass
		2480	1	1.022	/	Pass
2M	SISO	2402	1	2.043	/	Pass
		2440	1	2.044	/	Pass
		2480	1	2.044	/	Pass

FCC ID: 2BD5N-SURFERS1M1


1.1.2 Test Graph



FCC ID: 2BD5N-SURFERS1M1



FCC ID: 2BD5N-SURFERS1M1




1.2 6dB BW**1.2.1 Test Result**


Mode	TX Type	Frequency (MHz)	ANT	6dB Bandwidth (MHz)		Verdict
				Result	Limit	
1M	SISO	2402	1	0.636	≥ 0.5	Pass
		2440	1	0.639	≥ 0.5	Pass
		2480	1	0.636	≥ 0.5	Pass
2M	SISO	2402	1	1.111	≥ 0.5	Pass
		2440	1	1.116	≥ 0.5	Pass
		2480	1	1.118	≥ 0.5	Pass

FCC ID: 2BD5N-SURFERS1M1


1.2.2 Test Graph



FCC ID: 2BD5N-SURFERS1M1



FCC ID: 2BD5N-SURFERS1M1



2. Maximum Conducted Output Power

2.1 Power


2.1.1 Test Result

Mode	TX Type	Frequency (MHz)	Maximum Peak Conducted Output Power (dBm)		Verdict
			ANT1	Limit	
1M	SISO	2402	-1.05	<=30	Pass
		2440	0.27	<=30	Pass
		2480	0.42	<=30	Pass
2M	SISO	2402	-0.99	<=30	Pass
		2440	0.18	<=30	Pass
		2480	0.42	<=30	Pass


Note1: Antenna Gain: Ant1: 4.81dBi;

FCC ID: 2BD5N-SURFERS1M1


2.1.2 Test Graph



FCC ID: 2BD5N-SURFERS1M1



FCC ID: 2BD5N-SURFERS1M1



3. Maximum Power Spectral Density

3.1 PSD


3.1.1 Test Result

Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/3kHz)		Verdict
			ANT1	Limit	
1M	SISO	2402	-16.12	<=8	Pass
		2440	-14.79	<=8	Pass
		2480	-14.57	<=8	Pass
2M	SISO	2402	-18.59	<=8	Pass
		2440	-17.13	<=8	Pass
		2480	-16.88	<=8	Pass


Note1: Antenna Gain: Ant1: 4.81dBi;

FCC ID: 2BD5N-SURFERS1M1


3.1.2 Test Graph



FCC ID: 2BD5N-SURFERS1M1



FCC ID: 2BD5N-SURFERS1M1



4. Unwanted Emissions In Non-restricted Frequency Bands

4.1 Ref


4.1.1 Test Result

Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)
1M	SISO	2402	1	-1.18
		2440	1	0.19
		2480	1	0.31
2M	SISO	2402	1	-1.36
		2440	1	-0.01
		2480	1	0.28


Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.

FCC ID: 2BD5N-SURFERS1M1


4.1.2 Test Graph



FCC ID: 2BD5N-SURFERS1M1



FCC ID: 2BD5N-SURFERS1M1



4.2 CSE


4.2.1 Test Result

Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
1M	SISO	2402	1	0.31	-19.69	Pass
		2440	1	0.31	-19.69	Pass
		2480	1	0.31	-19.69	Pass
2M	SISO	2402	1	0.28	-19.72	Pass
		2440	1	0.28	-19.72	Pass
		2480	1	0.28	-19.72	Pass


Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.

FCC ID: 2BD5N-SURFERS1M1


4.2.2 Test Graph




FCC ID: 2BD5N-SURFERS1M1



FCC ID: 2BD5N-SURFERS1M1



FCC ID: 2BD5N-SURFERS1M1



FCC ID: 2BD5N-SURFERS1M1

