

Antenna Information

1. Manufacturer's name: TsingLan Technology (Shenzhen) Co., Ltd
2. manufacturer's address: 602, Block A, Wanhai Building, No. 1031, Nanhai Avenue, Yanshan Community, Zhaoshang Street, Nanshan District, Shenzhen ,China

PRODUCT TECHNICAL SPECIFICATION


Model Name	V1
Frequency Range (MHz)	2400-2500MHz
Input Impedence (Ω)	50
Peak Gain(dBi)	3.04dBi

Peak Antenna Gain Results


Gain&Efficiency&PhaseCenter 增益、效率和相位中心			
frequency 频率(MHz)	gain 增益(dBi)	efficiency 效率(dB)	efficiency 效率(%)
2400.00	2.76	-4.01	39.69
2410.00	2.56	-3.97	40.11
2420.00	2.82	-3.91	40.69
2430.00	2.58	-4.21	37.97
2440.00	3.04	-4.27	37.44
2450.00	2.98	-4.46	35.84
2460.00	2.97	-4.27	37.41
2470.00	2.22	-4.49	35.57
2480.00	2.05	-4.50	35.52
2490.00	1.67	-4.78	33.23
2500.00	1.94	-4.60	34.65

2440MHz 3D_Graphs


MAX:3.04dBi
MIN:-20.18dBi




MAX:3.04dBi
MIN:-20.18dBi



MAX:3.04dBi
MIN:-20.18dBi



MAX:3.04dBi
MIN:-20.18dBi



ANTENNA PICTURE

