






Band5-4233-4-0.009~0.15MHz-PASS




Band5-4233-4-0.15~30MHz-PASS



Band5-4233-4-30~1000MHz-PASS




Band5-4233-4-1000~10000MHz-PASS




Band5-4132-5-0.009~0.15MHz-PASS




Band5-4132-5-0.15~30MHz-PASS




Band5-4132-5-30~1000MHz-PASS




Band5-4132-5-1000~10000MHz-PASS




Band5-4182-5-0.009~0.15MHz-PASS




Band5-4182-5-0.15~30MHz-PASS



Band5-4182-5-30~1000MHz-PASS




Band5-4182-5-1000~10000MHz-PASS




Band5-4233-5-0.009~0.15MHz-PASS




Band5-4233-5-0.15~30MHz-PASS



Band5-4233-5-30~1000MHz-PASS



Band5-4233-5-1000~10000MHz-PASS



6. Frequency Stability

Test Result

Voltage(WCDMA)							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	VN	NT	-7.45	-0.004022	±2.5	PASS
Band2	9262	VL	NT	-13.06	-0.007050	±2.5	PASS
Band2	9262	VH	NT	-11.70	-0.006316	±2.5	PASS
Band2	9400	VN	NT	-12.84	-0.006830	±2.5	PASS
Band2	9400	VL	NT	-4.46	-0.002372	±2.5	PASS
Band2	9400	VH	NT	-13.25	-0.007048	±2.5	PASS
Band2	9538	VN	NT	-13.72	-0.007192	±2.5	PASS
Band2	9538	VL	NT	-14.96	-0.007842	±2.5	PASS
Band2	9538	VH	NT	-8.96	-0.004697	±2.5	PASS
Band4	1312	VN	NT	-13.22	-0.007720	±2.5	PASS
Band4	1312	VL	NT	-9.70	-0.005665	±2.5	PASS
Band4	1312	VH	NT	-6.78	-0.003959	±2.5	PASS
Band4	1413	VN	NT	0.00	0.000000	±2.5	PASS
Band4	1413	VL	NT	0.00	0.000000	±2.5	PASS
Band4	1413	VH	NT	0.00	0.000000	±2.5	PASS
Band4	1513	VN	NT	-16.38	-0.009346	±2.5	PASS
Band4	1513	VL	NT	-4.53	-0.002585	±2.5	PASS
Band4	1513	VH	NT	0.04	0.000023	±2.5	PASS
Band5	4132	VN	NT	-12.41	-0.015017	±2.5	PASS
Band5	4132	VL	NT	-12.15	-0.014702	±2.5	PASS
Band5	4132	VH	NT	-7.86	-0.009511	±2.5	PASS
Band5	4182	VN	NT	-12.20	-0.014586	±2.5	PASS
Band5	4182	VL	NT	-4.84	-0.005787	±2.5	PASS
Band5	4182	VH	NT	-6.73	-0.008046	±2.5	PASS
Band5	4233	VN	NT	-8.85	-0.010454	±2.5	PASS
Band5	4233	VL	NT	-10.71	-0.012651	±2.5	PASS
Band5	4233	VH	NT	-12.35	-0.014588	±2.5	PASS

Temperature(WCDMA)							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	NV	-30	-11.77	-0.006354	±2.5	PASS
Band2	9262	NV	-20	-19.56	-0.010559	±2.5	PASS
Band2	9262	NV	-10	-7.90	-0.004265	±2.5	PASS
Band2	9262	NV	0	-10.94	-0.005906	±2.5	PASS
Band2	9262	NV	10	-14.28	-0.007709	±2.5	PASS
Band2	9262	NV	20	-7.21	-0.003892	±2.5	PASS
Band2	9262	NV	30	-8.09	-0.004367	±2.5	PASS
Band2	9262	NV	40	-9.56	-0.005161	±2.5	PASS
Band2	9262	NV	50	-9.23	-0.004983	±2.5	PASS
Band2	9400	NV	-30	-8.00	-0.004255	±2.5	PASS
Band2	9400	NV	-20	-4.32	-0.002298	±2.5	PASS
Band2	9400	NV	-10	-9.36	-0.004979	±2.5	PASS
Band2	9400	NV	0	-2.81	-0.001495	±2.5	PASS
Band2	9400	NV	10	-5.21	-0.002771	±2.5	PASS
Band2	9400	NV	20	-15.47	-0.008229	±2.5	PASS
Band2	9400	NV	30	-9.93	-0.005282	±2.5	PASS
Band2	9400	NV	40	-9.08	-0.004830	±2.5	PASS
Band2	9400	NV	50	-9.26	-0.004926	±2.5	PASS
Band2	9538	NV	-30	-18.23	-0.009557	±2.5	PASS
Band2	9538	NV	-20	-12.53	-0.006568	±2.5	PASS
Band2	9538	NV	-10	-7.58	-0.003974	±2.5	PASS
Band2	9538	NV	0	-8.79	-0.004608	±2.5	PASS
Band2	9538	NV	10	-10.64	-0.005578	±2.5	PASS
Band2	9538	NV	20	-3.13	-0.001641	±2.5	PASS
Band2	9538	NV	30	-6.73	-0.003528	±2.5	PASS
Band2	9538	NV	40	-6.19	-0.003245	±2.5	PASS
Band2	9538	NV	50	-7.36	-0.003858	±2.5	PASS
Band4	1312	NV	-30	-11.23	-0.006558	±2.5	PASS
Band4	1312	NV	-20	-13.91	-0.008123	±2.5	PASS
Band4	1312	NV	-10	-12.42	-0.007253	±2.5	PASS
Band4	1312	NV	0	-12.49	-0.007294	±2.5	PASS
Band4	1312	NV	10	-10.36	-0.006050	±2.5	PASS
Band4	1312	NV	20	-5.52	-0.003224	±2.5	PASS
Band4	1312	NV	30	-5.06	-0.002955	±2.5	PASS
Band4	1312	NV	40	-10.16	-0.005933	±2.5	PASS
Band4	1312	NV	50	-8.20	-0.004789	±2.5	PASS
Band4	1413	NV	-30	0.00	0.000000	±2.5	PASS
Band4	1413	NV	-20	0.00	0.000000	±2.5	PASS
Band4	1413	NV	-10	0.00	0.000000	±2.5	PASS
Band4	1413	NV	0	0.00	0.000000	±2.5	PASS

Band4	1413	NV	10	-16.33	-0.009425	±2.5	PASS
Band4	1413	NV	20	-9.78	-0.005645	±2.5	PASS
Band4	1413	NV	30	-12.25	-0.007070	±2.5	PASS
Band4	1413	NV	40	-11.47	-0.006620	±2.5	PASS
Band4	1413	NV	50	-11.21	-0.006470	±2.5	PASS
Band4	1513	NV	-30	-15.72	-0.008970	±2.5	PASS
Band4	1513	NV	-20	-12.99	-0.007412	±2.5	PASS
Band4	1513	NV	-10	-10.82	-0.006174	±2.5	PASS
Band4	1513	NV	0	-11.18	-0.006379	±2.5	PASS
Band4	1513	NV	10	-11.73	-0.006693	±2.5	PASS
Band4	1513	NV	20	-12.21	-0.006967	±2.5	PASS
Band4	1513	NV	30	-8.17	-0.004662	±2.5	PASS
Band4	1513	NV	40	-9.08	-0.005181	±2.5	PASS
Band4	1513	NV	50	-11.59	-0.006613	±2.5	PASS
Band5	4132	NV	-30	-12.91	-0.015622	±2.5	PASS
Band5	4132	NV	-20	-14.85	-0.017970	±2.5	PASS
Band5	4132	NV	-10	-10.17	-0.012306	±2.5	PASS
Band5	4132	NV	0	-8.71	-0.010540	±2.5	PASS
Band5	4132	NV	10	-4.68	-0.005663	±2.5	PASS
Band5	4132	NV	20	-3.63	-0.004393	±2.5	PASS
Band5	4132	NV	30	-5.69	-0.006885	±2.5	PASS
Band5	4132	NV	40	-9.18	-0.011108	±2.5	PASS
Band5	4132	NV	50	-12.01	-0.014533	±2.5	PASS
Band5	4182	NV	-30	-9.78	-0.011693	±2.5	PASS
Band5	4182	NV	-20	-7.67	-0.009170	±2.5	PASS
Band5	4182	NV	-10	-13.97	-0.016703	±2.5	PASS
Band5	4182	NV	0	-9.80	-0.011717	±2.5	PASS
Band5	4182	NV	10	-11.34	-0.013558	±2.5	PASS
Band5	4182	NV	20	-10.10	-0.012076	±2.5	PASS
Band5	4182	NV	30	-8.42	-0.010067	±2.5	PASS
Band5	4182	NV	40	-12.81	-0.015316	±2.5	PASS
Band5	4182	NV	50	-12.11	-0.014479	±2.5	PASS
Band5	4233	NV	-30	-12.79	-0.015107	±2.5	PASS
Band5	4233	NV	-20	-8.03	-0.009485	±2.5	PASS
Band5	4233	NV	-10	-7.09	-0.008375	±2.5	PASS
Band5	4233	NV	0	-9.23	-0.010902	±2.5	PASS
Band5	4233	NV	10	-10.35	-0.012225	±2.5	PASS
Band5	4233	NV	20	-7.50	-0.008859	±2.5	PASS
Band5	4233	NV	30	-10.66	-0.012592	±2.5	PASS
Band5	4233	NV	40	-8.78	-0.010371	±2.5	PASS
Band5	4233	NV	50	-14.71	-0.017375	±2.5	PASS

Voltage(WCDMA_HSDPA)								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VN	NT	-14.54	-0.007849	±2.5	PASS
Band2	9262	1	VL	NT	-13.87	-0.007488	±2.5	PASS
Band2	9262	1	VH	NT	-14.26	-0.007698	±2.5	PASS
Band2	9262	2	VN	NT	-13.88	-0.007493	±2.5	PASS
Band2	9262	2	VL	NT	-19.50	-0.010527	±2.5	PASS
Band2	9262	2	VH	NT	-15.13	-0.008168	±2.5	PASS
Band2	9262	3	VN	NT	-11.75	-0.006343	±2.5	PASS
Band2	9262	3	VL	NT	-13.33	-0.007196	±2.5	PASS
Band2	9262	3	VH	NT	-17.31	-0.009345	±2.5	PASS
Band2	9262	4	VN	NT	-12.32	-0.006651	±2.5	PASS
Band2	9262	4	VL	NT	-9.09	-0.004907	±2.5	PASS
Band2	9262	4	VH	NT	-11.06	-0.005971	±2.5	PASS
Band2	9400	1	VN	NT	-12.90	-0.006862	±2.5	PASS
Band2	9400	1	VL	NT	-10.79	-0.005739	±2.5	PASS
Band2	9400	1	VH	NT	-16.69	-0.008878	±2.5	PASS
Band2	9400	2	VN	NT	-6.72	-0.003574	±2.5	PASS
Band2	9400	2	VL	NT	-10.70	-0.005691	±2.5	PASS
Band2	9400	2	VH	NT	-11.32	-0.006021	±2.5	PASS
Band2	9400	3	VN	NT	-9.37	-0.004984	±2.5	PASS
Band2	9400	3	VL	NT	-8.48	-0.004511	±2.5	PASS
Band2	9400	3	VH	NT	-6.86	-0.003649	±2.5	PASS
Band2	9400	4	VN	NT	-6.62	-0.003521	±2.5	PASS
Band2	9400	4	VL	NT	-11.62	-0.006181	±2.5	PASS
Band2	9400	4	VH	NT	-15.03	-0.007995	±2.5	PASS
Band2	9538	1	VN	NT	-7.63	-0.004000	±2.5	PASS
Band2	9538	1	VL	NT	-9.26	-0.004854	±2.5	PASS
Band2	9538	1	VH	NT	-11.07	-0.005803	±2.5	PASS
Band2	9538	2	VN	NT	-13.23	-0.006935	±2.5	PASS
Band2	9538	2	VL	NT	-7.66	-0.004016	±2.5	PASS
Band2	9538	2	VH	NT	-9.84	-0.005158	±2.5	PASS
Band2	9538	3	VN	NT	-10.88	-0.005704	±2.5	PASS
Band2	9538	3	VL	NT	-10.21	-0.005352	±2.5	PASS
Band2	9538	3	VH	NT	-11.49	-0.006023	±2.5	PASS
Band2	9538	4	VN	NT	-8.00	-0.004194	±2.5	PASS
Band2	9538	4	VL	NT	-7.45	-0.003905	±2.5	PASS
Band2	9538	4	VH	NT	-8.93	-0.004681	±2.5	PASS
Band4	1312	1	VN	NT	-6.80	-0.003971	±2.5	PASS
Band4	1312	1	VL	NT	-4.66	-0.002721	±2.5	PASS
Band4	1312	1	VH	NT	-10.30	-0.006015	±2.5	PASS
Band4	1312	2	VN	NT	-1.54	-0.000899	±2.5	PASS

Band4	1312	2	VL	NT	-6.42	-0.003749	±2.5	PASS
Band4	1312	2	VH	NT	2.08	0.001215	±2.5	PASS
Band4	1312	3	VN	NT	-5.79	-0.003381	±2.5	PASS
Band4	1312	3	VL	NT	-3.95	-0.002307	±2.5	PASS
Band4	1312	3	VH	NT	6.58	0.003843	±2.5	PASS
Band4	1312	4	VN	NT	-10.99	-0.006418	±2.5	PASS
Band4	1312	4	VL	NT	-5.44	-0.003177	±2.5	PASS
Band4	1312	4	VH	NT	-13.15	-0.007679	±2.5	PASS
Band4	1413	1	VN	NT	-20.89	-0.012057	±2.5	PASS
Band4	1413	1	VL	NT	-4.45	-0.002568	±2.5	PASS
Band4	1413	1	VH	NT	3.88	0.002239	±2.5	PASS
Band4	1413	2	VN	NT	-8.06	-0.004652	±2.5	PASS
Band4	1413	2	VL	NT	-5.13	-0.002961	±2.5	PASS
Band4	1413	2	VH	NT	5.04	0.002909	±2.5	PASS
Band4	1413	3	VN	NT	4.31	0.002488	±2.5	PASS
Band4	1413	3	VL	NT	-14.88	-0.008588	±2.5	PASS
Band4	1413	3	VH	NT	-16.57	-0.009564	±2.5	PASS
Band4	1413	4	VN	NT	-16.50	-0.009523	±2.5	PASS
Band4	1413	4	VL	NT	2.19	0.001264	±2.5	PASS
Band4	1413	4	VH	NT	7.61	0.004392	±2.5	PASS
Band4	1513	1	VN	NT	-10.90	-0.006219	±2.5	PASS
Band4	1513	1	VL	NT	0.25	0.000143	±2.5	PASS
Band4	1513	1	VH	NT	-11.65	-0.006647	±2.5	PASS
Band4	1513	2	VN	NT	-8.75	-0.004993	±2.5	PASS
Band4	1513	2	VL	NT	2.70	0.001541	±2.5	PASS
Band4	1513	2	VH	NT	-1.66	-0.000947	±2.5	PASS
Band4	1513	3	VN	NT	-10.06	-0.005740	±2.5	PASS
Band4	1513	3	VL	NT	5.93	0.003384	±2.5	PASS
Band4	1513	3	VH	NT	2.21	0.001261	±2.5	PASS
Band4	1513	4	VN	NT	-13.28	-0.007577	±2.5	PASS
Band4	1513	4	VL	NT	0.42	0.000240	±2.5	PASS
Band4	1513	4	VH	NT	3.26	0.001860	±2.5	PASS
Band5	4132	1	VN	NT	-3.20	-0.003872	±2.5	PASS
Band5	4132	1	VL	NT	-13.28	-0.016070	±2.5	PASS
Band5	4132	1	VH	NT	-8.17	-0.009886	±2.5	PASS
Band5	4132	2	VN	NT	-13.15	-0.015912	±2.5	PASS
Band5	4132	2	VL	NT	-10.89	-0.013178	±2.5	PASS
Band5	4132	2	VH	NT	-3.67	-0.004441	±2.5	PASS
Band5	4132	3	VN	NT	-4.43	-0.005361	±2.5	PASS
Band5	4132	3	VL	NT	-7.65	-0.009257	±2.5	PASS
Band5	4132	3	VH	NT	-8.30	-0.010044	±2.5	PASS
Band5	4132	4	VN	NT	-6.11	-0.007394	±2.5	PASS
Band5	4132	4	VL	NT	-2.93	-0.003545	±2.5	PASS

Band5	4132	4	VH	NT	-10.65	-0.012887	±2.5	PASS
Band5	4182	1	VN	NT	-6.28	-0.007508	±2.5	PASS
Band5	4182	1	VL	NT	-5.47	-0.006540	±2.5	PASS
Band5	4182	1	VH	NT	-11.16	-0.013343	±2.5	PASS
Band5	4182	2	VN	NT	-7.65	-0.009146	±2.5	PASS
Band5	4182	2	VL	NT	-3.98	-0.004758	±2.5	PASS
Band5	4182	2	VH	NT	-11.27	-0.013474	±2.5	PASS
Band5	4182	3	VN	NT	-4.63	-0.005536	±2.5	PASS
Band5	4182	3	VL	NT	-5.82	-0.006958	±2.5	PASS
Band5	4182	3	VH	NT	-8.74	-0.010450	±2.5	PASS
Band5	4182	4	VN	NT	-7.45	-0.008907	±2.5	PASS
Band5	4182	4	VL	NT	-4.89	-0.005846	±2.5	PASS
Band5	4182	4	VH	NT	-5.35	-0.006396	±2.5	PASS
Band5	4233	1	VN	NT	-5.64	-0.006662	±2.5	PASS
Band5	4233	1	VL	NT	-10.01	-0.011824	±2.5	PASS
Band5	4233	1	VH	NT	10.02	0.011836	±2.5	PASS
Band5	4233	2	VN	NT	-7.96	-0.009402	±2.5	PASS
Band5	4233	2	VL	NT	-5.88	-0.006945	±2.5	PASS
Band5	4233	2	VH	NT	-10.12	-0.011954	±2.5	PASS
Band5	4233	3	VN	NT	-8.90	-0.010513	±2.5	PASS
Band5	4233	3	VL	NT	-7.67	-0.009060	±2.5	PASS
Band5	4233	3	VH	NT	-12.60	-0.014883	±2.5	PASS
Band5	4233	4	VN	NT	-0.11	-0.000130	±2.5	PASS
Band5	4233	4	VL	NT	-6.71	-0.007926	±2.5	PASS
Band5	4233	4	VH	NT	-7.04	-0.008316	±2.5	PASS

Temperature(WCDMA_HSDPA)								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	-14.26	-0.007698	±2.5	PASS
Band2	9262	1	NV	-20	-12.12	-0.006543	±2.5	PASS
Band2	9262	1	NV	-10	-18.02	-0.009728	±2.5	PASS
Band2	9262	1	NV	0	-19.10	-0.010311	±2.5	PASS
Band2	9262	1	NV	10	-16.94	-0.009145	±2.5	PASS
Band2	9262	1	NV	20	-17.93	-0.009679	±2.5	PASS
Band2	9262	1	NV	30	-9.08	-0.004902	±2.5	PASS
Band2	9262	1	NV	40	-17.73	-0.009571	±2.5	PASS
Band2	9262	1	NV	50	-16.68	-0.009005	±2.5	PASS
Band2	9262	2	NV	-30	-9.82	-0.005301	±2.5	PASS
Band2	9262	2	NV	-20	-15.32	-0.008270	±2.5	PASS
Band2	9262	2	NV	-10	-14.38	-0.007763	±2.5	PASS
Band2	9262	2	NV	0	-10.64	-0.005744	±2.5	PASS
Band2	9262	2	NV	10	-13.26	-0.007158	±2.5	PASS
Band2	9262	2	NV	20	-13.62	-0.007353	±2.5	PASS

Band2	9262	2	NV	30	-16.72	-0.009026	±2.5	PASS
Band2	9262	2	NV	40	-13.57	-0.007326	±2.5	PASS
Band2	9262	2	NV	50	-9.48	-0.005118	±2.5	PASS
Band2	9262	3	NV	-30	-13.60	-0.007342	±2.5	PASS
Band2	9262	3	NV	-20	-15.12	-0.008162	±2.5	PASS
Band2	9262	3	NV	-10	-12.55	-0.006775	±2.5	PASS
Band2	9262	3	NV	0	-15.18	-0.008195	±2.5	PASS
Band2	9262	3	NV	10	-8.57	-0.004626	±2.5	PASS
Band2	9262	3	NV	20	-6.81	-0.003676	±2.5	PASS
Band2	9262	3	NV	30	-14.03	-0.007574	±2.5	PASS
Band2	9262	3	NV	40	-15.46	-0.008346	±2.5	PASS
Band2	9262	3	NV	50	-12.18	-0.006575	±2.5	PASS
Band2	9262	4	NV	-30	-11.72	-0.006327	±2.5	PASS
Band2	9262	4	NV	-20	-16.39	-0.008848	±2.5	PASS
Band2	9262	4	NV	-10	-7.25	-0.003914	±2.5	PASS
Band2	9262	4	NV	0	-3.00	-0.001620	±2.5	PASS
Band2	9262	4	NV	10	-18.52	-0.009998	±2.5	PASS
Band2	9262	4	NV	20	-2.44	-0.001317	±2.5	PASS
Band2	9262	4	NV	30	-11.21	-0.006052	±2.5	PASS
Band2	9262	4	NV	40	-8.70	-0.004697	±2.5	PASS
Band2	9262	4	NV	50	-12.11	-0.006537	±2.5	PASS
Band2	9400	1	NV	-30	-8.69	-0.004622	±2.5	PASS
Band2	9400	1	NV	-20	-7.62	-0.004053	±2.5	PASS
Band2	9400	1	NV	-10	-6.37	-0.003388	±2.5	PASS
Band2	9400	1	NV	0	-10.34	-0.005500	±2.5	PASS
Band2	9400	1	NV	10	-6.74	-0.003585	±2.5	PASS
Band2	9400	1	NV	20	-11.37	-0.006048	±2.5	PASS
Band2	9400	1	NV	30	-12.50	-0.006649	±2.5	PASS
Band2	9400	1	NV	40	-14.10	-0.007500	±2.5	PASS
Band2	9400	1	NV	50	-8.02	-0.004266	±2.5	PASS
Band2	9400	2	NV	-30	-5.87	-0.003122	±2.5	PASS
Band2	9400	2	NV	-20	-17.59	-0.009356	±2.5	PASS
Band2	9400	2	NV	-10	-15.77	-0.008388	±2.5	PASS
Band2	9400	2	NV	0	-11.11	-0.005910	±2.5	PASS
Band2	9400	2	NV	10	-8.23	-0.004378	±2.5	PASS
Band2	9400	2	NV	20	-8.29	-0.004410	±2.5	PASS
Band2	9400	2	NV	30	-7.20	-0.003830	±2.5	PASS
Band2	9400	2	NV	40	-7.80	-0.004149	±2.5	PASS
Band2	9400	2	NV	50	-10.40	-0.005532	±2.5	PASS
Band2	9400	3	NV	-30	-9.67	-0.005144	±2.5	PASS
Band2	9400	3	NV	-20	-9.98	-0.005309	±2.5	PASS
Band2	9400	3	NV	-10	-9.84	-0.005234	±2.5	PASS
Band2	9400	3	NV	0	-8.08	-0.004298	±2.5	PASS

Band2	9400	3	NV	10	-11.32	-0.006021	±2.5	PASS
Band2	9400	3	NV	20	-2.93	-0.001559	±2.5	PASS
Band2	9400	3	NV	30	-8.96	-0.004766	±2.5	PASS
Band2	9400	3	NV	40	-7.29	-0.003878	±2.5	PASS
Band2	9400	3	NV	50	-10.76	-0.005723	±2.5	PASS
Band2	9400	4	NV	-30	-4.63	-0.002463	±2.5	PASS
Band2	9400	4	NV	-20	-7.49	-0.003984	±2.5	PASS
Band2	9400	4	NV	-10	-5.73	-0.003048	±2.5	PASS
Band2	9400	4	NV	0	-5.66	-0.003011	±2.5	PASS
Band2	9400	4	NV	10	-8.96	-0.004766	±2.5	PASS
Band2	9400	4	NV	20	-9.62	-0.005117	±2.5	PASS
Band2	9400	4	NV	30	-5.02	-0.002670	±2.5	PASS
Band2	9400	4	NV	40	-15.41	-0.008197	±2.5	PASS
Band2	9400	4	NV	50	-6.57	-0.003495	±2.5	PASS
Band2	9538	1	NV	-30	-13.38	-0.007014	±2.5	PASS
Band2	9538	1	NV	-20	-9.85	-0.005164	±2.5	PASS
Band2	9538	1	NV	-10	-13.44	-0.007046	±2.5	PASS
Band2	9538	1	NV	0	-4.64	-0.002432	±2.5	PASS
Band2	9538	1	NV	10	-6.37	-0.003339	±2.5	PASS
Band2	9538	1	NV	20	-8.05	-0.004220	±2.5	PASS
Band2	9538	1	NV	30	-5.72	-0.002999	±2.5	PASS
Band2	9538	1	NV	40	-9.77	-0.005122	±2.5	PASS
Band2	9538	1	NV	50	-4.30	-0.002254	±2.5	PASS
Band2	9538	2	NV	-30	-10.24	-0.005368	±2.5	PASS
Band2	9538	2	NV	-20	-9.75	-0.005111	±2.5	PASS
Band2	9538	2	NV	-10	-11.59	-0.006076	±2.5	PASS
Band2	9538	2	NV	0	-10.99	-0.005761	±2.5	PASS
Band2	9538	2	NV	10	-9.94	-0.005211	±2.5	PASS
Band2	9538	2	NV	20	-11.99	-0.006285	±2.5	PASS
Band2	9538	2	NV	30	-5.49	-0.002878	±2.5	PASS
Band2	9538	2	NV	40	-1.99	-0.001043	±2.5	PASS
Band2	9538	2	NV	50	-10.60	-0.005557	±2.5	PASS
Band2	9538	3	NV	-30	-18.54	-0.009719	±2.5	PASS
Band2	9538	3	NV	-20	-11.35	-0.005950	±2.5	PASS
Band2	9538	3	NV	-10	-9.89	-0.005185	±2.5	PASS
Band2	9538	3	NV	0	-10.73	-0.005625	±2.5	PASS
Band2	9538	3	NV	10	-10.61	-0.005562	±2.5	PASS
Band2	9538	3	NV	20	-14.30	-0.007496	±2.5	PASS
Band2	9538	3	NV	30	-7.66	-0.004016	±2.5	PASS
Band2	9538	3	NV	40	-12.22	-0.006406	±2.5	PASS
Band2	9538	3	NV	50	-14.73	-0.007722	±2.5	PASS
Band2	9538	4	NV	-30	-7.81	-0.004094	±2.5	PASS
Band2	9538	4	NV	-20	-8.85	-0.004639	±2.5	PASS

Band2	9538	4	NV	-10	-16.20	-0.008492	±2.5	PASS
Band2	9538	4	NV	0	-13.49	-0.007072	±2.5	PASS
Band2	9538	4	NV	10	-6.39	-0.003350	±2.5	PASS
Band2	9538	4	NV	20	-9.97	-0.005226	±2.5	PASS
Band2	9538	4	NV	30	-7.57	-0.003968	±2.5	PASS
Band2	9538	4	NV	40	-8.63	-0.004524	±2.5	PASS
Band2	9538	4	NV	50	-13.85	-0.007260	±2.5	PASS
Band4	1312	1	NV	-30	-5.28	-0.003083	±2.5	PASS
Band4	1312	1	NV	-20	-6.22	-0.003632	±2.5	PASS
Band4	1312	1	NV	-10	-1.73	-0.001010	±2.5	PASS
Band4	1312	1	NV	0	-5.41	-0.003159	±2.5	PASS
Band4	1312	1	NV	10	-6.75	-0.003942	±2.5	PASS
Band4	1312	1	NV	20	-9.87	-0.005764	±2.5	PASS
Band4	1312	1	NV	30	-9.36	-0.005466	±2.5	PASS
Band4	1312	1	NV	40	-19.36	-0.011306	±2.5	PASS
Band4	1312	1	NV	50	-19.22	-0.011224	±2.5	PASS
Band4	1312	2	NV	-30	-2.29	-0.001337	±2.5	PASS
Band4	1312	2	NV	-20	-10.35	-0.006044	±2.5	PASS
Band4	1312	2	NV	-10	0.10	0.000058	±2.5	PASS
Band4	1312	2	NV	0	-5.32	-0.003107	±2.5	PASS
Band4	1312	2	NV	10	6.22	0.003632	±2.5	PASS
Band4	1312	2	NV	20	-0.89	-0.000520	±2.5	PASS
Band4	1312	2	NV	30	0.99	0.000578	±2.5	PASS
Band4	1312	2	NV	40	-1.93	-0.001127	±2.5	PASS
Band4	1312	2	NV	50	-9.66	-0.005641	±2.5	PASS
Band4	1312	3	NV	-30	-6.08	-0.003551	±2.5	PASS
Band4	1312	3	NV	-20	4.36	0.002546	±2.5	PASS
Band4	1312	3	NV	-10	-8.92	-0.005209	±2.5	PASS
Band4	1312	3	NV	0	-5.89	-0.003440	±2.5	PASS
Band4	1312	3	NV	10	7.93	0.004631	±2.5	PASS
Band4	1312	3	NV	20	-5.36	-0.003130	±2.5	PASS
Band4	1312	3	NV	30	-2.73	-0.001594	±2.5	PASS
Band4	1312	3	NV	40	4.04	0.002359	±2.5	PASS
Band4	1312	3	NV	50	-8.82	-0.005151	±2.5	PASS
Band4	1312	4	NV	-30	-0.35	-0.000204	±2.5	PASS
Band4	1312	4	NV	-20	-8.30	-0.004847	±2.5	PASS
Band4	1312	4	NV	-10	-12.52	-0.007311	±2.5	PASS
Band4	1312	4	NV	0	4.86	0.002838	±2.5	PASS
Band4	1312	4	NV	10	6.49	0.003790	±2.5	PASS
Band4	1312	4	NV	20	-1.72	-0.001004	±2.5	PASS
Band4	1312	4	NV	30	1.21	0.000707	±2.5	PASS
Band4	1312	4	NV	40	-1.51	-0.000882	±2.5	PASS
Band4	1312	4	NV	50	1.18	0.000689	±2.5	PASS

Band4	1413	1	NV	-30	-4.52	-0.002609	±2.5	PASS
Band4	1413	1	NV	-20	-9.13	-0.005270	±2.5	PASS
Band4	1413	1	NV	-10	-13.17	-0.007601	±2.5	PASS
Band4	1413	1	NV	0	-0.29	-0.000167	±2.5	PASS
Band4	1413	1	NV	10	-1.98	-0.001143	±2.5	PASS
Band4	1413	1	NV	20	-5.39	-0.003111	±2.5	PASS
Band4	1413	1	NV	30	-7.55	-0.004358	±2.5	PASS
Band4	1413	1	NV	40	-0.98	-0.000566	±2.5	PASS
Band4	1413	1	NV	50	-0.38	-0.000219	±2.5	PASS
Band4	1413	2	NV	-30	3.62	0.002089	±2.5	PASS
Band4	1413	2	NV	-20	-14.81	-0.008548	±2.5	PASS
Band4	1413	2	NV	-10	-8.61	-0.004969	±2.5	PASS
Band4	1413	2	NV	0	-3.88	-0.002239	±2.5	PASS
Band4	1413	2	NV	10	10.11	0.005835	±2.5	PASS
Band4	1413	2	NV	20	1.39	0.000802	±2.5	PASS
Band4	1413	2	NV	30	-5.23	-0.003019	±2.5	PASS
Band4	1413	2	NV	40	-6.68	-0.003855	±2.5	PASS
Band4	1413	2	NV	50	10.35	0.005974	±2.5	PASS
Band4	1413	3	NV	-30	-13.40	-0.007734	±2.5	PASS
Band4	1413	3	NV	-20	-4.49	-0.002591	±2.5	PASS
Band4	1413	3	NV	-10	-5.23	-0.003019	±2.5	PASS
Band4	1413	3	NV	0	-3.76	-0.002170	±2.5	PASS
Band4	1413	3	NV	10	-20.68	-0.011936	±2.5	PASS
Band4	1413	3	NV	20	1.35	0.000779	±2.5	PASS
Band4	1413	3	NV	30	-7.83	-0.004519	±2.5	PASS
Band4	1413	3	NV	40	-3.10	-0.001789	±2.5	PASS
Band4	1413	3	NV	50	1.95	0.001125	±2.5	PASS
Band4	1413	4	NV	-30	-16.51	-0.009529	±2.5	PASS
Band4	1413	4	NV	-20	-3.68	-0.002124	±2.5	PASS
Band4	1413	4	NV	-10	-2.19	-0.001264	±2.5	PASS
Band4	1413	4	NV	0	-0.03	-0.000017	±2.5	PASS
Band4	1413	4	NV	10	2.88	0.001662	±2.5	PASS
Band4	1413	4	NV	20	9.13	0.005270	±2.5	PASS
Band4	1413	4	NV	30	7.67	0.004427	±2.5	PASS
Band4	1413	4	NV	40	-17.11	-0.009875	±2.5	PASS
Band4	1413	4	NV	50	-7.12	-0.004109	±2.5	PASS
Band4	1513	1	NV	-30	-0.06	-0.000034	±2.5	PASS
Band4	1513	1	NV	-20	-8.83	-0.005038	±2.5	PASS
Band4	1513	1	NV	-10	1.32	0.000753	±2.5	PASS
Band4	1513	1	NV	0	-7.88	-0.004496	±2.5	PASS
Band4	1513	1	NV	10	-0.06	-0.000034	±2.5	PASS
Band4	1513	1	NV	20	-14.36	-0.008194	±2.5	PASS
Band4	1513	1	NV	30	-5.47	-0.003121	±2.5	PASS

Band4	1513	1	NV	40	-17.43	-0.009945	±2.5	PASS
Band4	1513	1	NV	50	-2.78	-0.001586	±2.5	PASS
Band4	1513	2	NV	-30	-12.42	-0.007087	±2.5	PASS
Band4	1513	2	NV	-20	-4.28	-0.002442	±2.5	PASS
Band4	1513	2	NV	-10	-21.16	-0.012073	±2.5	PASS
Band4	1513	2	NV	0	3.87	0.002208	±2.5	PASS
Band4	1513	2	NV	10	-11.70	-0.006676	±2.5	PASS
Band4	1513	2	NV	20	-14.96	-0.008536	±2.5	PASS
Band4	1513	2	NV	30	-6.04	-0.003446	±2.5	PASS
Band4	1513	2	NV	40	-8.73	-0.004981	±2.5	PASS
Band4	1513	2	NV	50	8.57	0.004890	±2.5	PASS
Band4	1513	3	NV	-30	-11.04	-0.006299	±2.5	PASS
Band4	1513	3	NV	-20	-14.75	-0.008416	±2.5	PASS
Band4	1513	3	NV	-10	-4.69	-0.002676	±2.5	PASS
Band4	1513	3	NV	0	-12.27	-0.007001	±2.5	PASS
Band4	1513	3	NV	10	-4.82	-0.002750	±2.5	PASS
Band4	1513	3	NV	20	-8.80	-0.005021	±2.5	PASS
Band4	1513	3	NV	30	-3.76	-0.002145	±2.5	PASS
Band4	1513	3	NV	40	0.12	0.000068	±2.5	PASS
Band4	1513	3	NV	50	-11.74	-0.006699	±2.5	PASS
Band4	1513	4	NV	-30	-22.87	-0.013049	±2.5	PASS
Band4	1513	4	NV	-20	-18.17	-0.010367	±2.5	PASS
Band4	1513	4	NV	-10	6.23	0.003555	±2.5	PASS
Band4	1513	4	NV	0	-17.52	-0.009997	±2.5	PASS
Band4	1513	4	NV	10	-11.68	-0.006664	±2.5	PASS
Band4	1513	4	NV	20	-8.80	-0.005021	±2.5	PASS
Band4	1513	4	NV	30	-11.04	-0.006299	±2.5	PASS
Band4	1513	4	NV	40	-9.40	-0.005363	±2.5	PASS
Band4	1513	4	NV	50	9.42	0.005375	±2.5	PASS
Band5	4132	1	NV	-30	-9.95	-0.012040	±2.5	PASS
Band5	4132	1	NV	-20	-9.03	-0.010927	±2.5	PASS
Band5	4132	1	NV	-10	-11.97	-0.014485	±2.5	PASS
Band5	4132	1	NV	0	0.60	0.000726	±2.5	PASS
Band5	4132	1	NV	10	-2.74	-0.003316	±2.5	PASS
Band5	4132	1	NV	20	-8.15	-0.009862	±2.5	PASS
Band5	4132	1	NV	30	-11.81	-0.014291	±2.5	PASS
Band5	4132	1	NV	40	-8.42	-0.010189	±2.5	PASS
Band5	4132	1	NV	50	-5.69	-0.006885	±2.5	PASS
Band5	4132	2	NV	-30	-12.24	-0.014811	±2.5	PASS
Band5	4132	2	NV	-20	-12.63	-0.015283	±2.5	PASS
Band5	4132	2	NV	-10	-13.07	-0.015816	±2.5	PASS
Band5	4132	2	NV	0	-9.86	-0.011931	±2.5	PASS
Band5	4132	2	NV	10	-11.54	-0.013964	±2.5	PASS

Band5	4132	2	NV	20	-14.52	-0.017570	±2.5	PASS
Band5	4132	2	NV	30	-4.48	-0.005421	±2.5	PASS
Band5	4132	2	NV	40	-3.66	-0.004429	±2.5	PASS
Band5	4132	2	NV	50	-11.98	-0.014497	±2.5	PASS
Band5	4132	3	NV	-30	-6.37	-0.007708	±2.5	PASS
Band5	4132	3	NV	-20	-1.87	-0.002263	±2.5	PASS
Band5	4132	3	NV	-10	-4.94	-0.005978	±2.5	PASS
Band5	4132	3	NV	0	-4.69	-0.005675	±2.5	PASS
Band5	4132	3	NV	10	-8.96	-0.010842	±2.5	PASS
Band5	4132	3	NV	20	-9.67	-0.011701	±2.5	PASS
Band5	4132	3	NV	30	-2.30	-0.002783	±2.5	PASS
Band5	4132	3	NV	40	-5.15	-0.006232	±2.5	PASS
Band5	4132	3	NV	50	-13.94	-0.016868	±2.5	PASS
Band5	4132	4	NV	-30	-12.02	-0.014545	±2.5	PASS
Band5	4132	4	NV	-20	-9.15	-0.011072	±2.5	PASS
Band5	4132	4	NV	-10	-15.83	-0.019155	±2.5	PASS
Band5	4132	4	NV	0	-0.24	-0.000290	±2.5	PASS
Band5	4132	4	NV	10	-4.72	-0.005712	±2.5	PASS
Band5	4132	4	NV	20	-15.08	-0.018248	±2.5	PASS
Band5	4132	4	NV	30	1.56	0.001888	±2.5	PASS
Band5	4132	4	NV	40	-0.97	-0.001174	±2.5	PASS
Band5	4132	4	NV	50	-8.30	-0.010044	±2.5	PASS
Band5	4182	1	NV	-30	-10.53	-0.012590	±2.5	PASS
Band5	4182	1	NV	-20	-12.50	-0.014945	±2.5	PASS
Band5	4182	1	NV	-10	-12.42	-0.014849	±2.5	PASS
Band5	4182	1	NV	0	-11.57	-0.013833	±2.5	PASS
Band5	4182	1	NV	10	-9.05	-0.010820	±2.5	PASS
Band5	4182	1	NV	20	-7.76	-0.009278	±2.5	PASS
Band5	4182	1	NV	30	-12.27	-0.014670	±2.5	PASS
Band5	4182	1	NV	40	-6.27	-0.007496	±2.5	PASS
Band5	4182	1	NV	50	-10.04	-0.012004	±2.5	PASS
Band5	4182	2	NV	-30	-9.08	-0.010856	±2.5	PASS
Band5	4182	2	NV	-20	-5.61	-0.006707	±2.5	PASS
Band5	4182	2	NV	-10	0.66	0.000789	±2.5	PASS
Band5	4182	2	NV	0	-16.86	-0.020158	±2.5	PASS
Band5	4182	2	NV	10	-12.28	-0.014682	±2.5	PASS
Band5	4182	2	NV	20	-9.59	-0.011466	±2.5	PASS
Band5	4182	2	NV	30	-8.10	-0.009684	±2.5	PASS
Band5	4182	2	NV	40	-7.90	-0.009445	±2.5	PASS
Band5	4182	2	NV	50	-7.32	-0.008752	±2.5	PASS
Band5	4182	3	NV	-30	-7.65	-0.009146	±2.5	PASS
Band5	4182	3	NV	-20	-8.44	-0.010091	±2.5	PASS
Band5	4182	3	NV	-10	-11.37	-0.013594	±2.5	PASS

Band5	4182	3	NV	0	-11.73	-0.014024	±2.5	PASS
Band5	4182	3	NV	10	-10.64	-0.012721	±2.5	PASS
Band5	4182	3	NV	20	-11.82	-0.014132	±2.5	PASS
Band5	4182	3	NV	30	-12.80	-0.015304	±2.5	PASS
Band5	4182	3	NV	40	-9.61	-0.011490	±2.5	PASS
Band5	4182	3	NV	50	-2.70	-0.003228	±2.5	PASS
Band5	4182	4	NV	-30	-3.66	-0.004376	±2.5	PASS
Band5	4182	4	NV	-20	-10.06	-0.012028	±2.5	PASS
Band5	4182	4	NV	-10	-4.08	-0.004878	±2.5	PASS
Band5	4182	4	NV	0	-6.98	-0.008345	±2.5	PASS
Band5	4182	4	NV	10	-8.97	-0.010725	±2.5	PASS
Band5	4182	4	NV	20	-4.31	-0.005153	±2.5	PASS
Band5	4182	4	NV	30	-4.74	-0.005667	±2.5	PASS
Band5	4182	4	NV	40	-7.80	-0.009326	±2.5	PASS
Band5	4182	4	NV	50	-11.50	-0.013749	±2.5	PASS
Band5	4233	1	NV	-30	-12.72	-0.015025	±2.5	PASS
Band5	4233	1	NV	-20	-7.97	-0.009414	±2.5	PASS
Band5	4233	1	NV	-10	-5.93	-0.007004	±2.5	PASS
Band5	4233	1	NV	0	-7.45	-0.008800	±2.5	PASS
Band5	4233	1	NV	10	-8.13	-0.009603	±2.5	PASS
Band5	4233	1	NV	20	-13.28	-0.015686	±2.5	PASS
Band5	4233	1	NV	30	-13.31	-0.015722	±2.5	PASS
Band5	4233	1	NV	40	-8.96	-0.010584	±2.5	PASS
Band5	4233	1	NV	50	-7.56	-0.008930	±2.5	PASS
Band5	4233	2	NV	-30	-8.40	-0.009922	±2.5	PASS
Band5	4233	2	NV	-20	-4.94	-0.005835	±2.5	PASS
Band5	4233	2	NV	-10	-5.84	-0.006898	±2.5	PASS
Band5	4233	2	NV	0	-11.34	-0.013395	±2.5	PASS
Band5	4233	2	NV	10	-9.63	-0.011375	±2.5	PASS
Band5	4233	2	NV	20	-13.12	-0.015497	±2.5	PASS
Band5	4233	2	NV	30	-10.54	-0.012450	±2.5	PASS
Band5	4233	2	NV	40	-11.15	-0.013170	±2.5	PASS
Band5	4233	2	NV	50	-12.64	-0.014930	±2.5	PASS
Band5	4233	3	NV	-30	-6.17	-0.007288	±2.5	PASS
Band5	4233	3	NV	-20	-2.47	-0.002918	±2.5	PASS
Band5	4233	3	NV	-10	-5.31	-0.006272	±2.5	PASS
Band5	4233	3	NV	0	-11.53	-0.013619	±2.5	PASS
Band5	4233	3	NV	10	-6.47	-0.007642	±2.5	PASS
Band5	4233	3	NV	20	-9.28	-0.010961	±2.5	PASS
Band5	4233	3	NV	30	-4.44	-0.005245	±2.5	PASS
Band5	4233	3	NV	40	-6.78	-0.008009	±2.5	PASS
Band5	4233	3	NV	50	-1.90	-0.002244	±2.5	PASS
Band5	4233	4	NV	-30	-7.61	-0.008989	±2.5	PASS

Band5	4233	4	NV	-20	-2.27	-0.002681	±2.5	PASS
Band5	4233	4	NV	-10	10.65	0.012580	±2.5	PASS
Band5	4233	4	NV	0	-6.49	-0.007666	±2.5	PASS
Band5	4233	4	NV	10	-7.50	-0.008859	±2.5	PASS
Band5	4233	4	NV	20	-9.74	-0.011505	±2.5	PASS
Band5	4233	4	NV	30	-8.46	-0.009993	±2.5	PASS
Band5	4233	4	NV	40	-8.90	-0.010513	±2.5	PASS
Band5	4233	4	NV	50	-11.30	-0.013348	±2.5	PASS

Voltage(WCDMA_HSUPA)								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VN	NT	-9.88	-0.005334	±2.5	PASS
Band2	9262	1	VL	NT	-10.80	-0.005830	±2.5	PASS
Band2	9262	1	VH	NT	-11.37	-0.006138	±2.5	PASS
Band2	9262	2	VN	NT	-9.39	-0.005069	±2.5	PASS
Band2	9262	2	VL	NT	-8.94	-0.004826	±2.5	PASS
Band2	9262	2	VH	NT	-10.68	-0.005765	±2.5	PASS
Band2	9262	3	VN	NT	-10.58	-0.005712	±2.5	PASS
Band2	9262	3	VL	NT	-11.34	-0.006122	±2.5	PASS
Band2	9262	3	VH	NT	-6.67	-0.003601	±2.5	PASS
Band2	9262	4	VN	NT	-10.87	-0.005868	±2.5	PASS
Band2	9262	4	VL	NT	-8.58	-0.004632	±2.5	PASS
Band2	9262	4	VH	NT	-7.51	-0.004054	±2.5	PASS
Band2	9262	5	VN	NT	-12.44	-0.006716	±2.5	PASS
Band2	9262	5	VL	NT	-8.14	-0.004394	±2.5	PASS
Band2	9262	5	VH	NT	-9.86	-0.005323	±2.5	PASS
Band2	9400	1	VN	NT	-10.07	-0.005356	±2.5	PASS
Band2	9400	1	VL	NT	-7.42	-0.003947	±2.5	PASS
Band2	9400	1	VH	NT	-7.96	-0.004234	±2.5	PASS
Band2	9400	2	VN	NT	-8.75	-0.004654	±2.5	PASS
Band2	9400	2	VL	NT	-5.84	-0.003106	±2.5	PASS
Band2	9400	2	VH	NT	-5.55	-0.002952	±2.5	PASS
Band2	9400	3	VN	NT	-10.71	-0.005697	±2.5	PASS
Band2	9400	3	VL	NT	-11.83	-0.006293	±2.5	PASS
Band2	9400	3	VH	NT	-13.25	-0.007048	±2.5	PASS
Band2	9400	4	VN	NT	-13.88	-0.007383	±2.5	PASS
Band2	9400	4	VL	NT	-13.01	-0.006920	±2.5	PASS
Band2	9400	4	VH	NT	-12.58	-0.006691	±2.5	PASS
Band2	9400	5	VN	NT	-9.28	-0.004936	±2.5	PASS
Band2	9400	5	VL	NT	-5.74	-0.003053	±2.5	PASS
Band2	9400	5	VH	NT	-10.70	-0.005691	±2.5	PASS
Band2	9538	1	VN	NT	-9.09	-0.004765	±2.5	PASS
Band2	9538	1	VL	NT	-8.47	-0.004440	±2.5	PASS
Band2	9538	1	VH	NT	-6.55	-0.003434	±2.5	PASS
Band2	9538	2	VN	NT	-17.76	-0.009310	±2.5	PASS
Band2	9538	2	VL	NT	-7.19	-0.003769	±2.5	PASS
Band2	9538	2	VH	NT	-7.30	-0.003827	±2.5	PASS
Band2	9538	3	VN	NT	-8.26	-0.004330	±2.5	PASS
Band2	9538	3	VL	NT	-9.60	-0.005033	±2.5	PASS
Band2	9538	3	VH	NT	-9.52	-0.004991	±2.5	PASS
Band2	9538	4	VN	NT	-13.28	-0.006962	±2.5	PASS

Band2	9538	4	VL	NT	-5.66	-0.002967	±2.5	PASS
Band2	9538	4	VH	NT	-15.23	-0.007984	±2.5	PASS
Band2	9538	5	VN	NT	-8.07	-0.004230	±2.5	PASS
Band2	9538	5	VL	NT	-11.41	-0.005981	±2.5	PASS
Band2	9538	5	VH	NT	-14.83	-0.007774	±2.5	PASS
Band5	4132	1	VN	NT	-12.80	-0.015489	±2.5	PASS
Band5	4132	1	VL	NT	-12.30	-0.014884	±2.5	PASS
Band5	4132	1	VH	NT	-11.62	-0.014061	±2.5	PASS
Band5	4132	2	VN	NT	-11.64	-0.014085	±2.5	PASS
Band5	4132	2	VL	NT	-10.49	-0.012694	±2.5	PASS
Band5	4132	2	VH	NT	-10.73	-0.012984	±2.5	PASS
Band5	4132	3	VN	NT	-11.69	-0.014146	±2.5	PASS
Band5	4132	3	VL	NT	-10.43	-0.012621	±2.5	PASS
Band5	4132	3	VH	NT	-9.43	-0.011411	±2.5	PASS
Band5	4132	4	VN	NT	-10.08	-0.012197	±2.5	PASS
Band5	4132	4	VL	NT	-11.27	-0.013637	±2.5	PASS
Band5	4132	4	VH	NT	-8.12	-0.009826	±2.5	PASS
Band5	4132	5	VN	NT	-16.52	-0.019990	±2.5	PASS
Band5	4132	5	VL	NT	-6.82	-0.008253	±2.5	PASS
Band5	4132	5	VH	NT	-11.16	-0.013504	±2.5	PASS
Band5	4182	1	VN	NT	-7.72	-0.009230	±2.5	PASS
Band5	4182	1	VL	NT	-11.48	-0.013725	±2.5	PASS
Band5	4182	1	VH	NT	-11.06	-0.013223	±2.5	PASS
Band5	4182	2	VN	NT	-7.17	-0.008572	±2.5	PASS
Band5	4182	2	VL	NT	-8.38	-0.010019	±2.5	PASS
Band5	4182	2	VH	NT	-11.02	-0.013176	±2.5	PASS
Band5	4182	3	VN	NT	-3.38	-0.004041	±2.5	PASS
Band5	4182	3	VL	NT	-9.11	-0.010892	±2.5	PASS
Band5	4182	3	VH	NT	-5.11	-0.006110	±2.5	PASS
Band5	4182	4	VN	NT	-6.04	-0.007221	±2.5	PASS
Band5	4182	4	VL	NT	-9.43	-0.011275	±2.5	PASS
Band5	4182	4	VH	NT	-13.59	-0.016248	±2.5	PASS
Band5	4182	5	VN	NT	-15.01	-0.017946	±2.5	PASS
Band5	4182	5	VL	NT	-7.70	-0.009206	±2.5	PASS
Band5	4182	5	VH	NT	-11.21	-0.013403	±2.5	PASS
Band5	4233	1	VN	NT	-6.04	-0.007134	±2.5	PASS
Band5	4233	1	VL	NT	-5.45	-0.006438	±2.5	PASS
Band5	4233	1	VH	NT	-11.16	-0.013182	±2.5	PASS
Band5	4233	2	VN	NT	-12.04	-0.014222	±2.5	PASS
Band5	4233	2	VL	NT	-14.90	-0.017600	±2.5	PASS
Band5	4233	2	VH	NT	-5.49	-0.006485	±2.5	PASS
Band5	4233	3	VN	NT	-4.81	-0.005682	±2.5	PASS
Band5	4233	3	VL	NT	-8.19	-0.009674	±2.5	PASS

Band5	4233	3	VH	NT	-7.42	-0.008764	±2.5	PASS
Band5	4233	4	VN	NT	-3.84	-0.004536	±2.5	PASS
Band5	4233	4	VL	NT	-4.96	-0.005859	±2.5	PASS
Band5	4233	4	VH	NT	-6.32	-0.007465	±2.5	PASS
Band5	4233	5	VN	NT	-8.09	-0.009556	±2.5	PASS
Band5	4233	5	VL	NT	-12.84	-0.015167	±2.5	PASS
Band5	4233	5	VH	NT	-11.02	-0.013017	±2.5	PASS
Band4	1312	1	VN	NT	-15.31	-0.008941	±2.5	PASS
Band4	1312	1	VL	NT	-13.01	-0.007598	±2.5	PASS
Band4	1312	1	VH	NT	-14.88	-0.008690	±2.5	PASS
Band4	1312	2	VN	NT	-14.05	-0.008205	±2.5	PASS
Band4	1312	2	VL	NT	-11.37	-0.006640	±2.5	PASS
Band4	1312	2	VH	NT	-10.90	-0.006365	±2.5	PASS
Band4	1312	3	VN	NT	-11.80	-0.006891	±2.5	PASS
Band4	1312	3	VL	NT	-14.37	-0.008392	±2.5	PASS
Band4	1312	3	VH	NT	-12.55	-0.007329	±2.5	PASS
Band4	1312	4	VN	NT	-14.26	-0.008327	±2.5	PASS
Band4	1312	4	VL	NT	-13.02	-0.007603	±2.5	PASS
Band4	1312	4	VH	NT	-12.22	-0.007136	±2.5	PASS
Band4	1312	5	VN	NT	-11.25	-0.006570	±2.5	PASS
Band4	1312	5	VL	NT	-14.10	-0.008234	±2.5	PASS
Band4	1312	5	VH	NT	-11.16	-0.006517	±2.5	PASS
Band4	1413	1	VN	NT	-8.44	-0.004871	±2.5	PASS
Band4	1413	1	VL	NT	-10.41	-0.006008	±2.5	PASS
Band4	1413	1	VH	NT	-10.86	-0.006268	±2.5	PASS
Band4	1413	2	VN	NT	-8.13	-0.004692	±2.5	PASS
Band4	1413	2	VL	NT	-12.66	-0.007307	±2.5	PASS
Band4	1413	2	VH	NT	-13.26	-0.007653	±2.5	PASS
Band4	1413	3	VN	NT	-13.07	-0.007544	±2.5	PASS
Band4	1413	3	VL	NT	-15.49	-0.008940	±2.5	PASS
Band4	1413	3	VH	NT	-14.15	-0.008167	±2.5	PASS
Band4	1413	4	VN	NT	-13.33	-0.007694	±2.5	PASS
Band4	1413	4	VL	NT	-13.73	-0.007925	±2.5	PASS
Band4	1413	4	VH	NT	-15.74	-0.009085	±2.5	PASS
Band4	1413	5	VN	NT	-10.18	-0.005876	±2.5	PASS
Band4	1413	5	VL	NT	-13.33	-0.007694	±2.5	PASS
Band4	1413	5	VH	NT	-10.34	-0.005968	±2.5	PASS
Band4	1513	1	VN	NT	-10.61	-0.006054	±2.5	PASS
Band4	1513	1	VL	NT	-13.03	-0.007435	±2.5	PASS
Band4	1513	1	VH	NT	-13.12	-0.007486	±2.5	PASS
Band4	1513	2	VN	NT	-13.98	-0.007977	±2.5	PASS
Band4	1513	2	VL	NT	-15.76	-0.008992	±2.5	PASS
Band4	1513	2	VH	NT	-10.14	-0.005786	±2.5	PASS

Band4	1513	3	VN	NT	-11.75	-0.006704	±2.5	PASS
Band4	1513	3	VL	NT	-15.86	-0.009049	±2.5	PASS
Band4	1513	3	VH	NT	-13.17	-0.007515	±2.5	PASS
Band4	1513	4	VN	NT	-9.83	-0.005609	±2.5	PASS
Band4	1513	4	VL	NT	-8.45	-0.004821	±2.5	PASS
Band4	1513	4	VH	NT	-11.15	-0.006362	±2.5	PASS
Band4	1513	5	VN	NT	-9.26	-0.005284	±2.5	PASS
Band4	1513	5	VL	NT	-15.47	-0.008827	±2.5	PASS
Band4	1513	5	VH	NT	-11.73	-0.006693	±2.5	PASS

Temperature(WCDMA_HSUPA)								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	-8.06	-0.004351	±2.5	PASS
Band2	9262	1	NV	-20	-9.52	-0.005139	±2.5	PASS
Band2	9262	1	NV	-10	-11.06	-0.005971	±2.5	PASS
Band2	9262	1	NV	0	-9.03	-0.004875	±2.5	PASS
Band2	9262	1	NV	10	-6.96	-0.003757	±2.5	PASS
Band2	9262	1	NV	20	-9.74	-0.005258	±2.5	PASS
Band2	9262	1	NV	30	-7.86	-0.004243	±2.5	PASS
Band2	9262	1	NV	40	-12.64	-0.006824	±2.5	PASS
Band2	9262	1	NV	50	-13.35	-0.007207	±2.5	PASS
Band2	9262	2	NV	-30	-12.47	-0.006732	±2.5	PASS
Band2	9262	2	NV	-20	-12.03	-0.006494	±2.5	PASS
Band2	9262	2	NV	-10	-10.27	-0.005544	±2.5	PASS
Band2	9262	2	NV	0	-9.03	-0.004875	±2.5	PASS
Band2	9262	2	NV	10	-7.53	-0.004065	±2.5	PASS
Band2	9262	2	NV	20	-8.69	-0.004691	±2.5	PASS
Band2	9262	2	NV	30	-10.36	-0.005593	±2.5	PASS
Band2	9262	2	NV	40	-10.14	-0.005474	±2.5	PASS
Band2	9262	2	NV	50	-9.74	-0.005258	±2.5	PASS
Band2	9262	3	NV	-30	-11.82	-0.006381	±2.5	PASS
Band2	9262	3	NV	-20	-11.59	-0.006257	±2.5	PASS
Band2	9262	3	NV	-10	-8.08	-0.004362	±2.5	PASS
Band2	9262	3	NV	0	-7.75	-0.004184	±2.5	PASS
Band2	9262	3	NV	10	-10.54	-0.005690	±2.5	PASS
Band2	9262	3	NV	20	-8.50	-0.004589	±2.5	PASS
Band2	9262	3	NV	30	-7.40	-0.003995	±2.5	PASS
Band2	9262	3	NV	40	-9.76	-0.005269	±2.5	PASS
Band2	9262	3	NV	50	-9.67	-0.005220	±2.5	PASS
Band2	9262	4	NV	-30	-10.51	-0.005674	±2.5	PASS
Band2	9262	4	NV	-20	-8.72	-0.004707	±2.5	PASS
Band2	9262	4	NV	-10	-8.46	-0.004567	±2.5	PASS
Band2	9262	4	NV	0	-11.39	-0.006149	±2.5	PASS
Band2	9262	4	NV	10	-9.77	-0.005274	±2.5	PASS
Band2	9262	4	NV	20	-8.08	-0.004362	±2.5	PASS
Band2	9262	4	NV	30	-10.01	-0.005404	±2.5	PASS
Band2	9262	4	NV	40	-9.16	-0.004945	±2.5	PASS
Band2	9262	4	NV	50	-8.74	-0.004718	±2.5	PASS
Band2	9262	5	NV	-30	-11.54	-0.006230	±2.5	PASS
Band2	9262	5	NV	-20	-9.65	-0.005209	±2.5	PASS
Band2	9262	5	NV	-10	-11.01	-0.005944	±2.5	PASS
Band2	9262	5	NV	0	-8.29	-0.004475	±2.5	PASS

Band2	9262	5	NV	10	-13.23	-0.007142	±2.5	PASS
Band2	9262	5	NV	20	-6.87	-0.003709	±2.5	PASS
Band2	9262	5	NV	30	-6.77	-0.003655	±2.5	PASS
Band2	9262	5	NV	40	-2.38	-0.001285	±2.5	PASS
Band2	9262	5	NV	50	-7.26	-0.003919	±2.5	PASS
Band2	9400	1	NV	-30	-12.54	-0.006670	±2.5	PASS
Band2	9400	1	NV	-20	-8.90	-0.004734	±2.5	PASS
Band2	9400	1	NV	-10	-7.92	-0.004213	±2.5	PASS
Band2	9400	1	NV	0	-4.31	-0.002293	±2.5	PASS
Band2	9400	1	NV	10	-5.51	-0.002931	±2.5	PASS
Band2	9400	1	NV	20	-11.07	-0.005888	±2.5	PASS
Band2	9400	1	NV	30	-11.81	-0.006282	±2.5	PASS
Band2	9400	1	NV	40	-12.93	-0.006878	±2.5	PASS
Band2	9400	1	NV	50	-11.43	-0.006080	±2.5	PASS
Band2	9400	2	NV	-30	-11.39	-0.006059	±2.5	PASS
Band2	9400	2	NV	-20	-11.65	-0.006197	±2.5	PASS
Band2	9400	2	NV	-10	-11.70	-0.006223	±2.5	PASS
Band2	9400	2	NV	0	-11.62	-0.006181	±2.5	PASS
Band2	9400	2	NV	10	-11.48	-0.006106	±2.5	PASS
Band2	9400	2	NV	20	-13.93	-0.007410	±2.5	PASS
Band2	9400	2	NV	30	-14.00	-0.007447	±2.5	PASS
Band2	9400	2	NV	40	-8.05	-0.004282	±2.5	PASS
Band2	9400	2	NV	50	-5.57	-0.002963	±2.5	PASS
Band2	9400	3	NV	-30	-7.36	-0.003915	±2.5	PASS
Band2	9400	3	NV	-20	-12.46	-0.006628	±2.5	PASS
Band2	9400	3	NV	-10	-18.05	-0.009601	±2.5	PASS
Band2	9400	3	NV	0	-12.85	-0.006835	±2.5	PASS
Band2	9400	3	NV	10	-3.74	-0.001989	±2.5	PASS
Band2	9400	3	NV	20	-5.92	-0.003149	±2.5	PASS
Band2	9400	3	NV	30	-6.26	-0.003330	±2.5	PASS
Band2	9400	3	NV	40	-5.87	-0.003122	±2.5	PASS
Band2	9400	3	NV	50	-3.22	-0.001713	±2.5	PASS
Band2	9400	4	NV	-30	-5.64	-0.003000	±2.5	PASS
Band2	9400	4	NV	-20	-5.83	-0.003101	±2.5	PASS
Band2	9400	4	NV	-10	-5.86	-0.003117	±2.5	PASS
Band2	9400	4	NV	0	-5.76	-0.003064	±2.5	PASS
Band2	9400	4	NV	10	-4.42	-0.002351	±2.5	PASS
Band2	9400	4	NV	20	-5.11	-0.002718	±2.5	PASS
Band2	9400	4	NV	30	-3.77	-0.002005	±2.5	PASS
Band2	9400	4	NV	40	-13.27	-0.007059	±2.5	PASS
Band2	9400	4	NV	50	-12.31	-0.006548	±2.5	PASS
Band2	9400	5	NV	-30	-11.65	-0.006197	±2.5	PASS
Band2	9400	5	NV	-20	-8.97	-0.004771	±2.5	PASS

Band2	9400	5	NV	-10	-11.47	-0.006101	±2.5	PASS
Band2	9400	5	NV	0	-8.28	-0.004404	±2.5	PASS
Band2	9400	5	NV	10	-11.19	-0.005952	±2.5	PASS
Band2	9400	5	NV	20	-15.89	-0.008452	±2.5	PASS
Band2	9400	5	NV	30	-11.54	-0.006138	±2.5	PASS
Band2	9400	5	NV	40	-7.69	-0.004090	±2.5	PASS
Band2	9400	5	NV	50	-6.84	-0.003638	±2.5	PASS
Band2	9538	1	NV	-30	-11.52	-0.006039	±2.5	PASS
Band2	9538	1	NV	-20	-7.76	-0.004068	±2.5	PASS
Band2	9538	1	NV	-10	-7.34	-0.003848	±2.5	PASS
Band2	9538	1	NV	0	-8.20	-0.004299	±2.5	PASS
Band2	9538	1	NV	10	-9.40	-0.004928	±2.5	PASS
Band2	9538	1	NV	20	-9.81	-0.005143	±2.5	PASS
Band2	9538	1	NV	30	-6.56	-0.003439	±2.5	PASS
Band2	9538	1	NV	40	-11.41	-0.005981	±2.5	PASS
Band2	9538	1	NV	50	-13.76	-0.007213	±2.5	PASS
Band2	9538	2	NV	-30	-12.20	-0.006395	±2.5	PASS
Band2	9538	2	NV	-20	-9.21	-0.004828	±2.5	PASS
Band2	9538	2	NV	-10	-6.75	-0.003538	±2.5	PASS
Band2	9538	2	NV	0	-9.18	-0.004812	±2.5	PASS
Band2	9538	2	NV	10	-12.52	-0.006563	±2.5	PASS
Band2	9538	2	NV	20	-10.45	-0.005478	±2.5	PASS
Band2	9538	2	NV	30	-14.19	-0.007439	±2.5	PASS
Band2	9538	2	NV	40	-3.84	-0.002013	±2.5	PASS
Band2	9538	2	NV	50	-6.62	-0.003470	±2.5	PASS
Band2	9538	3	NV	-30	-5.97	-0.003130	±2.5	PASS
Band2	9538	3	NV	-20	-8.90	-0.004666	±2.5	PASS
Band2	9538	3	NV	-10	-6.63	-0.003476	±2.5	PASS
Band2	9538	3	NV	0	-17.08	-0.008954	±2.5	PASS
Band2	9538	3	NV	10	-5.40	-0.002831	±2.5	PASS
Band2	9538	3	NV	20	-10.26	-0.005378	±2.5	PASS
Band2	9538	3	NV	30	-8.58	-0.004498	±2.5	PASS
Band2	9538	3	NV	40	-10.97	-0.005751	±2.5	PASS
Band2	9538	3	NV	50	-5.84	-0.003061	±2.5	PASS
Band2	9538	4	NV	-30	-3.82	-0.002003	±2.5	PASS
Band2	9538	4	NV	-20	-11.50	-0.006029	±2.5	PASS
Band2	9538	4	NV	-10	-10.37	-0.005436	±2.5	PASS
Band2	9538	4	NV	0	-11.35	-0.005950	±2.5	PASS
Band2	9538	4	NV	10	-3.25	-0.001704	±2.5	PASS
Band2	9538	4	NV	20	-10.10	-0.005295	±2.5	PASS
Band2	9538	4	NV	30	-10.31	-0.005405	±2.5	PASS
Band2	9538	4	NV	40	-9.13	-0.004786	±2.5	PASS
Band2	9538	4	NV	50	-7.95	-0.004168	±2.5	PASS

Band2	9538	5	NV	-30	-7.75	-0.004063	±2.5	PASS
Band2	9538	5	NV	-20	-9.86	-0.005169	±2.5	PASS
Band2	9538	5	NV	-10	-8.54	-0.004477	±2.5	PASS
Band2	9538	5	NV	0	-7.37	-0.003863	±2.5	PASS
Band2	9538	5	NV	10	-14.56	-0.007633	±2.5	PASS
Band2	9538	5	NV	20	-9.58	-0.005022	±2.5	PASS
Band2	9538	5	NV	30	-9.09	-0.004765	±2.5	PASS
Band2	9538	5	NV	40	-11.99	-0.006285	±2.5	PASS
Band2	9538	5	NV	50	-8.56	-0.004487	±2.5	PASS
Band5	4132	1	NV	-30	-10.96	-0.013262	±2.5	PASS
Band5	4132	1	NV	-20	-10.49	-0.012694	±2.5	PASS
Band5	4132	1	NV	-10	-9.75	-0.011798	±2.5	PASS
Band5	4132	1	NV	0	-10.43	-0.012621	±2.5	PASS
Band5	4132	1	NV	10	-10.45	-0.012645	±2.5	PASS
Band5	4132	1	NV	20	-9.48	-0.011471	±2.5	PASS
Band5	4132	1	NV	30	-11.59	-0.014025	±2.5	PASS
Band5	4132	1	NV	40	-10.71	-0.012960	±2.5	PASS
Band5	4132	1	NV	50	-9.06	-0.010963	±2.5	PASS
Band5	4132	2	NV	-30	-8.48	-0.010261	±2.5	PASS
Band5	4132	2	NV	-20	-9.55	-0.011556	±2.5	PASS
Band5	4132	2	NV	-10	-9.85	-0.011919	±2.5	PASS
Band5	4132	2	NV	0	-9.86	-0.011931	±2.5	PASS
Band5	4132	2	NV	10	-10.99	-0.013299	±2.5	PASS
Band5	4132	2	NV	20	-12.26	-0.014835	±2.5	PASS
Band5	4132	2	NV	30	-10.94	-0.013238	±2.5	PASS
Band5	4132	2	NV	40	-8.11	-0.009814	±2.5	PASS
Band5	4132	2	NV	50	-11.00	-0.013311	±2.5	PASS
Band5	4132	3	NV	-30	-9.36	-0.011326	±2.5	PASS
Band5	4132	3	NV	-20	-9.17	-0.011096	±2.5	PASS
Band5	4132	3	NV	-10	-8.44	-0.010213	±2.5	PASS
Band5	4132	3	NV	0	-11.17	-0.013516	±2.5	PASS
Band5	4132	3	NV	10	-11.64	-0.014085	±2.5	PASS
Band5	4132	3	NV	20	-7.42	-0.008979	±2.5	PASS
Band5	4132	3	NV	30	-11.17	-0.013516	±2.5	PASS
Band5	4132	3	NV	40	-11.80	-0.014279	±2.5	PASS
Band5	4132	3	NV	50	-5.72	-0.006922	±2.5	PASS
Band5	4132	4	NV	-30	-12.23	-0.014799	±2.5	PASS
Band5	4132	4	NV	-20	-5.86	-0.007091	±2.5	PASS
Band5	4132	4	NV	-10	-8.29	-0.010031	±2.5	PASS
Band5	4132	4	NV	0	-10.59	-0.012815	±2.5	PASS
Band5	4132	4	NV	10	-12.55	-0.015186	±2.5	PASS
Band5	4132	4	NV	20	-6.97	-0.008434	±2.5	PASS
Band5	4132	4	NV	30	-8.28	-0.010019	±2.5	PASS

Band5	4132	4	NV	40	-9.94	-0.012028	±2.5	PASS
Band5	4132	4	NV	50	-10.71	-0.012960	±2.5	PASS
Band5	4132	5	NV	-30	-13.78	-0.016675	±2.5	PASS
Band5	4132	5	NV	-20	-6.42	-0.007769	±2.5	PASS
Band5	4132	5	NV	-10	-7.59	-0.009184	±2.5	PASS
Band5	4132	5	NV	0	-8.91	-0.010782	±2.5	PASS
Band5	4132	5	NV	10	-10.95	-0.013250	±2.5	PASS
Band5	4132	5	NV	20	-13.48	-0.016312	±2.5	PASS
Band5	4132	5	NV	30	-5.38	-0.006510	±2.5	PASS
Band5	4132	5	NV	40	-5.53	-0.006692	±2.5	PASS
Band5	4132	5	NV	50	-9.25	-0.011193	±2.5	PASS
Band5	4182	1	NV	-30	-12.87	-0.015387	±2.5	PASS
Band5	4182	1	NV	-20	-13.81	-0.016511	±2.5	PASS
Band5	4182	1	NV	-10	-13.85	-0.016559	±2.5	PASS
Band5	4182	1	NV	0	-5.29	-0.006325	±2.5	PASS
Band5	4182	1	NV	10	-4.23	-0.005057	±2.5	PASS
Band5	4182	1	NV	20	-5.01	-0.005990	±2.5	PASS
Band5	4182	1	NV	30	-5.36	-0.006408	±2.5	PASS
Band5	4182	1	NV	40	-7.56	-0.009039	±2.5	PASS
Band5	4182	1	NV	50	-4.85	-0.005799	±2.5	PASS
Band5	4182	2	NV	-30	-13.81	-0.016511	±2.5	PASS
Band5	4182	2	NV	-20	-12.42	-0.014849	±2.5	PASS
Band5	4182	2	NV	-10	-7.68	-0.009182	±2.5	PASS
Band5	4182	2	NV	0	-5.80	-0.006934	±2.5	PASS
Band5	4182	2	NV	10	-8.94	-0.010689	±2.5	PASS
Band5	4182	2	NV	20	-8.40	-0.010043	±2.5	PASS
Band5	4182	2	NV	30	-9.43	-0.011275	±2.5	PASS
Band5	4182	2	NV	40	-10.39	-0.012422	±2.5	PASS
Band5	4182	2	NV	50	-9.36	-0.011191	±2.5	PASS
Band5	4182	3	NV	-30	-10.27	-0.012279	±2.5	PASS
Band5	4182	3	NV	-20	-10.72	-0.012817	±2.5	PASS
Band5	4182	3	NV	-10	-12.00	-0.014347	±2.5	PASS
Band5	4182	3	NV	0	-13.48	-0.016117	±2.5	PASS
Band5	4182	3	NV	10	-11.83	-0.014144	±2.5	PASS
Band5	4182	3	NV	20	-8.06	-0.009637	±2.5	PASS
Band5	4182	3	NV	30	-5.57	-0.006659	±2.5	PASS
Band5	4182	3	NV	40	-6.10	-0.007293	±2.5	PASS
Band5	4182	3	NV	50	-4.91	-0.005870	±2.5	PASS
Band5	4182	4	NV	-30	-5.99	-0.007162	±2.5	PASS
Band5	4182	4	NV	-20	-6.34	-0.007580	±2.5	PASS
Band5	4182	4	NV	-10	-9.81	-0.011729	±2.5	PASS
Band5	4182	4	NV	0	-7.77	-0.009290	±2.5	PASS
Band5	4182	4	NV	10	-8.84	-0.010569	±2.5	PASS

Band5	4182	4	NV	20	-10.16	-0.012147	±2.5	PASS
Band5	4182	4	NV	30	-12.57	-0.015029	±2.5	PASS
Band5	4182	4	NV	40	-14.28	-0.017073	±2.5	PASS
Band5	4182	4	NV	50	-15.29	-0.018281	±2.5	PASS
Band5	4182	5	NV	-30	-13.71	-0.016392	±2.5	PASS
Band5	4182	5	NV	-20	-13.72	-0.016404	±2.5	PASS
Band5	4182	5	NV	-10	-5.57	-0.006659	±2.5	PASS
Band5	4182	5	NV	0	-7.03	-0.008405	±2.5	PASS
Band5	4182	5	NV	10	-7.66	-0.009158	±2.5	PASS
Band5	4182	5	NV	20	-11.31	-0.013522	±2.5	PASS
Band5	4182	5	NV	30	-10.99	-0.013140	±2.5	PASS
Band5	4182	5	NV	40	-12.47	-0.014909	±2.5	PASS
Band5	4182	5	NV	50	-13.93	-0.016655	±2.5	PASS
Band5	4233	1	NV	-30	-4.86	-0.005741	±2.5	PASS
Band5	4233	1	NV	-20	-9.93	-0.011729	±2.5	PASS
Band5	4233	1	NV	-10	-6.14	-0.007253	±2.5	PASS
Band5	4233	1	NV	0	-8.55	-0.010099	±2.5	PASS
Band5	4233	1	NV	10	-9.78	-0.011552	±2.5	PASS
Band5	4233	1	NV	20	-5.99	-0.007075	±2.5	PASS
Band5	4233	1	NV	30	-10.86	-0.012828	±2.5	PASS
Band5	4233	1	NV	40	-8.78	-0.010371	±2.5	PASS
Band5	4233	1	NV	50	-11.04	-0.013040	±2.5	PASS
Band5	4233	2	NV	-30	-7.54	-0.008906	±2.5	PASS
Band5	4233	2	NV	-20	-7.60	-0.008977	±2.5	PASS
Band5	4233	2	NV	-10	-6.80	-0.008032	±2.5	PASS
Band5	4233	2	NV	0	-10.38	-0.012261	±2.5	PASS
Band5	4233	2	NV	10	-5.60	-0.006615	±2.5	PASS
Band5	4233	2	NV	20	-9.19	-0.010855	±2.5	PASS
Band5	4233	2	NV	30	-6.74	-0.007961	±2.5	PASS
Band5	4233	2	NV	40	-10.41	-0.012296	±2.5	PASS
Band5	4233	2	NV	50	-12.11	-0.014304	±2.5	PASS
Band5	4233	3	NV	-30	-8.98	-0.010607	±2.5	PASS
Band5	4233	3	NV	-20	-9.13	-0.010784	±2.5	PASS
Band5	4233	3	NV	-10	-7.53	-0.008894	±2.5	PASS
Band5	4233	3	NV	0	-9.28	-0.010961	±2.5	PASS
Band5	4233	3	NV	10	-11.63	-0.013737	±2.5	PASS
Band5	4233	3	NV	20	-11.69	-0.013808	±2.5	PASS
Band5	4233	3	NV	30	-14.93	-0.017635	±2.5	PASS
Band5	4233	3	NV	40	-11.97	-0.014139	±2.5	PASS
Band5	4233	3	NV	50	-14.38	-0.016986	±2.5	PASS
Band5	4233	4	NV	-30	-8.38	-0.009898	±2.5	PASS
Band5	4233	4	NV	-20	-10.93	-0.012910	±2.5	PASS
Band5	4233	4	NV	-10	-12.91	-0.015249	±2.5	PASS

Band5	4233	4	NV	0	-15.34	-0.018120	±2.5	PASS
Band5	4233	4	NV	10	-6.97	-0.008233	±2.5	PASS
Band5	4233	4	NV	20	-7.07	-0.008351	±2.5	PASS
Band5	4233	4	NV	30	-5.90	-0.006969	±2.5	PASS
Band5	4233	4	NV	40	-6.69	-0.007902	±2.5	PASS
Band5	4233	4	NV	50	-2.70	-0.003189	±2.5	PASS
Band5	4233	5	NV	-30	-5.09	-0.006012	±2.5	PASS
Band5	4233	5	NV	-20	-5.36	-0.006331	±2.5	PASS
Band5	4233	5	NV	-10	-8.64	-0.010206	±2.5	PASS
Band5	4233	5	NV	0	-9.56	-0.011292	±2.5	PASS
Band5	4233	5	NV	10	-9.79	-0.011564	±2.5	PASS
Band5	4233	5	NV	20	-11.57	-0.013666	±2.5	PASS
Band5	4233	5	NV	30	-5.40	-0.006378	±2.5	PASS
Band5	4233	5	NV	40	-7.77	-0.009178	±2.5	PASS
Band5	4233	5	NV	50	-7.92	-0.009355	±2.5	PASS
Band4	1312	1	NV	-30	-13.01	-0.007598	±2.5	PASS
Band4	1312	1	NV	-20	-11.26	-0.006576	±2.5	PASS
Band4	1312	1	NV	-10	-10.46	-0.006108	±2.5	PASS
Band4	1312	1	NV	0	-15.01	-0.008765	±2.5	PASS
Band4	1312	1	NV	10	-13.58	-0.007930	±2.5	PASS
Band4	1312	1	NV	20	-13.15	-0.007679	±2.5	PASS
Band4	1312	1	NV	30	-11.63	-0.006792	±2.5	PASS
Band4	1312	1	NV	40	-11.40	-0.006657	±2.5	PASS
Band4	1312	1	NV	50	-11.21	-0.006546	±2.5	PASS
Band4	1312	2	NV	-30	-9.65	-0.005635	±2.5	PASS
Band4	1312	2	NV	-20	-13.77	-0.008041	±2.5	PASS
Band4	1312	2	NV	-10	-10.46	-0.006108	±2.5	PASS
Band4	1312	2	NV	0	-13.70	-0.008000	±2.5	PASS
Band4	1312	2	NV	10	-14.30	-0.008351	±2.5	PASS
Band4	1312	2	NV	20	-14.12	-0.008246	±2.5	PASS
Band4	1312	2	NV	30	-13.02	-0.007603	±2.5	PASS
Band4	1312	2	NV	40	-12.22	-0.007136	±2.5	PASS
Band4	1312	2	NV	50	-13.25	-0.007738	±2.5	PASS
Band4	1312	3	NV	-30	-12.89	-0.007527	±2.5	PASS
Band4	1312	3	NV	-20	-12.18	-0.007113	±2.5	PASS
Band4	1312	3	NV	-10	-11.97	-0.006990	±2.5	PASS
Band4	1312	3	NV	0	-12.44	-0.007265	±2.5	PASS
Band4	1312	3	NV	10	-12.55	-0.007329	±2.5	PASS
Band4	1312	3	NV	20	-11.30	-0.006599	±2.5	PASS
Band4	1312	3	NV	30	-11.84	-0.006914	±2.5	PASS
Band4	1312	3	NV	40	-11.89	-0.006943	±2.5	PASS
Band4	1312	3	NV	50	-11.25	-0.006570	±2.5	PASS
Band4	1312	4	NV	-30	-11.44	-0.006681	±2.5	PASS

Band4	1312	4	NV	-20	-11.01	-0.006430	±2.5	PASS
Band4	1312	4	NV	-10	-11.02	-0.006435	±2.5	PASS
Band4	1312	4	NV	0	-11.95	-0.006979	±2.5	PASS
Band4	1312	4	NV	10	-10.49	-0.006126	±2.5	PASS
Band4	1312	4	NV	20	-12.31	-0.007189	±2.5	PASS
Band4	1312	4	NV	30	-9.71	-0.005670	±2.5	PASS
Band4	1312	4	NV	40	-11.80	-0.006891	±2.5	PASS
Band4	1312	4	NV	50	-8.82	-0.005151	±2.5	PASS
Band4	1312	5	NV	-30	-9.94	-0.005805	±2.5	PASS
Band4	1312	5	NV	-20	-11.24	-0.006564	±2.5	PASS
Band4	1312	5	NV	-10	-13.84	-0.008082	±2.5	PASS
Band4	1312	5	NV	0	-16.80	-0.009811	±2.5	PASS
Band4	1312	5	NV	10	-6.40	-0.003737	±2.5	PASS
Band4	1312	5	NV	20	-9.26	-0.005408	±2.5	PASS
Band4	1312	5	NV	30	-14.03	-0.008193	±2.5	PASS
Band4	1312	5	NV	40	-15.61	-0.009116	±2.5	PASS
Band4	1312	5	NV	50	-13.13	-0.007668	±2.5	PASS
Band4	1413	1	NV	-30	-12.12	-0.006995	±2.5	PASS
Band4	1413	1	NV	-20	-11.42	-0.006591	±2.5	PASS
Band4	1413	1	NV	-10	-12.48	-0.007203	±2.5	PASS
Band4	1413	1	NV	0	-13.09	-0.007555	±2.5	PASS
Band4	1413	1	NV	10	-12.47	-0.007197	±2.5	PASS
Band4	1413	1	NV	20	-15.61	-0.009010	±2.5	PASS
Band4	1413	1	NV	30	-13.20	-0.007619	±2.5	PASS
Band4	1413	1	NV	40	-14.51	-0.008375	±2.5	PASS
Band4	1413	1	NV	50	-13.02	-0.007515	±2.5	PASS
Band4	1413	2	NV	-30	-15.84	-0.009142	±2.5	PASS
Band4	1413	2	NV	-20	-17.27	-0.009968	±2.5	PASS
Band4	1413	2	NV	-10	-9.38	-0.005414	±2.5	PASS
Band4	1413	2	NV	0	-11.87	-0.006851	±2.5	PASS
Band4	1413	2	NV	10	-14.25	-0.008225	±2.5	PASS
Band4	1413	2	NV	20	-14.39	-0.008305	±2.5	PASS
Band4	1413	2	NV	30	-15.29	-0.008825	±2.5	PASS
Band4	1413	2	NV	40	-12.47	-0.007197	±2.5	PASS
Band4	1413	2	NV	50	-13.24	-0.007642	±2.5	PASS
Band4	1413	3	NV	-30	-16.07	-0.009275	±2.5	PASS
Band4	1413	3	NV	-20	-12.51	-0.007220	±2.5	PASS
Band4	1413	3	NV	-10	-13.53	-0.007809	±2.5	PASS
Band4	1413	3	NV	0	-14.85	-0.008571	±2.5	PASS
Band4	1413	3	NV	10	-17.31	-0.009991	±2.5	PASS
Band4	1413	3	NV	20	-7.85	-0.004531	±2.5	PASS
Band4	1413	3	NV	30	-10.04	-0.005795	±2.5	PASS
Band4	1413	3	NV	40	-10.20	-0.005887	±2.5	PASS

Band4	1413	3	NV	50	-14.00	-0.008080	±2.5	PASS
Band4	1413	4	NV	-30	-15.23	-0.008790	±2.5	PASS
Band4	1413	4	NV	-20	-11.26	-0.006499	±2.5	PASS
Band4	1413	4	NV	-10	-13.71	-0.007913	±2.5	PASS
Band4	1413	4	NV	0	-14.06	-0.008115	±2.5	PASS
Band4	1413	4	NV	10	-14.86	-0.008577	±2.5	PASS
Band4	1413	4	NV	20	-14.08	-0.008127	±2.5	PASS
Band4	1413	4	NV	30	-12.00	-0.006926	±2.5	PASS
Band4	1413	4	NV	40	-10.74	-0.006199	±2.5	PASS
Band4	1413	4	NV	50	-11.87	-0.006851	±2.5	PASS
Band4	1413	5	NV	-30	-13.71	-0.007913	±2.5	PASS
Band4	1413	5	NV	-20	-12.42	-0.007168	±2.5	PASS
Band4	1413	5	NV	-10	-13.50	-0.007792	±2.5	PASS
Band4	1413	5	NV	0	-15.28	-0.008819	±2.5	PASS
Band4	1413	5	NV	10	-9.67	-0.005581	±2.5	PASS
Band4	1413	5	NV	20	-11.66	-0.006730	±2.5	PASS
Band4	1413	5	NV	30	-14.23	-0.008213	±2.5	PASS
Band4	1413	5	NV	40	-10.75	-0.006205	±2.5	PASS
Band4	1413	5	NV	50	-13.79	-0.007959	±2.5	PASS
Band4	1513	1	NV	-30	-11.34	-0.006470	±2.5	PASS
Band4	1513	1	NV	-20	-12.70	-0.007246	±2.5	PASS
Band4	1513	1	NV	-10	-11.12	-0.006345	±2.5	PASS
Band4	1513	1	NV	0	-12.04	-0.006870	±2.5	PASS
Band4	1513	1	NV	10	-10.39	-0.005928	±2.5	PASS
Band4	1513	1	NV	20	-10.12	-0.005774	±2.5	PASS
Band4	1513	1	NV	30	-14.62	-0.008342	±2.5	PASS
Band4	1513	1	NV	40	-12.66	-0.007224	±2.5	PASS
Band4	1513	1	NV	50	-9.58	-0.005466	±2.5	PASS
Band4	1513	2	NV	-30	-12.83	-0.007321	±2.5	PASS
Band4	1513	2	NV	-20	-9.76	-0.005569	±2.5	PASS
Band4	1513	2	NV	-10	-13.76	-0.007851	±2.5	PASS
Band4	1513	2	NV	0	-13.83	-0.007891	±2.5	PASS
Band4	1513	2	NV	10	-14.26	-0.008136	±2.5	PASS
Band4	1513	2	NV	20	-9.95	-0.005677	±2.5	PASS
Band4	1513	2	NV	30	-8.93	-0.005095	±2.5	PASS
Band4	1513	2	NV	40	-9.58	-0.005466	±2.5	PASS
Band4	1513	2	NV	50	-11.02	-0.006288	±2.5	PASS
Band4	1513	3	NV	-30	-13.10	-0.007475	±2.5	PASS
Band4	1513	3	NV	-20	-15.26	-0.008707	±2.5	PASS
Band4	1513	3	NV	-10	-10.51	-0.005997	±2.5	PASS
Band4	1513	3	NV	0	-11.40	-0.006505	±2.5	PASS
Band4	1513	3	NV	10	-12.40	-0.007075	±2.5	PASS
Band4	1513	3	NV	20	-10.78	-0.006151	±2.5	PASS

Band4	1513	3	NV	30	-12.74	-0.007269	±2.5	PASS
Band4	1513	3	NV	40	-12.41	-0.007081	±2.5	PASS
Band4	1513	3	NV	50	-10.11	-0.005769	±2.5	PASS
Band4	1513	4	NV	-30	-13.42	-0.007657	±2.5	PASS
Band4	1513	4	NV	-20	-15.41	-0.008793	±2.5	PASS
Band4	1513	4	NV	-10	-13.59	-0.007754	±2.5	PASS
Band4	1513	4	NV	0	-9.48	-0.005409	±2.5	PASS
Band4	1513	4	NV	10	-10.28	-0.005866	±2.5	PASS
Band4	1513	4	NV	20	-11.51	-0.006567	±2.5	PASS
Band4	1513	4	NV	30	-14.00	-0.007988	±2.5	PASS
Band4	1513	4	NV	40	-12.92	-0.007372	±2.5	PASS
Band4	1513	4	NV	50	-13.11	-0.007480	±2.5	PASS
Band4	1513	5	NV	-30	-13.93	-0.007948	±2.5	PASS
Band4	1513	5	NV	-20	-12.04	-0.006870	±2.5	PASS
Band4	1513	5	NV	-10	-10.41	-0.005940	±2.5	PASS
Band4	1513	5	NV	0	-13.10	-0.007475	±2.5	PASS
Band4	1513	5	NV	10	-10.88	-0.006208	±2.5	PASS
Band4	1513	5	NV	20	-9.56	-0.005455	±2.5	PASS
Band4	1513	5	NV	30	-14.03	-0.008005	±2.5	PASS
Band4	1513	5	NV	40	-7.90	-0.004508	±2.5	PASS
Band4	1513	5	NV	50	-9.80	-0.005592	±2.5	PASS

-----END OF THE REPORT-----