

客户名称: CUSTOMER)

产品规格书

PRODUCT SPECIFICATION SHEET

物料名称

APPELLATION: A11 无线发射单线圈模组 (A11 wireless transmitter single coil module .)

产品型号 (Product model)

MODE: YX-A11-R501053-G0807.

客户料号 (Customer material number)

No.: .

生产方 Producer	工艺审核 TECHNICAL	品质审核 QUALITY	项目审核 PROJECT	开发审核 DEVELOPING

客户方 Customer's side	材料工程师 Materials Engineer	设计工程师 Engineer	主管审批 Approval	研发体系 R & D System

供应商名称: 深圳市磁联达电子有限公司

供应商地址: 深圳市南山区西丽镇牛城村 221 号5 楼

Tel: 0755-27652992 29016433

Mail: cd001@cd-tek.com

Http: //www.cd-tek.com




变更履历表 (Change History)

[illegible]

--	--	--	--

1. DIMENSIONS & MARKING:



Symbol	A	B	C	D	E	F	
Value(mm)	50.00MAX	43.0±2.00	21.50±1.50	5.30	4.50±1.00	7.0-9.0	

2. ELECTRICAL SPECIFICATIONS @25°C



- 2.1 Operating Temperature range: -40°C~+85°C
- 2.2 Storage temperature range: -25°C TO +125°C
- 2.3 The test frequency: 100 KHz, 100mV @ 25°C,65%
- 2.4 OCL : 6.30±5% μH .
- 2.5 Diameter : 0.08mm*105P
- 2.5 Turns Ratio: 10T

DRAWN BY:	CHECKED BY:	APPROVED BY:	CUSTOMER:
jiugujiang	jiugujiang	wangchunxia	PART NO. : YX-A11-R501053-G0807
CND-TEK 深圳市磁联达电子有限公司			REV. : A
			PAGE: 3 Of 4

3、Bill of materials:

序号 (serialnumber)	物料名称 (The name of the item)	物料规格 (Material specifications)	材料使用 (Use of materials)	备注 (remark)
1	丝包线 (Silkwrappingthread)	0.08mm*105P	√	
2	自粘线 (Self-adhesivethread)	0.08mm*105P		
3	磁片 (Magnetic disks)	G 50.0*5.3*1.0mm	√	
4	高温胶带 (Hightemperaturetape)	8.00*0.05mm	√	
5	背胶贴 (Adhesivestickers)	T 48.50*2mm	√	硬度38 (Hardness 38)
6	胶水 (glue)	环保水性胶 (Environmentally friendly water- based glue)	√	
7	锡条 (Tin bars)	Sn97.3-0.7Cu	√	

4、Packaging:



- 4.1 Quantity per grid: 6 PCS
- 4.2 Quantity per carton: 6*50 = 300PCS
- 4.3 Quantity per carton: 300*3 = 900PCS
- 4.4 Carton size: 350*350*180mm.

DRAWN BY:	CHECKED BY:	APPROVED BY:	CUSTOMER:
jiugujiang	jiugujiang	wangchunxia	PART NO. : YX-A11-R501053-G0807
 深圳市磁联达电子有限公司			REV. : A
			PAGE: 4 Of 4