









Band5-4233-3-0.009-0.15MHz-PASS

Band5-4233-4-0.009-0.15MHz-PASS





Band5-4233-5-0.009-0.15MHz-PASS

Band5-4233-1-0.15~30MHz-PASS





Band5-4233-2-0.15~30MHz-PASS

Band5-4233-3-0.15~30MHz-PASS





Band5-4233-4-0.15~30MHz-PASS

Band5-4233-5-0.15~30MHz-PASS





Band5-4233-1-30~1000MHz-PASS

Band5-4233-2-30~1000MHz-PASS





Band5-4233-3-30~1000MHz-PASS

Band5-4233-4-30~1000MHz-PASS





Band5-4233-5-30~1000MHz-PASS

Band5-4233-1-1000~10000MHz-PASS



Band5-4233-2-1000~10000MHz-PASS

Band5-4233-3-1000~10000MHz-PASS



Band5-4233-4-1000~10000MHz-PASS

Band5-4233-5-1000~10000MHz-PASS

6: Frequency Stability

Test Result

Voltage(WCDMA)							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9400	VN	NT	0.16	0.000085	±2.5	PASS
Band2	9400	VL	NT	1.99	0.001059	±2.5	PASS
Band2	9400	VH	NT	-6.47	-0.003441	±2.5	PASS
Band5	4182	VN	NT	1.40	0.001674	±2.5	PASS
Band5	4182	VL	NT	2.18	0.002606	±2.5	PASS
Band5	4182	VH	NT	0.31	0.000371	±2.5	PASS

Temperature(WCDMA)							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9400	NV	0	9.63	0.005122	±2.5	PASS
Band2	9400	NV	10	-0.41	-0.000218	±2.5	PASS
Band2	9400	NV	20	3.55	0.001888	±2.5	PASS
Band2	9400	NV	30	1.30	0.000691	±2.5	PASS
Band5	4182	NV	0	0.81	0.000968	±2.5	PASS
Band5	4182	NV	10	2.49	0.002977	±2.5	PASS
Band5	4182	NV	20	1.59	0.001901	±2.5	PASS
Band5	4182	NV	30	-0.36	-0.000430	±2.5	PASS

Voltage(WCDMA_HSDPA)								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VN	NT	-8.06	-0.004351	±2.5	PASS
Band2	9262	1	VL	NT	10.11	0.005458	±2.5	PASS
Band2	9262	1	VH	NT	9.73	0.005253	±2.5	PASS
Band2	9262	2	VN	NT	-2.03	-0.001096	±2.5	PASS
Band2	9262	2	VL	NT	2.22	0.001198	±2.5	PASS
Band2	9262	2	VH	NT	-0.05	-0.000027	±2.5	PASS
Band2	9262	3	VN	NT	-0.24	-0.000130	±2.5	PASS
Band2	9262	3	VL	NT	-8.22	-0.004437	±2.5	PASS
Band2	9262	3	VH	NT	-2.35	-0.001269	±2.5	PASS
Band2	9262	4	VN	NT	4.04	0.002181	±2.5	PASS
Band2	9262	4	VL	NT	5.52	0.002980	±2.5	PASS
Band2	9262	4	VH	NT	-4.22	-0.002278	±2.5	PASS
Band2	9400	1	VN	NT	0.65	0.000346	±2.5	PASS
Band2	9400	1	VL	NT	-1.14	-0.000606	±2.5	PASS
Band2	9400	1	VH	NT	-5.57	-0.002963	±2.5	PASS
Band2	9400	2	VN	NT	-0.84	-0.000447	±2.5	PASS
Band2	9400	2	VL	NT	-4.28	-0.002277	±2.5	PASS
Band2	9400	2	VH	NT	-2.04	-0.001085	±2.5	PASS
Band2	9400	3	VN	NT	-6.00	-0.003191	±2.5	PASS
Band2	9400	3	VL	NT	-4.26	-0.002266	±2.5	PASS
Band2	9400	3	VH	NT	-3.50	-0.001862	±2.5	PASS
Band2	9400	4	VN	NT	-1.99	-0.001059	±2.5	PASS
Band2	9400	4	VL	NT	-0.48	-0.000255	±2.5	PASS
Band2	9400	4	VH	NT	1.09	0.000580	±2.5	PASS
Band2	9538	1	VN	NT	5.59	0.002930	±2.5	PASS
Band2	9538	1	VL	NT	5.32	0.002789	±2.5	PASS
Band2	9538	1	VH	NT	6.06	0.003177	±2.5	PASS
Band2	9538	2	VN	NT	5.59	0.002930	±2.5	PASS
Band2	9538	2	VL	NT	5.54	0.002904	±2.5	PASS
Band2	9538	2	VH	NT	7.37	0.003863	±2.5	PASS
Band2	9538	3	VN	NT	5.32	0.002789	±2.5	PASS
Band2	9538	3	VL	NT	4.25	0.002228	±2.5	PASS
Band2	9538	3	VH	NT	3.27	0.001714	±2.5	PASS
Band2	9538	4	VN	NT	-6.88	-0.003607	±2.5	PASS
Band2	9538	4	VL	NT	-0.52	-0.000273	±2.5	PASS
Band2	9538	4	VH	NT	2.17	0.001138	±2.5	PASS
Band5	4132	1	VN	NT	-0.34	-0.000411	±2.5	PASS
Band5	4132	1	VL	NT	-1.82	-0.002202	±2.5	PASS
Band5	4132	1	VH	NT	-0.16	-0.000194	±2.5	PASS
Band5	4132	2	VN	NT	-1.81	-0.002190	±2.5	PASS

Band5	4132	2	VL	NT	1.36	0.001646	±2.5	PASS
Band5	4132	2	VH	NT	-1.51	-0.001827	±2.5	PASS
Band5	4132	3	VN	NT	-0.51	-0.000617	±2.5	PASS
Band5	4132	3	VL	NT	0.58	0.000702	±2.5	PASS
Band5	4132	3	VH	NT	-3.67	-0.004441	±2.5	PASS
Band5	4132	4	VN	NT	0.87	0.001053	±2.5	PASS
Band5	4132	4	VL	NT	-3.28	-0.003969	±2.5	PASS
Band5	4132	4	VH	NT	1.22	0.001476	±2.5	PASS
Band5	4182	1	VN	NT	2.43	0.002905	±2.5	PASS
Band5	4182	1	VL	NT	1.12	0.001339	±2.5	PASS
Band5	4182	1	VH	NT	2.00	0.002391	±2.5	PASS
Band5	4182	2	VN	NT	4.12	0.004926	±2.5	PASS
Band5	4182	2	VL	NT	3.49	0.004173	±2.5	PASS
Band5	4182	2	VH	NT	-0.26	-0.000311	±2.5	PASS
Band5	4182	3	VN	NT	0.61	0.000729	±2.5	PASS
Band5	4182	3	VL	NT	-1.54	-0.001841	±2.5	PASS
Band5	4182	3	VH	NT	-1.20	-0.001435	±2.5	PASS
Band5	4182	4	VN	NT	2.61	0.003121	±2.5	PASS
Band5	4182	4	VL	NT	2.56	0.003061	±2.5	PASS
Band5	4182	4	VH	NT	0.42	0.000502	±2.5	PASS
Band5	4233	1	VN	NT	2.29	0.002705	±2.5	PASS
Band5	4233	1	VL	NT	3.60	0.004252	±2.5	PASS
Band5	4233	1	VH	NT	-1.14	-0.001347	±2.5	PASS
Band5	4233	2	VN	NT	3.52	0.004158	±2.5	PASS
Band5	4233	2	VL	NT	0.77	0.000910	±2.5	PASS
Band5	4233	2	VH	NT	1.81	0.002138	±2.5	PASS
Band5	4233	3	VN	NT	0.97	0.001146	±2.5	PASS
Band5	4233	3	VL	NT	0.59	0.000697	±2.5	PASS
Band5	4233	3	VH	NT	-0.66	-0.000780	±2.5	PASS
Band5	4233	4	VN	NT	1.21	0.001429	±2.5	PASS
Band5	4233	4	VL	NT	0.32	0.000378	±2.5	PASS
Band5	4233	4	VH	NT	0.81	0.000957	±2.5	PASS

Temperature(WCDMA_HSDPA)								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	3.11	0.001679	±2.5	PASS
Band2	9262	1	NV	-20	-0.71	-0.000383	±2.5	PASS
Band2	9262	1	NV	-10	-0.42	-0.000227	±2.5	PASS
Band2	9262	1	NV	0	-1.62	-0.000875	±2.5	PASS
Band2	9262	1	NV	10	-0.99	-0.000534	±2.5	PASS
Band2	9262	1	NV	20	0.04	0.000022	±2.5	PASS
Band2	9262	1	NV	30	-0.86	-0.000464	±2.5	PASS
Band2	9262	1	NV	40	2.49	0.001344	±2.5	PASS

Band2	9262	1	NV	50	1.95	0.001053	±2.5	PASS
Band2	9262	2	NV	-30	2.58	0.001393	±2.5	PASS
Band2	9262	2	NV	-20	-2.14	-0.001155	±2.5	PASS
Band2	9262	2	NV	-10	-4.74	-0.002559	±2.5	PASS
Band2	9262	2	NV	0	-1.88	-0.001015	±2.5	PASS
Band2	9262	2	NV	10	-3.89	-0.002100	±2.5	PASS
Band2	9262	2	NV	20	0.26	0.000140	±2.5	PASS
Band2	9262	2	NV	30	6.52	0.003520	±2.5	PASS
Band2	9262	2	NV	40	-4.30	-0.002321	±2.5	PASS
Band2	9262	2	NV	50	-0.20	-0.000108	±2.5	PASS
Band2	9262	3	NV	-30	-6.60	-0.003563	±2.5	PASS
Band2	9262	3	NV	-20	3.07	0.001657	±2.5	PASS
Band2	9262	3	NV	-10	1.97	0.001063	±2.5	PASS
Band2	9262	3	NV	0	7.83	0.004227	±2.5	PASS
Band2	9262	3	NV	10	1.39	0.000750	±2.5	PASS
Band2	9262	3	NV	20	7.25	0.003914	±2.5	PASS
Band2	9262	3	NV	30	-2.88	-0.001555	±2.5	PASS
Band2	9262	3	NV	40	3.47	0.001873	±2.5	PASS
Band2	9262	3	NV	50	-0.08	-0.000043	±2.5	PASS
Band2	9262	4	NV	-30	2.10	0.001134	±2.5	PASS
Band2	9262	4	NV	-20	1.25	0.000675	±2.5	PASS
Band2	9262	4	NV	-10	-1.74	-0.000939	±2.5	PASS
Band2	9262	4	NV	0	-0.39	-0.000211	±2.5	PASS
Band2	9262	4	NV	10	-5.57	-0.003007	±2.5	PASS
Band2	9262	4	NV	20	-4.96	-0.002678	±2.5	PASS
Band2	9262	4	NV	30	0.02	0.000011	±2.5	PASS
Band2	9262	4	NV	40	1.71	0.000923	±2.5	PASS
Band2	9262	4	NV	50	-0.62	-0.000335	±2.5	PASS
Band2	9400	1	NV	-30	1.42	0.000755	±2.5	PASS
Band2	9400	1	NV	-20	-4.11	-0.002186	±2.5	PASS
Band2	9400	1	NV	-10	3.31	0.001761	±2.5	PASS
Band2	9400	1	NV	0	3.50	0.001862	±2.5	PASS
Band2	9400	1	NV	10	-3.76	-0.002000	±2.5	PASS
Band2	9400	1	NV	20	-5.00	-0.002660	±2.5	PASS
Band2	9400	1	NV	30	-2.49	-0.001324	±2.5	PASS
Band2	9400	1	NV	40	5.12	0.002723	±2.5	PASS
Band2	9400	1	NV	50	1.98	0.001053	±2.5	PASS
Band2	9400	2	NV	-30	-0.20	-0.000106	±2.5	PASS
Band2	9400	2	NV	-20	1.85	0.000984	±2.5	PASS
Band2	9400	2	NV	-10	1.77	0.000941	±2.5	PASS
Band2	9400	2	NV	0	-2.41	-0.001282	±2.5	PASS
Band2	9400	2	NV	10	-2.69	-0.001431	±2.5	PASS
Band2	9400	2	NV	20	-2.31	-0.001229	±2.5	PASS

Band2	9400	2	NV	30	-2.12	-0.001128	±2.5	PASS
Band2	9400	2	NV	40	-2.09	-0.001112	±2.5	PASS
Band2	9400	2	NV	50	0.94	0.000500	±2.5	PASS
Band2	9400	3	NV	-30	-0.77	-0.000410	±2.5	PASS
Band2	9400	3	NV	-20	-0.28	-0.000149	±2.5	PASS
Band2	9400	3	NV	-10	1.47	0.000782	±2.5	PASS
Band2	9400	3	NV	0	2.28	0.001213	±2.5	PASS
Band2	9400	3	NV	10	-2.30	-0.001223	±2.5	PASS
Band2	9400	3	NV	20	-6.19	-0.003293	±2.5	PASS
Band2	9400	3	NV	30	-3.35	-0.001782	±2.5	PASS
Band2	9400	3	NV	40	-1.12	-0.000596	±2.5	PASS
Band2	9400	3	NV	50	-3.93	-0.002090	±2.5	PASS
Band2	9400	4	NV	-30	0.25	0.000133	±2.5	PASS
Band2	9400	4	NV	-20	0.91	0.000484	±2.5	PASS
Band2	9400	4	NV	-10	0.57	0.000303	±2.5	PASS
Band2	9400	4	NV	0	2.44	0.001298	±2.5	PASS
Band2	9400	4	NV	10	-0.77	-0.000410	±2.5	PASS
Band2	9400	4	NV	20	2.80	0.001489	±2.5	PASS
Band2	9400	4	NV	30	4.29	0.002282	±2.5	PASS
Band2	9400	4	NV	40	1.13	0.000601	±2.5	PASS
Band2	9400	4	NV	50	4.18	0.002223	±2.5	PASS
Band2	9538	1	NV	-30	3.20	0.001678	±2.5	PASS
Band2	9538	1	NV	-20	7.84	0.004110	±2.5	PASS
Band2	9538	1	NV	-10	7.70	0.004036	±2.5	PASS
Band2	9538	1	NV	0	9.12	0.004781	±2.5	PASS
Band2	9538	1	NV	10	11.07	0.005803	±2.5	PASS
Band2	9538	1	NV	20	7.14	0.003743	±2.5	PASS
Band2	9538	1	NV	30	6.40	0.003355	±2.5	PASS
Band2	9538	1	NV	40	13.71	0.007187	±2.5	PASS
Band2	9538	1	NV	50	8.76	0.004592	±2.5	PASS
Band2	9538	2	NV	-30	10.78	0.005651	±2.5	PASS
Band2	9538	2	NV	-20	7.64	0.004005	±2.5	PASS
Band2	9538	2	NV	-10	7.69	0.004031	±2.5	PASS
Band2	9538	2	NV	0	11.57	0.006065	±2.5	PASS
Band2	9538	2	NV	10	3.57	0.001871	±2.5	PASS
Band2	9538	2	NV	20	-1.70	-0.000891	±2.5	PASS
Band2	9538	2	NV	30	-8.51	-0.004461	±2.5	PASS
Band2	9538	2	NV	40	-4.17	-0.002186	±2.5	PASS
Band2	9538	2	NV	50	9.34	0.004896	±2.5	PASS
Band2	9538	3	NV	-30	8.45	0.004430	±2.5	PASS
Band2	9538	3	NV	-20	-11.02	-0.005777	±2.5	PASS
Band2	9538	3	NV	-10	10.41	0.005457	±2.5	PASS
Band2	9538	3	NV	0	-7.93	-0.004157	±2.5	PASS

Band2	9538	3	NV	10	1.91	0.001001	±2.5	PASS
Band2	9538	3	NV	20	-8.29	-0.004346	±2.5	PASS
Band2	9538	3	NV	30	5.88	0.003082	±2.5	PASS
Band2	9538	3	NV	40	-5.97	-0.003130	±2.5	PASS
Band2	9538	3	NV	50	0.86	0.000451	±2.5	PASS
Band2	9538	4	NV	-30	-4.98	-0.002611	±2.5	PASS
Band2	9538	4	NV	-20	-4.62	-0.002422	±2.5	PASS
Band2	9538	4	NV	-10	-7.43	-0.003895	±2.5	PASS
Band2	9538	4	NV	0	-3.64	-0.001908	±2.5	PASS
Band2	9538	4	NV	10	0.13	0.000068	±2.5	PASS
Band2	9538	4	NV	20	-7.37	-0.003863	±2.5	PASS
Band2	9538	4	NV	30	-5.81	-0.003046	±2.5	PASS
Band2	9538	4	NV	40	-2.61	-0.001368	±2.5	PASS
Band2	9538	4	NV	50	-6.26	-0.003282	±2.5	PASS
Band5	4132	1	NV	-30	-0.86	-0.001041	±2.5	PASS
Band5	4132	1	NV	-20	-0.82	-0.000992	±2.5	PASS
Band5	4132	1	NV	-10	1.58	0.001912	±2.5	PASS
Band5	4132	1	NV	0	-0.01	-0.000012	±2.5	PASS
Band5	4132	1	NV	10	-0.33	-0.000399	±2.5	PASS
Band5	4132	1	NV	20	1.54	0.001864	±2.5	PASS
Band5	4132	1	NV	30	0.66	0.000799	±2.5	PASS
Band5	4132	1	NV	40	-1.85	-0.002239	±2.5	PASS
Band5	4132	1	NV	50	1.05	0.001271	±2.5	PASS
Band5	4132	2	NV	-30	-0.61	-0.000738	±2.5	PASS
Band5	4132	2	NV	-20	1.29	0.001561	±2.5	PASS
Band5	4132	2	NV	-10	1.42	0.001718	±2.5	PASS
Band5	4132	2	NV	0	-0.22	-0.000266	±2.5	PASS
Band5	4132	2	NV	10	-0.27	-0.000327	±2.5	PASS
Band5	4132	2	NV	20	-1.45	-0.001755	±2.5	PASS
Band5	4132	2	NV	30	-1.14	-0.001379	±2.5	PASS
Band5	4132	2	NV	40	1.49	0.001803	±2.5	PASS
Band5	4132	2	NV	50	0.25	0.000303	±2.5	PASS
Band5	4132	3	NV	-30	-2.33	-0.002819	±2.5	PASS
Band5	4132	3	NV	-20	-1.24	-0.001500	±2.5	PASS
Band5	4132	3	NV	-10	-0.04	-0.000048	±2.5	PASS
Band5	4132	3	NV	0	0.97	0.001174	±2.5	PASS
Band5	4132	3	NV	10	-4.06	-0.004913	±2.5	PASS
Band5	4132	3	NV	20	-2.37	-0.002868	±2.5	PASS
Band5	4132	3	NV	30	0.76	0.000920	±2.5	PASS
Band5	4132	3	NV	40	-1.05	-0.001271	±2.5	PASS
Band5	4132	3	NV	50	-0.81	-0.000980	±2.5	PASS
Band5	4132	4	NV	-30	0.24	0.000290	±2.5	PASS
Band5	4132	4	NV	-20	0.55	0.000666	±2.5	PASS

Band5	4132	4	NV	-10	-1.74	-0.002106	±2.5	PASS
Band5	4132	4	NV	0	-1.91	-0.002311	±2.5	PASS
Band5	4132	4	NV	10	-2.58	-0.003122	±2.5	PASS
Band5	4132	4	NV	20	-3.42	-0.004138	±2.5	PASS
Band5	4132	4	NV	30	-3.72	-0.004501	±2.5	PASS
Band5	4132	4	NV	40	-3.86	-0.004671	±2.5	PASS
Band5	4132	4	NV	50	0.43	0.000520	±2.5	PASS
Band5	4182	1	NV	-30	3.65	0.004364	±2.5	PASS
Band5	4182	1	NV	-20	-0.84	-0.001004	±2.5	PASS
Band5	4182	1	NV	-10	2.06	0.002463	±2.5	PASS
Band5	4182	1	NV	0	1.50	0.001793	±2.5	PASS
Band5	4182	1	NV	10	1.09	0.001303	±2.5	PASS
Band5	4182	1	NV	20	2.32	0.002774	±2.5	PASS
Band5	4182	1	NV	30	2.04	0.002439	±2.5	PASS
Band5	4182	1	NV	40	1.19	0.001423	±2.5	PASS
Band5	4182	1	NV	50	0.49	0.000586	±2.5	PASS
Band5	4182	2	NV	-30	2.50	0.002989	±2.5	PASS
Band5	4182	2	NV	-20	1.87	0.002236	±2.5	PASS
Band5	4182	2	NV	-10	2.91	0.003479	±2.5	PASS
Band5	4182	2	NV	0	2.04	0.002439	±2.5	PASS
Band5	4182	2	NV	10	2.25	0.002690	±2.5	PASS
Band5	4182	2	NV	20	0.72	0.000861	±2.5	PASS
Band5	4182	2	NV	30	0.89	0.001064	±2.5	PASS
Band5	4182	2	NV	40	1.14	0.001363	±2.5	PASS
Band5	4182	2	NV	50	1.11	0.001327	±2.5	PASS
Band5	4182	3	NV	-30	-2.14	-0.002559	±2.5	PASS
Band5	4182	3	NV	-20	-1.71	-0.002044	±2.5	PASS
Band5	4182	3	NV	-10	-2.73	-0.003264	±2.5	PASS
Band5	4182	3	NV	0	0.69	0.000825	±2.5	PASS
Band5	4182	3	NV	10	1.19	0.001423	±2.5	PASS
Band5	4182	3	NV	20	0.52	0.000622	±2.5	PASS
Band5	4182	3	NV	30	-1.29	-0.001542	±2.5	PASS
Band5	4182	3	NV	40	2.42	0.002893	±2.5	PASS
Band5	4182	3	NV	50	3.11	0.003718	±2.5	PASS
Band5	4182	4	NV	-30	0.09	0.000108	±2.5	PASS
Band5	4182	4	NV	-20	1.56	0.001865	±2.5	PASS
Band5	4182	4	NV	-10	1.21	0.001447	±2.5	PASS
Band5	4182	4	NV	0	-0.53	-0.000634	±2.5	PASS
Band5	4182	4	NV	10	-1.52	-0.001817	±2.5	PASS
Band5	4182	4	NV	20	-0.72	-0.000861	±2.5	PASS
Band5	4182	4	NV	30	-1.42	-0.001698	±2.5	PASS
Band5	4182	4	NV	40	-1.99	-0.002379	±2.5	PASS
Band5	4182	4	NV	50	-1.31	-0.001566	±2.5	PASS

Band5	4233	1	NV	-30	0.94	0.001110	±2.5	PASS
Band5	4233	1	NV	-20	-0.72	-0.000850	±2.5	PASS
Band5	4233	1	NV	-10	3.53	0.004170	±2.5	PASS
Band5	4233	1	NV	0	3.45	0.004075	±2.5	PASS
Band5	4233	1	NV	10	2.50	0.002953	±2.5	PASS
Band5	4233	1	NV	20	2.11	0.002492	±2.5	PASS
Band5	4233	1	NV	30	2.57	0.003036	±2.5	PASS
Band5	4233	1	NV	40	2.94	0.003473	±2.5	PASS
Band5	4233	1	NV	50	1.70	0.002008	±2.5	PASS
Band5	4233	2	NV	-30	0.07	0.000083	±2.5	PASS
Band5	4233	2	NV	-20	3.43	0.004052	±2.5	PASS
Band5	4233	2	NV	-10	-0.38	-0.000449	±2.5	PASS
Band5	4233	2	NV	0	1.31	0.001547	±2.5	PASS
Band5	4233	2	NV	10	0.01	0.000012	±2.5	PASS
Band5	4233	2	NV	20	1.44	0.001701	±2.5	PASS
Band5	4233	2	NV	30	0.57	0.000673	±2.5	PASS
Band5	4233	2	NV	40	0.06	0.000071	±2.5	PASS
Band5	4233	2	NV	50	1.20	0.001417	±2.5	PASS
Band5	4233	3	NV	-30	1.34	0.001583	±2.5	PASS
Band5	4233	3	NV	-20	1.12	0.001323	±2.5	PASS
Band5	4233	3	NV	-10	1.87	0.002209	±2.5	PASS
Band5	4233	3	NV	0	1.61	0.001902	±2.5	PASS
Band5	4233	3	NV	10	-1.25	-0.001476	±2.5	PASS
Band5	4233	3	NV	20	1.97	0.002327	±2.5	PASS
Band5	4233	3	NV	30	0.69	0.000815	±2.5	PASS
Band5	4233	3	NV	40	1.12	0.001323	±2.5	PASS
Band5	4233	3	NV	50	0.41	0.000484	±2.5	PASS
Band5	4233	4	NV	-30	1.65	0.001949	±2.5	PASS
Band5	4233	4	NV	-20	-0.04	-0.000047	±2.5	PASS
Band5	4233	4	NV	-10	0.13	0.000154	±2.5	PASS
Band5	4233	4	NV	0	1.62	0.001914	±2.5	PASS
Band5	4233	4	NV	10	1.64	0.001937	±2.5	PASS
Band5	4233	4	NV	20	1.67	0.001973	±2.5	PASS
Band5	4233	4	NV	30	3.31	0.003910	±2.5	PASS
Band5	4233	4	NV	40	1.68	0.001984	±2.5	PASS
Band5	4233	4	NV	50	2.94	0.003473	±2.5	PASS

Voltage(WCDMA_HSUPA)								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VN	NT	-3.57	-0.001927	±2.5	PASS
Band2	9262	1	VL	NT	-1.41	-0.000761	±2.5	PASS
Band2	9262	1	VH	NT	0.83	0.000448	±2.5	PASS
Band2	9262	2	VN	NT	-1.35	-0.000729	±2.5	PASS
Band2	9262	2	VL	NT	-0.75	-0.000405	±2.5	PASS
Band2	9262	2	VH	NT	2.49	0.001344	±2.5	PASS
Band2	9262	3	VN	NT	-0.82	-0.000443	±2.5	PASS
Band2	9262	3	VL	NT	1.83	0.000988	±2.5	PASS
Band2	9262	3	VH	NT	2.29	0.001236	±2.5	PASS
Band2	9262	4	VN	NT	-0.43	-0.000232	±2.5	PASS
Band2	9262	4	VL	NT	6.65	0.003590	±2.5	PASS
Band2	9262	4	VH	NT	2.85	0.001539	±2.5	PASS
Band2	9262	5	VN	NT	3.20	0.001727	±2.5	PASS
Band2	9262	5	VL	NT	1.09	0.000588	±2.5	PASS
Band2	9262	5	VH	NT	7.20	0.003887	±2.5	PASS
Band2	9400	1	VN	NT	-9.72	-0.005170	±2.5	PASS
Band2	9400	1	VL	NT	3.26	0.001734	±2.5	PASS
Band2	9400	1	VH	NT	0.69	0.000367	±2.5	PASS
Band2	9400	2	VN	NT	-1.17	-0.000622	±2.5	PASS
Band2	9400	2	VL	NT	4.86	0.002585	±2.5	PASS
Band2	9400	2	VH	NT	0.67	0.000356	±2.5	PASS
Band2	9400	3	VN	NT	-2.54	-0.001351	±2.5	PASS
Band2	9400	3	VL	NT	1.82	0.000968	±2.5	PASS
Band2	9400	3	VH	NT	-0.21	-0.000112	±2.5	PASS
Band2	9400	4	VN	NT	0.82	0.000436	±2.5	PASS
Band2	9400	4	VL	NT	2.73	0.001452	±2.5	PASS
Band2	9400	4	VH	NT	1.22	0.000649	±2.5	PASS
Band2	9400	5	VN	NT	-6.82	-0.003628	±2.5	PASS
Band2	9400	5	VL	NT	0.91	0.000484	±2.5	PASS
Band2	9400	5	VH	NT	-0.22	-0.000117	±2.5	PASS
Band2	9538	1	VN	NT	-5.42	-0.002841	±2.5	PASS
Band2	9538	1	VL	NT	-0.74	-0.000388	±2.5	PASS
Band2	9538	1	VH	NT	1.19	0.000624	±2.5	PASS
Band2	9538	2	VN	NT	-0.87	-0.000456	±2.5	PASS
Band2	9538	2	VL	NT	-3.48	-0.001824	±2.5	PASS
Band2	9538	2	VH	NT	-3.48	-0.001824	±2.5	PASS
Band2	9538	3	VN	NT	1.98	0.001038	±2.5	PASS
Band2	9538	3	VL	NT	-4.61	-0.002417	±2.5	PASS
Band2	9538	3	VH	NT	-0.41	-0.000215	±2.5	PASS
Band2	9538	4	VN	NT	-1.08	-0.000566	±2.5	PASS

Band2	9538	4	VL	NT	-2.19	-0.001148	±2.5	PASS
Band2	9538	4	VH	NT	2.30	0.001206	±2.5	PASS
Band2	9538	5	VN	NT	-10.16	-0.005326	±2.5	PASS
Band2	9538	5	VL	NT	5.44	0.002852	±2.5	PASS
Band2	9538	5	VH	NT	-1.96	-0.001027	±2.5	PASS
Band5	4132	1	VN	NT	-1.76	-0.002130	±2.5	PASS
Band5	4132	1	VL	NT	-0.87	-0.001053	±2.5	PASS
Band5	4132	1	VH	NT	0.14	0.000169	±2.5	PASS
Band5	4132	2	VN	NT	1.10	0.001331	±2.5	PASS
Band5	4132	2	VL	NT	-0.58	-0.000702	±2.5	PASS
Band5	4132	2	VH	NT	-1.18	-0.001428	±2.5	PASS
Band5	4132	3	VN	NT	1.17	0.001416	±2.5	PASS
Band5	4132	3	VL	NT	0.34	0.000411	±2.5	PASS
Band5	4132	3	VH	NT	-0.35	-0.000424	±2.5	PASS
Band5	4132	4	VN	NT	0.87	0.001053	±2.5	PASS
Band5	4132	4	VL	NT	-0.26	-0.000315	±2.5	PASS
Band5	4132	4	VH	NT	-0.99	-0.001198	±2.5	PASS
Band5	4132	5	VN	NT	0.19	0.000230	±2.5	PASS
Band5	4132	5	VL	NT	2.75	0.003328	±2.5	PASS
Band5	4132	5	VH	NT	0.94	0.001137	±2.5	PASS
Band5	4182	1	VN	NT	-6.70	-0.008011	±2.5	PASS
Band5	4182	1	VL	NT	1.52	0.001817	±2.5	PASS
Band5	4182	1	VH	NT	-3.27	-0.003910	±2.5	PASS
Band5	4182	2	VN	NT	-3.36	-0.004017	±2.5	PASS
Band5	4182	2	VL	NT	-1.37	-0.001638	±2.5	PASS
Band5	4182	2	VH	NT	-0.32	-0.000383	±2.5	PASS
Band5	4182	3	VN	NT	0.09	0.000108	±2.5	PASS
Band5	4182	3	VL	NT	0.31	0.000371	±2.5	PASS
Band5	4182	3	VH	NT	0.02	0.000024	±2.5	PASS
Band5	4182	4	VN	NT	0.99	0.001184	±2.5	PASS
Band5	4182	4	VL	NT	6.30	0.007532	±2.5	PASS
Band5	4182	4	VH	NT	-2.35	-0.002810	±2.5	PASS
Band5	4182	5	VN	NT	3.72	0.004448	±2.5	PASS
Band5	4182	5	VL	NT	-0.39	-0.000466	±2.5	PASS
Band5	4182	5	VH	NT	0.94	0.001124	±2.5	PASS
Band5	4233	1	VN	NT	-0.46	-0.000543	±2.5	PASS
Band5	4233	1	VL	NT	-1.04	-0.001228	±2.5	PASS
Band5	4233	1	VH	NT	-0.11	-0.000130	±2.5	PASS
Band5	4233	2	VN	NT	-1.52	-0.001795	±2.5	PASS
Band5	4233	2	VL	NT	0.22	0.000260	±2.5	PASS
Band5	4233	2	VH	NT	-1.19	-0.001406	±2.5	PASS
Band5	4233	3	VN	NT	-1.14	-0.001347	±2.5	PASS
Band5	4233	3	VL	NT	1.69	0.001996	±2.5	PASS

Band5	4233	3	VH	NT	3.28	0.003874	±2.5	PASS
Band5	4233	4	VN	NT	-1.01	-0.001193	±2.5	PASS
Band5	4233	4	VL	NT	-2.04	-0.002410	±2.5	PASS
Band5	4233	4	VH	NT	1.12	0.001323	±2.5	PASS
Band5	4233	5	VN	NT	3.21	0.003792	±2.5	PASS
Band5	4233	5	VL	NT	-0.51	-0.000602	±2.5	PASS
Band5	4233	5	VH	NT	1.02	0.001205	±2.5	PASS

Temperature(WCDMA_HSUPA)								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	-0.19	-0.000103	±2.5	PASS
Band2	9262	1	NV	-20	0.19	0.000103	±2.5	PASS
Band2	9262	1	NV	-10	-0.69	-0.000372	±2.5	PASS
Band2	9262	1	NV	0	-0.79	-0.000426	±2.5	PASS
Band2	9262	1	NV	10	0.73	0.000394	±2.5	PASS
Band2	9262	1	NV	20	1.97	0.001063	±2.5	PASS
Band2	9262	1	NV	30	-2.07	-0.001117	±2.5	PASS
Band2	9262	1	NV	40	-0.93	-0.000502	±2.5	PASS
Band2	9262	1	NV	50	2.32	0.001252	±2.5	PASS
Band2	9262	2	NV	-30	-2.13	-0.001150	±2.5	PASS
Band2	9262	2	NV	-20	3.93	0.002122	±2.5	PASS
Band2	9262	2	NV	-10	-3.50	-0.001889	±2.5	PASS
Band2	9262	2	NV	0	-1.60	-0.000864	±2.5	PASS
Band2	9262	2	NV	10	3.22	0.001738	±2.5	PASS
Band2	9262	2	NV	20	-1.08	-0.000583	±2.5	PASS
Band2	9262	2	NV	30	-0.14	-0.000076	±2.5	PASS
Band2	9262	2	NV	40	-0.41	-0.000221	±2.5	PASS
Band2	9262	2	NV	50	1.64	0.000885	±2.5	PASS
Band2	9262	3	NV	-30	3.64	0.001965	±2.5	PASS
Band2	9262	3	NV	-20	-1.75	-0.000945	±2.5	PASS
Band2	9262	3	NV	-10	-7.15	-0.003860	±2.5	PASS
Band2	9262	3	NV	0	-7.30	-0.003941	±2.5	PASS
Band2	9262	3	NV	10	2.57	0.001387	±2.5	PASS
Band2	9262	3	NV	20	7.18	0.003876	±2.5	PASS
Band2	9262	3	NV	30	6.89	0.003719	±2.5	PASS
Band2	9262	3	NV	40	3.10	0.001674	±2.5	PASS
Band2	9262	3	NV	50	1.89	0.001020	±2.5	PASS
Band2	9262	4	NV	-30	-3.40	-0.001835	±2.5	PASS
Band2	9262	4	NV	-20	-3.11	-0.001679	±2.5	PASS
Band2	9262	4	NV	-10	-3.29	-0.001776	±2.5	PASS
Band2	9262	4	NV	0	-3.39	-0.001830	±2.5	PASS
Band2	9262	4	NV	10	-2.28	-0.001231	±2.5	PASS
Band2	9262	4	NV	20	-1.16	-0.000626	±2.5	PASS
Band2	9262	4	NV	30	-1.27	-0.000686	±2.5	PASS
Band2	9262	4	NV	40	-2.58	-0.001393	±2.5	PASS
Band2	9262	4	NV	50	-1.27	-0.000686	±2.5	PASS
Band2	9262	5	NV	-30	0.63	0.000340	±2.5	PASS
Band2	9262	5	NV	-20	-0.66	-0.000356	±2.5	PASS
Band2	9262	5	NV	-10	3.68	0.001987	±2.5	PASS
Band2	9262	5	NV	0	-2.88	-0.001555	±2.5	PASS

Band2	9262	5	NV	10	-0.98	-0.000529	±2.5	PASS
Band2	9262	5	NV	20	0.37	0.000200	±2.5	PASS
Band2	9262	5	NV	30	1.78	0.000961	±2.5	PASS
Band2	9262	5	NV	40	1.86	0.001004	±2.5	PASS
Band2	9262	5	NV	50	3.38	0.001825	±2.5	PASS
Band2	9400	1	NV	-30	-0.82	-0.000436	±2.5	PASS
Band2	9400	1	NV	-20	5.51	0.002931	±2.5	PASS
Band2	9400	1	NV	-10	3.35	0.001782	±2.5	PASS
Band2	9400	1	NV	0	-0.16	-0.000085	±2.5	PASS
Band2	9400	1	NV	10	0.70	0.000372	±2.5	PASS
Band2	9400	1	NV	20	3.10	0.001649	±2.5	PASS
Band2	9400	1	NV	30	-0.28	-0.000149	±2.5	PASS
Band2	9400	1	NV	40	5.51	0.002931	±2.5	PASS
Band2	9400	1	NV	50	-2.60	-0.001383	±2.5	PASS
Band2	9400	2	NV	-30	3.47	0.001846	±2.5	PASS
Band2	9400	2	NV	-20	1.49	0.000793	±2.5	PASS
Band2	9400	2	NV	-10	3.69	0.001963	±2.5	PASS
Band2	9400	2	NV	0	5.63	0.002995	±2.5	PASS
Band2	9400	2	NV	10	4.15	0.002207	±2.5	PASS
Band2	9400	2	NV	20	-0.74	-0.000394	±2.5	PASS
Band2	9400	2	NV	30	2.65	0.001410	±2.5	PASS
Band2	9400	2	NV	40	0.72	0.000383	±2.5	PASS
Band2	9400	2	NV	50	3.48	0.001851	±2.5	PASS
Band2	9400	3	NV	-30	0.61	0.000324	±2.5	PASS
Band2	9400	3	NV	-20	0.71	0.000378	±2.5	PASS
Band2	9400	3	NV	-10	2.60	0.001383	±2.5	PASS
Band2	9400	3	NV	0	2.21	0.001176	±2.5	PASS
Band2	9400	3	NV	10	1.22	0.000649	±2.5	PASS
Band2	9400	3	NV	20	1.65	0.000878	±2.5	PASS
Band2	9400	3	NV	30	1.97	0.001048	±2.5	PASS
Band2	9400	3	NV	40	2.42	0.001287	±2.5	PASS
Band2	9400	3	NV	50	0.91	0.000484	±2.5	PASS
Band2	9400	4	NV	-30	6.51	0.003463	±2.5	PASS
Band2	9400	4	NV	-20	-0.18	-0.000096	±2.5	PASS
Band2	9400	4	NV	-10	1.31	0.000697	±2.5	PASS
Band2	9400	4	NV	0	0.65	0.000346	±2.5	PASS
Band2	9400	4	NV	10	-1.33	-0.000707	±2.5	PASS
Band2	9400	4	NV	20	1.66	0.000883	±2.5	PASS
Band2	9400	4	NV	30	-1.07	-0.000569	±2.5	PASS
Band2	9400	4	NV	40	2.87	0.001527	±2.5	PASS
Band2	9400	4	NV	50	-2.59	-0.001378	±2.5	PASS
Band2	9400	5	NV	-30	1.82	0.000968	±2.5	PASS
Band2	9400	5	NV	-20	4.58	0.002436	±2.5	PASS

Band2	9400	5	NV	-10	-0.20	-0.000106	±2.5	PASS
Band2	9400	5	NV	0	2.02	0.001074	±2.5	PASS
Band2	9400	5	NV	10	-0.95	-0.000505	±2.5	PASS
Band2	9400	5	NV	20	0.40	0.000213	±2.5	PASS
Band2	9400	5	NV	30	-2.79	-0.001484	±2.5	PASS
Band2	9400	5	NV	40	-0.46	-0.000245	±2.5	PASS
Band2	9400	5	NV	50	1.11	0.000590	±2.5	PASS
Band2	9538	1	NV	-30	2.42	0.001269	±2.5	PASS
Band2	9538	1	NV	-20	0.25	0.000131	±2.5	PASS
Band2	9538	1	NV	-10	-1.44	-0.000755	±2.5	PASS
Band2	9538	1	NV	0	4.27	0.002238	±2.5	PASS
Band2	9538	1	NV	10	-0.54	-0.000283	±2.5	PASS
Band2	9538	1	NV	20	-0.62	-0.000325	±2.5	PASS
Band2	9538	1	NV	30	7.76	0.004068	±2.5	PASS
Band2	9538	1	NV	40	-2.63	-0.001379	±2.5	PASS
Band2	9538	1	NV	50	2.81	0.001473	±2.5	PASS
Band2	9538	2	NV	-30	1.25	0.000655	±2.5	PASS
Band2	9538	2	NV	-20	1.86	0.000975	±2.5	PASS
Band2	9538	2	NV	-10	2.07	0.001085	±2.5	PASS
Band2	9538	2	NV	0	-3.91	-0.002050	±2.5	PASS
Band2	9538	2	NV	10	-1.61	-0.000844	±2.5	PASS
Band2	9538	2	NV	20	7.25	0.003801	±2.5	PASS
Band2	9538	2	NV	30	-0.26	-0.000136	±2.5	PASS
Band2	9538	2	NV	40	2.85	0.001494	±2.5	PASS
Band2	9538	2	NV	50	2.05	0.001075	±2.5	PASS
Band2	9538	3	NV	-30	1.80	0.000944	±2.5	PASS
Band2	9538	3	NV	-20	-2.54	-0.001332	±2.5	PASS
Band2	9538	3	NV	-10	1.49	0.000781	±2.5	PASS
Band2	9538	3	NV	0	4.64	0.002432	±2.5	PASS
Band2	9538	3	NV	10	6.01	0.003151	±2.5	PASS
Band2	9538	3	NV	20	3.10	0.001625	±2.5	PASS
Band2	9538	3	NV	30	4.53	0.002375	±2.5	PASS
Band2	9538	3	NV	40	0.57	0.000299	±2.5	PASS
Band2	9538	3	NV	50	-1.52	-0.000797	±2.5	PASS
Band2	9538	4	NV	-30	-0.55	-0.000288	±2.5	PASS
Band2	9538	4	NV	-20	3.73	0.001955	±2.5	PASS
Band2	9538	4	NV	-10	3.93	0.002060	±2.5	PASS
Band2	9538	4	NV	0	-1.21	-0.000634	±2.5	PASS
Band2	9538	4	NV	10	-1.29	-0.000676	±2.5	PASS
Band2	9538	4	NV	20	-0.99	-0.000519	±2.5	PASS
Band2	9538	4	NV	30	-1.33	-0.000697	±2.5	PASS
Band2	9538	4	NV	40	1.17	0.000613	±2.5	PASS
Band2	9538	4	NV	50	-0.09	-0.000047	±2.5	PASS

Band2	9538	5	NV	-30	0.51	0.000267	±2.5	PASS
Band2	9538	5	NV	-20	1.02	0.000535	±2.5	PASS
Band2	9538	5	NV	-10	0.00	0.000000	±2.5	PASS
Band2	9538	5	NV	0	-3.38	-0.001772	±2.5	PASS
Band2	9538	5	NV	10	-2.42	-0.001269	±2.5	PASS
Band2	9538	5	NV	20	1.84	0.000965	±2.5	PASS
Band2	9538	5	NV	30	5.56	0.002915	±2.5	PASS
Band2	9538	5	NV	40	5.38	0.002820	±2.5	PASS
Band2	9538	5	NV	50	11.36	0.005955	±2.5	PASS
Band5	4132	1	NV	-30	0.03	0.000036	±2.5	PASS
Band5	4132	1	NV	-20	-0.01	-0.000012	±2.5	PASS
Band5	4132	1	NV	-10	-0.50	-0.000605	±2.5	PASS
Band5	4132	1	NV	0	-1.19	-0.001440	±2.5	PASS
Band5	4132	1	NV	10	1.16	0.001404	±2.5	PASS
Band5	4132	1	NV	20	0.99	0.001198	±2.5	PASS
Band5	4132	1	NV	30	-0.19	-0.000230	±2.5	PASS
Band5	4132	1	NV	40	0.29	0.000351	±2.5	PASS
Band5	4132	1	NV	50	0.72	0.000871	±2.5	PASS
Band5	4132	2	NV	-30	-0.63	-0.000762	±2.5	PASS
Band5	4132	2	NV	-20	-1.94	-0.002348	±2.5	PASS
Band5	4132	2	NV	-10	-0.65	-0.000787	±2.5	PASS
Band5	4132	2	NV	0	1.54	0.001864	±2.5	PASS
Band5	4132	2	NV	10	0.66	0.000799	±2.5	PASS
Band5	4132	2	NV	20	0.93	0.001125	±2.5	PASS
Band5	4132	2	NV	30	-0.08	-0.000097	±2.5	PASS
Band5	4132	2	NV	40	0.99	0.001198	±2.5	PASS
Band5	4132	2	NV	50	-0.09	-0.000109	±2.5	PASS
Band5	4132	3	NV	-30	0.61	0.000738	±2.5	PASS
Band5	4132	3	NV	-20	-0.09	-0.000109	±2.5	PASS
Band5	4132	3	NV	-10	-1.35	-0.001634	±2.5	PASS
Band5	4132	3	NV	0	-1.24	-0.001500	±2.5	PASS
Band5	4132	3	NV	10	-0.71	-0.000859	±2.5	PASS
Band5	4132	3	NV	20	0.03	0.000036	±2.5	PASS
Band5	4132	3	NV	30	-0.25	-0.000303	±2.5	PASS
Band5	4132	3	NV	40	0.14	0.000169	±2.5	PASS
Band5	4132	3	NV	50	-1.69	-0.002045	±2.5	PASS
Band5	4132	4	NV	-30	-0.51	-0.000617	±2.5	PASS
Band5	4132	4	NV	-20	0.91	0.001101	±2.5	PASS
Band5	4132	4	NV	-10	-0.36	-0.000436	±2.5	PASS
Band5	4132	4	NV	0	-0.73	-0.000883	±2.5	PASS
Band5	4132	4	NV	10	-0.77	-0.000932	±2.5	PASS
Band5	4132	4	NV	20	-2.16	-0.002614	±2.5	PASS
Band5	4132	4	NV	30	-0.54	-0.000653	±2.5	PASS

Band5	4132	4	NV	40	0.50	0.000605	±2.5	PASS
Band5	4132	4	NV	50	-0.67	-0.000811	±2.5	PASS
Band5	4132	5	NV	-30	-1.02	-0.001234	±2.5	PASS
Band5	4132	5	NV	-20	1.94	0.002348	±2.5	PASS
Band5	4132	5	NV	-10	-0.77	-0.000932	±2.5	PASS
Band5	4132	5	NV	0	-1.38	-0.001670	±2.5	PASS
Band5	4132	5	NV	10	2.42	0.002928	±2.5	PASS
Band5	4132	5	NV	20	-0.01	-0.000012	±2.5	PASS
Band5	4132	5	NV	30	-6.00	-0.007260	±2.5	PASS
Band5	4132	5	NV	40	-0.45	-0.000545	±2.5	PASS
Band5	4132	5	NV	50	-1.60	-0.001936	±2.5	PASS
Band5	4182	1	NV	-30	0.83	0.000992	±2.5	PASS
Band5	4182	1	NV	-20	-2.07	-0.002475	±2.5	PASS
Band5	4182	1	NV	-10	2.59	0.003097	±2.5	PASS
Band5	4182	1	NV	0	-1.11	-0.001327	±2.5	PASS
Band5	4182	1	NV	10	-3.17	-0.003790	±2.5	PASS
Band5	4182	1	NV	20	-2.78	-0.003324	±2.5	PASS
Band5	4182	1	NV	30	-1.17	-0.001399	±2.5	PASS
Band5	4182	1	NV	40	0.67	0.000801	±2.5	PASS
Band5	4182	1	NV	50	0.42	0.000502	±2.5	PASS
Band5	4182	2	NV	-30	1.82	0.002176	±2.5	PASS
Band5	4182	2	NV	-20	-0.59	-0.000705	±2.5	PASS
Band5	4182	2	NV	-10	0.42	0.000502	±2.5	PASS
Band5	4182	2	NV	0	-1.23	-0.001471	±2.5	PASS
Band5	4182	2	NV	10	2.38	0.002846	±2.5	PASS
Band5	4182	2	NV	20	-0.05	-0.000060	±2.5	PASS
Band5	4182	2	NV	30	-0.97	-0.001160	±2.5	PASS
Band5	4182	2	NV	40	-2.63	-0.003144	±2.5	PASS
Band5	4182	2	NV	50	4.22	0.005045	±2.5	PASS
Band5	4182	3	NV	-30	-0.73	-0.000873	±2.5	PASS
Band5	4182	3	NV	-20	-1.37	-0.001638	±2.5	PASS
Band5	4182	3	NV	-10	0.63	0.000753	±2.5	PASS
Band5	4182	3	NV	0	1.67	0.001997	±2.5	PASS
Band5	4182	3	NV	10	-0.67	-0.000801	±2.5	PASS
Band5	4182	3	NV	20	2.60	0.003109	±2.5	PASS
Band5	4182	3	NV	30	2.60	0.003109	±2.5	PASS
Band5	4182	3	NV	40	2.10	0.002511	±2.5	PASS
Band5	4182	3	NV	50	1.40	0.001674	±2.5	PASS
Band5	4182	4	NV	-30	-5.69	-0.006803	±2.5	PASS
Band5	4182	4	NV	-20	-5.92	-0.007078	±2.5	PASS
Band5	4182	4	NV	-10	3.89	0.004651	±2.5	PASS
Band5	4182	4	NV	0	3.50	0.004185	±2.5	PASS
Band5	4182	4	NV	10	2.92	0.003491	±2.5	PASS

Band5	4182	4	NV	20	1.95	0.002331	±2.5	PASS
Band5	4182	4	NV	30	1.97	0.002355	±2.5	PASS
Band5	4182	4	NV	40	1.12	0.001339	±2.5	PASS
Band5	4182	4	NV	50	0.29	0.000347	±2.5	PASS
Band5	4182	5	NV	-30	-1.32	-0.001578	±2.5	PASS
Band5	4182	5	NV	-20	-1.86	-0.002224	±2.5	PASS
Band5	4182	5	NV	-10	2.02	0.002415	±2.5	PASS
Band5	4182	5	NV	0	1.22	0.001459	±2.5	PASS
Band5	4182	5	NV	10	2.85	0.003407	±2.5	PASS
Band5	4182	5	NV	20	-0.64	-0.000765	±2.5	PASS
Band5	4182	5	NV	30	-0.82	-0.000980	±2.5	PASS
Band5	4182	5	NV	40	-0.85	-0.001016	±2.5	PASS
Band5	4182	5	NV	50	-4.53	-0.005416	±2.5	PASS
Band5	4233	1	NV	-30	-0.69	-0.000815	±2.5	PASS
Band5	4233	1	NV	-20	1.01	0.001193	±2.5	PASS
Band5	4233	1	NV	-10	1.44	0.001701	±2.5	PASS
Band5	4233	1	NV	0	0.66	0.000780	±2.5	PASS
Band5	4233	1	NV	10	1.15	0.001358	±2.5	PASS
Band5	4233	1	NV	20	3.88	0.004583	±2.5	PASS
Band5	4233	1	NV	30	2.06	0.002433	±2.5	PASS
Band5	4233	1	NV	40	0.52	0.000614	±2.5	PASS
Band5	4233	1	NV	50	1.85	0.002185	±2.5	PASS
Band5	4233	2	NV	-30	0.68	0.000803	±2.5	PASS
Band5	4233	2	NV	-20	-0.87	-0.001028	±2.5	PASS
Band5	4233	2	NV	-10	0.12	0.000142	±2.5	PASS
Band5	4233	2	NV	0	1.52	0.001795	±2.5	PASS
Band5	4233	2	NV	10	0.07	0.000083	±2.5	PASS
Band5	4233	2	NV	20	1.76	0.002079	±2.5	PASS
Band5	4233	2	NV	30	-0.47	-0.000555	±2.5	PASS
Band5	4233	2	NV	40	-0.54	-0.000638	±2.5	PASS
Band5	4233	2	NV	50	-0.27	-0.000319	±2.5	PASS
Band5	4233	3	NV	-30	1.28	0.001512	±2.5	PASS
Band5	4233	3	NV	-20	-2.83	-0.003343	±2.5	PASS
Band5	4233	3	NV	-10	-2.11	-0.002492	±2.5	PASS
Band5	4233	3	NV	0	-1.62	-0.001914	±2.5	PASS
Band5	4233	3	NV	10	-2.99	-0.003532	±2.5	PASS
Band5	4233	3	NV	20	-1.42	-0.001677	±2.5	PASS
Band5	4233	3	NV	30	-1.61	-0.001902	±2.5	PASS
Band5	4233	3	NV	40	-2.00	-0.002362	±2.5	PASS
Band5	4233	3	NV	50	-1.79	-0.002114	±2.5	PASS
Band5	4233	4	NV	-30	2.25	0.002658	±2.5	PASS
Band5	4233	4	NV	-20	3.71	0.004382	±2.5	PASS
Band5	4233	4	NV	-10	2.14	0.002528	±2.5	PASS

Band5	4233	4	NV	0	1.92	0.002268	±2.5	PASS
Band5	4233	4	NV	10	2.90	0.003425	±2.5	PASS
Band5	4233	4	NV	20	2.40	0.002835	±2.5	PASS
Band5	4233	4	NV	30	1.55	0.001831	±2.5	PASS
Band5	4233	4	NV	40	2.47	0.002918	±2.5	PASS
Band5	4233	4	NV	50	2.17	0.002563	±2.5	PASS
Band5	4233	5	NV	-30	0.06	0.000071	±2.5	PASS
Band5	4233	5	NV	-20	0.42	0.000496	±2.5	PASS
Band5	4233	5	NV	-10	-2.02	-0.002386	±2.5	PASS
Band5	4233	5	NV	0	0.44	0.000520	±2.5	PASS
Band5	4233	5	NV	10	0.41	0.000484	±2.5	PASS
Band5	4233	5	NV	20	0.36	0.000425	±2.5	PASS
Band5	4233	5	NV	30	1.92	0.002268	±2.5	PASS
Band5	4233	5	NV	40	-1.62	-0.001914	±2.5	PASS
Band5	4233	5	NV	50	-0.24	-0.000283	±2.5	PASS

-----END OF THE REPORT-----