


Mobile Gaming Controller




STK-7010 User Manual

EN / DE / FR / IT / ES




LED Instruction & Connect Method:


Charging Instruction:




Cloud Games Connection:




Android Controller Mode Connection:



key Configuration Mode Connection: For Android Only




Open the APP, allow the app display on the screen.



N-Switch Controller Mode Connection:



TURBO / AUTO Function On / Off:




TURBO Mode Speed:



Vibration Strength Adjust:



MACRO Function:




Joystick Calibration:

In the power-off state of the controller, press and hold the "SE" + "A" + "MODE" buttons simultaneously. The LED indicator under the MODE button will flash in red and blue alternately, indicating that the game controller has entered joystick calibration mode.

Move both joysticks in a full circle with normal force and speed 2 to 3 times, then lay the controller flat on a level surface. Press the "ST" button, and after the indicator light flashes, the game controller will turn off, indicating that calibration is complete.


Joystick Speed Adjusted:




RGB Color Switch:

RGB: Press the RGB button to switch between 10 lighting modes for the joystick's light ring. Long press for 3 seconds to turn off the lighting effects.

RGB Color Brightness Adjust :



Turn Off & On light :



Cleaning & Care:

- Cleaning and maintenance by the user must not be carried out by children unless they are 8 years or older and are supervised.
- Only clean the housing with a slightly damp soft cloth.
- Do not use aggressive cleaning agents or solvents, hard brushes, metal or sharp objects to avoid damaging the housing.
- Never immerse electrical parts of the product in water or other liquids during cleaning.
- Never hold the product under running water.
- Ensure that the USB-C cable is disconnected before cleaning.
- Ensure that no water (e.g. at the switches) penetrates the product.

Technology Data:

Battery : 3.7V , 800mA
Operating time : 4-6 hours
Charging time : 2.5-3.0hours
Connection : BT Wireless
Operating temperature : -20 to +45°C
Dimensions : 205x115x55 mm ?2mm
Humidity : 5% to 60% RH
Weight : approx. 270g (Product)
Data and charging cable : Length 1.00m, USB-A to USB-C cable
Colours : BK = Black, WT = White IML = Pictures
Material : ABS
Bluetooth version : 5.0+EDR
Frequency range : 2402 - 2480MHz

FCC Waring:

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

NOTE 1: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

NOTE 2: Any changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.