

	Annex B: Measurement Results
	Tested Model :M11
	Report Number: WSCT-A2LA-R&E231000017A-SAR

MEASUREMENT 1

Type: Phone measurement (Complete)

Date of measurement: 10/11/2023

Measurement duration: 8 minutes 10 seconds

A. Experimental conditions.


<u>Area Scan</u>	<u>dx=15mm dy=15mm</u>
<u>ZoomScan</u>	<u>5x5x7,dx=8mm dy=8mm</u> <u>dz=5mm,Complete</u>
<u>Phantom</u>	<u>Left head</u>
<u>Device Position</u>	<u>Cheek</u>
<u>Band</u>	<u>IEEE 802.11b ISM</u>
<u>Channels</u>	<u>Middle</u>
<u>Signal</u>	<u>IEEE802.b (Crest factor: 1.0)</u>

B. SAR Measurement Results


Middle Band SAR (Channel 6):

Frequency (MHz)	2437.000000
Relative permittivity (real part)	40.745499
Relative permittivity (imaginary part)	13.560400
Conductivity (S/m)	1.839694
Variation (%)	0.230000

SURFACE SAR



VOLUME SAR






Maximum location: X=-37.00, Y=7.00

SAR Peak: 1.29 W/kg

SAR 10g (W/Kg)	0.158110
SAR 1g (W/Kg)	0.333000

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR (W/Kg)	1.3081	0.6659	0.2410	0.0930	0.0380	0.0183	0.0152



3D screen shot	Hot spot position
	

MEASUREMENT 2

Rear-side-middle

Type: Phone measurement (Complete)

Date of measurement: 10/11/2023

Measurement duration: 11 minutes 22 seconds

A. Experimental conditions.


<u>Area Scan</u>	<u>dx=15mm dy=15mm</u>
<u>ZoomScan</u>	<u>5x5x7, dx=8mm dy=8mm</u> <u>dz=5mm, Complete</u>
<u>Phantom</u>	<u>Validation plane</u>
<u>Device Position</u>	<u>Body</u>
<u>Band</u>	<u>IEEE 802.11b ISM</u>
<u>Channels</u>	<u>Middle</u>
<u>Signal</u>	<u>IEEE802.b (Crest factor: 1.0)</u>

B. SAR Measurement Results


Middle Band SAR (Channel 6):

Frequency (MHz)	2437.000000
Relative permittivity (real part)	52.566399
Relative permittivity (imaginary part)	14.468200
Conductivity (S/m)	1.962852
Variation (%)	0.225000

SURFACE SAR



VOLUME SAR






Maximum location: X=16.00, Y=46.00

SAR Peak: 0.23 W/kg

SAR 10g (W/Kg)	0.169220
SAR 1g (W/Kg)	0.356140

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR (W/Kg)	0.2226	0.1206	0.0525	0.0281	0.0187	0.0148	0.0139



3D screen shot	Hot spot position
	

MEASUREMENT 3

20M-1RB#49

Type: Phone measurement (Complete)

Date of measurement: 6/11/2023

Measurement duration: 7 minutes 54 seconds

A. Experimental conditions.


<u>Area Scan</u>	<u>dx=15mm dy=15mm</u>
<u>ZoomScan</u>	<u>5x5x7, dx=8mm dy=8mm</u> <u>dz=5mm, Complete</u>
<u>Phantom</u>	<u>Left head</u>
<u>Device Position</u>	<u>Cheek</u>
<u>Band</u>	<u>LTE band 5</u>
<u>Channels</u>	<u>Middle</u>
<u>Signal</u>	<u>LTE (Crest factor: 1.0)</u>

B. SAR Measurement Results


Middleer Band SAR (Channel 20600):

Frequency (MHz)	844.000000
Relative permittivity (real part)	40.488499
Relative permittivity (imaginary part)	20.173700
Conductivity (S/m)	0.945362
Variation (%)	1.400000

SURFACE SAR



VOLUME SAR






Maximum location: X=-19.00, Y=-10.00

SAR Peak: 0.42 W/kg

SAR 10g (W/Kg)	0.267330
SAR 1g (W/Kg)	0.543220

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR (W/Kg)	0.4053	0.2862	0.1848	0.1234	0.0841	0.0598	0.0455



3D screen shot	Hot spot position
	

MEASUREMENT 4

Rear-side-20M-1RB#99-Middle

Type: Phone measurement (Complete)

Date of measurement: 6/11/2023

Measurement duration: 8 minutes 16 seconds

A. Experimental conditions.


<u>Area Scan</u>	<u>dx=15mm dy=15mm</u>
<u>ZoomScan</u>	<u>5x5x7, dx=8mm dy=8mm</u> <u>dz=5mm, Complete</u>
<u>Phantom</u>	<u>Validation plane</u>
<u>Device Position</u>	<u>Body</u>
<u>Band</u>	<u>LTE band 5</u>
<u>Channels</u>	<u>Middle</u>
<u>Signal</u>	<u>LTE (Crest factor: 1.0)</u>

B. SAR Measurement Results


Middleer Band SAR (Channel 20600):

Frequency (MHz)	844.000000
Relative permittivity (real part)	53.594849
Relative permittivity (imaginary part)	20.783649
Conductivity (S/m)	0.973945
Variation (%)	0.335000

SURFACE SAR



VOLUME SAR






Maximum location: X=-7.00, Y=-53.00

SAR Peak: 0.19 W/kg

SAR 10g (W/Kg)	0.197864
SAR 1g (W/Kg)	0.325164

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR (W/Kg)	0.2108	0.1562	0.1148	0.0951	0.0709	0.0643	0.0474



3D screen shot	Hot spot position
	

MEASUREMENT 5

20M-1RB#99

Type: Phone measurement (Complete)

Date of measurement: 10/11/2023

Measurement duration: 7 minutes 53 seconds

A. Experimental conditions.


<u>Area Scan</u>	<u>dx=15mm dy=15mm</u>
<u>ZoomScan</u>	<u>5x5x7, dx=8mm dy=8mm</u> <u>dz=5mm, Complete</u>
<u>Phantom</u>	<u>Left head</u>
<u>Device Position</u>	<u>Cheek</u>
<u>Band</u>	<u>LTE band 41</u>
<u>Channels</u>	<u>Middle</u>
<u>Signal</u>	<u>LTE (Crest factor: 1.0)</u>

B. SAR Measurement Results


Middleer Band SAR (Channel 40620):

Frequency (MHz)	2593.000000
Relative permittivity (real part)	39.125332
Relative permittivity (imaginary part)	13.350667
Conductivity (S/m)	1.858709
Variation (%)	0.020000

SURFACE SAR



VOLUME SAR






Maximum location: X=-6.00, Y=7.00

SAR Peak: 0.16 W/kg

SAR 10g (W/Kg)	0.366754
SAR 1g (W/Kg)	0.586794

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR (W/Kg)	0.1727	0.0881	0.0367	0.0272	0.0220	0.0202	0.0199



3D screen shot	Hot spot position
	

MEASUREMENT 6

Rear-side-20M-1RB#99-middle-Middle

Type: Phone measurement (Complete)

Date of measurement: 10/11/2023

Measurement duration: 7 minutes 31 seconds

A. Experimental conditions.


<u>Area Scan</u>	<u>dx=15mm dy=15mm</u>
<u>ZoomScan</u>	<u>5x5x7, dx=8mm dy=8mm</u> <u>dz=5mm, Complete</u>
<u>Phantom</u>	<u>Validation plane</u>
<u>Device Position</u>	<u>Body</u>
<u>Band</u>	<u>LTE band 41</u>
<u>Channels</u>	<u>Middle</u>
<u>Signal</u>	<u>LTE (Crest factor: 1.0)</u>

B. SAR Measurement Results


Middleer Band SAR (Channel 40620):

Frequency (MHz)	2593.000000
Relative permittivity (real part)	52.628727
Relative permittivity (imaginary part)	14.538727
Conductivity (S/m)	2.024114
Variation (%)	3.610000

SURFACE SAR



VOLUME SAR






Maximum location: X=-14.00, Y=35.00

SAR Peak: 0.39 W/kg

SAR 10g (W/Kg)	0.233672
SAR 1g (W/Kg)	0.368790

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR (W/Kg)	0.3869	0.2081	0.0900	0.0482	0.0324	0.0262	0.0243



3D screen shot	Hot spot position
	

MEASUREMENT 7

Type: Phone measurement (Complete)

Date of measurement: 6/11/2023

Measurement duration: 8 minutes 2 seconds


A. Experimental conditions.

<u>Area Scan</u>	<u>dx=15mm dy=15mm</u>
<u>ZoomScan</u>	<u>5x5x7,dx=8mm dy=8mm</u> <u>dz=5mm,Complete</u>
<u>Phantom</u>	<u>Left head</u>
<u>Device Position</u>	<u>Cheek</u>
<u>Band</u>	<u>GPRS850</u>
<u>Channels</u>	<u>Middle</u>
<u>Signal</u>	<u>TDMA (Crest factor: 8.0)</u>


B. SAR Measurement Results

Frequency (MHz)	824.200012
Relative permittivity (real part)	40.591839
Relative permittivity (imaginary part)	19.548140
Conductivity (S/m)	0.895088
Variation (%)	1.30000

SURFACE SAR



VOLUME SAR






Maximum location: X=-29.00, Y=9.00

SAR Peak: 0.62 W/kg

SAR 10g (W/Kg)	0.275977
SAR 1g (W/Kg)	0.574786

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR (W/Kg)	0.6985	0.4150	0.2243	0.2161	0.1191	0.1364	0.0801



3D screen shot	Hot spot position
	

MEASUREMENT 8

Rear-side-Middle

Type: Phone measurement (Complete)

Date of measurement: 6/11/2023

Measurement duration: 11 minutes 17 seconds


A. Experimental conditions.

<u>Area Scan</u>	<u>dx=15mm dy=15mm</u>
<u>ZoomScan</u>	<u>5x5x7, dx=8mm dy=8mm</u> <u>dz=5mm, Complete</u>
<u>Phantom</u>	<u>Validation plane</u>
<u>Device Position</u>	<u>Body</u>
<u>Band</u>	<u>CUSTOM (GPRS850 4Tx)</u>
<u>Channels</u>	<u>Middle</u>
<u>Signal</u>	<u>Duty Cycle: 2.00 (Crest factor: 2.0)</u>


B. SAR Measurement Results

Frequency (MHz)	824.200012
Relative permittivity (real part)	53.891621
Relative permittivity (imaginary part)	20.664499
Conductivity (S/m)	0.946204
Variation (%)	1.300000

SURFACE SAR



VOLUME SAR






Maximum location: X=16.00, Y=-24.00

SAR Peak: 0.16 W/kg

SAR 10g (W/Kg)	0.368975
SAR 1g (W/Kg)	0.667315

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR (W/Kg)	0.1583	0.1189	0.0856	0.0706	0.0517	0.0459	0.0356



3D screen shot	Hot spot position
	

MEASUREMENT 9

Type: Phone measurement (Complete)

Date of measurement: 7/11/2023

Measurement duration: 7 minutes 58 seconds


A. Experimental conditions.

<u>Area Scan</u>	<u>dx=15mm dy=15mm</u>
<u>ZoomScan</u>	<u>5x5x7,dx=8mm dy=8mm</u> <u>dz=5mm,Complete</u>
<u>Phantom</u>	<u>Left head</u>
<u>Device Position</u>	<u>Cheek</u>
<u>Band</u>	<u>GPRS1900</u>
<u>Channels</u>	<u>Middle</u>
<u>Signal</u>	<u>TDMA (Crest factor: 8.0)</u>


B. SAR Measurement Results

Frequency (MHz)	1880.000000
Relative permittivity (real part)	40.660301
Relative permittivity (imaginary part)	13.075800
Conductivity (S/m)	1.365695
Variation (%)	2.73000

SURFACE SAR



VOLUME SAR






Maximum location: X=-21.00, Y=11.00

SAR Peak: 1.37 W/kg

SAR 10g (W/Kg)	0.331246
SAR 1g (W/Kg)	0.721670

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR (W/Kg)	1.2995	0.7101	0.3134	0.1469	0.0959	0.0560	0.0503



3D screen shot	Hot spot position
	

MEASUREMENT 10

Front-side-middle

Type: Phone measurement (Complete)

Date of measurement: 7/11/2023

Measurement duration: 8 minutes 3 seconds


A. Experimental conditions.

<u>Area Scan</u>	<u>dx=15mm dy=15mm</u>
<u>ZoomScan</u>	<u>5x5x7, dx=8mm dy=8mm</u> <u>dz=5mm, Complete</u>
<u>Phantom</u>	<u>Validation plane</u>
<u>Device Position</u>	<u>Body</u>
<u>Band</u>	<u>CUSTOM (GPRS1900 4Tx)</u>
<u>Channels</u>	<u>Middle</u>
<u>Signal</u>	<u>Duty Cycle: 2.00 (Crest factor: 2.0)</u>


B. SAR Measurement Results

Frequency (MHz)	1880.000000
Relative permittivity (real part)	51.470901
Relative permittivity (imaginary part)	15.022000
Conductivity (S/m)	1.568964
Variation (%)	-0.590000

SURFACE SAR



VOLUME SAR






Maximum location: X=-12.00, Y=5.00

SAR Peak: 0.33 W/kg

SAR 10g (W/Kg)	0.183426
SAR 1g (W/Kg)	0.479841

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR (W/Kg)	0.3566	0.1918	0.0817	0.0557	0.0313	0.0253	0.0211



3D screen shot	Hot spot position
	

MEASUREMENT 11

Type: Phone measurement (Complete)

Date of measurement: 11/11/2023

Measurement duration: 8minutes 25seconds

A. Experimental conditions.


<u>Area Scan</u>	<u>dx=10mm dy=10mm</u>
<u>ZoomScan</u>	<u>7x7x12,dx=4mm dy=4mm</u> <u>dz=2mm,Complete</u>
<u>Phantom</u>	<u>Lefthead</u>
<u>Device Position</u>	<u>Cheek</u>
<u>Band</u>	<u>IEEE 802.11a U-NII-2A</u>
<u>Channels</u>	<u>Middle</u>
<u>Signal</u>	<u>Duty cycle:1:1</u>

B. SAR Measurement Results


Middle Band SAR (Channel 52):

Frequency (MHz)	5260.000000
Relative permittivity (real part)	35.619701
Relative permittivity (imaginary part)	15.212540
Conductivity (S/m)	4.495210
Variation (%)	-0.690000

SURFACE SAR




VOLUME SAR




Maximum location: X=-52.00, Y=-51.00

SAR Peak: 0.51 W/kg


SAR 10g (W/Kg)	0.165622
SAR 1g (W/Kg)	0.295673



3D screen shot



Hot spot position



MEASUREMENT 12

Towards-ground-Middle

Type: Phone measurement (Complete)

Date of measurement: 11/11/2023

Measurement duration: 10 minutes 36 seconds


A. Experimental conditions.

<u>Area Scan</u>	<u>dx=10mm dy=10mm</u>
<u>ZoomScan</u>	<u>7x7x12, dx=4mm dy=4mm</u> <u>dz=2mm, Complete</u>
<u>Phantom</u>	<u>Validation plane</u>
<u>Device Position</u>	<u>Body</u>
<u>Band</u>	<u>IEEE 802.11a U-NII-1</u>
<u>Channels</u>	<u>Middle</u>
<u>Signal</u>	<u>Duty cycle: 1:1</u>


B. SAR Measurement Results

Frequency (MHz)	5260.000000
Relative permittivity (real part)	35.858526
Relative permittivity (imaginary part)	15.623689
Conductivity (S/m)	4.494532
Variation (%)	0.335000

SURFACE SAR



VOLUME SAR






Maximum location: X=23.00, Y=-1.00

SAR Peak: 0.48 W/kg

SAR 10g (W/Kg)	0.229876
SAR 1g (W/Kg)	0.330132

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR (W/Kg)	0.5035	0.2644	0.1036	0.0539	0.0226	0.0107	0.0050



3D screen shot	Hot spot position
	

MEASUREMENT 13

Type: Phone measurement (Complete)

Date of measurement: 11/11/2023

Measurement duration: 9 minutes 46 seconds

A. Experimental conditions.


<u>Area Scan</u>	<u>dx=10mm dy=10mm</u>
<u>ZoomScan</u>	<u>7x7x12,dx=4mm dy=4mm</u> <u>dz=2mm,Complete</u>
<u>Phantom</u>	<u>Lefthead</u>
<u>Device Position</u>	<u>Cheek</u>
<u>Band</u>	<u>IEEE 802.11a U-NII-3</u>
<u>Channels</u>	<u>Middle</u>
<u>Signal</u>	<u>Duty cycle:1:1</u>

B. SAR Measurement Results


Middle Band SAR (Channel 116):

Frequency (MHz)	5580.000000
Relative permittivity (real part)	34.635521
Relative permittivity (imaginary part)	16.245435
Conductivity (S/m)	5.161300
Variation (%)	2.030000

SURFACE SAR



VOLUME SAR






Maximum location: X=-19.00, Y=12.00

SAR Peak: 0.51 W/kg

SAR 10g (W/Kg)	0.151642
SAR 1g (W/Kg)	0.277810

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR (W/Kg)	0.5004	0.3056	0.1563	0.0817	0.0410	0.0213	0.0107



3D screen shot	Hot spot position
	

MEASUREMENT 14

Towards-ground-Middle

Type: Phone measurement (Complete)

Date of measurement: 11/11/2023

Measurement duration: 8 minutes 40seconds


A. Experimental conditions.

<u>Area Scan</u>	<u>dx=10mm dy=10mm</u>
<u>ZoomScan</u>	<u>7x7x12,dx=4mm dy=4mm</u> <u>dz=2mm,Complete</u>
<u>Phantom</u>	<u>Validation plane</u>
<u>Device Position</u>	<u>Body</u>
<u>Band</u>	<u>IEEE 802.11a U-NII-3</u>
<u>Channels</u>	<u>Middle</u>
<u>Signal</u>	<u>Duty cycle:1:1</u>


B. SAR Measurement Results

Frequency (MHz)	5580.000000
Relative permittivity (real part)	48.235748
Relative permittivity (imaginary part)	19.060800
Conductivity (S/m)	6.173560
Variation (%)	0.225000

SURFACE SAR



VOLUME SAR






Maximum location: X=3.00, Y=13.00

SAR Peak: 0.17 W/kg

SAR 10g (W/Kg)	0.168975
SAR 1g (W/Kg)	0.355642

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR (W/Kg)	0.5035	0.2644	0.1036	0.0539	0.0226	0.0107	0.0050



3D screen shot	Hot spot position
	

MEASUREMENT 15

Type: Phone measurement (Complete)

Date of measurement: 11/11/2023

Measurement duration: 9 minutes 36 seconds

A. Experimental conditions.


<u>Area Scan</u>	<u>dx=10mm dy=10mm</u>
<u>ZoomScan</u>	<u>7x7x12,dx=4mm dy=4mm</u> <u>dz=2mm,Complete</u>
<u>Phantom</u>	<u>Lefthead</u>
<u>Device Position</u>	<u>Cheek</u>
<u>Band</u>	<u>IEEE 802.11a U-NII-4</u>
<u>Channels</u>	<u>Middle</u>
<u>Signal</u>	<u>Duty cycle:1:1</u>

B. SAR Measurement Results


Middle Band SAR (Channel 157):

Frequency (MHz)	5785.000000
Relative permittivity (real part)	34.635521
Relative permittivity (imaginary part)	16.245435
Conductivity (S/m)	5.161300
Variation (%)	-2.93000

SURFACE SAR



VOLUME SAR






Maximum location: X=-19.00, Y=12.00

SAR Peak: 0.51 W/kg

SAR 10g (W/Kg)	0.143625
SAR 1g (W/Kg)	0.274150

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR (W/Kg)	0.5004	0.3056	0.1563	0.0817	0.0410	0.0213	0.0107



3D screen shot	Hot spot position
	

MEASUREMENT 16

Towards-ground-Middle

Type: Phone measurement (Complete)

Date of measurement: 11/11/2023

Measurement duration: 9 minutes 32 seconds


A. Experimental conditions.

<u>Area Scan</u>	<u>dx=10mm dy=10mm</u>
<u>ZoomScan</u>	<u>7x7x12, dx=4mm dy=4mm</u> <u>dz=2mm, Complete</u>
<u>Phantom</u>	<u>Validation plane</u>
<u>Device Position</u>	<u>Body</u>
<u>Band</u>	<u>IEEE 802.11a U-NII-4</u>
<u>Channels</u>	<u>Middle</u>
<u>Signal</u>	<u>Duty cycle: 1:1</u>


B. SAR Measurement Results

Frequency (MHz)	5785.000000
Relative permittivity (real part)	48.235748
Relative permittivity (imaginary part)	19.060800
Conductivity (S/m)	6.173560
Variation (%)	-0.110000

SURFACE SAR



VOLUME SAR




Maximum location: X=3.00, Y=13.00

SAR Peak: 0.17 W/kg

SAR 10g (W/Kg)	0.135330
SAR 1g (W/Kg)	0.261220

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR (W/Kg)	0.5035	0.2644	0.1036	0.0539	0.0226	0.0107	0.0050



3D screen shot	Hot spot position
